

| Jefferson Davis Construction on approximately 14 km of U.S. 84 from Lawrence County Line to east of Prentiss, know as Federal Aid Project No. NH-0015-02(078)PH2 / 101173, in the County of Jefferson Davis, State of Mississippi. | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | TANNER CONSTRUCTION COMPANY INC. | T L WALLACE CONST CO INC | HILL BROS. CONSTRUCTION & ENGINEERING CO | L & A CONTRACTING CO | W. G. YATES & SON CONSTR. CO. |
|---|---|---------------|--|--|-----------------------------|--|-------------------------|----------------------------------|
| | | | 12,868,587.00 | 11,415,021.87 | 11,580,730.44 | 12,266,785.60 | 12,761,937.94 | 13,424,175.02 |
| REF # | ITEM DESCRIPTION | ITEM QUANTITY | UNITS | 1 | 2 | 3 | 4 | 5 |
| 340 | Size I Stabilizer Aggregate, Coarse (LVM) | 2,661.000 | m3 | 30.0000 | 30.0000 | 53.0000 | 27.5000 | 23.9000 |
| 350 | Class "B" Structural Concrete | 2,176.000 | m3 | 353.0000 | 375.0000 | 400.0000 | 339.0000 | 375.1000 |
| 360 | Class "B" Structural Concrete, Minor Structures | 39.000 | m3 | 1,100.0000 | 1,250.0000 | 1,328.0000 | 1,210.0000 | 1,236.5600 |
| 370 | Reinforcing Steel | 240,879.000 | kg | 1.2600 | 1.3000 | 2.0000 | 1.4000 | 1.1300 |
| 380 | 450-mm Reinforced Concrete Pipe, Class III | 990.000 | m | 80.0000 | 87.0000 | 89.0000 | 78.8200 | 88.0400 |
| 390 | 600-mm Reinforced Concrete Pipe, Class III | 375.000 | m | 120.0000 | 125.0000 | 132.0000 | 130.0000 | 122.9600 |
| 400 | 750-mm Reinforced Concrete Pipe, Class III | 92.000 | m | 150.0000 | 160.0000 | 174.0000 | 180.2500 | 172.1000 |
| 410 | 900-mm Reinforced Concrete Pipe, Class III | 33.000 | m | 200.0000 | 215.0000 | 232.0000 | 255.3000 | 226.8300 |
| 420 | 1050-mm Reinforced Concrete Pipe, Class III | 88.000 | m | 260.0000 | 260.0000 | 283.0000 | 319.0000 | 282.9800 |
| 430 | 1200-mm Reinforced Concrete Pipe, Class III | 720.000 | m | 330.0000 | 330.0000 | 354.0000 | 415.7200 | 356.3600 |
| 440 | 1350-mm Reinforced Concrete Pipe, Class III | 70.000 | m | 400.0000 | 400.0000 | 423.0000 | 509.1400 | 454.5600 |
| 450 | 1650-mm Reinforced Concrete Pipe, Class III | 112.000 | m | 600.0000 | 600.0000 | 583.0000 | 747.6000 | 630.5900 |
| 460 | 1800-mm Reinforced Concrete Pipe, Class III | 17.000 | m | 670.0000 | 700.0000 | 666.0000 | 863.1400 | 734.0600 |
| 470 | 1200-mm Reinforced Concrete Pipe, Class IV | 102.000 | m | 390.0000 | 400.0000 | 403.0000 | 494.0000 | 429.1400 |
| 480 | 450-mm Reinforced Concrete End Section | 35.000 | E | 500.0000 | 525.0000 | 566.0000 | 709.5000 | 724.3700 |
| 490 | 600-mm Reinforced Concrete End Section | 16.000 | E | 600.0000 | 600.0000 | 707.0000 | 816.7500 | 792.2500 |
| 500 | 750-mm Reinforced Concrete End Section | 4.000 | E | 640.0000 | 670.0000 | 834.0000 | 899.2500 | 825.6000 |
| 510 | 900-mm Reinforced Concrete End Section | 2.000 | E | 1,000.0000 | 1,050.0000 | 1,278.0000 | 1,537.8000 | 1,183.7300 |
| 520 | 1050-mm Reinforced Concrete End Section | 2.000 | E | 1,000.0000 | 1,350.0000 | 1,596.0000 | 1,953.6000 | 1,520.2000 |
| 530 | 1200-mm Reinforced Concrete End Section | 16.000 | E | 1,400.0000 | 1,500.0000 | 1,783.0000 | 2,141.7000 | 1,839.4200 |
| 540 | 1350-mm Reinforced Concrete End Section | 2.000 | E | 1,700.0000 | 1,800.0000 | 2,105.0000 | 2,565.7500 | 2,061.5500 |
| 550 | 1650-mm Reinforced Concrete End Section | 4.000 | E | 2,400.0000 | 2,600.0000 | 2,766.0000 | 3,582.1500 | 3,258.0900 |
| 560 | 1485-mm x 915-mm Concrete Arch Pipe, Class A III | 64.000 | m | 380.0000 | 400.0000 | 408.0000 | 484.4200 | 413.0100 |
| 570 | 2235-mm x 1370-mm Concrete Arch Pipe, Class A III | 69.000 | m | 780.0000 | 825.0000 | 749.0000 | 1,013.0000 | 835.1600 |
| 580 | 1485-mm x 915-mm Concrete Arch Pipe End Section | 6.000 | E | 1,500.0000 | 1,700.0000 | 1,862.0000 | 2,750.0000 | 1,828.6500 |
| 590 | 2235-mm x 1370-mm Concrete Arch Pipe End Section | 6.000 | E | 2,800.0000 | 3,000.0000 | 3,109.0000 | 4,195.4000 | 3,987.0600 |
| 600 | 450-mm Branch Connections (Stub into 1800-mm Concrete | 1.000 | E | 300.0000 | 600.0000 | 318.0000 | 632.5000 | 515.0000 |
| 610 | 450-mm Type A Alternate Pipe | 635.000 | m | 37.0000 | 50.0000 | 57.0000 | 74.3000 | 41.4800 |
| 620 | 600-mm Type A Alternate Pipe | 140.000 | m | 54.0000 | 65.0000 | 78.0000 | 98.4500 | 53.2000 |
| 630 | 750-mm Type A Alternate Pipe | 56.000 | m | 83.0000 | 83.0000 | 104.0000 | 121.0000 | 74.9900 |
| 640 | Gratings | 4,140.000 | kg | 3.4000 | 4.0000 | 4.0000 | 4.5000 | 2.7200 |
| 650 | 150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5) | 300.000 | m | 30.0000 | 30.0000 | 40.0000 | 59.4000 | 27.7400 |
| 660 | 150-mm Non-perforated Sewer Pipe for Underdrains (SDR | 30.000 | m | 30.0000 | 30.0000 | 40.0000 | 59.4000 | 28.3700 |

| Jefferson Davis Construction on approximately 14 km of U.S. 84 from Lawrence County Line to east of Prentiss, know as Federal Aid Project No. NH-0015-02(078)PH2 / 101173, in the County of Jefferson Davis, State of Mississippi. | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | TANNER CONSTRUCTION COMPANY INC. | T L WALLACE CONST CO INC | HILL BROS. CONSTRUCTION & ENGINEERING CO | L & A CONTRACTING CO | W. G. YATES & SON CONSTR. CO. |
|---|--|---------------|--|--|-----------------------------|--|-------------------------|----------------------------------|
| | | | 12,868,587.00 | 11,415,021.87 | 11,580,730.44 | 12,266,785.60 | 12,761,937.94 | 13,424,175.02 |
| REF # | ITEM DESCRIPTION | ITEM QUANTITY | UNITS | 1 | 2 | 3 | 4 | 5 |
| 670 | Filter Material for Combination Storm Drain &/or | 46.000 | m3 | 25.0000 | 30.0000 | 50.0000 | 35.0000 | 42.9600 |
| 680 | Filter Material for Combination Storm Drain &/or | 26.000 | m3 | 7.0000 | 40.0000 | 60.0000 | 31.0000 | 18.4000 |
| 690 | Geotextile Fabric for Subsurface Drainage (Type V) | 615.000 | m2 | 1.0000 | 2.2500 | 3.0000 | 1.6500 | 2.0500 |
| 700 | Right-of-Way Markers (Type II) | 262.000 | E | 53.0000 | 65.0000 | 80.0000 | 82.5000 | 80.0000 |
| 710 | Standard Roadside Construction Signs (less than 0.9 | 75.000 | m2 | 118.0000 | 118.0000 | 116.0000 | 130.0000 | 160.6800 |
| 720 | Standard Roadside Construction Signs (0.9 square meter | 114.000 | m2 | 115.0000 | 115.0000 | 116.0000 | 126.5000 | 154.5000 |
| 730 | Barricades (Type III) (Single Faced) | 653.000 | m | 72.0000 | 72.0000 | 63.0000 | 79.2500 | 86.5200 |
| 740 | Barricades (Type III) (Double Faced) | 24.000 | m | 60.0000 | 60.0000 | 95.0000 | 66.0000 | 101.9700 |
| 750 | Free Standing Plastic Drums | 205.000 | E | 52.0000 | 52.0000 | 84.0000 | 57.2000 | 74.1600 |
| 760 | Field Laboratory | 1.000 | E | 6,000.0000 | 6,000.0000 | 16,625.0000 | 22,000.0000 | 24,500.0000 |
| 770 | Portland Cement Grout for Plugging Abandoned Wells | 1,035.000 | kg | 3.0000 | 3.1500 | 15.0000 | 3.3000 | 3.2900 |
| 780 | Transverse Grooving | 7,908.000 | m2 | 3.3000 | 3.4000 | 7.0000 | 3.5000 | 4.4800 |
| 790 | Foundation Excavation for Bridges | 395.000 | m3 | 10.0000 | 10.0000 | 22.0000 | 8.5500 | 9.7800 |
| 800 | 350-mm x 350-mm Prestressed Concrete Piling | 2,841.000 | m | 86.0000 | 67.0000 | 66.0000 | 61.8000 | 80.5600 |
| 810 | 400-mm x 400-mm Prestressed Concrete Piling | 5,082.000 | m | 95.0000 | 77.0000 | 77.0000 | 68.8000 | 102.3900 |
| 820 | 450-mm x 450-mm Prestressed Concrete Piling | 1,518.000 | m | 120.0000 | 101.0000 | 107.0000 | 87.7500 | 118.2400 |
| 830 | PDA Test Piles | 16.000 | E | 4,000.0000 | 6,000.0000 | 7,641.0000 | 6,400.0000 | 13,965.7500 |
| 840 | PDA Restrike | 9.000 | E | 500.0000 | 1,500.0000 | 930.0000 | 550.0000 | 4,785.7100 |
| 850 | Static Load Test | 6.000 | E | 10,000.0000 | 4,000.0000 | 5,600.0000 | 5,500.0000 | 5,862.3300 |
| 860 | Bridge Concrete (Class AA) | 3,218.000 | m3 | 400.0000 | 460.0000 | 400.0000 | 510.3400 | 493.5500 |
| 870 | 12-m Prestressed Concrete Beams, Type I+50 | 2,568.000 | m | 132.0000 | 110.0000 | 111.0000 | 97.0000 | 134.8400 |
| 880 | 18-m Prestressed Concrete Beams, Type II+50 | 320.000 | m | 174.0000 | 150.0000 | 150.0000 | 159.0000 | 181.6400 |
| 890 | 30-m Prestressed Concrete Beams, Type IV | 510.000 | m | 230.0000 | 210.0000 | 206.0000 | 207.2500 | 242.3500 |
| 900 | 17.5-m Prestressed Concrete Beams, Type BT-1830 | 208.000 | m | 278.0000 | 240.0000 | 263.0000 | 290.5000 | 267.8100 |
| 910 | 38.5-m Prestressed Concrete Beams, Type BT-1830 | 459.000 | m | 278.0000 | 255.0000 | 259.0000 | 290.0000 | 267.9700 |
| 920 | 16.25-m Prestressed Concrete Beams, Type BT-1830 | 193.000 | m | 278.0000 | 240.0000 | 263.0000 | 291.5000 | 267.9700 |
| 930 | Reinforcement | 251,443.000 | kg | 1.2300 | 1.3000 | 1.4000 | 1.2300 | 1.0900 |
| 940 | Concrete Railing | 1,166.000 | m | 79.0000 | 122.0000 | 121.0000 | 120.1000 | 128.7500 |
| 950 | Loose Riprap, (Size 136 kg) | 3,243.000 | mt | 44.0000 | 43.0000 | 37.0000 | 38.6000 | 37.1300 |
| 960 | Concrete Slope Paving | 161.000 | m3 | 300.0000 | 325.0000 | 339.0000 | 489.0000 | 0.0000 |
| 980 | Geotextile Fabric under Riprap | 1,664.000 | m2 | 1.0000 | 2.4000 | 3.0000 | 2.0000 | 0.0000 |
| 990 | Sediment Control Stone | 129.000 | mt | 44.0000 | 44.0000 | 35.0000 | 44.8500 | 0.0000 |
| 1000 | Maintenance of Traffic | 0.000 | LS | 16,700.0000 | 16,700.0000 | 50,500.0000 | 25,000.0000 | 40,000.0000 |

| Jefferson Davis Construction on approximately 14 km of U.S. 84 from Lawrence County Line to east of Prentiss, know as Federal Aid Project No. NH-0015-02(078)PH2 / 101173, in the County of Jefferson Davis, State of Mississippi. | | | | EUTAW CONSTRUCTION CO INC | | | | | | |
|---|-----------------------------|---------------|-------|---------------------------------|--------|--------|--------|--------|--------|------|
| | | | | 14,418,904.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| REF # | ITEM DESCRIPTION | ITEM QUANTITY | UNITS | 6 | 7 | 8 | 9 | 10 | 11 | |
| 1010 | Mobilization | 0.000 | LS | 1,250,000.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |
| 1020 | Roadway Construction Stakes | 0.000 | LS | 400,000.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | 0.0000 | |