

Holmes Replace 6 Bridges at various locations on US 51, between Goodman & Durant, known a Federal Aid Project No. BR-1681-00(011) / 101449, County of Holmes, State of Mississippi.			MISSISSIPPI DEPARTMENT OF TRANSPORTATION	MALOUF CONSTRUCTION CORPORATION	HILL BROS. CONSTRUCTION & ENGINEERING CO	KEY, LLC		
			3,848,396.10	4,374,914.54	4,481,740.22	4,583,603.89	0.00	0.00
REF #	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	1	2	3	4	5
1000	Traffic Stripe (Continuous Yellow)	2.000	km	875.0000	850.0000	800.0000	0.0000	0.0000
1010	Two-Way Yellow Reflective High Performance Raised	216.000	E	9.8500	9.6000	9.0000	0.0000	0.0000
1020	Delineators (Guard Rail)(White)	36.000	E	20.0000	19.0000	18.0000	0.0000	0.0000
1030	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted	8.000	E	75.0000	75.0000	70.0000	0.0000	0.0000
1040	Flowable Fill	130.000	m3	175.0000	140.0000	270.0000	0.0000	0.0000
1050	Test Piles	4.000	E	8,950.0000	5,000.0000	5,000.0000	0.0000	0.0000
1060	Loading Tests	2.000	E	5,000.0000	5,000.0000	5,000.0000	0.0000	0.0000
1070	350-mm x 350-mm Prestressed Concrete Piling	551.000	m	129.7500	75.0000	95.0000	0.0000	0.0000
1080	400-mm x 400-mm Prestressed Concrete Piling	851.000	m	131.9000	90.0000	110.0000	0.0000	0.0000
1090	Bridge Concrete (Class AA)	456.000	m3	702.0000	555.0000	625.0000	0.0000	0.0000
1100	12-m Prestressed Concrete Beams, Type I+50	286.000	m	157.0000	165.0000	140.0000	0.0000	0.0000
1110	24-m Prestressed Concrete Beams, Type III	144.000	m	321.5000	270.0000	220.0000	0.0000	0.0000
1120	34-m Prestressed Concrete Beams, Type IV	237.000	m	346.0000	340.0000	320.0000	0.0000	0.0000
1130	Reinforcement	44,282.000	kg	1.4200	1.7000	2.1500	0.0000	0.0000
1140	Concrete Railing	212.000	m	148.5000	145.0000	141.0000	0.0000	0.0000
1150	Loose Riprap, (Size 45 kg)	3,943.000	mt	32.5000	40.0000	40.0000	0.0000	0.0000
1160	Loose Riprap, (Size 136 kg)	637.000	mt	36.4500	42.0000	40.0000	0.0000	0.0000
1170	Geotextile Fabric under Riprap	5,153.000	m2	2.4000	3.0000	2.0000	0.0000	0.0000
1180	Portland Cement	48.000	mt	155.0000	150.0000	135.0000	0.0000	0.0000
1190	Soil-Cement-Water Mixing, (Optional Mixers)	5,625.000	m2	2.6000	2.1500	2.0000	0.0000	0.0000
1200	Processing Lime and Fly Ash Treated Course, 150 mm	5,626.000	m2	0.0000	0.0000	0.0000	0.0000	0.0000
1210	Lime	52.000	mt	0.0000	0.0000	0.0000	0.0000	0.0000
1220	Fly Ash (Class C or F)	206.000	mt	0.0000	0.0000	0.0000	0.0000	0.0000
1230	Maintenance of Traffic	0.000	LS	63,000.0000	15,000.0000	65,000.0000	0.0000	0.0000
1240	Mobilization	0.000	LS	252,300.0000	400,000.0000	430,000.0000	0.0000	0.0000
1250	Roadway Construction Stakes	0.000	LS	111,000.0000	200,000.0000	90,000.0000	0.0000	0.0000