



Hinds Mill and Overlay approx. 11 miles of US 49 from South of Northside Drive to Madison Co. Line, known as Federal Aid Project No. NH-0008-03(038) / 102356, in Hinds County, State of Mississippi.			MISSISSIPPI DEPARTMENT OF TRANSPORTATION	SUPERIOR ASPHALT INC	APAC MISSISSIPPI INC.	DICKERSON & BOWEN INC		
			7,078,699.05	6,764,510.46	6,899,946.77	7,050,174.78	0.00	0.00
REF #	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	1	2	3	4	5
340	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling	1,000.000	T	39.0800	44.8500	48.0000	0.0000	0.0000
350	Hot Mix Asphalt, HT, 9.5-mm mixture	5,086.000	T	39.8800	53.0000	40.4500	0.0000	0.0000
360	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	50,578.000	T	43.6500	40.5000	43.0000	0.0000	0.0000
370	Cold Milling of Bituminous Pavement (All Depths)	37,580.000	T	3.8100	1.8500	9.0000	0.0000	0.0000
380	Cleaning and Sealing Cracks	14,150.000	LF	1.7600	2.9000	2.9000	0.0000	0.0000
390	16" Rumble Strips (Ground In)	43.000	MI	400.0000	525.0000	575.0000	0.0000	0.0000
400	8" and Variable Continuously Reinforced Concrete	71.000	SY	170.0000	175.0000	171.2500	0.0000	0.0000
410	Saw Cut (Longitudinal Joints)	25.000	LF	8.0000	8.0000	8.0000	0.0000	0.0000
420	Saw Cut (3-inch)	168.000	LF	8.0000	8.0000	8.0000	0.0000	0.0000
430	Saw Cut (8-inch)	168.000	LF	15.0000	15.0000	15.0000	0.0000	0.0000
440	Concrete for Base Repair	15.000	CY	150.0000	125.0000	125.0000	0.0000	0.0000
450	Tie Bars (No. 5)	39.000	E	14.0000	12.0000	12.0000	0.0000	0.0000
460	Class "B" Structural Concrete, Minor Structures	27.000	CY	950.0000	850.0000	835.0000	0.0000	0.0000
470	Class "B" Structural Concrete	20.000	CY	850.0000	475.0000	690.0000	0.0000	0.0000
480	Reinforcing Steel	4,767.000	LBS	0.8000	0.7000	0.5900	0.0000	0.0000
490	18" Reinforced Concrete Pipe, Class III	1,744.000	LF	27.5100	29.0000	29.5000	0.0000	0.0000
500	24" Reinforced Concrete Pipe, Class III	8.000	LF	92.6400	80.0000	52.0000	0.0000	0.0000
510	30" Reinforced Concrete Pipe, Class III	8.000	LF	103.3500	90.0000	64.0000	0.0000	0.0000
520	36" Reinforced Concrete Pipe, Class III	8.000	LF	119.3200	107.0000	82.0000	0.0000	0.0000
530	18" Reinforced Concrete End Section	11.000	E	713.3300	775.0000	680.0000	0.0000	0.0000
540	24" Reinforced Concrete End Section	2.000	E	781.8700	900.0000	760.0000	0.0000	0.0000
550	36" Reinforced Concrete End Section	1.000	E	1,242.6800	1,325.0000	1,165.0000	0.0000	0.0000
560	22" x 13" Concrete Arch Pipe, Class A III	32.000	LF	116.3400	75.0000	56.0000	0.0000	0.0000
570	51" x 31" Concrete Arch Pipe, Class A III	8.000	LF	146.4300	140.0000	118.0000	0.0000	0.0000
580	58" x 36" Concrete Arch Pipe, Class A III	8.000	LF	200.7300	160.0000	143.0000	0.0000	0.0000
590	22" x 13" Concrete Arch Pipe End Section	6.000	E	514.4100	725.0000	680.0000	0.0000	0.0000
600	51" x 31" Concrete Arch Pipe End Section	1.000	E	1,768.3100	1,650.0000	1,630.0000	0.0000	0.0000
610	58" x 36" Concrete Arch Pipe End Section	1.000	E	2,149.5700	1,825.0000	1,770.0000	0.0000	0.0000
620	Guard Posts	117.000	E	76.1600	65.0000	65.0000	0.0000	0.0000
630	Guard Rail, Class A, Type 1, 'W' Beam, Wood Post	2,200.000	LF	19.3300	16.5000	16.5000	0.0000	0.0000
640	Guard Rail, Cable Anchor, Type 1	11.000	E	761.5700	650.0000	650.0000	0.0000	0.0000
650	Guard Rail, Bridge End Section, Type D Modified	4.000	E	995.9100	850.0000	850.0000	0.0000	0.0000
660	Guard Rail, Terminal End Section	11.000	E	2,050.3900	1,750.0000	1,750.0000	0.0000	0.0000



Hinds Mill and Overlay approx. 11 miles of US 49 from South of Northside Drive to Madison Co. Line, known as Federal Aid Project No. NH-0008-03(038) / 102356, in Hinds County, State of Mississippi.			MISSISSIPPI DEPARTMENT OF TRANSPORTATION	SUPERIOR ASPHALT INC	APAC MISSISSIPPI INC.	DICKERSON & BOWEN INC		
			7,078,699.05	6,764,510.46	6,899,946.77	7,050,174.78	0.00	0.00
REF #	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	1	2	3	4	5
1000	Delineators (Flexible Post Mounted)(Crossover)(Type	20.000	E	41.0100	35.0000	35.0000	0.0000	0.0000
1010	Delineators (Flexible Post Mounted)(Crossover)(Type	20.000	E	41.0100	35.0000	35.0000	0.0000	0.0000
1020	Delineators (Guard Rail)(Yellow)	8.000	E	17.5700	15.0000	15.0000	0.0000	0.0000
1030	Welded & Seamless Steel Pipe Posts (4")	89.000	LF	46.8700	40.0000	40.0000	0.0000	0.0000
1040	Flowable Fill	30.000	CY	175.7500	90.0000	175.0000	0.0000	0.0000
1050	Vehicle Loop Assemblies	2,634.000	LF	11.7200	10.0000	10.0000	0.0000	0.0000
1060	Loose Riprap, (Size 200)	229.000	T	30.1400	39.0000	67.0000	0.0000	0.0000
1070	Loose Riprap, (Size 300)	182.000	T	29.9400	37.0000	71.0000	0.0000	0.0000
1080	Geotextile Fabric under Riprap	6,827.000	SY	1.0100	1.0000	1.0000	0.0000	0.0000
1090	Shielded Cable, AWG #18, 2 Conductor	4,400.000	LF	1.1700	1.0000	1.0000	0.0000	0.0000
1100	Loop Detector Amplifier, Card Rack Mounted (4 Channel)	4.000	E	1,060.3500	905.0000	905.0000	0.0000	0.0000
1110	Traffic Signal Equipment Pole (Type II) (19' Shaft)	1.000	E	7,615.7400	6,500.0000	6,500.0000	0.0000	0.0000
1120	Traffic Signal Equipment Pole (Type II) (19' Shaft)	1.000	E	7,615.7400	6,500.0000	6,500.0000	0.0000	0.0000
1130	Traffic Signal Equipment Pole (Type V)	4.000	E	1,171.6500	1,000.0000	1,000.0000	0.0000	0.0000
1140	Traffic Signal Heads (Type 1) LED	8.000	E	1,171.6500	1,000.0000	1,000.0000	0.0000	0.0000
1150	Traffic Signal Heads (Type 7) LED	2.000	E	1,757.4800	1,500.0000	1,500.0000	0.0000	0.0000
1160	Traffic Signal Head (Flasher Module)	8.000	E	585.8300	500.0000	500.0000	0.0000	0.0000
1170	Solid State Traffic Actuated Controllers (Type 8A)	1.000	E	10,662.0400	9,100.0000	9,100.0000	0.0000	0.0000
1180	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG	1,600.000	LF	2.3400	2.0000	2.0000	0.0000	0.0000
1190	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG	440.000	LF	2.3400	2.0000	2.0000	0.0000	0.0000
1200	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG	460.000	LF	3.5100	3.0000	3.0000	0.0000	0.0000
1210	Traffic Signal Conduit (Underground) (Type 4) (1")	1,250.000	LF	3.5100	3.0000	3.0000	0.0000	0.0000
1220	Traffic Signal Conduit (Underground) (Type 4) (2")	50.000	LF	5.8600	5.0000	5.0000	0.0000	0.0000
1230	Traffic Signal Conduit (Underground Drilled or Jacked),	750.000	LF	11.7200	10.0000	10.0000	0.0000	0.0000
1240	Maintenance of Traffic	0.000	LS	170,000.0000	393,544.0000	320,000.0000	0.0000	0.0000