MARION

Reconstruction of Mississippi Highway 587 at Red Bluff between Morgantown and the Lawerence county line, known as Federal Aid Project No. STP-0196-00(022) / 103510, in the County of Marion, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	EUTAW CONSTRUCTION CO INC	T L WALLACE CONST CO INC	TANNER CONSTRUCTION COMPANY INC.	PACE BROTHERS ENTERPRISES INC.	
					2,447,801.80	2,374,972.19	2,377,207.59	2,438,060.13	3,136,246.42	0.00
						1	2	3	4	5
10	201-A001	Clearing and Grubbing	0.000	LS		100,000.0000	350,000.0000	67,500.0000	175,000.0000	0.0000
20	201-B001	Clearing and Grubbing	1.000	A		2,000.0000	2,500.0000	500.0000	2,000.0000	0.0000
30	202-B106	Removal of Pipe, All Sizes	44.000	LF		8.0000	6.0000	5.0000	12.0000	0.0000
40	202-B005	Removal of Asphalt Pavement, All Depths	6,037.000	SY		1.5000	1.2500	2.5000	1.2500	0.0000
50		Removal of Existing Sign	10.000	E		100.0000	75.0000	20.0000	50.0000	0.0000
60	203-A001	Unclassified Excavation, FM	73,783.000	CY		1.7000	1.5500	1.6800	2.2500	0.0000
70	203-EX017	Borrow Excavation, AH, FME, Class B9	263,127.000	CY		2.5000	2.6000	3.5000	4.5000	0.0000
80	206-A001	Structure Excavation	262.000	CY		6.0000	7.0000	6.0000	8.0000	0.0000
90	206-B001	Select Material for Undercuts, Contractor Furnished, FM	309.000	CY		10.0000	40.0000	10.0000	8.0000	0.0000
100	211-B001	Topsoil for Slope Treatment, Contractor Furnished	20,233.000	CY		5.3500	3.6500	6.4000	9.0000	0.0000
110	212-B001	Standard Ground Preparation	157,278.000	SY		0.0300	0.0300	0.0500	0.0400	0.0000
120	213-A001	Agricultural Limestone	98.000	T		40.0000	40.0000	44.0000	55.0000	0.0000
130	213-B001	Combination Fertilizer, 13-13-13	17.000	T		360.0000	375.0000	450.0000	375.0000	0.0000
140	213-C001	Superphosphate	17.000	T		216.0000	220.0000	350.0000	240.0000	0.0000
150	214-A002	Seeding, Bermudagrass	650.000	LBS		4.5000	4.7500	6.0000	5.0000	0.0000
160	214-A003	Seeding, Tall Fescue	244.000	LBS		3.6000	3.7500	3.0000	3.0000	0.0000
170	214-A004	Seeding, Crimson Clover	325.000	LBS		3.6000	3.7500	3.0000	3.0000	0.0000
180	214-A001	Seeding, Bahiagrass	813.000	LBS		4.5000	4.7500	4.0000	5.0000	0.0000
181	214-A005	Seeding, Sericea Lespedeza	407.000	LBS		3.6000	3.7500	3.0000	3.0000	0.0000
190	215-A001	Vegetative Materials for Mulch	65.000	T		158.0000	160.0000	200.0000	200.0000	0.0000
200	216-A001	Solid Sodding	1,314.000	SY		2.7000	3.0000	4.0000	3.5000	0.0000
210	217-A001	Ditch Liner	751.000	SY		0.9000	1.0000	1.5000	1.5000	0.0000
220	219-A001	Watering	28.000	M/G		20.0000	20.0000	20.0000	20.0000	0.0000
230	220-A001	Insect Pest Control	17.000	A		30.0000	30.0000	30.0000	30.0000	0.0000
240	221-A001	Portland Cement Concrete Paved Ditch	345.000	CY		330.0000	220.0000	185.0000	235.0000	0.0000
250	223-A001	Mowing	0.000	A		30.0000	30.0000	30.0000	30.0000	0.0000
260	224-A001	Soil Reinforcing Mat	535.000	SY		4.0000	4.2500	5.0000	5.0000	0.0000
270	234-A001	Temporary Silt Fence	8,453.000	LF		3.1000	3.5000	3.3000	5.0000	0.0000
280	235-A001	Temporary Erosion Checks	1,648.000	BAL		7.0000	8.0000	5.0000	5.0000	0.0000
290	236-A004	Silt Basin, Type D	6.000	E		1,500.0000	2,000.0000	1,700.0000	1,500.0000	0.0000
300	239-A001	Temporary Slope Drains	800.000	LF		6.0000	5.0000	7.0000	6.0000	0.0000
310	304-A028	Granular Material, LVM, Class 6, Group C	2,306.000	CY		3.0000	6.5000	8.0000	12.0000	0.0000
311	304-C043	Granular Material, AEA, Class 9, Group C	4,447.000	CY		6.0000	3.7500	6.0000	10.0000	0.0000

MARION

Reconstruction of Mississippi Highway 587 at Red Bluff between Morgantown and the Lawerence county line, known as Federal Aid Project No. STP-0196-00(022) / 103510, in the County of Marion, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	EUTAW CONSTRUCTION CO INC	T L WALLACE CONST CO INC	TANNER CONSTRUCTION COMPANY INC.	PACE BROTHERS ENTERPRISES INC.	
					2,447,801.80	2,374,972.19	2,377,207.59	2,438,060.13	3,136,246.42	0.00
						1	2	3	4	5
320	305-B001	Size I Stabilizer Aggregate, Coarse	153.000	CY		55.0000	35.0000	27.0000	30.0000	0.0000
330	307-C001	6" Soil-Lime-Water Mixing, Class C	4,233.000	SY		1.0000	1.0000	1.0800	1.0000	0.0000
340	307-D001	Lime	57.000	T		106.0000	106.0000	116.0000	106.0000	0.0000
350	403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	2,214.000	T		49.0000	50.0000	40.0000	49.0000	0.0000
360	403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	5,072.000	T		45.0000	46.0000	40.0000	45.0000	0.0000
370	403-A012	Hot Mix Asphalt, ST, 19-mm mixture	379.000	T		55.0000	56.0000	40.0000	55.0000	0.0000
380	406-A001	Cold Milling of Bituminous Pavement, All Depths	1,467.000	SY		3.0000	3.0000	4.0000	3.0000	0.0000
390	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified	1,219.000	G		1.2500	1.2500	1.2500	2.0000	0.0000
400	601-B001	Class "B" Structural Concrete, Minor Structures	6.000	CY		1,800.0000	1,000.0000	850.0000	1,000.0000	0.0000
410	602-A001	Reinforcing Steel	226.000	LBS		0.9500	1.2000	1.0000	1.0000	0.0000
420	603-CA003	24" Reinforced Concrete Pipe, Class III	88.000	LF		50.0000	42.0000	38.0000	44.0000	0.0000
430	603-CA015	24" Reinforced Concrete Pipe, Class IV	144.000	LF		56.0000	48.0000	46.0000	52.0000	0.0000
440	603-CA051	24" Reinforced Concrete Pipe, Class V, Class B Bedding	280.000	LF		67.0000	60.0000	53.0000	59.0000	0.0000
450	603-CA016	30" Reinforced Concrete Pipe, Class IV	144.000	LF		63.0000	57.0000	53.0000	67.0000	0.0000
460	603-CA040	30" Reinforced Concrete Pipe, Class IV, Class B Bedding	239.000	LF		68.0000	62.0000	55.0000	70.0000	0.0000
470	603-CA064	30" Reinforced Concrete Pipe, Class IV, Class B	65.000	LF		75.0000	67.0000	57.0000	74.0000	0.0000
480	603-CA053	36" Reinforced Concrete Pipe, Class V, Class B Bedding	264.000	LF		116.0000	105.0000	98.0000	95.0000	0.0000
490	603-CA057	60" Reinforced Concrete Pipe, Class V, Class B Bedding,	352.000	LF		350.0000	300.0000	280.0000	190.0000	0.0000
500	603-ALT001	18" Type A Alternate Pipe	192.000	LF		15.0000	20.0000	15.5000	24.0000	0.0000
510	603-ALT002	18" Type B Alternate Pipe	52.000	LF		15.0000	20.0000	15.5000	24.0000	0.0000
520	603-CB002	24" Reinforced Concrete End Section	6.000	E		800.0000	600.0000	650.0000	770.0000	0.0000
530	603-CB003	30" Reinforced Concrete End Section	4.000	E		870.0000	700.0000	700.0000	850.0000	0.0000
540	603-CB004	36" Reinforced Concrete End Section	4.000	E		1,410.0000	1,150.0000	1,200.0000	1,250.0000	0.0000
550	603-CB008	60" Reinforced Concrete End Section	2.000	E		2,875.0000	2,400.0000	2,400.0000	2,534.0000	0.0000
560	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5	1,000.000	LF		10.0000	11.0000	8.0000	14.0000	0.0000
570	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	200.000	LF		10.0000	11.0000	8.0000	14.0000	0.0000
580	605-W001	Filter Material for Combination Storm Drain and/or	64.000	CY		50.0000	35.0000	20.0000	32.0000	0.0000
590	605-W002	Filter Material for Combination Storm Drain and/or	2,500.000	CY		30.0000	30.0000	4.0000	20.0000	0.0000
600	605-AA002	Geotextile Fabric for Subsurface Drainage, Type V	76.000	SY		2.8500	2.0000	1.0000	1.7500	0.0000
610	606-A001	Guard Posts	33.000	E		200.0000	200.0000	200.0000	200.0000	0.0000
620	609-D002	Combination Concrete Curb and Gutter Type 2	250.000	LF		25.0000	25.0000	22.0000	30.0000	0.0000
630	617-A002	Right-of-Way Markers, Type II	77.000	E		100.0000	90.0000	57.0000	100.0000	0.0000
640	619-A1002	Temporary Traffic Stripe, Continuous White	5.000	MI		450.0000	450.0000	450.0000	450.0000	0.0000

MARION

Reconstruction of Mississippi Highway 587 at Red Bluff between Morgantown and the Lawerence county line, known as Federal Aid Project No. STP-0196-00(022) / 103510, in the County of Marion, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION 2,447,801.80	EUTAW CONSTRUCTION CO INC 2,374,972.19	T L WALLACE CONST CO INC 2,377,207.59	TANNER CONSTRUCTION COMPANY INC. 2,438,060.13	PACE BROTHERS ENTERPRISES INC. 3,136,246.42	0.00
						1	2	3	4	5
650	619-A2002	Temporary Traffic Stripe, Continuous Yellow	5.000	MI		450.0000	450.0000	450.0000	450.0000	0.0000
660	619-A4006	Temporary Traffic Stripe, Skip Yellow	1.000	MI		750.0000	750.0000	750.0000	750.0000	0.0000
670	619-A5001	Temporary Traffic Stripe, Detail	3,020.000	LF		0.3000	0.3000	0.3000	0.3000	0.0000
680	619-A6001	Temporary Traffic Stripe, Legend	682.000	LF		0.3500	0.3500	0.3500	0.3500	0.0000
690	619-D1001	Standard Roadside Construction Signs, Less than 10	93.000	SF		10.3000	12.0000	9.5000	12.0000	0.0000
700	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or	262.000	SF		10.3000	12.0000	9.5000	12.0000	0.0000
710	619-G4001	Barricades, Type III, Single Faced	152.000	LF		24.0000	22.0000	18.0000	22.0000	0.0000
720	619-G4005	Barricades, Type III, Double Faced	24.000	LF		31.5000	18.0000	19.5000	18.0000	0.0000
730	619-G5001	Free Standing Plastic Drums	93.000	E		69.0000	75.0000	47.0000	75.0000	0.0000
740	625-B002	Traffic Stripe, Skip Yellow	1.000	MI		500.0000	500.0000	500.0000	500.0000	0.0000
750	625-C002	Traffic Stripe, Continuous White	3.000	MI		475.0000	475.0000	475.0000	475.0000	0.0000
760	625-D002	Traffic Stripe, Continuous Yellow	3.000	MI		475.0000	475.0000	475.0000	475.0000	0.0000
770	625-E001	Detail Traffic Stripe	1,606.000	LF		0.4500	0.4500	0.4500	0.4500	0.0000
780	625-F002	Legend	306.000	LF		0.6500	0.6500	0.6500	0.6500	0.0000
790	627-L001	Two-Way Yellow Reflective High Performance Raised	183.000	E		15.0000	15.0000	15.0000	15.0000	0.0000
800	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080"	47.000	SF		20.0000	20.0000	20.0000	20.0000	0.0000
810	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125"	164.000	SF		22.0000	22.0000	22.0000	22.0000	0.0000
820	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum	105.000	SF		25.0000	25.0000	25.0000	25.0000	0.0000
830	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	411.000	LF		6.0000	6.0000	6.0000	6.0000	0.0000
840	630-D003	Structural Steel Beams, W6 x 9	143.000	LF		35.0000	35.0000	35.0000	35.0000	0.0000
850	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	88.000	LBS		2.5000	2.5000	2.5000	2.5000	0.0000
860	815-A009	Loose Riprap, Size 300	301.000	T		48.5000	37.0000	40.0000	45.0000	0.0000
870	815-E001	Geotextile Fabric under Riprap	159.000	SY		2.2500	1.8500	1.0000	3.0000	0.0000
880	815-F002	Sediment Control Stone	23.000	T		41.0000	40.0000	40.0000	30.0000	0.0000
890	308-A001	Portland Cement	322.000	T		145.0000	145.0000	125.0000	145.0000	0.0000
900	308-B010	Soil-Cement-Water Mixing, Optional Mixers, Base	38,100.000	SY		1.0000	0.9000	1.0800	0.9000	0.0000
910	311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick	38,100.000	SY		0.0000	0.0000	0.0000	0.0000	0.0000
920	311-B001	Lime	277.000	T		0.0000	0.0000	0.0000	0.0000	0.0000
930	311-C001	Fly Ash, Class C or F	1,109.000	T		0.0000	0.0000	0.0000	0.0000	0.0000
940	618-A001	Maintenance of Traffic	0.000	LS		35,000.0000	16,320.0000	8,000.0000	16,320.0000	0.0000
950	620-A001	Mobilization	0.000	LS		200,000.0000	50,000.0000	248,000.0000	335,000.0000	0.0000