

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>  1  </u>	DATED <u>  11/15/2004  </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>  2  </u>	DATED <u>  11/18/2004  </u>	ADDENDUM NO. _____	DATED _____

Number	Description	TOTAL ADDENDA <u>  2  </u> (Must agree with total addenda issued prior to opening of bids)
1	Revised Table of Content, replaces same; Revised Supplement to Notice to Bidders 11, replaces same; Revised Notice to Bidders No. 265 dated 11/15/2004, replaces same dated 10/05/2004; Add Notice to Bidders No. 304; Revise Proposal Sheets 2-1 through 2-12, replace same sheets; Revised Project Disk Required.	Respectfully Submitted,  DATE _____
2	Revised Proposal Sheets 2-2 Through 2-12, replaces same sheets; Revised Project Disk Required.	_____ Contractor
		_____ Signature
		TITLE _____
		ADDRESS _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.



## SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 2)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(50)	202-B		8 square yard		Removal of Continuously Reinforced Concrete Pavement, 9-inch Depth				
(60)	202-B		1,683 square yard		Removal of Concrete Pavement, 10" Depth				
(70)	202-B		3,600 linear foot		Removal of Curb, All Types				
(80)	202-B		304 square yard		Removal of Concrete Median & Island Pavement, All Depths				
(90)	202-B		18,800 linear foot		Removal of Guard Rail, Including Rails, Posts and Terminal Ends				
(91)	202-B ADDED 11/18/2004		40 square yard		Removal of Continuously Reinforced Concrete Pavement, 6-inch Depth				
(100)	203-EX	(E)	3,500 cubic yard		Borrow Excavation, AH, LVM, Class B9				

(10/05/2004)

## SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 3)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(110)	225-A			1 acre	Grassing				
(120)	234-A		5,000 linear foot		Temporary Silt Fence				
(130)	304-B	(GT)	11,000 ton		Granular Material, Class 5, Group C				
(140)	403-A	(B) (A1)	24,400 ton		Hot Mix Asphalt, HT, 9.5-mm mixture				
(150)	403-A	(B) (A1)	15,900 ton		Hot Mix Asphalt, HT, 12.5-mm mixture				
(160)	403-D	(B) (A1)	23,980 ton		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
(170)	403-D	(B) (A1)	23,760 ton		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				

(10/05/2004)

## SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 4)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(180)	406-A		18,350 ton		Cold Milling of Bituminous Pavement, All Depths				
(190)	907-406-C		36,850 square yard		Cold Milling of Shoulders, All Types, All Depths				
(200)	406-B		14,900 square yard		Cold Milling of Concrete Pavement, All Depths				
(210)	413-E		44,700 linear foot		Sawing and Sealing Transverse Joints in Asphalt Pavement				
(211)	423-A ADDED 11/18/2004		32 mile		Rumble Strips, Ground In				
(220)	423-B CHANGED 11/18/2004		10 mile		Rumble Strips, Ground In, Concrete				
(230)	503-A	(C)	50 square yard		8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish				

(10/05/2004)

## SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 5)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(240)	503-A	(C)	8 square yard		9" and Variable Continuously Reinforced Concrete Pavement, Broom Finish				
(250)	503-A	(C)	1,700 square yard		10" and Variable Reinforced Concrete Pavement, Tine Finish				
(260)	503-B		2,578 linear foot		Saw Cut, Longitudinal Joints				
(261)	503-C ADDED 11/18/2004		84 linear foot		Saw Cut, 2-inch				
(270)	503-C		60 linear foot		Saw Cut, 3-inch				
(280)	503-C		2,856 linear foot		Saw Cut, 4-inch				
(281)	503-C ADDED 11/18/2004		93 linear foot		Saw Cut, 6-inch				

(10/05/2004)

## SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 6)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(290)	503-C		67 linear foot		Saw Cut, 8-inch				
(300)	503-C		2,878 linear foot		Saw Cut, 10-inch				
(310)	503-D		200 cubic yard		Concrete for Base Repair				
(320)	503-E		3,934 each		Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted				
(330)	503-F		870 each		1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted				
(340)	606-A		1,000 each		Guard Posts				
(350)	606-B		16,160 linear foot		Guard Rail, Class A, Type 1				

(10/05/2004)

SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 7)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(360)	606-B		315 linear foot		Guard Rail, Class A, Type 1, Thrie Beam				
(370)	606-B		44 linear foot		Guard Rail, Class A, Type 1, Thrie Beam, Transition Section				
(380)	606-B		20 each		Guard Rail, Bridge Connector, Per Plans				
(390)	606-D		12 each		Guard Rail, Bridge End Section, Type A Modified				
(400)	606-D		20 each		Guard Rail, Bridge End Section, Type A Modified For 24" Curb				
(410)	606-D		23 each		Guard Rail, Bridge End Section, Type D Modified				
(420)	606-D		1 each		Guard Rail, Bridge End Section, Type G, Modified				

(10/05/2004)

SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 8)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(430)	606-E			43 each	Guard Rail, Terminal End Section, Flared				
(440)	606-E			18 each	Guard Rail, Terminal End Section, Non-Flared				
(450)	618-B			0 square foot	Additional Construction Signs	10.0000		0.00	
(460)	619-A1			52 mile	Temporary Traffic Stripe, Continuous White				
(470)	619-A2			64 mile	Temporary Traffic Stripe, Continuous Yellow				
(480)	619-A3			52 mile	Temporary Traffic Stripe, Skip White				
(490)	619-A4			2 mile	Temporary Traffic Stripe, Skip Yellow				

(10/05/2004)

SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 9)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(500)	619-A5		43,700 linear foot		Temporary Traffic Stripe, Detail				
(510)	619-A6		580 linear foot		Temporary Traffic Stripe, Legend				
(520)	619-A6		255 square foot		Temporary Traffic Stripe, Legend				
(525)	626-A ADDED 11/15/2004		16 mile		6" Thermoplastic Traffic Stripe, Skip White				
(530)	626-C CHANGED 11/15/2004		38 mile		6" Thermoplastic Edge Stripe, Continuous White				
(540)	626-D CHANGED 11/15/2004		6 mile		6" Thermoplastic Traffic Stripe, Skip Yellow				
(550)	626-E CHANGED 11/15/2004		12 mile		6" Thermoplastic Traffic Stripe, Continuous Yellow				

(10/05/2004)



SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 11)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(625)	628-I ADDED 11/15/2004			8 mile	6" High Performance Cold Plastic Traffic Stripe, Skip White				
(630)	628-J CHANGED 11/15/2004			8 mile	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
(640)	628-M			8 mile	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
(650)	630-F			362 each	Delineators, Guard Rail, White				
(660)	630-F			168 each	Delineators, Guard Rail, Yellow				
(670)	630-G			54 each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				
(680)	808-A	(S)		5,610 linear foot	Joint Preparation				

(10/05/2004)

SECTION 905

IM-0020-01(164) / 103403

PROPOSAL (Sheet No. 2- 12)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(690)	808-B	(S)	1,500	gallon	Epoxy Mortar Mix				
(700)	907-813-J	(S)	12,980	linear foot	Cleaning and Coating Existing Railing				
(710)	816-A	(S)		lump sum	Maintenance Painting of Metal Structures	XXXXXXXXXXXX	XXXX		
(720)	907-824-PP			lump sum	Bridge Repair, Joint Repair, Per Plans	XXXXXXXXXXXX	XXXX		
(730)	907-824-PP			lump sum	Bridge Repair, Removal of Joint Armor, Per Plans	XXXXXXXXXXXX	XXXX		
(740)	907-824-PP			lump sum	Bridge Repair, Silicone Sealed Joint, Per Plans	XXXXXXXXXXXX	XXXX		
(750)	907-824-PP			lump sum	Bridge Repair, Sawcut Joints, Per Plans	XXXXXXXXXXXX	XXXX		