Rankin

Overlay Interstate 20, between the West and East Brandon Interchanges, known as Federal Aid Project No. IM-0020-01(166) / 103928, in the County of Rankin, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	DICKERSON & BOWEN INC	APAC- MISSISSIPPI INC.	SUPERIOR ASPHALT INC		
					3,244,093.62	3,446,674.37	3,656,017.15	3,761,918.95	0.00	0.00
						1	2	3	4	5
10		Clearing and Grubbing	12.000	A		12,540.0000	13,900.0000	19,725.4600	0.0000	0.0000
20		Random Clearing	292.000	STA		445.0000	455.0000	522.1200	0.0000	0.0000
30		Removal of Asphalt Pavement, All Depths	6,300.000	SY		8.0000	3.2500	4.0000	0.0000	0.0000
40		Removal of Cement Treated Base, All Depths	6,348.000	SY		8.0000	3.1000	5.2900	0.0000	0.0000
50		Removal of Concrete Overlayed w/ Asphalt Pavement, All	525.000	SY		83.8500	85.5500	92.2400	0.0000	0.0000
60		Removal of Concrete Paved Ditch	550.000	SY		4.0000	4.1000	4.4000	0.0000	0.0000
70		Removal of Fence, All Types	800.000	LF		4.0000	5.1000	4.4000	0.0000	0.0000
80		Removal of Guard Rail	588.000	LF		3.5000	3.6000	3.8500	0.0000	0.0000
81		Removal of Pipe Headwall, All Sizes	2.000	E		650.0000	2,555.0000	550.0000	0.0000	0.0000
82		Removal of Box Culvert Wings and Headwall, All Sizes	3.000	E		2,600.0000	5,110.0000	4,950.0000	0.0000	0.0000
90		Removal of Traffic Stripe	10,602.000	LF		1.0000	1.0200	1.1000	0.0000	0.0000
100		Borrow Excavation, AH, LVM, Class B15	44,000.000	CY		8.0000	7.2500	7.7000	0.0000	0.0000
110		Excess Excavation, LVM, AH	300.000	CY		9.0000	25.0000	8.2500	0.0000	0.0000
111		Structure Excavation	20.000	CY		19.0000	31.0000	11.0000	0.0000	0.0000
112		Select Material for Undercuts, Contractor Furnished, FM	70.000	CY		22.0000	31.0000	46.2000	0.0000	0.0000
113		Light Ground Preparation	80,000.000	SY		0.0200	0.0300	0.0400	0.0000	0.0000
120		Standard Ground Preparation	160,000.000	SY		0.0200	0.0300	0.0800	0.0000	0.0000
130		Agricultural Limestone	100.000	T		36.5800	37.3500	60.5000	0.0000	0.0000
140		Combination Fertilizer, 13-13-13	22.000	T		365.7500	375.0000	495.0000	0.0000	0.0000
150		Superphosphate	1.000	T		261.2500	270.0000	495.0000	0.0000	0.0000
151		Seeding, Annual Rye Grass	420.000	LBS		1.5700	1.6000	3.3000	0.0000	0.0000
152		Seeding, Browntop Millet	340.000	LBS		1.5700	1.6000	3.3000	0.0000	0.0000
153		Seeding, Oats	1,500.000	LBS		1.0500	1.1000	3.3000	0.0000	0.0000
160		Seeding, Bermudagrass	662.000	LBS		5.2300	5.5000	6.6000	0.0000	0.0000
170		Seeding, Crimson Clover	662.000	LBS		2.0900	2.1500	4.4000	0.0000	0.0000
180		Seeding, Tall Fescue	662.000	LBS		2.0900	2.1500	4.4000	0.0000	0.0000
190		Vegetative Materials for Mulch	52.000	T		167.2000	175.0000	247.5000	0.0000	0.0000
200		Solid Sodding	50.000	SY		5.2300	5.5000	6.6000	0.0000	0.0000
201		Ditch Liner	400.000	SY		1.0500	1.1000	2.2000	0.0000	0.0000
210		Portland Cement Concrete Paved Ditch	70.000	CY		335.0000	360.0000	368.5000	0.0000	0.0000
211		Mowing	1.000	A		30.0000	30.0000	30.0000	0.0000	0.0000
220		Temporary Silt Fence	10,000.000	LF		4.5000	4.1000	3.8600	0.0000	0.0000
230		Temporary Erosion Checks	300.000	E		6.7900	8.1500	5.4700	0.0000	0.0000

Rankin

Overlay Interstate 20, between the West and East Brandon Interchanges, known as Federal Aid Project No. IM-0020-01(166) / 103928, in the County of Rankin, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	DICKERSON & BOWEN INC	APAC- MISSISSIPPI INC.	SUPERIOR ASPHALT INC		
					3,244,093.62	3,446,674.37	3,656,017.15	3,761,918.95	0.00	0.00
						1	2	3	4	5
240		Granular Material, Class 5, Group C	18,000.000	T		13.5000	13.2500	16.4900	0.0000	0.0000
250		3/4" and Down Crushed Stone Base	3,222.000	T		31.0000	30.0000	29.7600	0.0000	0.0000
260		Hot Mix Asphalt, HT, 9.5-mm mixture	2,600.000	T		39.9000	46.6000	42.1900	0.0000	0.0000
270		Hot Mix Asphalt, HT, 12.5-mm mixture	2,700.000	T		37.2000	45.0000	40.0700	0.0000	0.0000
280		Hot Mix Asphalt, HT, 19-mm mixture	6,600.000	T		37.2000	46.0000	39.5600	0.0000	0.0000
290		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	7,000.000	T		42.5000	49.0000	45.5900	0.0000	0.0000
300		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	15,800.000	T		38.5000	47.5000	42.3400	0.0000	0.0000
310		Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified	2,500.000	T		42.5000	52.0000	42.8500	0.0000	0.0000
320		Cold Milling of Bituminous Pavement, All Depths	23,000.000	T		4.5500	3.1500	4.8700	0.0000	0.0000
330		Cold Milling of Bituminous Pavement, All Depths	500.000	SY		17.5000	14.0000	11.5600	0.0000	0.0000
340		Joint Sealer Material	280.000	G		12.0000	12.2500	8.8000	0.0000	0.0000
350		Cleaning and Sealing Joints	5,280.000	LF		2.1000	2.1500	1.6500	0.0000	0.0000
360		Rumble Strips, Ground In	13.000	MI		830.0000	525.0000	579.3500	0.0000	0.0000
370		Expansion Joints, With Dowels	36.000	LF		20.0000	20.5000	22.0000	0.0000	0.0000
380		8" and Variable Continuously Reinforced Concrete	451.000	SY		175.2500	180.0000	193.2200	0.0000	0.0000
390		Saw Cut, Longitudinal Joints	406.000	LF		8.0000	8.1600	8.8000	0.0000	0.0000
400		Saw Cut, 3-inch	360.000	LF		25.0000	25.5000	27.5000	0.0000	0.0000
410		Saw Cut, 8-inch	360.000	LF		40.0000	41.0000	44.0000	0.0000	0.0000
420		Concrete for Base Repair	10.000	CY		200.0000	204.0000	220.0000	0.0000	0.0000
430		Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	256.000	E		10.2500	10.4500	11.2800	0.0000	0.0000
431		Class "B" Structural Concrete	120.000	CY		465.0000	388.0000	550.0000	0.0000	0.0000
432		Class "B" Structural Concrete, Minor Structures	3.000	CY		1,200.0000	1,530.0000	2,200.0000	0.0000	0.0000
433		Reinforcing Steel	13,000.000	LBS		0.8000	1.0200	0.9900	0.0000	0.0000
434		30" Reinforced Concrete Pipe, Class III	16.000	LF		110.0000	98.0000	110.0000	0.0000	0.0000
435		54" Reinforced Concrete Pipe, Class III	8.000	LF		260.0000	275.0000	275.0000	0.0000	0.0000
436		30" Reinforced Concrete End Section	1.000	E		1,700.0000	1,500.0000	2,200.0000	0.0000	0.0000
437		54" Reinforced Concrete End Section	1.000	E		3,000.0000	4,200.0000	3,300.0000	0.0000	0.0000
440		Guard Rail, Class A, Type 1, 'W' Beam, Metal Post	539.000	LF		16.5000	17.0000	18.1500	0.0000	0.0000
460		Guard Rail, Bridge End Section, Type A	1.000	E		950.0000	975.0000	1,045.0000	0.0000	0.0000
470		Guard Rail, Bridge End Section, Type E	1.000	E		850.0000	875.0000	935.0000	0.0000	0.0000
480		Guard Rail, Terminal End Section	4.000	E		2,000.0000	2,050.0000	2,200.0000	0.0000	0.0000
481		72" Type II Chain Link Fence, Class II	550.000	LF		13.6000	15.0000	15.4000	0.0000	0.0000
482		Barbed Wire Fence, Single Strand	300.000	LF		3.1500	2.1500	2.2000	0.0000	0.0000

Rankin

Overlay Interstate 20, between the West and East Brandon Interchanges, known as Federal Aid Project No. IM-0020-01(166) / 103928, in the County of Rankin, State of Mississippi.

REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	DICKERSON & BOWEN INC	APAC- MISSISSIPPI INC.	SUPERIOR ASPHALT INC		
					3,244,093.62	3,446,674.37	3,656,017.15	3,761,918.95	0.00	0.00
						1	2	3	4	5
483		Line Post, 9' x 2" Galvanized Steel	40.000	E		88.8500	108.0000	110.0000	0.0000	0.0000
484		Line Post, 12' x 2 1/2" Galvanized Steel	4.000	E		125.4000	204.0000	209.0000	0.0000	0.0000
485		Brace Post, 10' x 2 1/2" Galvanized Steel	16.000	E		104.5000	230.0000	236.5000	0.0000	0.0000
490		Additional Construction Signs	1.000	SF		10.0000	10.0000	10.0000	0.0000	0.0000
500		Temporary Traffic Stripe, Continuous White	14.000	MI		400.0000	408.0000	440.0000	0.0000	0.0000
510		Temporary Traffic Stripe, Continuous Yellow	14.000	MI		400.0000	408.0000	440.0000	0.0000	0.0000
520		Temporary Traffic Stripe, Skip White	16.000	MI		1,200.0000	1,225.0000	1,320.0000	0.0000	0.0000
530		Temporary Traffic Stripe, Detail	6,500.000	LF		0.2500	0.2600	0.2800	0.0000	0.0000
531		Standard Roadside Construction Signs, 10 Square Feet or	200.000	SF		10.4500	6.6500	9.3500	0.0000	0.0000
540		6" Thermoplastic Traffic Stripe, Skip White	8.000	MI		650.0000	665.0000	715.0000	0.0000	0.0000
550		6" Thermoplastic Edge Stripe, Continuous White	7.000	MI		1,450.0000	1,480.0000	1,595.0000	0.0000	0.0000
560		6" Thermoplastic Edge Stripe, Continuous Yellow	7.000	MI		1,450.0000	1,480.0000	1,595.0000	0.0000	0.0000
570		Thermoplastic Detail Stripe, White	6,860.000	LF		0.9000	0.9200	0.9900	0.0000	0.0000
580		Thermoplastic Detail Stripe, Yellow	600.000	LF		0.9000	0.9200	0.9900	0.0000	0.0000
581		Thermoplastic Legend, White	500.000	LF		1.5000	1.5500	1.6500	0.0000	0.0000
590		Red-Clear Reflective High Performance Raised Markers	1,172.000	E		7.0000	7.1500	7.7000	0.0000	0.0000
600		6" High Performance Cold Plastic Traffic Stripe, Skip	1.000	MI		4,000.0000	4,100.0000	4,400.0000	0.0000	0.0000
610		6" High Performance Cold Plastic Traffic Stripe,	1.000	MI		16,000.0000	16,325.0000	17,600.0000	0.0000	0.0000
620		6" High Performance Cold Plastic Traffic Stripe,	1.000	MI		16,000.0000	16,325.0000	17,600.0000	0.0000	0.0000
630		Delineators, Guard Rail, White	34.000	E		18.0000	19.0000	19.8000	0.0000	0.0000
640		Delineators, Guard Rail, Yellow	14.000	E		18.0000	19.0000	19.8000	0.0000	0.0000
650		Delineators, Post Mounted, Single White	4.000	E		30.0000	31.0000	33.0000	0.0000	0.0000
660		Delineators, Post Mounted, Double White	70.000	E		35.0000	36.0000	38.5000	0.0000	0.0000
670		Delineators, Post Mounted, Single Yellow	4.000	E		30.0000	31.0000	33.0000	0.0000	0.0000
680		Delineators, Post Mounted, Double Yellow	8.000	E		35.0000	36.0000	38.5000	0.0000	0.0000
690		Maintenance of Traffic	0.000	LS		115,000.0000	162,500.0000	108,744.5000	0.0000	0.0000
700		Mobilization	0.000	LS		136,000.0000	85,000.0000	159,394.1500	0.0000	0.0000