

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/31/2005 ADDENDUM NO. _____ DATED _____
 ADDENDUM NO. _____ DATED _____ ADDENDUM NO. _____ DATED _____

Number	Description
1	Revised Table of Contents, replaces same; Revise NTB #962M; Revise NTB #967M; NTB#981M, replaces NTB #960M; Revise NTB #970M; Add NTB #985M; Add NTB #986M; Revised plans sheets by adding or replacing plan sheet nos. 1, 2, 4, 4.1, 5, 21, 23, 24, 25.1, 25.2, 33.01, 33.02, 39.01-39.12, 46-48, 87-89, 92, 93, 99, 100.013, 100.200-100.253, & 100.300-100.372; Revised Proposal Sheets 2-3 thru 2-35, replaces same sheets; Remove Progress Schedule; Revised Project Disk Required.

TOTAL ADDENDA 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

 Signature

TITLE _____

ADDRESS _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: **ACSTP-0029-02(009)V21 & ACSTP-0029-01(003)V21 / 102710
DeSoto and Tunica Counties**

901—Advertisement

904--Notice to Bidders: Governing Specs. - # 1M
Use of Fly Ash in Non-Sulfate Areas - # 2M
Use of GGBFS - # 4M
Status of ROW, Util. Adjustments and Underground Storage
Tanks, etc., W/Attachments - # 6M
Selection of Optional Items - # 29M
Soft Metric Reinforcing Steel - # 32M
ASTM or AASHTO Designation - # 33M
Substitution of Reinforcing Steel- Soft Metric to Imperial - # 37M
Plant Pest Quarantines Information - # 74M
Mowing - # 405
Concrete Base For Bridge End Pavement - # 432M
Prompt Payment - # 506M
Alterations in Bidding Process - # 526M
On-the-Job Training Program - # 575M
Errata and Modifications to the 1996 Standard
Specification Book - # 664M
Substitution of Cold Plastic Traffic Markings - # 665
Placement of Granular Material - # 708M
Disadvantaged Business Enterprises - # 724M, W/Supplement
DBE Goals - # 726M
Grade Control For Placement of Full Depth HMA Pavement - # 740M
Work in Proximity of Overhead High Voltage Power Lines - # 741M
Payment to Subcontractors - # 777M
Contract Overpayment(s) - # 779M
Federal Bridge Formula - # 803M
Certificate of Traffic Control Devices - # 804M
Submission of Form OCR-485 - # 812M
Storm Water Discharge Associated with Construction Activity
(= 2.0 Hectares)- #840M
Removal of Construction Signs - # 853M
Submittal of Hydrated Lime Shipping Tickets - # 863M
Conversion Factors For MDOT Field Manual for HMA
Pavements - # 894M
Fuel Tax Applicability to Bidders and Contractors - # 896M
Fiber Reinforced Concrete - # 937M
Contract Time - # 961M
Specialty Items - # 962M
Placement of Fill Material in Federally Regulated Areas - # 963M
Contract Time Determination - # 966M
Cooperation Between Contractors - # 967M

-CONTINUED ON NEXT PAGE-

**PAGE 2 - PROJECT NO. ACSTP-0029-02(009)V21 & ACSTP-0029-01(003)V21 / 102710
DeSoto and Tunica Counties**

Restricted Area - # 968M
Progress Schedule - # 969M
Work On Sunday and Holidays - # 970M
Petroleum Products Base Price - # 981M
Detouring Traffic At Existing Mississippi Highway 304 - # 985M
Plan Corrections - # 986M

906: Reqd.Fed.Constr.Provisions -- FHWA-1273, W/Supplement
907-101-3M: Definitions
907-102-4M: Preparation of Proposal
907-103-3M: Execution & Approval of Contract
907-104-1M: Partnering Process
907-104-4M: Minor Alterations to the Contract, W/Supplement
907-104-5M: Differing Site Conditions
907-104-6M: Removal & Disposal of Materials
907-105-2M: Load & Speed Restrictions
907-105-3M: Claims
907-105-4M: Cooperation By Contractors
907-106-1M: Convict Produced Materials
907-106-2M: Contractor Pit & Quarry Sites
907-107-7M: Liability Insurance
907-107-8M: Contractor's Protection Plan
907-107-9M: Contractor's Responsibility For Work
907-107-10M: Environmental Protection
907-108-2M: Determination & Extension of Contract Time
907-108-11M: Liquidated Damages Table
907-108-18M: Notice To Proceed
907-109-7M: Measure & Payment For Changes in Cost of Construction. Materials
907-109-10M: Partial Payment
907-203-1M: Excavation and Embankment
907-209-1M: Geotextile Fabric For Stabilization
907-223-1M: Mowing
907-225-3M: Grassing
907-226-1M: Temporary Grassing
907-234-1M: Silt Fence
907-304-4M: Crushed Stone Base
907-306-3M: Asphalt Drainage Courses
907-307-4M: Lime Treated Courses
907-308-2M: Portland Cement Treated Courses
907-321-1M: In-Grade Preparation
907-401-9M: Hot Mix Asphalt (HMA)
907-403-7M: Hot Mix Asphalt (HMA)
907-410-3M: Bituminous Surface Treatments
907-423-2M: Ground-In Rumble Strips
907-501-9M: Price Adjustment For Thickness
907-605-5M: Geotextile Fabric
907-605-7M: Edge Drains
907-606-1M: Terminal End Sections

CONTINUED ON NEXT PAGE-

**PAGE 3 - PROJECT NO. ACSTP-0029-02(009)V21 & ACSTP-0029-01(003)V21 / 102710
DeSoto and Tunica Counties**

907-607-1M:	Concrete For Anchors and Footings
907-618-7M:	Placement of Temporary Stripe
907-619-11M:	Traffic Control For Construction Zones
907-619-13M:	Temporary Pavement Markings
907-622-3M:	Engineer's Field Office Building
907-625-2M:	Painted Traffic Markings
907-626-12M:	Thermoplastic Markings
907-627-1M:	Raised Pavement Markings
907-628-9M:	Cold Plastic Pavement Markings
907-628-10M:	Special Cold Plastic Pavement Markings
907-630-4M:	Contractor Designed Overhead Supports
907-679-5M:	Junction Box with Concrete Pad
907-680-2M:	Portable Construction Lighting
907-699-2M:	Construction Layout & Staking
907-700-2M:	Use of Crushed Reclaimed Concrete Pavement in Asphalt
907-702-7M:	Petroleum Asphalt Cement & Polymer Modified Petroleum Cement, <u>W/Supplement</u>
907-702-8M:	Polymer Modified Emulsified Asphalt
907-703-4M:	Aggregates For Hot Mix Asphalt (HMA)
907-710-1M:	Fast Drying Acrylic Waterborne Traffic Paint
907-711-1M:	Reinforcing Steel
907-711-2M:	Reinforcing Steel
907-711-4M:	Synthetic Structural Fiber Reinforcement
907-712-3M:	Metal Posts and Gates
907-712-4M:	Materials For Guardrail Posts
907-714-5M:	Miscellaneous Materials
907-714-7M:	Quick Lime
907-714-9M:	Geotextiles
907-715-4M:	Agricultural Limestone
907-716-1M:	Miscellaneous Materials
907-720-3M:	High Performance Cold Plastic Pavment Markings
907-720-5M:	Glass Beads
907-720-8M:	Reflective Pavement Markers & Adhesive For Pavement Markers, <u>W/Supplement</u>
907-721-5M:	Flexible Delineators
907-721-7M:	Materials For Signing
907-721-8M:	Reflective Sheeting
907-804-16M:	Concrete For Bridges and Structures, <u>W/Supplement</u>
907-815-4M:	Geotextile For Riprap
906-3:	Training Special Provision
906-4:	MDOT On-the-Job Training Program

SECTION 905 - PROPOSAL - PROPOSAL SHEET NOS. 2-1 through 2-35,
COMBINATION BID PROPOSAL,
CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL AID CONTRACTS,
CERTIFICATE REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,
FORM -- OCR-485,
HAUL PERMIT FOR BRIDGES WITH POSTED WEIGHT LIMITS

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905
AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 962M

CODE: (SP)

DATE: 11/23/2004

SUBJECT: Specialty Items

PROJECT: ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CURB

Ref No	Pay Item	Description
770	609-D	Combination Concrete Curb and Gutter Type 2 Modified (165-mm
780	609-D	Combination Concrete Curb and Gutter Type 2 Modified (330-mm
790	609-D	Combination Concrete Curb and Gutter Type 3A Modified

CATEGORY: ELECTRICAL

Ref No	Pay Item	Description
1370	908-679-A	Underground Branch Circuit (AWG 6) (3 Conductor)
1380	908-679-A	Underground Branch Circuit (AWG 2) (3 Conductor)
1390	908-679-A	Underground Branch Circuit (AWG 2/0) (3 Conductor)
1400	908-679-A	Underground Branch Circuit (AWG 4/0) (3 Conductor)
1410	908-679-B	Underground Branch Circuit (Jacked or Bored)(AWG 6)(3 Conductor)
1420	908-679-B	Underground Branch Circuit (Jacked or Bored)(AWG 2)(3 Conductor)
1430	908-679-B	Underground Branch Circuit (Jacked or Bored)(AWG 2/0)(3 Conductor)
1440	908-679-B	Underground Branch Circuit (Jacked or Bored)(AWG 4/0)(3 Conductor)
1450	908-679-C	Structure Mounted Branch Circuit (AWG 6) (3 Conductor)
1460	908-679-C	Structure Mounted Branch Circuit (AWG 2) (3 Conductor)
1470	908-679-C	Structure Mounted Branch Circuit, AWG 2/0, 3 Conductor
1480	908-679-D	Underground Pull Boxes
1490	908-679-D	Structure Mounted Pull Boxes
1500	907-679-D	Underground Junction Box
1510	908-679-E	Secondary Power Controllers
1520	908-679-F	Portable Electric Power Units
1530	908-679-G	Lighting Assemblies - High Mast Type 30-8-S

CATEGORY: ELECTRICAL

Ref No	Pay Item	Description
1540	908-679-G	Lighting Assemblies - High Mast Type 30-6-S
1550	908-679-G	Lighting Assemblies - High Mast Type 30-4-S
1560	908-679-G	Lighting Assemblies - High Mast Type 30-4-A
1570	908-679-H	Lighting Assemblies - Low Mast Type 12-1-0-400
1580	908-679-H	Lighting Assembly, Low Mast, Type 12-2-0-400
1590	908-679-H	Lighting Assemblies - Low Mast Type 13-1-0-400
1600	908-679-J	Slip Casing (1200-mm Dia.)
1610	908-679-J	Slip Casing (900-mm Dia.)
1620	908-679-J	Slip Casing (600-mm Dia.)
1630	908-679-K	Pole Foundation (1200-mm Dia.)
1640	908-679-K	Pole Foundation (900-mm Dia.)
1650	908-679-K	Pole Foundation (600-mm Dia.)

CATEGORY: EROSION CONTROL

Ref No	Pay Item	Description
140	213-C	Superphosphate
150	216-A	Solid Sodding
160	217-A	Ditch Liner
170	219-A	Watering
180	220-A	Insect Pest Control
200	907-223-A	Mowing
210	224-A	Soil Reinforcing Mat
220	907-225-A	Grassing
230	907-225-B	Agricultural Limestone
240	907-226-A	Temporary Grassing

CATEGORY: FENCE

Ref No	Pay Item	Description
710	607-A	800-mm Type "A" Woven Wire Fence (w/ Barbed Wire as shown)
720	607-E	Barbed Wire Fence (Single Strand)
730	607-G	Gate 3600-mm x 1800-mm Aluminum
740	607-P1	Line Posts 3600-mm x DN 65 Galvanized Steel
750	607-P3	Gate Posts 2400-mm x 150-mm Timber
760	907-607-Z	Concrete Anchors

CATEGORY: GUARDRAIL

Ref No	Pay Item	Description
680	606-B	Guard Rail (Class A, Type 1)
690	606-D	Guard Rail, Bridge End Section, Type I
700	907-606-E	Guard Rail, Terminal End Section

CATEGORY: GUARDRAIL

Ref No	Pay Item	Description
701	907-606-PP	Guard Post (Per Plans)
920	619-K1	Installation and Removal of Guard Rail (Type I)(Class A)
930	619-K2	Installation and Removal of Guard Rail (Bridge End Section)
1180	630-F	Delineators (Guard Rail)(White)
1190	630-F	Delineators (Guard Rail)(Yellow)
1220	630-G	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted

CATEGORY: PAVEMENT MARKING

Ref No	Pay Item	Description
950	907-625-C	Traffic Stripe (Continuous White)
960	907-625-D	Traffic Stripe (Continuous Yellow)
970	907-625-F	Legend
980	907-626-AA	150-mm Thermoplastic Traffic Stripe (Skip White)(2.25-mm min.)
990	907-626-CC	150-mm Thermoplastic Edge Stripe (Continuous White)(1.50-mm min.)
991	907-626-CC	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mm min)
1000	907-626-DD	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
1010	907-626-EE	150-mm Thermoplastic Traffic Stripe (Continuous Yellow)(2.25-mm min.)
1011	907-626-FF	150-mm Thermoplastic Edge Stripe (Continuous Yellow) (1.50-mm min)
1020	907-626-FF	150-mm Thermoplastic Edge Stripe (Continuous Yellow)(1.50-mm min.)
1021	907-626-GG	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm
1022	907-626-GG	Thermoplastic Detail Stripe (150-mm Equivalent
1023	907-626-H	Thermoplastic Legend (White)(3.00-mm min.)
1030	907-626-HH	Thermoplastic Legend (White)(3.00-mm min.)
1040	907-627-K	Red-Clear Reflective High Performance Raised Markers
1050	907-627-L	Two-Way Yellow Reflective High Performance Raised Markers
1060	907-628-KK	150-mm High Performance Cold Plastic Edge Stripe (Continuous White)
1070	907-628-NN	150-mm High Performance Cold Plastic Edge Stripe (Continuous Yellow)
1080	907-628-Q	150-mm High Performance Cold Plastic Traffic Stripe, High Contrast
1090	907-628-R	150-mm High Performance Cold Plastic Traffic Stripe, Series 820
1100	907-628-R	150-mm High Performance Cold Plastic Traffic Stripe, Series 821
1110	907-628-S	High Performance Cold Plastic Detail Stripe, Series 820 White
1120	907-628-S	High Performance Cold Plastic Detail Stripe, Series 821 Yellow
1121	907-628-T	High Performance Cold Plastic Legend, Series 820 White
1122	907-628-T	High Performance Cold Plastic Legend, Series 820 White

CATEGORY: ROADWAY STAKING

Ref No	Pay Item	Description
1710	907-699-A	Roadway Construction Stakes

CATEGORY: SIGNING

Ref No	Pay Item	Description
1130	630-A	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
1140	630-A	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
1141	630-B	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground
1142	630-B	Interstate Directional Signs (Bolted Extruded Aluminum Panels,
1150	630-C	Steel U-Section Posts (2.97 kg/m)
1160	630-C	Steel U-Section Posts (4.46 kg/m)
1161	630-D	Structural Steel Beams (S100 x 11.4)
1162	630-D	Structural Steel Beams (W150 x 14)
1163	630-D	Structural Steel Beams (W200 x 27)
1164	630-D	Structural Steel Beams (W200 x 31)
1165	630-D	Structural Steel Beams (W250 x 33)
1166	630-D	Structural Steel Beams (W250 x 39)
1170	630-E	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
1171	630-E	Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
1172	630-E	Structural Steel Angles & Bars (90 mm x 90 mm x 6 mm Angles)
1173	630-E	Structural Steel Angles & Bars (100 mm x 100 mm x 8 mm Angles)
1200	630-F	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
1210	630-F	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
1211	630-F	Delineators (Post Mounted)(Single White)
1212	630-F	Delineators (Post Mounted)(Single Yellow)
1213	630-F	Delineators (Post Mounted)(Double White)
1214	630-F	Delineators (Post Mounted)(Double Yellow)
1230	907-630-I	Metal Overhead Sign Supports (Assembly No. 1) (Contractor Designed)
1240	907-630-I	Metal Overhead Sign Supports (Assembly No. 2) (Contractor Designed)
1250	907-630-I	Metal Overhead Sign Supports (Assembly No. 3) (Contractor Designed)
1260	907-630-I	Metal Overhead Sign Supports (Assembly No. 4) (Contractor Designed)
1270	907-630-I	Metal Overhead Sign Supports (Assembly No. 5) (Contractor Designed)
1280	907-630-I	Metal Overhead Sign Supports (Assembly No. 6) (Contractor Designed)
1290	907-630-I	Metal Overhead Sign Supports (Assembly No. 7) (Contractor Designed)
1300	907-630-I	Metal Overhead Sign Supports (Assembly No. 8) (Contractor Designed)
1310	907-630-I	Metal Overhead Sign Supports (Assembly No. 9) (Contractor Designed)
1320	907-630-I	Metal Overhead Sign Supports (Assembly No. 10) (Contractor Designed)
1330	630-K	Welded & Seamless Steel Pipe Posts (DN 75)
1340	630-K	Welded & Seamless Steel Pipe Posts (DN 90)
1350	630-K	Welded & Seamless Steel Pipe Posts (DN 100)
1360	630-K	Welded & Seamless Steel Pipe Posts (DN 125)

CATEGORY: TRAFFIC CONTROL

Ref No	Pay Item	Description
---------------	-----------------	--------------------

CATEGORY: TRAFFIC CONTROL

Ref No	Pay Item	Description
820	907-619-A1	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
830	907-619-A2	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
840	907-619-A5	Temporary Traffic Stripe (Detail) (Type 1 Tape)
850	907-619-C7	Two-Way Yellow Reflective High Performance Raised Marker
860	619-D1	Standard Roadside Construction Signs (less than 0.9 square meter)
870	619-D2	Standard Roadside Construction Signs (0.9 square meter or more)
880	619-G4	Barricades (Type III) (Single Faced)
890	619-G4	Barricades (Type III) (Double Faced)
891	619-G4	Barricades (Type III) (Single Faced) (Permanent)
900	619-G5	Free Standing Plastic Drums
910	619-G7	Warning Lights (Type "B")

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 967M

CODE: (SP)

DATE: 01/31/2005

SUBJECT: Cooperation Between Contractors

**PROJECT: ACSTP-0029-02(009)V21 / 102710 301000 – DeSoto County &
ACSTP-0029-01(003)V21 / 102710 302000 -- Tunica County**

The Bidder's attention is hereby called to Subsection 105.07, Cooperation between Contractors, of the 1996 Metric Edition of the Mississippi Standard Specifications for Road and Bridge Construction.

Work on certain sections of this project is within the construction limits of other projects currently under contract.

The Contractor shall cooperate in all respects and shall coordinate construction of all phases of the work with the Contractors of the current projects.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 – NOTICE TO BIDDERS NO. 981M

CODE: (SP)

DATE: 1/10/2005

SUBJECT: Petroleum Products Base Prices For Contracts Let in February, 2005

REFERENCE: Subsection 907-109.07

The following base prices are to be used for adjustment in compensation due to changes in costs of petroleum products:

FUELS

	<u>Per Gallon</u>	<u>Per Liter</u>
Gasoline	\$1.5503	\$0.4095
Diesel	\$1.6157	\$0.4268

MATERIALS OF CONSTRUCTION

<u>ASPHALT CEMENT</u>	<u>Per Gallon</u>	<u>Per Ton</u>	<u>Per Liter</u>	<u>Per Metric Ton</u>
Viscosity Grade AC-5	\$0.8184	\$194.17	\$0.2162	\$214.03
Viscosity Grade AC-10	\$0.8249	\$195.71	\$0.2179	\$215.73
Viscosity Grade AC-20	\$0.8159	\$193.57	\$0.2155	\$213.37
Viscosity Grade AC-30	\$0.8159	\$193.57	\$0.2155	\$213.37
Grade PG 64-22	\$0.8099	\$192.14	\$0.2139	\$211.79
Grade PG 67-22	\$0.8038	\$190.71	\$0.2124	\$210.22
Grade PG 76-22	\$1.1521	\$273.33	\$0.3043	\$301.29
Grade PG 82-22	\$1.4061	\$333.60	\$0.3715	\$367.72

EMULSIFIED ASPHALTS

Grade EA-4 (SS-1)	\$0.7475	\$0.1975
Grade RS-2C (CRS-2)	\$0.7678	\$0.2028
Grade CRS-2P	\$0.9065	\$0.2395

PRIMES

Grade EA-1 & MC-70	\$1.0127	\$0.2675
--------------------	----------	----------

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 -NOTICE TO BIDDERS NO. 970M

CODE: (SP)

DATE: 01/31/2005

SUBJECT: Work on Sundays and Holidays

**PROJECT: ACSTP-0029-02(009)V21 / 102710 301000 – DeSoto County &
ACSTP-0029-01(003)V21 / 102710 302000 -- Tunica County**

Bidders are hereby advised that any reference in the specifications that prohibit work on Sundays and holidays may be disregarded except as noted below.

The Contractor will not be allowed to work on New Years Day, Independence Day, Thanksgiving Day and Christmas Day. In the event any holiday falls on a Saturday or Sunday, the following Monday shall also be a legal holiday and no work will be permitted.

Work after daylight hours (night work) will be allowed provided the Contractor complies with the requirements of Section 108 of the specifications and 907-680 of the proposal

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 -NOTICE TO BIDDERS NO. 985M

CODE: (SP)

DATE: 01/31/2005

SUBJECT: Detouring Traffic at Existing Miss. Hwy. 304

**PROJECT: ACSTP-0029-02(009)V21 / 102710 301000 – DeSoto County &
ACSTP-0029-01(003)V21 / 102710 302000 -- Tunica County**

Bidders are hereby advised that detouring traffic from existing Miss. Hwy. 304 will not be allowed until relocated Miss. Hwy. 304 is open to the traveling public.

Any work required at the connection of existing Miss. Hwy. 304 and Miss. Hwy. 713 that does not require detouring traffic from existing Miss. Hwy. 304 will be allowed.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 -NOTICE TO BIDDERS NO.986M

CODE: (SP)

DATE: 01/31/2005

SUBJECT: Plan Corrections

**PROJECT: ACSTP-0029-02(009)/102710301000 -- DeSoto
ACSTP-0029-01(003)/102710302000 -- Tunica**

Bidders are hereby advised of the following plan corrections.

The plans lists the following pay item numbers and descriptions:

908-679-D, Junction Box
630-K, Welded & Seamless Steel Pipe Posts (80 mm Dia. Nominal)

These items are listed incorrectly. The correct pay item numbers and descriptions are:

907-679-D, Junction Box
630-K, Welded & Seamless Steel Pipe Posts (75 mm Dia. Nominal)

The correct pay item numbers and descriptions are included in the proposal document and are to be used for bidding purposes.

SECTION 905

PROPOSAL (Sheet No. 2- 2)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(50)	202-B		61 meter		Removal of Guard Rail				
(60)	202-B		1017 meter		Removal of Fence (All Types)				
(70)	907-203-A CHANGED 02/15/2005	(E)	29 294 cubic meter		Unclassified Excavation (FM)				
(80)	203-B	(E)	1320 cubic meter		Rock Excavation (FM)				
DELETED 02/15/2005						REFERENCE NUMBER (90) HAS BEEN DELETED			
(100)	203-G CHANGED 02/15/2005	(E)	121 120 cubic meter		Excess Excavation (FM) (AH)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 3)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(110) CHANGED 01/31/2005	206-A	(S)	1225 cubic meter		Structure Excavation				
(120)	206-B	(E)	16 cubic meter		Select Material for Undercuts (Contractor Furnished) (FM)				
(130)	907-209-A		51 527 square meter		Geotextile Fabric Stabilization (Type V)				
(140)	213-C		62 metric ton		Superphosphate				
(150) CHANGED 01/31/2005	216-A		4262 square meter		Solid Sodding				
(160)	217-A		1200 square meter		Ditch Liner				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 4)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(170)	219-A		76 230 1000 liters		Watering	6	0000	457,380	00
(180)	220-A		62 hectare		Insect Pest Control	75	0000	4,650	00
(190)	221-A CHANGED 01/31/2005	(S)	880 cubic meter		Portland Cement Concrete Paved Ditch				
(200)	907-223-A CHANGED 02/15/2005		2845 hectare		Mowing	75	0000	213,375	00
(210)	224-A		600 square meter		Soil Reinforcing Mat				
(220)	907-225-A CHANGED 02/15/2005		121 hectare		Grassing				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 5)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(230)	907-225-B		811 metric ton		Agricultural Limestone				
(240)	907-226-A		62 hectare		Temporary Grassing				
(250)	907-234-A		24 401 meter		Temporary Silt Fence				
(260)	304-B	(GT)	448 004 metric ton		Granular Material (Class 3, Group D)				
(270)	304-C	(GM)	246 812 cubic meter		Granular Material (AEA) (Class 9, Group B)				
(280)	907-304-I	(GT)	46 374 metric ton		Crushed Stone Base (Size 610)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 6)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(290)	907-306-A	(D) (A6)	536 400	square meter	Asphalt Drainage Course				
(300)	307-C	(M) (A4)	256 656	square meter	150-mm Soil-Lime-Water Mixing (Class C)				
(310)	907-307-D		3701	metric ton	Lime				
(320)	907-308-A		9766	metric ton	Portland Cement				
(330)	907-308-B	(M)	599 442	square meter	Soil-Cement-Water Mixing, (Optional Mixers) (Base)				
(340)	907-308-B	(M)	256 656	square meter	Soil-Cement-Water Mixing, (Optional Mixers) (Design Soil)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 7)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(350)	907-321-A				5 kilometer 150-mm In-Grade Preparation				
(360)	907-403-A	(B) (A1)	89 508	metric ton	Hot Mix Asphalt, HT, 12.5-mm mixture				
(370)	907-403-A	(B) (A1)	33 100	metric ton	Hot Mix Asphalt, HT, 19-mm mixture				
(380)	907-403-A	(B) (A1)	1900	metric ton	Hot Mix Asphalt, HT, 25-mm mixture				
(390)	907-403-C	(B) (A1)	2494	metric ton	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening				
(400)	907-403-D	(B) (A1)	14 985	metric ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 8)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(410)	406-A		768 square meter		Cold Milling of Bituminous Pavement (All Depths)				
(420)	408-A	(A3)	508 000 liter		Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1				
(430)	907-423-A CHANGED 02/15/2005		137 kilometer		Rumble Strips (Ground In)				
(440)	501-B	(C)	435 165 square meter		330-mm Plain Cement Concrete Pavement, Type PA, Tine Finish				
(450)	501-D		702 meter		Expansion Joints (With Dowels)				
(460)	501-E		138 meter		Expansion Joints (Without Dowels)				

(11/19/2004)

SECTION 905
 PROPOSAL (Sheet No. 2- 9)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(470)	502-A	(C)	829 square meter		Reinforced Cement Concrete Bridge End Pavement (225 mm)				
(480)	502-A		4160 square meter		Reinforced Cement Concrete Bridge End Pavement (330-mm)				
(490)	601-A	(S)	2 cubic meter		Class "C" Structural Concrete				
(500) CHANGED 01/31/2005	601-B	(S)	72 cubic meter		Class "B" Structural Concrete, Minor Structures				
(510) CHANGED 01/31/2005	602-A	(S)	4155 kilogram		Reinforcing Steel				
DELETED 02/15/2005					REFERENCE NUMBER (520) HAS BEEN DELETED	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

SECTION 905

PROPOSAL (Sheet No. 2- 10)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(521) ADDED 02/15/2005	907-603-ALT	(S)	190 meter		450-mm Type A Alternate Pipe				
(522) ADDED 02/15/2005	907-603-ALT	(S)	63 meter		600-mm Type A Alternate Pipe				
(530) CHANGED 02/15/2005	603-C-A	(S)	10 meter		600-mm Reinforced Concrete Pipe, Class III				
(540)	603-C-B	(S)	1 each		600-mm Reinforced Concrete End Section				
(550)	603-C-E	(S)	178 meter		1300-mm x 795-mm Concrete Arch Pipe, Class A III				
(560)	603-C-F	(S)	4 each		1300-mm x 795-mm Concrete Arch Pipe End Section				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 11)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(570)	603-R-B	(S)		1 each	450-mm End Section Removed and Relaid				
(580)	603-R-B	(S)		2 each	600-mm End Section Removed and Relaid				
(590)	604-B			345 kilogram	Gratings				
(600)	907-605-AA	(S)		615 square meter	Geotextile for Subsurface Drainage, Type III				
(610)	907-605-FF	(S)		89 335 meter	Edge Drain, Complete-in-Place				
(620)	907-605-GG	(S)		8935 meter	Edge Drain Outlets/Vents, Complete-in-Place				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 12)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(630)	907-605-HH	(S)	49 140 meter		Edge Drain & Edge Drain Outlet/Vent Inspection				
(640)	605-O	(S)	300 meter		150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)				
(650)	605-P	(S)	60 meter		150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5)				
(660)	605-W	(GM)	47 cubic meter		Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)				
(670)	605-W	(GM)	169 cubic meter		Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)				
(680)	606-B		3041 meter		Guard Rail (Class A, Type 1)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 13)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(690)	606-D		60 each		Guard Rail, Bridge End Section, Type I				
(700)	907-606-E		60 each		Guard Rail, Terminal End Section				
(701)	907-606-PP ADDED 01/31/2005		392 each		Guard Post (Per Plans)				
(710)	607-A		60 meter		800-mm Type "A" Woven Wire Fence (w/ Barbed Wire as shown)				
(720)	607-E		60 meter		Barbed Wire Fence (Single Strand)				
(730)	607-G		17 each		Gate 3600-mm x 1800-mm Aluminum				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 14)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(740)	607-P1		17 each		Line Posts 3600-mm x DN 65 Galvanized Steel				
(750)	607-P3		34 each		Gate Posts 2400-mm x 150-mm Timber				
(760)	907-607-Z		34 each		Concrete Anchors				
(770)	609-D	(S)	2990 meter		Combination Concrete Curb and Gutter Type 2 Modified (165-mm Thickness)				
(780)	609-D	(S)	195 meter		Combination Concrete Curb and Gutter Type 2 Modified (330-mm Thickness)				
(790)	609-D	(S)	1390 meter		Combination Concrete Curb and Gutter Type 3A Modified				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 15)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(800)	616-A	(S)	366 square meter		Concrete Median and/or Island Pavement (250-mm)				
(810)	616-A	(S)	3997 square meter		Concrete Median and/or Island Pavement (100-mm)				
(820)	907-619-A1		2 kilometer		Temporary Traffic Stripe (Continuous White) (Type 1 Tape)				
(830)	907-619-A2		2 kilometer		Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)				
(840)	907-619-A5		2956 meter		Temporary Traffic Stripe (Detail) (Type 1 Tape)				
(850)	907-619-C7		210 each		Two-Way Yellow Reflective High Performance Raised Marker				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 16)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(860)	619-D1		14 square meter		Standard Roadside Construction Signs (less than 0.9 square meter)				
(870)	619-D2		263 square meter		Standard Roadside Construction Signs (0.9 square meter or more)				
(880)	619-G4		396 meter		Barricades (Type III) (Single Faced)				
(890)	619-G4		8 meter		Barricades (Type III) (Double Faced)				
(891)	619-G4 CHANGED 01/31/2005		135 meter		Barricades (Type III) (Single Faced) (Permanent)				
(900)	619-G5		385 each		Free Standing Plastic Drums				

(11/19/2004)

SECTION 905
 PROPOSAL (Sheet No. 2- 18)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
DELETED	01/31/2005				REFERENCE NUMBER (960) HAS BEEN DELETED				
DELETED	01/31/2005				REFERENCE NUMBER (970) HAS BEEN DELETED				
(980) CHANGED	907-626-AA 01/31/2005			6 kilometer	150-mm Thermoplastic Traffic Stripe (Skip White)(2.25-mm min.)				
(990)	907-626-CC			23 kilometer	150-mm Thermoplastic Edge Stripe (Continuous White)(1.50-mm min.)				
(991) ADDED	907-626-CC 01/31/2005			300 meter	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mm min)				
(1000) CHANGED	907-626-DD 01/31/2005			4 kilometer	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)				

SECTION 905

PROPOSAL (Sheet No. 2- 19)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1010) CHANGED	907-626-EE 01/31/2005		29 kilometer		150-mm Thermoplastic Traffic Stripe (Continuous Yellow)(2.25-mm min.)				
(1011) ADDED	907-626-FF 01/31/2005		300 meter		150-mm Thermoplastic Edge Stripe (Continuous Yellow) (1.50-mm min)				
(1020) CHANGED	907-626-FF 01/31/2005		17 kilometer		150-mm Thermoplastic Edge Stripe (Continuous Yellow)(1.50-mm min.)				
(1021)	907-626-GG		16 034 meter		Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)				
(1022)	907-626-GG		3642 meter		Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)				
(1023)	907-626-H		143 meter		Thermoplastic Legend (White)(3.00-mm min.)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 20)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1030)	907-626-HH			38 square meter	Thermoplastic Legend (White)(3.00-mm min.)				
(1040)	907-627-K CHANGED 01/31/2005			5526 each	Red-Clear Reflective High Performance Raised Markers				
(1050)	907-627-L			88 each	Two-Way Yellow Reflective High Performance Raised Markers				
(1060)	907-628-KK			300 meter	150-mm High Performance Cold Plastic Edge Stripe (Continuous White)				
(1070)	907-628-NN			300 meter	150-mm High Performance Cold Plastic Edge Stripe (Continuous Yellow)				
(1080)	907-628-Q CHANGED 01/31/2005			60 kilometer	150-mm High Performance Cold Plastic Traffic Stripe, High Contrast Skip White				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 21)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1090)	907-628-R			58 kilometer	150-mm High Performance Cold Plastic Traffic Stripe, Series 820 Continuous White				
(1100)	907-628-R			61 kilometer	150-mm High Performance Cold Plastic Traffic Stripe, Series 821 Continuous Yellow				
(1110)	907-628-S CHANGED 01/31/2005		12 106 meter		High Performance Cold Plastic Detail Stripe, Series 820 White				
(1120)	907-628-S		1996 meter		High Performance Cold Plastic Detail Stripe, Series 821 Yellow				
(1121)	907-628-T		7 square meter		High Performance Cold Plastic Legend, Series 820 White				
(1122)	907-628-T		4 meter		High Performance Cold Plastic Legend, Series 820 White				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 22)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1130) 630-A CHANGED 01/31/2005			83 square meter		Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)				
(1140) 630-A CHANGED 01/31/2005			325 square meter		Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)				
(1141) 630-B CHANGED 01/31/2005			401 square meter		Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)				
(1142) 630-B CHANGED 01/31/2005			232 square meter		Interstate Directional Signs (Bolted Extruded Aluminum Panels, Overhead Mounted)				
(1150) 630-C CHANGED 01/31/2005			108 meter		Steel U-Section Posts (2.97 kg/m)				
(1160) 630-C CHANGED 01/31/2005			452 meter		Steel U-Section Posts (4.46 kg/m)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 23)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1161) 630-D			229 meter		Structural Steel Beams (S100 x 11.4)				
(1162) 630-D			19 meter		Structural Steel Beams (W150 x 14)				
(1163) 630-D CHANGED 01/31/2005			282 meter		Structural Steel Beams (W200 x 27)				
DELETED 01/31/2005					REFERENCE NUMBER (1164) HAS BEEN DELETED	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXX
(1165) 630-D CHANGED 01/31/2005			45 meter		Structural Steel Beams (W250 x 33)				
(1166) 630-D ADDED 01/31/2005			98 meter		Structural Steel Beams (W250 x 39)				

SECTION 905

PROPOSAL (Sheet No. 2- 24)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1170) 630-E CHANGED 01/31/2005			1743 kilogram		Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)				
(1171) 630-E CHANGED 01/31/2005			261 kilogram		Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)				
(1172) 630-E CHANGED 01/31/2005			392 kilogram		Structural Steel Angles & Bars (90 mm x 90 mm x 6 mm Angles)				
(1173) 630-E CHANGED 01/31/2005			187 kilogram		Structural Steel Angles & Bars (100 mm x 100 mm x 8 mm Angles)				
(1180) 630-F CHANGED 01/31/2005			215 each		Delineators (Guard Rail)(White)				
(1190) 630-F CHANGED 01/31/2005			191 each		Delineators (Guard Rail)(Yellow)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 25)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1200) 630-F CHANGED 01/31/2005				2 each	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)				
(1210) 630-F CHANGED 01/31/2005				2 each	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)				
(1211) 630-F CHANGED 01/31/2005				307 each	Delineators (Post Mounted)(Single White)				
(1212) 630-F CHANGED 01/31/2005				141 each	Delineators (Post Mounted)(Single Yellow)				
(1213) 630-F CHANGED 01/31/2005				661 each	Delineators (Post Mounted)(Double White)				
(1214) 630-F CHANGED 01/31/2005				81 each	Delineators (Post Mounted)(Double Yellow)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 26)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1220) 630-G CHANGED 01/31/2005			63 each		Type 3 Object Markers (OM-3R or OM-3L) Post Mounted				
(1230) 907-630-I			lump sum		Metal Overhead Sign Supports (Assembly No. 1) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1240) 907-630-I			lump sum		Metal Overhead Sign Supports (Assembly No. 2) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1250) 907-630-I			lump sum		Metal Overhead Sign Supports (Assembly No. 3) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1260) 907-630-I			lump sum		Metal Overhead Sign Supports (Assembly No. 4) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1270) 907-630-I			lump sum		Metal Overhead Sign Supports (Assembly No. 5) (Contractor Designed)	XXXXXXXXXXXX	XXXX		

SECTION 905

PROPOSAL (Sheet No. 2- 27)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1280)	907-630-I			lump sum	Metal Overhead Sign Supports (Assembly No. 6) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1290)	907-630-I			lump sum	Metal Overhead Sign Supports (Assembly No. 7) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1300)	907-630-I			lump sum	Metal Overhead Sign Supports (Assembly No. 8) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1310)	907-630-I			lump sum	Metal Overhead Sign Supports (Assembly No. 9) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1320)	907-630-I			lump sum	Metal Overhead Sign Supports (Assembly No. 10) (Contractor Designed)	XXXXXXXXXXXX	XXXX		
(1330)	630-K CHANGED 01/31/2005			143 meter	Welded & Seamless Steel Pipe Posts (DN 75)				

SECTION 905
 PROPOSAL (Sheet No. 2- 28)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1340) 630-K CHANGED 01/31/2005			193 meter		Welded & Seamless Steel Pipe Posts (DN 90)				
(1350) 630-K			527 meter		Welded & Seamless Steel Pipe Posts (DN 100)				
DELETED 01/31/2005			REFERENCE NUMBER (1360) HAS BEEN DELETED			XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
(1370) 908-679-A			7573 meter		Underground Branch Circuit (AWG 6) (3 Conductor)				
(1380) 908-679-A			6278 meter		Underground Branch Circuit (AWG 2) (3 Conductor)				
(1390) 908-679-A			4909 meter		Underground Branch Circuit (AWG 2/0) (3 Conductor)				

SECTION 905

PROPOSAL (Sheet No. 2- 29)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1400)	908-679-A		370 meter		Underground Branch Circuit (AWG 4/0) (3 Conductor)				
(1410)	908-679-B		592 meter		Underground Branch Circuit (Jacked or Bored)(AWG 6)(3 Conductor)				
(1420)	908-679-B		578 meter		Underground Branch Circuit (Jacked or Bored)(AWG 2)(3 Conductor)				
(1430)	908-679-B		418 meter		Underground Branch Circuit (Jacked or Bored)(AWG 2/0)(3 Conductor)				
(1440)	908-679-B		19 meter		Underground Branch Circuit (Jacked or Bored)(AWG 4/0)(3 Conductor)				
(1450)	908-679-C		3 meter		Structure Mounted Branch Circuit (AWG 6) (3 Conductor)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 30)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1460)	908-679-C		780 meter		Structure Mounted Branch Circuit (AWG 2) (3 Conductor)				
(1470)	908-679-C		230 meter		Structure Mounted Branch Circuit, AWG 2/0, 3 Conductor				
(1480)	908-679-D		75 each		Underground Pull Boxes				
(1490)	908-679-D		12 each		Structure Mounted Pull Boxes				
(1500)	907-679-D		91 each		Underground Junction Box				
(1510)	908-679-E		10 each		Secondary Power Controllers				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 31)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1520)	908-679-F			1 each	Portable Electric Power Units				
(1530)	908-679-G			13 each	Lighting Assemblies - High Mast Type 30-8-S				
(1540)	908-679-G			7 each	Lighting Assemblies - High Mast Type 30-6-S				
(1550)	908-679-G			22 each	Lighting Assemblies - High Mast Type 30-4-S				
(1560)	908-679-G			18 each	Lighting Assemblies - High Mast Type 30-4-A				
(1570)	908-679-H			71 each	Lighting Assemblies - Low Mast Type 12-1-0-400				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 32)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1580)	908-679-H		10 each		Lighting Assembly, Low Mast, Type 12-2-0-400				
(1590)	908-679-H		10 each		Lighting Assemblies - Low Mast Type 13-1-0-400				
(1600)	908-679-J		15 meter		Slip Casing (1200-mm Dia.)				
(1610)	908-679-J		15 meter		Slip Casing (900-mm Dia.)				
(1620)	908-679-J		15 meter		Slip Casing (600-mm Dia.)				
(1630)	908-679-K		91 cubic meter		Pole Foundation (1200-mm Dia.)				

(11/19/2004)

SECTION 905

PROPOSAL (Sheet No. 2- 33)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1640)	908-679-K		185 cubic meter		Pole Foundation (900-mm Dia.)				
(1650)	908-679-K		131 cubic meter		Pole Foundation (600-mm Dia.)				
(1660)	907-804-K		320 square meter		Spray Finish				
(1670)	815-A	(S)	2090 metric ton		Loose Riprap, (Size 136 kg)				
(1680)	907-815-E	(S)	6540 square meter		Geotextile Fabric under Riprap				

SUBTOTAL - DIRECT PAY ITEMS.....\$ _____

SECTION 905
 PROPOSAL (Sheet No. 2- 34)

ACSTP-0029-02(009)V21 &
 ACSTP-0029-01(003)V21 / 102710
 DeSoto & Tunica County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT

DEPENDENT PAY ITEMS

(1690) 618-A				lump sum	Maintenance of Traffic	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1700) 620-A				lump sum	Mobilization	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1710) 907-699-A				lump sum	Roadway Construction Stakes	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		

SUBTOTAL - DEPENDENT ITEMS\$ _____

SECTION 905

PROPOSAL (Sheet No. 2- 35)

ACSTP-0029-02(009)V21 &
ACSTP-0029-01(003)V21 / 102710
DeSoto & Tunica County

TOTAL BID - DIRECT AND DEPENDENT ITEMS\$ _____

COMPLETE ITEM NOS. 1, 2, AND/OR 3 AS APPROPRIATE. SEE NOTICE TO BIDDERS NO.724M AND SUPPLEMENT.

- 1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
- 2. Classification of Bidder: Small Business (DBE) _____ Small Business (WBE) _____
- 3. A joint venture with a Small Business (DBE/WBE): YES _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE