

| Forrest Paving Mississippi Highway 42 from US Highway 11 to the east Corp. limits of Petal, Phase II of the Petal Bypass, known as Federal Aid Project No. MG-0063-02(022) / 102214, in the County of Forrest, State of Mississippi. | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | DUNN ROADBUILDERS LLC. | WARREN PAVING INC. | | | |
|---|-------------|---|---------------|--|------------------------------|-----------------------|--------|--------|--------|
| | | | | 5,311,037.69 | 4,982,876.47 | 5,477,639.94 | 0.00 | 0.00 | 0.00 |
| REF# | SM ITEM | ITEM DESCRIPTION | ITEM QUANTITY | UNITS | 1 | 2 | 3 | 4 | 5 |
| 660 | 907-619-A60 | Temporary Traffic Stripe (Legend) (Type 1 Tape) | 43.000 | m | 3.1500 | 3.0000 | 0.0000 | 0.0000 | 0.0000 |
| 670 | 619-D1001 | Standard Roadside Construction Signs (less than 0.9 | 1.000 | m2 | 159.0000 | 350.0000 | 0.0000 | 0.0000 | 0.0000 |
| 680 | 619-D2001 | Standard Roadside Construction Signs (0.9 square meter | 119.000 | m2 | 124.0000 | 140.0000 | 0.0000 | 0.0000 | 0.0000 |
| 690 | 619-G4002 | Barricades (Type III) (Single Faced) (Permanent) | 14.000 | m | 144.0000 | 115.0000 | 0.0000 | 0.0000 | 0.0000 |
| 700 | 619-G4001 | Barricades (Type III) (Single Faced) | 122.000 | m | 100.0000 | 80.0000 | 0.0000 | 0.0000 | 0.0000 |
| 710 | 619-G5001 | Free Standing Plastic Drums | 50.000 | E | 51.0000 | 75.0000 | 0.0000 | 0.0000 | 0.0000 |
| 720 | | 150-mm Thermoplastic Traffic Stripe (Skip White) | 8.000 | km | 832.0000 | 800.0000 | 0.0000 | 0.0000 | 0.0000 |
| 730 | | 150-mm Thermoplastic Traffic Stripe (Continuous White) | 1.000 | km | 988.0000 | 950.0000 | 0.0000 | 0.0000 | 0.0000 |
| 740 | | 150-mm Thermoplastic Edge Stripe (Continuous White) | 7.000 | km | 988.0000 | 950.0000 | 0.0000 | 0.0000 | 0.0000 |
| 750 | | 150-mm Thermoplastic Traffic Stripe (Skip Yellow) | 1.000 | km | 832.0000 | 800.0000 | 0.0000 | 0.0000 | 0.0000 |
| 760 | | 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) | 3.000 | km | 987.0000 | 950.0000 | 0.0000 | 0.0000 | 0.0000 |
| 770 | 907-626-FF0 | 150-mm Thermoplastic Edge Stripe (Continuous | 5.000 | km | 987.0000 | 950.0000 | 0.0000 | 0.0000 | 0.0000 |
| 780 | 907-626-GG0 | Thermoplastic Detail Stripe (150-mm Equivalent | 9,800.000 | m | 2.6000 | 2.5000 | 0.0000 | 0.0000 | 0.0000 |
| 790 | 907-626-GG0 | Thermoplastic Detail Stripe (150-mm Equivalent | 5,839.000 | m | 2.6000 | 2.5000 | 0.0000 | 0.0000 | 0.0000 |
| 800 | | Thermoplastic Legend (White) (3.00-mm min) | 574.000 | m | 2.6000 | 2.5000 | 0.0000 | 0.0000 | 0.0000 |
| 810 | | Thermoplastic Legend (White) (3.00-mm min) | 70.000 | m2 | 37.0000 | 35.0000 | 0.0000 | 0.0000 | 0.0000 |
| 820 | 907-627-K00 | Red-Clear Reflective High Performance Raised Markers | 1,125.000 | E | 4.2000 | 4.0000 | 0.0000 | 0.0000 | 0.0000 |
| 830 | 907-627-L00 | Two-Way Yellow Reflective High Performance Raised | 1,836.000 | E | 4.2000 | 4.0000 | 0.0000 | 0.0000 | 0.0000 |
| 840 | 907-628-II0 | 150-mm High Performance Cold Plastic Traffic Stripe | 1.000 | km | 6,234.0000 | 6,000.0000 | 0.0000 | 0.0000 | 0.0000 |
| 850 | | 150-mm High Performance Cold Plastic Edge Stripe | 1.000 | km | 6,234.0000 | 6,000.0000 | 0.0000 | 0.0000 | 0.0000 |
| 860 | 907-628-MM0 | 150-mm High Performance Cold Plastic Traffic Stripe | 1.000 | km | 6,234.0000 | 6,000.0000 | 0.0000 | 0.0000 | 0.0000 |
| 870 | 630-A001 | Standard Roadside Signs (Sheet Aluminum, 2.03-mm | 24.000 | m2 | 234.0000 | 225.0000 | 0.0000 | 0.0000 | 0.0000 |
| 880 | 630-A002 | Standard Roadside Signs (Sheet Aluminum, 3.18-mm | 67.000 | m2 | 239.0000 | 230.0000 | 0.0000 | 0.0000 | 0.0000 |
| 890 | 630-B001 | Interstate Directional Signs (Bolted Extruded Aluminum | 18.000 | m2 | 250.0000 | 240.0000 | 0.0000 | 0.0000 | 0.0000 |
| 900 | 630-C002 | Steel U-Section Posts (2.97 to 3.72 kg/m) | 27.000 | m | 19.0000 | 18.0000 | 0.0000 | 0.0000 | 0.0000 |
| 910 | 630-C004 | Steel U-Section Posts (4.46 to 5.20 kg/m) | 253.000 | m | 19.0000 | 18.0000 | 0.0000 | 0.0000 | 0.0000 |
| 920 | 630-D004 | Structural Steel Beams (W150 x 14) | 10.000 | m | 120.0000 | 115.0000 | 0.0000 | 0.0000 | 0.0000 |
| 930 | 630-D005 | Structural Steel Beams (W150 x 22) | 28.000 | m | 130.0000 | 125.0000 | 0.0000 | 0.0000 | 0.0000 |
| 940 | 630-E004 | Structural Steel Angles & Bars (12 mm x 63 mm Flat | 290.000 | kg | 5.7000 | 5.5000 | 0.0000 | 0.0000 | 0.0000 |
| 950 | 630-E001 | Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm | 16.000 | kg | 5.7000 | 5.5000 | 0.0000 | 0.0000 | 0.0000 |
| 960 | 630-E002 | Structural Steel Angles & Bars (90 mm x 90 mm x 6 mm | 38.000 | kg | 5.7000 | 5.5000 | 0.0000 | 0.0000 | 0.0000 |
| 970 | 630-F003 | Delineators (Flexible Post Mounted)(Crossover)(Type | 10.000 | E | 32.0000 | 30.0000 | 0.0000 | 0.0000 | 0.0000 |
| 980 | 630-F004 | Delineators (Flexible Post Mounted)(Crossover)(Type | 10.000 | E | 32.0000 | 30.0000 | 0.0000 | 0.0000 | 0.0000 |

