





Chickasaw Replacing 4 bridges on Mississippi Highway 32 between Calhoun County Line and Mississippi Highway 15, known as Federal Aid Project No. BR-0051-04(008) / 100146, in the County of Chickasaw, State of Mississippi.				MISSISSIPPI DEPARTMENT OF TRANSPORTATION	PHILLIPS CONTRACTING COMPANY INC.	KEY CONSTRUCTORS INC.	N L CARSON CONSTRUCTION CO., INC.	AUSBERN CONSTRUCTION CO. INC.	HARPER CONSTRUCTION INC.
				3,448,693.79	3,729,470.05	3,946,805.07	3,956,986.33	4,043,802.90	4,248,771.38
REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	1	2	3	4	5
690		6" Thermoplastic Edge Stripe, Continuous White	3.000	M	2,500.0000	2,500.0000	1,600.0000	2,500.0000	2,500.0000
700		6" Thermoplastic Traffic Stripe, Skip Yellow	1.000	M	2,000.0000	2,000.0000	1,000.0000	2,000.0000	2,000.0000
710		6" Thermoplastic Traffic Stripe, Continuous Yellow	1.000	M	4,000.0000	4,000.0000	1,800.0000	4,000.0000	4,000.0000
720	627-L001	Two-Way Yellow Reflective High Performance Raised	139.000	E	8.0000	8.0000	18.0000	8.0000	8.0000
730	628-J002	6" High Performance Cold Plastic Traffic Stripe,	1,600.000	LF	5.0000	5.0000	4.0000	5.0000	5.0000
740	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip	640.000	LF	5.0000	5.0000	4.0000	5.0000	5.0000
750	628-M002	6" High Performance Cold Plastic Traffic Stripe,	320.000	LF	5.0000	5.0000	4.0000	5.0000	5.0000
760	630-F001	Delineators, Guard Rail, White	86.000	E	15.0000	15.0000	15.0000	15.0000	15.0000
770	630-G004	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per	16.000	E	125.0000	125.0000	125.0000	125.0000	125.0000
780	803-A001	Test Pile	9.000	E	4,000.0000	4,000.0000	4,500.0000	5,000.0000	1,500.0000
790	803-B001	Conventional Static Loading Test	9.000	E	5,000.0000	5,000.0000	5,000.0000	5,000.0000	5,000.0000
800	803-D002	HP 12 x 53 Steel Piling	4,345.000	LF	27.0000	29.0000	28.0000	32.5000	22.0000
810	803-D003	HP 14 x 73 Steel Piling	1,100.000	LF	35.0000	38.0000	34.0000	39.7500	30.0000
820	803-F004	17" Pre-Formed Pile Hole	1,512.000	LF	8.0000	6.0000	18.0000	17.0000	16.0000
830	803-F009	20" Pre-Formed Pile Hole	434.000	LF	9.0000	6.0000	20.5000	22.0000	18.0000
840	803-J001	Pile Restrike	4.000	E	100.0000	500.0000	500.0000	500.0000	400.0000
850	804-A001	Bridge Concrete, Class AA	1,121.000	CY	500.0000	470.0000	456.0000	450.0000	390.0000
860	804-C029	40' Prestressed Concrete Beam, Type I+2	2,371.000	LF	50.0000	45.0000	63.0000	58.0000	45.0000
870	804-C050	60' Prestressed Concrete Beam, Type II+2	1,434.000	LF	70.0000	60.0000	80.0000	70.0000	62.0000
880	805-A001	Reinforcement	176,494.000	LBS	0.6000	0.8500	0.6200	0.9000	0.7500
890	813-A001	Concrete Railing	1,280.000	LF	56.0000	50.0000	52.2000	50.0000	37.0000
900	815-A009	Loose Riprap, Size 300	4,020.000	T	28.0000	42.0000	31.7500	30.0000	31.0000
910	815-E001	Geotextile under Riprap	4,239.000	SY	1.7500	3.0000	2.2200	2.0000	2.0000
920	618-A001	Maintenance of Traffic	0.000	LS	15,000.0000	15,000.0000	22,500.0000	15,000.0000	66,000.0000
930	620-A001	Mobilization	0.000	LS	120,000.0000	370,000.0000	296,140.0000	180,000.0000	421,000.0000
940	699-A001	Roadway Construction Stakes	0.000	LS	90,000.0000	85,000.0000	120,000.0000	140,500.0000	50,000.0000



Chickasaw Replacing 4 bridges on Mississippi Highway 32 between Calhoun County Line and Mississippi Highway 15, known as Federal Aid Project No. BR-0051-04(008) / 100146, in the County of Chickasaw, State of Mississippi.				T. L. WALLACE .CONSTRUCTION CO. INC .							
				4,469,103.40	0.00	0.00	0.00	0.00	0.00		
REF #	SM	ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
350	304	H001	3/4" and Down Crushed Stone Base, LVM	2,579.000	CY	44.0000	0.0000	0.0000	0.0000	0.0000	0.0000
360	403	A015	Hot Mix Asphalt, ST, 9.5-mm mixture	2,545.000	T	71.0500	0.0000	0.0000	0.0000	0.0000	0.0000
370	403	A012	Hot Mix Asphalt, ST, 19-mm mixture	4,022.000	T	62.1500	0.0000	0.0000	0.0000	0.0000	0.0000
380	403	A013	Hot Mix Asphalt, ST, 25-mm mixture	1,496.000	T	67.4400	0.0000	0.0000	0.0000	0.0000	0.0000
390	403	C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening	135.000	T	96.2000	0.0000	0.0000	0.0000	0.0000	0.0000
400	406	A001	Cold Milling of Bituminous Pavement, All Depths	2,200.000	SY	9.5400	0.0000	0.0000	0.0000	0.0000	0.0000
410	408	A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified	4,833.000	G	1.0000	0.0000	0.0000	0.0000	0.0000	0.0000
420	501	E001	Expansion Joints, Without Dowels	360.000	LF	10.0000	0.0000	0.0000	0.0000	0.0000	0.0000
430	501	K001	Transverse Grooving	3,360.000	SY	2.9000	0.0000	0.0000	0.0000	0.0000	0.0000
440	502	A001	Reinforced Cement Concrete Bridge End Pavement	800.000	SY	86.0000	0.0000	0.0000	0.0000	0.0000	0.0000
450	603	ALT001	18" Type A Alternate Pipe	768.000	LF	30.0000	0.0000	0.0000	0.0000	0.0000	0.0000
460	603	ALT005	24" Type A Alternate Pipe	120.000	LF	40.0000	0.0000	0.0000	0.0000	0.0000	0.0000
470	603	ALT013	36" Type A Alternate Pipe	200.000	LF	65.0000	0.0000	0.0000	0.0000	0.0000	0.0000
480	606	B001	Guard Rail, Class A, Type 1	1,700.000	LF	16.5000	0.0000	0.0000	0.0000	0.0000	0.0000
490	606	D012	Guard Rail, Bridge End Section, Type I	16.000	E	1,850.0000	0.0000	0.0000	0.0000	0.0000	0.0000
500	606	E001	Guard Rail, Terminal End Section	16.000	E	1,850.0000	0.0000	0.0000	0.0000	0.0000	0.0000
520	618	C001	Construction & Removal of Detour Bridge	0.000	LS	80,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
530	618	C001	Construction & Removal of Detour Bridge	0.000	LS	62,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
540	618	C001	Construction & Removal of Detour Bridge	0.000	LS	67,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
550	618	C001	Construction & Removal of Detour Bridge	0.000	LS	80,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
560	619	A1001	Temporary Traffic Stripe, Continuous White	8,864.000	LF	0.6000	0.0000	0.0000	0.0000	0.0000	0.0000
570	619	A2001	Temporary Traffic Stripe, Continuous Yellow	8,864.000	LF	0.6000	0.0000	0.0000	0.0000	0.0000	0.0000
580	619	A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or	5,850.000	LF	1.0000	0.0000	0.0000	0.0000	0.0000	0.0000
590	619	A5004	Temporary Traffic Stripe, Detail, Type 1 Tape	9,070.000	LF	2.1000	0.0000	0.0000	0.0000	0.0000	0.0000
600	619	D1001	Standard Roadside Construction Signs, Less than 10	168.000	SF	10.5300	0.0000	0.0000	0.0000	0.0000	0.0000
610	619	D2001	Standard Roadside Construction Signs, 10 Square Feet or	831.000	SF	10.5300	0.0000	0.0000	0.0000	0.0000	0.0000
620	619	F3004	Delineators, Guard Rail, White	32.000	E	18.0000	0.0000	0.0000	0.0000	0.0000	0.0000
630	619	G4001	Barricades, Type III, Single Faced	144.000	LF	20.5200	0.0000	0.0000	0.0000	0.0000	0.0000
640	619	G4005	Barricades, Type III, Double Faced	72.000	LF	31.0500	0.0000	0.0000	0.0000	0.0000	0.0000
650	619	G5001	Free Standing Plastic Drums	54.000	E	63.1200	0.0000	0.0000	0.0000	0.0000	0.0000
660	619	G7001	Warning Lights, Type "B"	12.000	E	552.2100	0.0000	0.0000	0.0000	0.0000	0.0000
670	619	K1001	Installation and Removal of Guard Rail, Type I, Class A	200.000	LF	25.0000	0.0000	0.0000	0.0000	0.0000	0.0000
680	619	K4001	Installation and Removal of Guardrail, Terminal End	24.000	E	25.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Chickasaw Replacing 4 bridges on Mississippi Highway 32 between Calhoun County Line and Mississippi Highway 15, known as Federal Aid Project No. BR-0051-04(008) / 100146, in the County of Chickasaw, State of Mississippi.				T. L. WALLACE .CONSTRUCTION CO. INC .					
				4,469,103.40	0.00	0.00	0.00	0.00	0.00
REF #	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY UNITS	6	7	8	9	10	11
690		6" Thermoplastic Edge Stripe, Continuous White	3.000 M	2,500.0000	0.0000	0.0000	0.0000	0.0000	0.0000
700		6" Thermoplastic Traffic Stripe, Skip Yellow	1.000 M	2,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
710		6" Thermoplastic Traffic Stripe, Continuous Yellow	1.000 M	4,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
720	627-L001	Two-Way Yellow Reflective High Performance Raised	139.000 E	8.0000	0.0000	0.0000	0.0000	0.0000	0.0000
730	628-J002	6" High Performance Cold Plastic Traffic Stripe,	1,600.000 LF	5.0000	0.0000	0.0000	0.0000	0.0000	0.0000
740	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip	640.000 LF	5.0000	0.0000	0.0000	0.0000	0.0000	0.0000
750	628-M002	6" High Performance Cold Plastic Traffic Stripe,	320.000 LF	5.0000	0.0000	0.0000	0.0000	0.0000	0.0000
760	630-F001	Delineators, Guard Rail, White	86.000 E	15.0000	0.0000	0.0000	0.0000	0.0000	0.0000
770	630-G004	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per	16.000 E	125.0000	0.0000	0.0000	0.0000	0.0000	0.0000
780	803-A001	Test Pile	9.000 E	4,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
790	803-B001	Conventional Static Loading Test	9.000 E	5,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
800	803-D002	HP 12 x 53 Steel Piling	4,345.000 LF	28.0000	0.0000	0.0000	0.0000	0.0000	0.0000
810	803-D003	HP 14 x 73 Steel Piling	1,100.000 LF	34.0000	0.0000	0.0000	0.0000	0.0000	0.0000
820	803-F004	17" Pre-Formed Pile Hole	1,512.000 LF	11.0000	0.0000	0.0000	0.0000	0.0000	0.0000
830	803-F009	20" Pre-Formed Pile Hole	434.000 LF	15.0000	0.0000	0.0000	0.0000	0.0000	0.0000
840	803-J001	Pile Restrike	4.000 E	1,200.0000	0.0000	0.0000	0.0000	0.0000	0.0000
850	804-A001	Bridge Concrete, Class AA	1,121.000 CY	465.0000	0.0000	0.0000	0.0000	0.0000	0.0000
860	804-C029	40' Prestressed Concrete Beam, Type I+2	2,371.000 LF	47.0000	0.0000	0.0000	0.0000	0.0000	0.0000
870	804-C050	60' Prestressed Concrete Beam, Type II+2	1,434.000 LF	61.0000	0.0000	0.0000	0.0000	0.0000	0.0000
880	805-A001	Reinforcement	176,494.000 LBS	0.7100	0.0000	0.0000	0.0000	0.0000	0.0000
890	813-A001	Concrete Railing	1,280.000 LF	49.2000	0.0000	0.0000	0.0000	0.0000	0.0000
900	815-A009	Loose Riprap, Size 300	4,020.000 T	30.0000	0.0000	0.0000	0.0000	0.0000	0.0000
910	815-E001	Geotextile under Riprap	4,239.000 SY	2.0000	0.0000	0.0000	0.0000	0.0000	0.0000
920	618-A001	Maintenance of Traffic	0.000 LS	19,721.5000	0.0000	0.0000	0.0000	0.0000	0.0000
930	620-A001	Mobilization	0.000 LS	100,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
940	699-A001	Roadway Construction Stakes	0.000 LS	120,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000