

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u>  1  </u>	DATED <u>  5/8/2006  </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u>  2  </u>	DATED <u>  5/16/2006  </u>	ADDENDUM NO. _____	DATED _____

- | Number | Description  |
|--------|--|
| 1      | Delete Special Provision 907-804-1 from the proposal.                                |
| 2      | Revised Proposal Sheets 2-6 thru 2-15, replaces same; Revised Project Disk Required. |

TOTAL ADDENDA:   1    
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_


E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.



SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 6)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(330)	304-C	(GY)	4,205 cubic yard		Granular Material, AEA, Class 5, Group C				
(340)	907-304-D	(GT)	9,304 ton		Granular Material, Crushed Stone				
(350)	308-A		163 ton		Portland Cement				
(360)	308-B CHANGED 05/16/2006	(M)	19,223 Square Yard		Soil-Cement-Water Mixing, Optional Mixers, Base				
(370)	907-403-A	(B) (A1)	651 ton		Hot Mix Asphalt, HT, 12.5-mm mixture				
(380)	907-403-A	(B) (A1)	14,108 ton		Hot Mix Asphalt, HT, 19-mm mixture				
(390)	907-403-A CHANGED 05/16/2006	(B) (A1)	1,089 ton		Hot Mix Asphalt, HT, 9.5-mm mixture				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 7)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(400)	907-403-D	(B) (A1)	2,935 ton		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
(410)	907-403-D	(B) (A1)	2,201 ton		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
(420)	406-A		4,756 ton		Cold Milling of Bituminous Pavement, All Depths				
(430)	501-E		422 linear foot		Expansion Joints, Without Dowels				
(440)	501-K		5,994 square yard		Transverse Grooving				
(450)	502-A	(C)	938 square yard		Reinforced Cement Concrete Bridge End Pavement				
(451)	503-E		36 Each		Tie Bars, No. 5 Deformed Drilled and Epoxyed or Grouted				

ADDED 05/16/2006

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 8)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(460)	606-B		700 linear foot		Guard Rail, Class A, Type 1				
(470)	606-D		8 each		Guard Rail, Bridge End Section, Type I				
(480)	606-E		5 each		Guard Rail, Terminal End Section				
(490)	606-E		3 each		Guard Rail, Terminal End Section				
(500)	607-B		4,150 linear foot		72" Type I Chain Link Fence, Class II				
(510)	607-G		1 each		Gate, 6' x 10' Double Chain Link				
(520)	607-P1		394 each		Line Post, 9' x 2" Galvanized Steel				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 9)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(530)	607-P2			24 each	Brace Post, 9' x 2 1/2" Galvanized Steel				
(540)	607-P3			2 each	Gate Post, 9' x 3 1/2" Galvanized Steel				
(550)	619-A1			2 mile	Temporary Traffic Stripe, Continuous White, Type 1 Tape				
(560)	619-A2			2 mile	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape				
(570)	619-A3			2 mile	Temporary Traffic Stripe, Skip White, Type 1 Tape				
(580)	619-C6			178 each	Red-Clear Reflective High Performance Raised Marker				
(590)	619-D1			16 square foot	Standard Roadside Construction Signs, Less than 10 Square Feet				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 10)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(600)	619-D2		748 square foot		Standard Roadside Construction Signs, 10 Square Feet or More				
CHANGED 05/16/2006									
(610)	619-D3		11 each		Remove and Reset Signs, All Sizes				
(620)	619-F1		6,190 linear foot		Concrete Median Barrier, Precast				
(630)	619-F2		6,190 linear foot		Remove and Reset Concrete Median Barrier, Precast				
(640)	619-G4		36 linear foot		Barricades, Type III, Single Faced				
(650)	619-G5		33 each		Free Standing Plastic Drums				
(660)	619-G7		4 each		Warning Lights, Type "B"				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 11)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(670)	626-A			2 mile	6" Thermoplastic Traffic Stripe, Skip White				
(680)	626-C			1 mile	6" Thermoplastic Edge Stripe, Continuous White				
(690)	626-F			1 mile	6" Thermoplastic Edge Stripe, Continuous Yellow				
(700)	626-G			80 linear foot	Thermoplastic Detail Stripe, White				
(710)	627-K			267 each	Red-Clear Reflective High Performance Raised Markers				
(720)	628-I			2,560 linear foot	6" High Performance Cold Plastic Traffic Stripe, Skip White				
(730)	628-J			1,480 linear foot	6" High Performance Cold Plastic Traffic Stripe, Continuous White				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 12)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(740)	628-M		1,480 linear foot		6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
(750)	630-A		8 square foot		Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				
(760)	630-F		32 each		Delineators, Guard Rail, White				
(770)	630-F		32 each		Delineators, Guard Rail, Yellow				
(780)	630-G		8 each		Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				
(790)	907-630-I		lump sum		Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(800)	907-619-E3		3 Each		Changeable Message Sign				



SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 13)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(810)	803-A	(S)		11 each	Test Pile				
(820)	803-B	(S)		11 each	Conventional Static Loading Test	5,000	0000	55,000	00
(830)	803-D	(S)		3,825 linear foot	HP 12 x 53 Steel Piling				
(840)	803-D	(S)		5,885 linear foot	HP 14 x 73 Steel Piling				
(850)	803-J	(S)		4 each	Pile Restrike				
(860)	803-K	(S)		613 linear foot	Drilled Shaft, 60" Diameter				
(870)	803-L	(S)		1 each	Test Shaft, 60" Diameter				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 14)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(880)	803-M	(S)	55 linear foot		Trial Shaft, 60" Diameter				
(890)	803-N	(S)	20 linear foot		Exploration				
(900)	803-O	(S)	180 linear foot		Temporary Casing, 60" Diameter				
(910)	803-O	(S)	180 linear foot		Permanent Casing, 60" Diameter				
(920)	907-804-A	(S)	2,631 Cubic Yard		Bridge Concrete, Class AA				
(930)	804-C	(S)	7,362 linear foot		40' Prestressed Concrete Beam, Type I+2				
(940)	804-C	(S)	209 linear foot		70' Prestressed Concrete Beam, Type III				

(03/07/2006)

SECTION 905

BR-0059-03(082) / 103694

PROPOSAL (Sheet No. 2- 15)

Lauderdale County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(950)	804-C	(S)	878 linear foot		110' Prestressed Concrete Beam, Type IV				
(960)	805-A	(S)	532,493 pound		Reinforcement				
(970)	810-C	(S)	lump sum		Miscellaneous Bridge Appurtenances	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(980)	813-A	(S)	2,680 linear foot		Concrete Railing				
(990)	815-A	(S)	4,330 ton		Loose Riprap, Size 300				
(1000)	815-E	(S)	1,945 square yard		Geotextile under Riprap				

SUBTOTAL - DIRECT PAY ITEMS.....\$ \_\_\_\_\_