

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				MISSISSIPPI DEPARTMENT OF TRANSPORTATION	TANNER CONSTRUCTION COMPANY, INC.	KEY, LLC	T. L. WALLACE CONSTRUCTION COMPANY, INC.	L & A CONTRACTING COMPANY	HILL BROTHERS CONSTRUCTION COMPANY, INC.
				27,334,174.57	26,032,956.21	26,390,238.26	IRREGULAR	29,791,440.86	30,783,167.00
REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	1	2	3	4	5
670	603-SB024	18" Branch Connections, Stub into Existing Median Inlet	1.000	E	400.0000	400.0000	0.0000	862.5000	280.0000
680	604-A001	Castings	1,580.000	LBS	1.6000	4.0000	0.0000	2.3000	3.0000
690	604-B001	Gratings	250.000	LBS	1.7000	4.0000	0.0000	3.4500	3.0000
700	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5	1,000.000	LF	5.0000	15.0000	0.0000	16.1000	15.0000
710	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	50.000	LF	5.0000	25.0000	0.0000	16.1000	15.0000
720	605-W001	Filter Material for Combination Storm Drain and/or	500.000	CY	15.0000	30.0000	0.0000	46.0000	45.0000
730	605-W002	Filter Material for Combination Storm Drain and/or	500.000	CY	10.0000	55.0000	0.0000	46.0000	85.0000
740	605-AA004	Geotextile for Subsurface Drainage, Type V	29,508.000	SY	1.0000	2.6000	0.0000	1.9000	2.0000
750	606-B001	Guard Rail, Class A, Type 1	1,863.000	LF	19.5000	19.5000	0.0000	22.4300	21.0000
760	606-B002	Guard Rail, Class A, Type 1, Double Faced	113.000	LF	27.5000	27.5000	0.0000	31.6300	29.0000
770	606-C003	Guard Rail, Cable Anchor, Type 1	4.000	E	650.0000	650.0000	0.0000	747.5000	690.0000
780	606-D012	Guard Rail, Bridge End Section, Type I	8.000	E	1,950.0000	1,950.0000	0.0000	2,242.5000	2,100.0000
790	606-E001	Guard Rail, Terminal End Section	7.000	E	2,000.0000	2,000.0000	0.0000	2,300.0000	2,100.0000
800	606-E001	Guard Rail, Terminal End Section	1.000	E	5,500.0000	5,500.0000	0.0000	6,325.0000	5,900.0000
810	608-A001	Concrete Sidewalk, Without Reinforcement	2,754.000	SY	32.0000	29.6000	0.0000	43.7000	32.0000
820	609-D002	Combination Concrete Curb and Gutter Type 2	1,323.000	LF	13.0000	14.4500	0.0000	17.2500	15.0000
830	609-D014	Combination Concrete Curb and Gutter Type 2 Modified	82.000	LF	20.0000	14.4500	0.0000	17.2500	15.0000
840	609-D011	Combination Concrete Curb and Gutter Type 3A Mod1	4,687.000	LF	14.4000	13.7800	0.0000	18.4000	15.0000
850	609-D012	Combination Concrete Curb and Gutter Type 3A Mod2	2,065.000	LF	14.7500	14.4400	0.0000	18.4000	15.0000
860	615-A008	Concrete Type I Cast-in-Place Median Barrier, 32" High	1,664.000	LF	36.9000	40.0000	0.0000	58.6300	39.0000
870	616-A001	Concrete Median and/or Island Pavement, 4-inch	1,094.000	SY	31.0000	29.2000	0.0000	32.2000	31.0000
880	616-A003	Concrete Median and/or Island Pavement, 10-inch	84.000	SY	55.0000	65.0000	0.0000	80.5000	69.0000
890	907-617-A00	Right-of-Way Marker	27.000	E	125.0000	125.0000	0.0000	86.2500	100.0000
900	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	3,000.000	LF	2.0000	2.0000	0.0000	2.3000	2.0000
910	619-A1001	Temporary Traffic Stripe, Continuous White	8,000.000	LF	0.7500	0.7500	0.0000	0.8600	0.8000
920	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1	3,000.000	LF	2.0000	2.0000	0.0000	2.3000	2.0000
930	619-A2001	Temporary Traffic Stripe, Continuous Yellow	8,000.000	LF	0.7500	0.7500	0.0000	0.8600	0.8000
940	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape	3,000.000	LF	2.0000	1.0000	0.0000	2.3000	2.0000
950	619-A3001	Temporary Traffic Stripe, Skip White	8,000.000	LF	0.5000	0.5000	0.0000	0.5800	0.5000
960	619-D1001	Standard Roadside Construction Signs, Less than 10	32.000	SF	12.9000	12.9000	0.0000	17.2500	14.0000
970	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or	890.000	SF	12.9000	12.9000	0.0000	17.2500	14.0000
980	619-D3001	Remove and Reset Signs, All Sizes	20.000	E	200.0000	2,500.0000	0.0000	2,300.0000	180.0000
990	907-619-E30	Changeable Message Sign	2.000	E	20,000.0000	20,000.0000	0.0000	25,875.0000	30,000.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				MISSISSIPPI DEPARTMENT OF TRANSPORTATION	TANNER CONSTRUCTION COMPANY, INC.	KEY, LLC	T. L. WALLACE CONSTRUCTION COMPANY, INC.	L & A CONTRACTING COMPANY	HILL BROTHERS CONSTRUCTION COMPANY, INC.
				27,334,174.57	26,032,956.21	26,390,238.26	IRREGULAR	29,791,440.86	30,783,167.00
REF#	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY UNITS		1	2	3	4	5
2290		125' Prestressed Concrete Beam, Type BT-72	622.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2300		130' Prestressed Concrete Beam, Type BT-72	6,475.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2310		135' Prestressed Concrete Beam, Type BT-72	1,684.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2320		136' Prestressed Concrete Beam, Type BT-72	1,226.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2330		138' Prestressed Concrete Beam, Type BT-72	2,199.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2340		140' Prestressed Concrete Beam, Type BT-72	2,231.000 LF		150.0000	150.0000	0.0000	147.5000	170.0000
2350	805-A001	Reinforcement	2,508,418.000 LBS		0.7500	0.7500	0.0000	0.9100	1.0000
2360	809-A003	Retaining Wall System	11,050.000 SF		53.0000	40.0000	0.0000	50.0000	60.0000
2370		Support Wall System	0.000 LS		211,000.0000	265,000.0000	0.0000	155,000.0000	200,000.0000
2380	813-A001	Concrete Railing	10,611.000 LF		44.2300	36.0000	0.0000	49.0000	60.0000
2390	815-D001	Concrete Slope Paving	171.000 CY		343.0000	300.0000	0.0000	400.0000	410.0000
2400	618-A001	Maintenance of Traffic	0.000 LS		20,000.0000	100,000.0000	0.0000	125,000.0000	150,000.0000
2410	620-A001	Mobilization	0.000 LS		2,129,000.0000	1,650,000.0000	0.0000	900,000.0000	1,000,000.0000
2420	699-A001	Roadway Construction Stakes	0.000 LS		245,000.0000	350,000.0000	0.0000	300,000.0000	400,000.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP							
				34,089,670.81	0.00	0.00	0.00	0.00	0.00		
REF #	SM	ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
10	201	A001	Clearing and Grubbing	0.000	LS	1,700,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
20	202	A001	Removal of Obstructions	0.000	LS	265,515.7700	0.0000	0.0000	0.0000	0.0000	0.0000
30	202	B098	Removal of Inlet and Junction Box, All Types & Sizes	15.000	E	744.4100	0.0000	0.0000	0.0000	0.0000	0.0000
40	202	B064	Removal of Pipe, 8" And Above	2,000.000	LF	9.9200	0.0000	0.0000	0.0000	0.0000	0.0000
50	202	B063	Removal of Overhead Sign Including Panels, Truss,	1.000	E	5,062.9100	0.0000	0.0000	0.0000	0.0000	0.0000
60			Removal of Sign and Lighting Foundations	37.000	EA	281.2700	0.0000	0.0000	0.0000	0.0000	0.0000
70			Removal of Impact Attenuator	2.000	EA	562.5500	0.0000	0.0000	0.0000	0.0000	0.0000
80	202	B023	Removal of Concrete Median Barrier, Precast	2,949.000	LF	6.5700	0.0000	0.0000	0.0000	0.0000	0.0000
90	202	B102	Removal of Guard Rail	1,000.000	LF	6.1900	0.0000	0.0000	0.0000	0.0000	0.0000
100	202	B005	Removal of Asphalt Pavement, All Depths	4,704.000	SY	5.1500	0.0000	0.0000	0.0000	0.0000	0.0000
110	202	B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All	25,781.000	SY	10.0600	0.0000	0.0000	0.0000	0.0000	0.0000
120	202	B076	Removal of Traffic Stripe	12,000.000	LF	1.6900	0.0000	0.0000	0.0000	0.0000	0.0000
130	202	B093	Removal of Curb & Gutter, All Types	4,818.000	LF	6.2100	0.0000	0.0000	0.0000	0.0000	0.0000
140	202	B162	Removal of Secondary Power Controller	1.000	E	1,145.1400	0.0000	0.0000	0.0000	0.0000	0.0000
150	203	A003	Unclassified Excavation, FM, AH	13,980.000	CY	6.8300	0.0000	0.0000	0.0000	0.0000	0.0000
160	203	EX013	Borrow Excavation, AH, FME, Class B7	72,127.000	CY	11.3800	0.0000	0.0000	0.0000	0.0000	0.0000
170	203	G001	Excess Excavation, FM	144,377.000	CY	4.7900	0.0000	0.0000	0.0000	0.0000	0.0000
180	206	A001	Structure Excavation	205.000	CY	9.9200	0.0000	0.0000	0.0000	0.0000	0.0000
190	211	A001	Topsoil for Slope Treatment, From Right-of-Way	5,000.000	SY	2.2500	0.0000	0.0000	0.0000	0.0000	0.0000
200	212	A001	Light Ground Preparation	22,056.000	SY	0.0600	0.0000	0.0000	0.0000	0.0000	0.0000
210	212	B001	Standard Ground Preparation	44,111.000	SY	0.1100	0.0000	0.0000	0.0000	0.0000	0.0000
220	907-213	A00	Agricultural Limestone	18.000	T	75.3000	0.0000	0.0000	0.0000	0.0000	0.0000
230	213	B001	Combination Fertilizer, 13-13-13	6.000	T	1,158.4800	0.0000	0.0000	0.0000	0.0000	0.0000
240	213	C001	Superphosphate	5.000	T	463.4000	0.0000	0.0000	0.0000	0.0000	0.0000
250	214	A002	Seeding, Bermudagrass	182.000	LBS	23.1700	0.0000	0.0000	0.0000	0.0000	0.0000
260	214	A003	Seeding, Tall Fescue	68.000	LBS	4.6300	0.0000	0.0000	0.0000	0.0000	0.0000
270	214	A004	Seeding, Crimson Clover	182.000	LBS	4.6300	0.0000	0.0000	0.0000	0.0000	0.0000
280	214	A001	Seeding, Bahiagrass	228.000	LBS	11.5800	0.0000	0.0000	0.0000	0.0000	0.0000
290	214	A014	Seeding, Browntop Millet	91.000	LBS	2.3200	0.0000	0.0000	0.0000	0.0000	0.0000
300	214	A017	Seeding, Rye Grass	114.000	LBS	2.3200	0.0000	0.0000	0.0000	0.0000	0.0000
310	214	A015	Seeding, Oats	410.000	LBS	1.1600	0.0000	0.0000	0.0000	0.0000	0.0000
320	215	A001	Vegetative Materials for Mulch	23.000	T	347.5400	0.0000	0.0000	0.0000	0.0000	0.0000
330	216	A001	Solid Sodding	1,790.000	SY	4.6300	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP					
				34,089,670.81	0.00	0.00	0.00	0.00	0.00
REF #	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY UNITS	6	7	8	9	10	11
340	217-A001	Ditch Liner	364.000 SY	2.3200	0.0000	0.0000	0.0000	0.0000	0.0000
350	219-A001	Watering	36.000 M/G	20.0000	0.0000	0.0000	0.0000	0.0000	0.0000
360	220-A001	Insect Pest Control	9.000 A	30.0000	0.0000	0.0000	0.0000	0.0000	0.0000
370	221-A001	Portland Cement Concrete Paved Ditch	81.000 CY	445.4600	0.0000	0.0000	0.0000	0.0000	0.0000
380	234-A001	Temporary Silt Fence	8,625.000 LF	8.1100	0.0000	0.0000	0.0000	0.0000	0.0000
390	235-A001	Temporary Erosion Checks	168.000 E	17.3800	0.0000	0.0000	0.0000	0.0000	0.0000
400	304-C043	Granular Material, AEA, Class 9, Group C	4,170.000 CY	16.0400	0.0000	0.0000	0.0000	0.0000	0.0000
410		Size 825 Crushed Stone Base	8,391.000 T	45.4900	0.0000	0.0000	0.0000	0.0000	0.0000
420		Hot Mix Asphalt, HT, 19-mm mixture	12,015.000 T	73.3900	0.0000	0.0000	0.0000	0.0000	0.0000
430		Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening	753.000 T	98.8200	0.0000	0.0000	0.0000	0.0000	0.0000
440		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	3,892.000 T	96.4900	0.0000	0.0000	0.0000	0.0000	0.0000
450		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	5,196.000 T	90.1500	0.0000	0.0000	0.0000	0.0000	0.0000
460		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified,	4,289.000 T	94.1500	0.0000	0.0000	0.0000	0.0000	0.0000
470	423-A001	Rumble Strips, Ground In	1.000 MI	2,250.1800	0.0000	0.0000	0.0000	0.0000	0.0000
480	501-E001	Expansion Joints, Without Dowels	327.000 LF	5.8200	0.0000	0.0000	0.0000	0.0000	0.0000
490	501-K001	Transverse Grooving	26,220.000 SY	3.1200	0.0000	0.0000	0.0000	0.0000	0.0000
500	502-A001	Reinforced Cement Concrete Bridge End Pavement	1,036.000 SY	86.2800	0.0000	0.0000	0.0000	0.0000	0.0000
510	503-C007	Saw Cut, Full Depth	2,550.000 LF	4.5000	0.0000	0.0000	0.0000	0.0000	0.0000
520	601-B001	Class "B" Structural Concrete, Minor Structures	84.000 CY	1,485.2900	0.0000	0.0000	0.0000	0.0000	0.0000
530	602-A001	Reinforcing Steel	7,539.000 LBS	0.9500	0.0000	0.0000	0.0000	0.0000	0.0000
540	603-CA001	15" Reinforced Concrete Pipe, Class III	24.000 LF	47.2600	0.0000	0.0000	0.0000	0.0000	0.0000
550	603-CA002	18" Reinforced Concrete Pipe, Class III	2,216.000 LF	51.9900	0.0000	0.0000	0.0000	0.0000	0.0000
560	603-CA003	24" Reinforced Concrete Pipe, Class III	160.000 LF	72.0800	0.0000	0.0000	0.0000	0.0000	0.0000
570	603-CA004	30" Reinforced Concrete Pipe, Class III	288.000 LF	93.3500	0.0000	0.0000	0.0000	0.0000	0.0000
580	603-CA005	36" Reinforced Concrete Pipe, Class III	144.000 LF	121.7100	0.0000	0.0000	0.0000	0.0000	0.0000
590	603-CA007	48" Reinforced Concrete Pipe, Class III	64.000 LF	167.7900	0.0000	0.0000	0.0000	0.0000	0.0000
600	603-CB014	15" Reinforced Concrete End Section	1.000 E	946.4700	0.0000	0.0000	0.0000	0.0000	0.0000
610	603-CB001	18" Reinforced Concrete End Section	4.000 E	946.4800	0.0000	0.0000	0.0000	0.0000	0.0000
620	603-CB004	36" Reinforced Concrete End Section	2.000 E	1,856.3200	0.0000	0.0000	0.0000	0.0000	0.0000
630	603-CB006	48" Reinforced Concrete End Section	2.000 E	2,660.9900	0.0000	0.0000	0.0000	0.0000	0.0000
640	603-CE003	36" x 23" Concrete Arch Pipe, Class A III	568.000 LF	102.8000	0.0000	0.0000	0.0000	0.0000	0.0000
650	603-CE004	44" x 27" Concrete Arch Pipe, Class A III	736.000 LF	132.3400	0.0000	0.0000	0.0000	0.0000	0.0000
660	603-CF004	44" x 27" Concrete Arch Pipe End Section	1.000 E	1,856.3100	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP							
				34,089,670.81	0.00	0.00	0.00	0.00	0.00		
REF #	SM	ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
670	603	SB024	18" Branch Connections, Stub into Existing Median Inlet	1.000	E	928.7400	0.0000	0.0000	0.0000	0.0000	0.0000
680	604	A001	Castings	1,580.000	LBS	2.4800	0.0000	0.0000	0.0000	0.0000	0.0000
690	604	B001	Gratings	250.000	LBS	3.7300	0.0000	0.0000	0.0000	0.0000	0.0000
700	605	O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5	1,000.000	LF	17.3700	0.0000	0.0000	0.0000	0.0000	0.0000
710	605	P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	50.000	LF	17.3700	0.0000	0.0000	0.0000	0.0000	0.0000
720	605	W001	Filter Material for Combination Storm Drain and/or	500.000	CY	49.6300	0.0000	0.0000	0.0000	0.0000	0.0000
730	605	W002	Filter Material for Combination Storm Drain and/or	500.000	CY	49.6300	0.0000	0.0000	0.0000	0.0000	0.0000
740	605	AA004	Geotextile for Subsurface Drainage, Type V	29,508.000	SY	2.0700	0.0000	0.0000	0.0000	0.0000	0.0000
750	606	B001	Guard Rail, Class A, Type 1	1,863.000	LF	21.9400	0.0000	0.0000	0.0000	0.0000	0.0000
760	606	B002	Guard Rail, Class A, Type 1, Double Faced	113.000	LF	30.9400	0.0000	0.0000	0.0000	0.0000	0.0000
770	606	C003	Guard Rail, Cable Anchor, Type 1	4.000	E	731.3200	0.0000	0.0000	0.0000	0.0000	0.0000
780	606	D012	Guard Rail, Bridge End Section, Type I	8.000	E	2,193.9400	0.0000	0.0000	0.0000	0.0000	0.0000
790	606	E001	Guard Rail, Terminal End Section	7.000	E	2,250.1800	0.0000	0.0000	0.0000	0.0000	0.0000
800	606	E001	Guard Rail, Terminal End Section	1.000	E	6,188.0000	0.0000	0.0000	0.0000	0.0000	0.0000
810	608	A001	Concrete Sidewalk, Without Reinforcement	2,754.000	SY	47.2600	0.0000	0.0000	0.0000	0.0000	0.0000
820	609	D002	Combination Concrete Curb and Gutter Type 2	1,323.000	LF	18.9100	0.0000	0.0000	0.0000	0.0000	0.0000
830	609	D014	Combination Concrete Curb and Gutter Type 2 Modified	82.000	LF	18.9100	0.0000	0.0000	0.0000	0.0000	0.0000
840	609	D011	Combination Concrete Curb and Gutter Type 3A Mod1	4,687.000	LF	20.0800	0.0000	0.0000	0.0000	0.0000	0.0000
850	609	D012	Combination Concrete Curb and Gutter Type 3A Mod2	2,065.000	LF	20.0800	0.0000	0.0000	0.0000	0.0000	0.0000
860	615	A008	Concrete Type I Cast-in-Place Median Barrier, 32" High	1,664.000	LF	52.3800	0.0000	0.0000	0.0000	0.0000	0.0000
870	616	A001	Concrete Median and/or Island Pavement, 4-inch	1,094.000	SY	35.4400	0.0000	0.0000	0.0000	0.0000	0.0000
880	616	A003	Concrete Median and/or Island Pavement, 10-inch	84.000	SY	87.4400	0.0000	0.0000	0.0000	0.0000	0.0000
890	907	617-A00	Right-of-Way Marker	27.000	E	281.2700	0.0000	0.0000	0.0000	0.0000	0.0000
900	619	A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	3,000.000	LF	2.2500	0.0000	0.0000	0.0000	0.0000	0.0000
910	619	A1001	Temporary Traffic Stripe, Continuous White	8,000.000	LF	0.8400	0.0000	0.0000	0.0000	0.0000	0.0000
920	619	A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1	3,000.000	LF	2.2500	0.0000	0.0000	0.0000	0.0000	0.0000
930	619	A2001	Temporary Traffic Stripe, Continuous Yellow	8,000.000	LF	0.8400	0.0000	0.0000	0.0000	0.0000	0.0000
940	619	A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape	3,000.000	LF	1.1200	0.0000	0.0000	0.0000	0.0000	0.0000
950	619	A3001	Temporary Traffic Stripe, Skip White	8,000.000	LF	0.5700	0.0000	0.0000	0.0000	0.0000	0.0000
960	619	D1001	Standard Roadside Construction Signs, Less than 10	32.000	SF	14.5100	0.0000	0.0000	0.0000	0.0000	0.0000
970	619	D2001	Standard Roadside Construction Signs, 10 Square Feet or	890.000	SF	14.5100	0.0000	0.0000	0.0000	0.0000	0.0000
980	619	D3001	Remove and Reset Signs, All Sizes	20.000	E	220.0000	0.0000	0.0000	0.0000	0.0000	0.0000
990	907	619-E30	Changeable Message Sign	2.000	E	30,940.0600	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP					
				34,089,670.81	0.00	0.00	0.00	0.00	0.00
REF #	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY UNITS	6	7	8	9	10	11
1000	619-F2001	Remove and Reset Concrete Median Barrier, Precast	1,300.000 LF	12.2200	0.0000	0.0000	0.0000	0.0000	0.0000
1010	619-G4001	Barricades, Type III, Single Faced	96.000 LF	36.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1020	619-G4005	Barricades, Type III, Double Faced	24.000 LF	32.6300	0.0000	0.0000	0.0000	0.0000	0.0000
1030	619-G5001	Free Standing Plastic Drums	38.000 E	73.1300	0.0000	0.0000	0.0000	0.0000	0.0000
1040	619-G7001	Warning Lights, Type "B"	8.000 E	731.3200	0.0000	0.0000	0.0000	0.0000	0.0000
1050		6" Thermoplastic Traffic Stripe, Skip White	8,227.000 LF	0.5700	0.0000	0.0000	0.0000	0.0000	0.0000
1060	907-626-C00	6" Thermoplastic Double Drop Edge Stripe, Continuous	10,221.000 LF	0.7300	0.0000	0.0000	0.0000	0.0000	0.0000
1070		6" Thermoplastic Traffic Stripe, Skip Yellow	662.000 LF	0.5700	0.0000	0.0000	0.0000	0.0000	0.0000
1080		6" Thermoplastic Traffic Stripe, Continuous Yellow	7,700.000 LF	0.7300	0.0000	0.0000	0.0000	0.0000	0.0000
1090		6" Thermoplastic Double Drop Edge Stripe, Continuous	5,505.000 LF	0.7300	0.0000	0.0000	0.0000	0.0000	0.0000
1100		Thermoplastic Detail Stripe, Yellow	528.000 LF	1.4100	0.0000	0.0000	0.0000	0.0000	0.0000
1110		Thermoplastic Detail Stripe, White	9,718.000 LF	1.4100	0.0000	0.0000	0.0000	0.0000	0.0000
1120		Thermoplastic Legend, White	813.000 SF	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1130		Thermoplastic Legend, White	4,862.000 LF	2.2500	0.0000	0.0000	0.0000	0.0000	0.0000
1140	627-K001	Red-Clear Reflective High Performance Raised Markers	665.000 E	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1150	627-L001	Two-Way Yellow Reflective High Performance Raised	245.000 E	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1151	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip	6,010.000 LF	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1152	628-J002	6" High Performance Cold Plastic Traffic Stripe,	5,469.000 LF	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1153	628-M002	6" High Performance Cold Plastic Traffic Stripe,	5,551.000 LF	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1154	628-O001	High Performance Cold Plastic Detail Stripe, White	1,846.000 LF	5.6200	0.0000	0.0000	0.0000	0.0000	0.0000
1160	629-A001	Vehicular Impact Attenuator, 50 MPH	1.000 E	13,388.6000	0.0000	0.0000	0.0000	0.0000	0.0000
1170	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080"	420.000 SF	22.5000	0.0000	0.0000	0.0000	0.0000	0.0000
1180	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125"	375.000 SF	24.1900	0.0000	0.0000	0.0000	0.0000	0.0000
1190	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum	595.000 SF	28.1200	0.0000	0.0000	0.0000	0.0000	0.0000
1200	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum	1,772.000 SF	28.1200	0.0000	0.0000	0.0000	0.0000	0.0000
1210	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft	169.000 LF	7.3100	0.0000	0.0000	0.0000	0.0000	0.0000
1220	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	257.000 LF	8.4400	0.0000	0.0000	0.0000	0.0000	0.0000
1230	630-D006	Structural Steel Beams, W8 x 18	63.000 LF	56.2600	0.0000	0.0000	0.0000	0.0000	0.0000
1240	630-D003	Structural Steel Beams, W6 x 9	107.000 LF	45.0100	0.0000	0.0000	0.0000	0.0000	0.0000
1250	630-D005	Structural Steel Beams, W6 x 15	272.000 LF	50.6300	0.0000	0.0000	0.0000	0.0000	0.0000
1260	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	135.000 LBS	2.8100	0.0000	0.0000	0.0000	0.0000	0.0000
1270	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	725.000 LBS	2.8100	0.0000	0.0000	0.0000	0.0000	0.0000
1280	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4"	398.000 LBS	2.8100	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP							
				34,089,670.81	0.00	0.00	0.00	0.00	0.00		
REF #	SM	ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
1290	630	F001	Delineators, Guard Rail, White	65.000	E	20.2500	0.0000	0.0000	0.0000	0.0000	0.0000
1300	630	F002	Delineators, Guard Rail, Yellow	8.000	E	20.2500	0.0000	0.0000	0.0000	0.0000	0.0000
1310	907-630	I00	Metal Overhead Sign Supports, Assembly No. 1,	0.000	LS	204,710.6300	0.0000	0.0000	0.0000	0.0000	0.0000
1320	907-630	I00	Metal Overhead Sign Supports, Assembly No. 2,	0.000	LS	163,267.8400	0.0000	0.0000	0.0000	0.0000	0.0000
1340			Overhead Sign Supported on Bridge, Assembly No 3,	0.000	LS	48,933.6500	0.0000	0.0000	0.0000	0.0000	0.0000
1350	630	K001	Welded & Seamless Steel Pipe Posts, 3"	155.000	LF	45.0100	0.0000	0.0000	0.0000	0.0000	0.0000
1360	630	K002	Welded & Seamless Steel Pipe Posts, 3 1/2"	81.000	LF	54.0000	0.0000	0.0000	0.0000	0.0000	0.0000
1370	630	K003	Welded & Seamless Steel Pipe Posts, 4"	288.000	LF	61.8800	0.0000	0.0000	0.0000	0.0000	0.0000
1380	635	A001	Vehicle Loop Assemblies	12,296.000	LF	11.4500	0.0000	0.0000	0.0000	0.0000	0.0000
1390	636	A001	Shielded Cable, AWG #18, 4 Conductor	2,098.000	LF	1.4300	0.0000	0.0000	0.0000	0.0000	0.0000
1400	638	A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel	9.000	E	584.0200	0.0000	0.0000	0.0000	0.0000	0.0000
1410			Traffic Signal Equipment Pole, Type 1, 30' Shaft	1.000	EA	1,717.7100	0.0000	0.0000	0.0000	0.0000	0.0000
1420	639	A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30'	2.000	E	5,840.2200	0.0000	0.0000	0.0000	0.0000	0.0000
1430	639	A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35'	3.000	E	6,183.7500	0.0000	0.0000	0.0000	0.0000	0.0000
1440	639	A013	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40'	2.000	E	6,298.2700	0.0000	0.0000	0.0000	0.0000	0.0000
1450	639	A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45'	3.000	E	6,641.8000	0.0000	0.0000	0.0000	0.0000	0.0000
1460	639	A014	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50'	2.000	E	7,443.4100	0.0000	0.0000	0.0000	0.0000	0.0000
1470	639	A016	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55'	2.000	E	8,015.9800	0.0000	0.0000	0.0000	0.0000	0.0000
1480			Traffic Signal Equipment Pole, Type III, 17' Shaft, 45'	1.000	EA	7,672.4300	0.0000	0.0000	0.0000	0.0000	0.0000
1490	639	A080	Traffic Signal Equipment Pole, Type IV	7.000	E	973.3600	0.0000	0.0000	0.0000	0.0000	0.0000
1500	640	A016	Traffic Signal Heads, Type 1 LED	21.000	E	864.5800	0.0000	0.0000	0.0000	0.0000	0.0000
1510	640	A017	Traffic Signal Heads, Type 2 LED	2.000	E	830.2300	0.0000	0.0000	0.0000	0.0000	0.0000
1520	640	A018	Traffic Signal Heads, Type 3 LED	2.000	E	1,227.5900	0.0000	0.0000	0.0000	0.0000	0.0000
1530	640	A019	Traffic Signal Heads, Type 5 LED	2.000	E	824.5100	0.0000	0.0000	0.0000	0.0000	0.0000
1540			Traffic Signal Head, Type 5T LED	6.000	EA	824.5000	0.0000	0.0000	0.0000	0.0000	0.0000
1550	640	A021	Traffic Signal Heads, Type 6 LED	24.000	E	916.1100	0.0000	0.0000	0.0000	0.0000	0.0000
1560	640	A022	Traffic Signal Heads, Type 7 LED	5.000	E	1,774.9700	0.0000	0.0000	0.0000	0.0000	0.0000
1570	642	A008	Solid State Traffic Actuated Controllers, Type 8A	4.000	E	11,451.4000	0.0000	0.0000	0.0000	0.0000	0.0000
1580	643	A001	Closed Loop On-Street Master System	1.000	E	19,467.3700	0.0000	0.0000	0.0000	0.0000	0.0000
1590	647	A005	Pullbox, Type 2	24.000	E	801.5900	0.0000	0.0000	0.0000	0.0000	0.0000
1600	648	A001	Radio Interconnect, Installed in New Controller Cabinet	4.000	E	5,513.8500	0.0000	0.0000	0.0000	0.0000	0.0000
1610	666	B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG	2,751.000	LF	1.7200	0.0000	0.0000	0.0000	0.0000	0.0000
1620	666	B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG	2,470.000	LF	2.2900	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP							
				34,089,670.81	0.00	0.00	0.00	0.00	0.00		
REF #	SM	ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
1630	668	A015	Traffic Signal Conduit, Underground, Type 4, 1 1/4"	1,410.000	LF	6.3000	0.0000	0.0000	0.0000	0.0000	0.0000
1640	668	A014	Traffic Signal Conduit, Underground, Type 4, 1 1/2"	6,170.000	LF	6.4100	0.0000	0.0000	0.0000	0.0000	0.0000
1650	668	A018	Traffic Signal Conduit, Underground, Type 4, 2"	1,948.000	LF	6.8700	0.0000	0.0000	0.0000	0.0000	0.0000
1660	668	A020	Traffic Signal Conduit, Underground, Type 4, 3"	2,624.000	LF	8.0200	0.0000	0.0000	0.0000	0.0000	0.0000
1670			Traffic Signal Conduit, Structure Mounted, Type I Rigid	400.000	LF	11.4500	0.0000	0.0000	0.0000	0.0000	0.0000
1680	668	B013	Traffic Signal Conduit, Underground Drilled or Jacked,	140.000	LF	14.3200	0.0000	0.0000	0.0000	0.0000	0.0000
1690	668	B012	Traffic Signal Conduit, Underground Drilled or Jacked,	620.000	LF	14.6000	0.0000	0.0000	0.0000	0.0000	0.0000
1700	668	B016	Traffic Signal Conduit, Underground Drilled or Jacked,	205.000	LF	16.0300	0.0000	0.0000	0.0000	0.0000	0.0000
1710	668	B018	Traffic Signal Conduit, Underground Drilled or Jacked,	220.000	LF	17.1800	0.0000	0.0000	0.0000	0.0000	0.0000
1720	668	B024	Traffic Signal Conduit, Underground Drilled or Jacked,	316.000	LF	14.8900	0.0000	0.0000	0.0000	0.0000	0.0000
1730	668	B025	Traffic Signal Conduit, Underground Drilled or Jacked,	675.000	LF	17.1800	0.0000	0.0000	0.0000	0.0000	0.0000
1740	668	C002	Traffic Signal Conduit, Aerial Supported, Type 1, 1	120.000	LF	12.6000	0.0000	0.0000	0.0000	0.0000	0.0000
1750	668	C001	Traffic Signal Conduit, Aerial Supported, Type 1, 1	280.000	LF	12.6000	0.0000	0.0000	0.0000	0.0000	0.0000
1760			Traffic Signal Conduit, Aerial Supported, Type 1, 3"	40.000	LF	33.2100	0.0000	0.0000	0.0000	0.0000	0.0000
1770			Traffic Signal Conduit, Underground Encased in	760.000	LF	9.1600	0.0000	0.0000	0.0000	0.0000	0.0000
1780	682	A036	Underground Branch Circuit, AWG 8, 3 Conductor	1,410.000	LF	4.5800	0.0000	0.0000	0.0000	0.0000	0.0000
1790	682	A031	Underground Branch Circuit, AWG 6, 3 Conductor	550.000	LF	7.7800	0.0000	0.0000	0.0000	0.0000	0.0000
1800	682	A025	Underground Branch Circuit, AWG 4, 3 Conductor	5,620.000	LF	8.9400	0.0000	0.0000	0.0000	0.0000	0.0000
1810	682	A015	Underground Branch Circuit, AWG 2, 3 Conductor	1,430.000	LF	11.2200	0.0000	0.0000	0.0000	0.0000	0.0000
1820	682	A028	Underground Branch Circuit, AWG 4/0, 3 Conductor	2,530.000	LF	21.7600	0.0000	0.0000	0.0000	0.0000	0.0000
1830	682	B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3	140.000	LF	4.5800	0.0000	0.0000	0.0000	0.0000	0.0000
1840	682	B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3	620.000	LF	8.0200	0.0000	0.0000	0.0000	0.0000	0.0000
1850	682	B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3	205.000	LF	11.2200	0.0000	0.0000	0.0000	0.0000	0.0000
1860	682	B028	Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3	220.000	LF	24.0500	0.0000	0.0000	0.0000	0.0000	0.0000
1870	682	C033	Structure Mounted Branch Circuit, AWG 8, 3 Conductor	120.000	LF	4.5800	0.0000	0.0000	0.0000	0.0000	0.0000
1880	682	C022	Structure Mounted Branch Circuit, AWG 4, 3 Conductor	280.000	LF	7.4400	0.0000	0.0000	0.0000	0.0000	0.0000
1890	682	C025	Structure Mounted Branch Circuit, AWG 4/0, 3 Conductor	40.000	LF	24.0500	0.0000	0.0000	0.0000	0.0000	0.0000
1900	682	D001	Underground Pull Box	27.000	E	1,162.3200	0.0000	0.0000	0.0000	0.0000	0.0000
1910	682	E002	Structure Mounted Junction Box	22.000	E	269.1100	0.0000	0.0000	0.0000	0.0000	0.0000
1920	682	F001	Secondary Power Controllers	1.000	E	17,572.1600	0.0000	0.0000	0.0000	0.0000	0.0000
1930			Lighting Assembly, High Mast, Type C	3.000	EA	25,945.4200	0.0000	0.0000	0.0000	0.0000	0.0000
1940	683	B142	Lighting Assembly, Low Mast, Type E	12.000	E	3,143.4100	0.0000	0.0000	0.0000	0.0000	0.0000
1950	683	C006	Lighting Assembly, Underpass, Type F	22.000	E	476.3800	0.0000	0.0000	0.0000	0.0000	0.0000

Jones Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel, known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of Mississippi.				AUSTIN BRIDGE & ROAD, LP						
				34,089,670.81	0.00	0.00	0.00	0.00	0.00	
REF #	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
1960	683-D001	Portable Electric Power Units	2.000	E	3,757.2000	0.0000	0.0000	0.0000	0.0000	0.0000
1970	684-A004	Pole Foundation, 36" Diameter	22.000	CY	1,442.8800	0.0000	0.0000	0.0000	0.0000	0.0000
1980	684-A003	Pole Foundation, 24" Diameter	27.000	CY	547.3800	0.0000	0.0000	0.0000	0.0000	0.0000
1990	686-A001	Relocation of Existing Lighting Assemblies	12.000	E	692.8100	0.0000	0.0000	0.0000	0.0000	0.0000
2000	803-K010	Drilled Shaft, 36" Diameter	1,939.000	LF	160.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2010	803-K002	Drilled Shaft, 48" Diameter	8,300.000	LF	288.3200	0.0000	0.0000	0.0000	0.0000	0.0000
2020	803-K006	Drilled Shaft, 72" Diameter	810.000	LF	591.2900	0.0000	0.0000	0.0000	0.0000	0.0000
2030	803-L002	Test Shaft, 48" Diameter	3.000	E	98,840.5200	0.0000	0.0000	0.0000	0.0000	0.0000
2040	803-L006	Test Shaft, 72" Diameter	2.000	E	130,252.1600	0.0000	0.0000	0.0000	0.0000	0.0000
2050	803-M002	Trial Shaft, 48" Diameter	93.000	LF	480.7700	0.0000	0.0000	0.0000	0.0000	0.0000
2060	803-N001	Exploration	100.000	LF	61.5000	0.0000	0.0000	0.0000	0.0000	0.0000
2070	803-O015	Temporary Casing, 36" Diameter	725.000	LF	61.5000	0.0000	0.0000	0.0000	0.0000	0.0000
2080	803-O008	Temporary Casing, 48" Diameter	2,525.000	LF	77.5000	0.0000	0.0000	0.0000	0.0000	0.0000
2090		Permanent Casing, 36" Diameter	500.000	LF	200.5000	0.0000	0.0000	0.0000	0.0000	0.0000
2100		Permanent Casing, 72" Diameter	395.000	LF	295.2200	0.0000	0.0000	0.0000	0.0000	0.0000
2110		Bridge Concrete, Class AA	11,545.000	CY	633.5000	0.0000	0.0000	0.0000	0.0000	0.0000
2120		40' Prestressed Concrete Beam, Type III	330.000	LF	107.0800	0.0000	0.0000	0.0000	0.0000	0.0000
2130		43' Prestressed Concrete Beam, Type III	182.000	LF	105.5400	0.0000	0.0000	0.0000	0.0000	0.0000
2140		60' Prestressed Concrete Beam, Type III	969.000	LF	101.6700	0.0000	0.0000	0.0000	0.0000	0.0000
2150		67' Prestressed Concrete Beam, Type III	349.000	LF	101.9600	0.0000	0.0000	0.0000	0.0000	0.0000
2160		70' Prestressed Concrete Beam, Type III	2,095.000	LF	99.2000	0.0000	0.0000	0.0000	0.0000	0.0000
2170		80' Prestressed Concrete Beam, Type BT-72	477.000	LF	148.5600	0.0000	0.0000	0.0000	0.0000	0.0000
2180		83' Prestressed Concrete Beam, Type BT-72	2,961.000	LF	147.6800	0.0000	0.0000	0.0000	0.0000	0.0000
2190		85' Prestressed Concrete Beam, Type BT-72	5,128.000	LF	147.3900	0.0000	0.0000	0.0000	0.0000	0.0000
2200		90' Prestressed Concrete Beam, Type BT-72	630.000	LF	147.9700	0.0000	0.0000	0.0000	0.0000	0.0000
2210		96' Prestressed Concrete Beam, Type BT-72	2,412.000	LF	147.6200	0.0000	0.0000	0.0000	0.0000	0.0000
2220		100' Prestressed Concrete Beam, Type BT-72	822.000	LF	145.9900	0.0000	0.0000	0.0000	0.0000	0.0000
2230		109' Prestressed Concrete Beam, Type BT-72	703.000	LF	147.9200	0.0000	0.0000	0.0000	0.0000	0.0000
2240		110' Prestressed Concrete Beam, Type BT-72	1,435.000	LF	146.5300	0.0000	0.0000	0.0000	0.0000	0.0000
2250		113' Prestressed Concrete Beam, Type BT-72	1,252.000	LF	145.6100	0.0000	0.0000	0.0000	0.0000	0.0000
2260		115' Prestressed Concrete Beam, Type BT-72	1,382.000	LF	147.6400	0.0000	0.0000	0.0000	0.0000	0.0000
2270		120' Prestressed Concrete Beam, Type BT-72	952.000	LF	142.9700	0.0000	0.0000	0.0000	0.0000	0.0000
2280		124' Prestressed Concrete Beam, Type BT-72	623.000	LF	147.3500	0.0000	0.0000	0.0000	0.0000	0.0000

Jones
 Reconstruction of the S Curve on Interstate Highway 59 between 16th Ave. & 4th Ave. in Laurel,
 known as Federal Aid Project No. IM-0059-02(091) / 102340, in the County of Jones, State of
 Mississippi.

AUSTIN BRIDGE &
 ROAD, LP

34,089,670.81

0.00

0.00

0.00

0.00

0.00

REF #	SM ITEM	ITEM DESCRIPTION	ITEM QUANTITY	UNITS	6	7	8	9	10	11
2290		125' Prestressed Concrete Beam, Type BT-72	622.000	LF	147.3800	0.0000	0.0000	0.0000	0.0000	0.0000
2300		130' Prestressed Concrete Beam, Type BT-72	6,475.000	LF	149.3800	0.0000	0.0000	0.0000	0.0000	0.0000
2310		135' Prestressed Concrete Beam, Type BT-72	1,684.000	LF	147.0300	0.0000	0.0000	0.0000	0.0000	0.0000
2320		136' Prestressed Concrete Beam, Type BT-72	1,226.000	LF	145.8600	0.0000	0.0000	0.0000	0.0000	0.0000
2330		138' Prestressed Concrete Beam, Type BT-72	2,199.000	LF	145.9300	0.0000	0.0000	0.0000	0.0000	0.0000
2340		140' Prestressed Concrete Beam, Type BT-72	2,231.000	LF	145.2600	0.0000	0.0000	0.0000	0.0000	0.0000
2350	805-A001	Reinforcement	2,508,418.000	LBS	0.8500	0.0000	0.0000	0.0000	0.0000	0.0000
2360	809-A003	Retaining Wall System	11,050.000	SF	39.6700	0.0000	0.0000	0.0000	0.0000	0.0000
2370		Support Wall System	0.000	LS	178,949.4100	0.0000	0.0000	0.0000	0.0000	0.0000
2380	813-A001	Concrete Railing	10,611.000	LF	38.4100	0.0000	0.0000	0.0000	0.0000	0.0000
2390	815-D001	Concrete Slope Paving	171.000	CY	401.2000	0.0000	0.0000	0.0000	0.0000	0.0000
2400	618-A001	Maintenance of Traffic	0.000	LS	141,842.2600	0.0000	0.0000	0.0000	0.0000	0.0000
2410	620-A001	Mobilization	0.000	LS	3,400,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2420	699-A001	Roadway Construction Stakes	0.000	LS	500,000.0000	0.0000	0.0000	0.0000	0.0000	0.0000