

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 7/18/2006 ADDENDUM NO. _____ DATED _____
ADDENDUM NO. _____ DATED _____ ADDENDUM NO. _____ DATED _____

Number	Description
1	Table of Cont, replaces same; Revised NTB 946 & 947, replaces same, NTB 1007, replaces NTB 944; Add S.P. 907-308-2; Revised Proposal Shts. 2-1 thru 2-23; Revised or Add Plan Shts. 1, 2, 2A, 9, 43, 182,183, 202, 497, & 499; Revised Plan Shts. 2 & 8; Requires a revised diskette.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____


E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: BR-0009-02(053)V21 / 101645 – Warren County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
Status of ROW, Utility Adjustments and Underground Storage
Tanks, W/Attachments - # 2
Final Cleanup - # 3
Quantity for Fillet Concrete - # 6
Federal Bridge Formula - # 12
Submission of Form OCR-485 - # 13
Errata & Modifications to 2004 Standard Specifications - # 204
Storm Water Discharge Associated W/Construction Activities
(>5 Acres)) - # 586
Fiber Reinforced Concrete - # 640
Disadvantage Business Enterprise W/Supplement - # 696
Coast Guard Permit - # 704
Railroad Traffic Protection - # 705
On-The-Job Training Program - # 777
High Sulfate Areas Below Ground Level - # 782
DBE Participation and Payment - # 882
Payroll Requirements - # 883
Contract Time - # 945
Specialty Items - # 946
Placement of Fill Material in Federally Regulated Areas - # 947
Petroleum Products Base Price - # 1007

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement
907-104-1 Partnering Process
907-105-3 Cooperation By Contractors
907-107-1: Liability Insurance, W/Supplement
907-107-2: Permits, Licenses and Taxes
907-107-3: Contractors Protection Plan
907-108-11: Prosecution and Progress
907-109-3: Partial Payment
907-207-2: Settlement Plates
907-213-1: Agricultural Limestone
907-308-2: Portland Cement Treated Courses
907-401-2: Hot Mix Asphalt (HMA)
907-403-4: Hot Mix Asphalt (HMA)
907-617-2: Right-Of-Way Markers
907-665-2: Navigational Lighting Assembly
907-701-2: Portland Cement
907-708-3: Non Metal Drainage Structures
907-711-3: Synthetic Structural Fiber Reinforcement
907-714-2: Miscellaneous Materials
907-715-1: Agricultural Limestone
907-804-2: Concrete Bridges And Structures
906-3: MDOT On-the-Job Training Program
906-6: MDOT On-the-Job Training Program - Alternate Program

-CONTINUED ON NEXT PAGE-

PAGE 2 - PROJECT NO. BR-0009-02(053)V21 / 101645 – Warren County

SECTION 905 - PROPOSAL,
PROPOSAL SHEET NOS. 2-1 THRU 2-23
COMBINATION BID PROPOSAL,
CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS
NON-COLLUSION CERTIFICATE,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,
OCR-485,
PROGRESS SCHEDULE,
HAUL PERMIT FOR BRIDGES WITH POSTED WEIGHT LIMITS.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 946

CODE: (SP)

DATE: 07/18/2006

SUBJECT: Specialty Items

PROJECT: BR-0009-02(053)V21 / 101645--WARREN COUNTY(IES)

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CONSTRUCTION STAKING

Ref No	Pay Item	Description
1280	699-A	Roadway Construction Stakes

CATEGORY: CURB

Ref No	Pay Item	Description
560	609-D	Combination Concrete Curb and Gutter Type 2

CATEGORY: EROSION CONTROL

Ref No	Pay Item	Description
80	212-A	Light Ground Preparation
90	212-B	Standard Ground Preparation
100	907-213-A	Agricultural Limestone
110	213-B	Combination Fertilizer, 13-13-13
120	213-C	Superphosphate
130	214-A	Seeding, Bermudagrass
140	214-A	Seeding, Tall Fescue
150	214-A	Seeding, Browntop Millet
160	214-A	Seeding, Rye Grass
170	214-A	Seeding, Oats
180	215-A	Vegetative Materials for Mulch
190	216-A	Solid Sodding
200	219-A	Watering
210	220-A	Insect Pest Control
230	223-A	Mowing

CATEGORY: EROSION CONTROL

Ref No	Pay Item	Description
240	234-A	Temporary Silt Fence
250	235-A	Temporary Erosion Checks
260	236-A	Silt Basin, Type A
280	239-A	Temporary Slope Drains

CATEGORY: GUARDRAIL

Ref No	Pay Item	Description
31	202-B	Removal of Guard Rail Bridge End Section
32	202-B	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
530	606-B	Guard Rail, Class A, Type 1
540	606-D	Guard Rail, Bridge End Section, Type I
550	606-E	Guard Rail, Terminal End Section
860	630-F	Delineators, Guard Rail, White
870	630-G	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

CATEGORY: PAVEMENT MARKING

Ref No	Pay Item	Description
660	626-A	6" Thermoplastic Traffic Stripe, Skip White
670	626-B	6" Thermoplastic Traffic Stripe, Continuous White
680	626-C	6" Thermoplastic Edge Stripe, Continuous White
690	626-E	6" Thermoplastic Traffic Stripe, Continuous Yellow
700	626-F	6" Thermoplastic Edge Stripe, Continuous Yellow
710	626-G	Thermoplastic Detail Stripe, White
720	626-G	Thermoplastic Detail Stripe, Yellow
730	626-H	Thermoplastic Legend, White
740	626-H	Thermoplastic Legend, White
750	627-K	Red-Clear Reflective High Performance Raised Markers
760	627-L	Two-Way Yellow Reflective High Performance Raised Markers
770	628-J	6" High Performance Cold Plastic Traffic Stripe, Continuous White
780	628-M	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CATEGORY: SIGNING

Ref No	Pay Item	Description
790	630-A	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
800	630-A	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
810	630-C	Steel U-Section Posts, 2.0 to 2.5 lb/ft
820	630-C	Steel U-Section Posts, 3.0 to 3.5 lb/ft
830	630-D	Structural Steel Beams, W6 x 15
840	630-E	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
850	630-E	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

CATEGORY: SIGNING

Ref No	Pay Item	Description
880	630-K	Welded & Seamless Steel Pipe Posts, 3"

CATEGORY: TRAFFIC CONTROL

Ref No	Pay Item	Description
600	619-A1	Temporary Traffic Stripe, Continuous White
610	619-A2	Temporary Traffic Stripe, Continuous Yellow
620	619-D1	Standard Roadside Construction Signs, Less than 10 Square Feet
630	619-D2	Standard Roadside Construction Signs, 10 Square Feet or More
640	619-G4	Barricades, Type III, Single Faced, Permanent, Red/White
650	619-G5	Free Standing Plastic Drums

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 947

CODE (SP)

DATE: 07/18/2006

SUBJECT: Placement of Fill Material in Federally Regulated Areas

PROJECT: BR-0009-02(053)V21 / 101645 – Warren County

A Permit (404, General, Nationwide, etc.) for placing fill material federally regulated sites is required.

The Department has acquired the following permit for permanently filling at regulated sites that are identified during project development:

Nationwide Permit No. 14 (Waters of U.S.) -- All sites with area less than 0.10 acre.

**Nationwide Permit No. 23 (Wetlands & Waters of U.S.) –
(Permit No. 200303220) – Site No. 1.**

Copies of said permit(s) are on file with the Department.

Securing a permit(s) for the filling of any other regulated site, the purpose of which is temporary construction for the convenience of the Contractor, shall be the responsibility of the Contractor.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 – NOTICE TO BIDDERS NO. 1007

CODE: (SP)

DATE: 6/9/2006

SUBJECT: Petroleum Products Base Prices For Contracts Let in July, 2006

REFERENCE: Subsection 109.07

The following base prices are to be used for adjustment in compensation due to changes in costs of petroleum products:

FUELS

	<u>Per Gallon</u>	<u>Per Liter</u>
Gasoline	\$2.5403	\$0.6711
Diesel	\$2.5964	\$0.6859

MATERIALS OF CONSTRUCTION

<u>ASPHALT CEMENT</u>	<u>Per Gallon</u>	<u>Per Ton</u>	<u>Per Liter</u>	<u>Per Metric Ton</u>
Viscosity Grade AC-5	\$1.5420	\$365.83	\$0.4073	\$403.25
Viscosity Grade AC-10	\$1.5535	\$368.57	\$0.4104	\$406.27
Viscosity Grade AC-20	\$1.5746	\$373.57	\$0.4160	\$411.78
Viscosity Grade AC-30	\$1.5656	\$371.43	\$0.4136	\$409.42
Grade PG 64-22	\$1.5771	\$374.17	\$0.4166	\$412.44
Grade PG 67-22	\$1.5490	\$367.50	\$0.4092	\$405.09
Grade PG 76-22	\$1.9287	\$457.57	\$0.5095	\$504.38
Grade PG 82-22	\$2.1349	\$506.50	\$0.5640	\$558.31

EMULSIFIED ASPHALTS

Grade EA-4 (SS-1)	\$1.4049	\$0.3711
Grade RS-2C (CRS-2)	\$1.3821	\$0.3651
Grade CRS-2P	\$1.6483	\$0.4354

PRIMES

Grade EA-1 & MC-70	\$1.9436	\$0.5134
--------------------	----------	----------

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-308-2

CODE: (IS)

DATE: 02/22/2006

SUBJECT: Portland Cement Treated Courses

Section 907-308, Portland Cement Treated Courses, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-308.03.2.1--General. Delete the second paragraph of Subsection 308.03.2.1 on page 206.

Delete Subsection 308.03.7.2 on page 209 and substitute the following:

907-308.03.7.2--Weather Limitations. No cement or cement treated material shall be applied or placed when the temperature is below 45°F nor when the Engineer determines, based on the latest information available from the National Weather Service, that the forecast temperature will fall below 45°F within the next five (5) days in the area in which the project is located. No cement or cement treated material shall be placed on a frozen foundation or mixed with frozen material.

907-308.03.9.2--Density. Delete the second paragraph of Subsection 308.03.9.2 on page 213 and substitute the following:

Soil Cement Treatment of Subgrade. The lot will be divided into five approximately equal sublots with one density test taken at random in each subplot. The average of the five (5) density tests shall equal or exceed 96.0 percent with no single density test below 94.0 percent. Sublots with a density below 94.0 percent shall be corrected at no additional cost to the State and retested for acceptance.

Each lot of work found not to meet the density requirement of 96.0% of maximum density, may remain in place with a reduction in payment as set out in the following table:

PAYMENT SCHEDULE FOR COMPACTION

<u>Pay Factor</u>	<u>Lot Density *</u> <u>% of Maximum Density</u>
1.00	96.0 and above
0.90	95.0 - 95.9
0.50	94.0 - 94.9

* Any lot with a density less than 94.0% of maximum density shall be corrected at no additional cost to the State.

Soil Cement Treatment of Base. The lot will be divided into five approximately equal sublots with one density test taken at random in each subplot. The average of the five (5) density tests shall equal or exceed 97.0 percent with no single density test below 95.0 percent. Sublots with a density below 95.0 percent shall be corrected at no additional cost to the State and retested for acceptance.

Each lot of work found not to meet the density requirement of 97.0% of maximum density, may remain in place with a reduction in payment as set out in the following table:

PAYMENT SCHEDULE FOR COMPACTION

<u>Pay Factor</u>	<u>Lot Density ** % of Maximum Density</u>
1.02	98.0 and above
1.00	97.0 - 97.9
0.90	96.0 - 96.9
0.50	95.0 - 95.9

** Any lot with a density less than 95.0% of maximum density shall be corrected at no additional cost to the State.

Soil Cement Treatment of Irregular Areas. Density of irregular areas shall be rolled to highest stability. Irregular areas shall be defined as preleveling, wedging [less than fifty percent (50%) of width greater than minimum lift thickness], ramp pads, irregular shoulder areas, median crossovers, turnouts, and other areas where an established rolling pattern cannot be obtained.

907-308.03.10--Protection and Curing. Delete the second paragraph of Subsection 308.03.10 on page 213 and substitute the following:

When the treated course is the subgrade, a subsequent course shall not be placed on the sealed course for at least seven (7) calendar days. During this 7-day period, the treated course shall not be subjected to any type of traffic and equipment.

When the treated course is the base, the Contractor shall use the mix design (7-day or 14-day) as specified on the Mix Design from the Central Laboratory. Depending on the specified mix design, a subsequent course shall not be placed on the sealed course for at least seven (7) or fourteen (14) calendar days. During this period, the treated course shall not be subjected to any type of traffic and equipment.

907-308.05--Basis of Payment. Add the “907” prefix to all pay item numbers listed in Subsection 308.05 on page 215.

SECTION 905

PROPOSAL (Sheet No. 2- 1)

RECONSTRUCTION OF US HIGHWAY 61 FROM MISSISSIPPI HIGHWAY 3 TO 5 MILES SOUTH OF THE ISSAQUENA COUNTY LINE, KNOWN AS FEDERAL AID PROJECT NO. BR-0009-02(053)V21 / 101645, IN THE COUNTY OF WARREN, STATE OF MISSISSIPPI.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED
BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATE LOCATED AT THE END OF THE BID SHEETS IS SIGNED

BID SCHEDULE

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
<u>DIRECT PAY ITEMS</u>									
(10)	201-A				lump sum Clearing and Grubbing	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(20)	202-A				lump sum Removal of Obstructions	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(30)	202-B		8,894 square yard		Removal of Asphalt Pavement, All Depths				
(31)	202-B		4 Each		Removal of Guard Rail Bridge End Section				

ADDED 07/17/2006

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 2)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(32) ADDED 07/17/2006	202-B		590 Linear Feet		Removal of Guard Rail, Including Rails, Posts and Terminal Ends				
(33) ADDED 07/17/2006	203-A	(E)	58,511 Cubic Yard		Unclassified Excavation, FM				
(40)	203-EX	(E)	257,334 cubic yard		Borrow Excavation, AH, FME, Class B9				
(50)	203-G	(E)	8,501 cubic yard		Excess Excavation, FM				
(60)	206-A	(S)	150 cubic yard		Structure Excavation				
(70)	206-B	(E)	150 cubic yard		Select Material for Undercuts, Contractor Furnished, FM				
(71) ADDED 07/18/2006	907-207-A		2 Each		Settlement Plate				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 3)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(72) ADDED 07/17/2006	209-A		14,540 Square Yard		Geotextile Stabilization, Type V, Non-Woven				
(73) ADDED 07/17/2006	209-A		16,440 Square Yard		Geotextile Stabilization, Type VI				
(80)	212-A		263,238 square yard		Light Ground Preparation				
(90)	212-B		528,776 square yard		Standard Ground Preparation				
(100)	907-213-A		326 ton		Agricultural Limestone				
(110)	213-B		69 ton		Combination Fertilizer, 13-13-13				
(120)	213-C		54 ton		Superphosphate				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 4)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(130)	214-A		2,181	pound	Seeding, Bermudagrass				
(140)	214-A		1,370	pound	Seeding, Tall Fescue				
(150)	214-A		1,088	pound	Seeding, Browntop Millet				
(160)	214-A		1,360	pound	Seeding, Rye Grass				
(170)	214-A		4,895	pound	Seeding, Oats				
(180)	215-A		273	ton	Vegetative Materials for Mulch				
(190)	216-A		1,180	square yard	Solid Sodding				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 5)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(200)	219-A		173 M/gallon	Watering		20.0000		3,460.00	
(210)	220-A		54 acre	Insect Pest Control		30.0000		1,620.00	
(220)	221-A	(S)	26 cubic yard	Portland Cement Concrete Paved Ditch					
(230)	223-A		1 acre	Mowing		30.0000		30.00	
(240)	234-A		15,000 linear foot	Temporary Silt Fence					
(250)	235-A		300 each	Temporary Erosion Checks					
(260)	236-A		7 each	Silt Basin, Type A					

(08/01/2005)

SECTION 905

PROPOSAL (Sheet No. 2- 6)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
DELETED 07/18/2006									
(280)	239-A		280 linear foot		Temporary Slope Drains				
(290)	304-B	(GT)	15,378 ton		Granular Material, Class 5, Group E				
(300)	304-B	(GT)	6,867 ton		Granular Material, Class 9, Group E				
(310)	306-A	(D) (A6)	16,091 square yard		Asphalt Drainage Course				
(320)	307-B	(M)	17,852 square yard		6" Soil-Lime-Water Mixing, Class B				
(330)	307-D		241 ton		Lime				

SECTION 905

PROPOSAL (Sheet No. 2- 7)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(340)	907-403-A CHANGED 07/18/2006	(B) (A1)	2,503	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture				
(350)	907-403-A CHANGED 07/17/2006	(B) (A1)	4,660	Ton	Hot Mix Asphalt, MT, 19-mm mixture				
(360)	907-403-A	(B) (A1)	4,551	Ton	Hot Mix Asphalt, MT, 25-mm mixture				
(370)	406-A		146	ton	Cold Milling of Bituminous Pavement, All Depths				
(380)	408-A	(A3)	6,700	gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1				
(390)	501-E		82	linear foot	Expansion Joints, Without Dowels				
(400)	501-K		15,382	square yard	Transverse Grooving				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 8)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(410)	502-A	(C)	183 square yard		Reinforced Cement Concrete Bridge End Pavement				
(420)	508-A		130 linear foot		Silicone Sealed Joints				
(430)	601-B	(S)	6 cubic yard		Class "B" Structural Concrete, Minor Structures				
(440)	602-A	(S)	373 pound		Reinforcing Steel				
(450)	603-CA	(S)	744 linear foot		24" Reinforced Concrete Pipe, Class III				
(460)	603-CA CHANGED 07/17/2006	(S)	40 linear foot		30" Reinforced Concrete Pipe, Class III				
(470)	603-CB	(S)	8 each		24" Reinforced Concrete End Section				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 9)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(480)	603-CB	(S)	1 each		30" Reinforced Concrete End Section				
(490)	604-B		750 pound		Gratings				
(500)	605-H	(S)	10,302 linear foot		Edge Drain				
(510)	605-I	(S)	966 linear foot		Edge Drain Outlets/Vents				
(520)	605-J	(S)	5,634 linear foot		Edge Drain & Edge Drain Outlet/Vent Inspection				
(521)	605-X ADDED 07/17/2006	(GY)	14,540 Cubic Yard		Filter Material for Filter Beds, Type C				
(530)	606-B		538 linear foot		Guard Rail, Class A, Type 1				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 10)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(540)	606-D		4 each		Guard Rail, Bridge End Section, Type I				
(550)	606-E		4 each		Guard Rail, Terminal End Section				
(560)	609-D	(S)	565 linear	foot	Combination Concrete Curb and Gutter Type 2				
(561)	610-A		194,700 Linear	Feet	Drainage Wicks				
	ADDED 07/17/2006								
(570)	616-A	(S)	27 square	yard	Concrete Median and/or Island Pavement, 10-inch				
(580)	616-A	(S)	157 square	yard	Concrete Median and/or Island Pavement, 4-inch				
(590)	907-617-A		32 each		Right-of-Way Marker				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 11)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(600)	619-A1		381 linear	foot	Temporary Traffic Stripe, Continuous White				
(610)	619-A2		381 linear	foot	Temporary Traffic Stripe, Continuous Yellow				
(620)	619-D1		55 square	foot	Standard Roadside Construction Signs, Less than 10 Square Feet				
(630)	619-D2		552 square	foot	Standard Roadside Construction Signs, 10 Square Feet or More				
(640)	619-G4		48 linear	foot	Barricades, Type III, Single Faced, Permanent, Red/White				
(650)	619-G5		100 each		Free Standing Plastic Drums				
(660)	626-A		1 mile		6" Thermoplastic Traffic Stripe, Skip White				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 12)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(670)	626-B		4 mile	4 mile	6" Thermoplastic Traffic Stripe, Continuous White				
(680)	626-C		3 mile	3 mile	6" Thermoplastic Edge Stripe, Continuous White				
(690)	626-E		3 mile	3 mile	6" Thermoplastic Traffic Stripe, Continuous Yellow				
(700)	626-F		1 mile	1 mile	6" Thermoplastic Edge Stripe, Continuous Yellow				
(710)	626-G		1,200 linear foot	1,200 linear foot	Thermoplastic Detail Stripe, White				
(720)	626-G		8,436 linear foot	8,436 linear foot	Thermoplastic Detail Stripe, Yellow				
(730)	626-H		39 square foot	39 square foot	Thermoplastic Legend, White				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 13)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(740)	626-H		132 linear foot		Thermoplastic Legend, White				
(750)	627-K		18 each		Red-Clear Reflective High Performance Raised Markers				
(760)	627-L		526 each		Two-Way Yellow Reflective High Performance Raised Markers				
(770)	628-J		2 mile		6" High Performance Cold Plastic Traffic Stripe, Continuous White				
(780)	628-M		2 mile		6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
(790)	630-A		132 square foot		Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness				
(800)	630-A		168 square foot		Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 14)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(810)	630-C		9 linear	foot	Steel U-Section Posts, 2.0 to 2.5 lb/ft				
(820)	630-C		229 linear	foot	Steel U-Section Posts, 3.0 to 3.5 lb/ft				
(830)	630-D		49 linear	foot	Structural Steel Beams, W6 x 15				
(840)	630-E		52 pound		Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles				
(850)	630-E		20 pound		Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar				
(860)	630-F		25 each		Delineators, Guard Rail, White				
(870)	630-G		4 each		Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				

(08/01/2005)

SECTION 905

PROPOSAL (Sheet No. 2- 15)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(880)	630-K		17 linear	foot	Welded & Seamless Steel Pipe Posts, 3"				
(890)	907-665-A		lump sum		Navigation Lighting Assembly	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(900)	801-A	(S)	11,385 cubic	yard	Foundation Excavation for Bridges				
(910)	801-B	(S)	lump sum		Cofferdams	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(920)	803-A	(S)	2 each		Test Pile				
(930)	803-B	(S)	2 each		Conventional Static Loading Test	5,000.0000	0000	10,000.00	
(940)	803-C	(S)	3,910 linear	foot	18" x 18" Prestressed Concrete Piling				

SECTION 905

PROPOSAL (Sheet No. 2- 16)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(950)	803-F	(S)	925 linear	25" Pre-Formed Pile Hole foot					
(960)	803-K	(S)	6,377 linear	Drilled Shaft, 48" Diameter foot					
(970)	803-K	(S)	2,760 linear	Drilled Shaft, 72" Diameter foot					
(980)	803-K	(S)	1,839 linear	Drilled Shaft, 84" Diameter foot					
(990)	803-L	(S)	2 each	Test Shaft, 48" Diameter					
(1000)	803-L	(S)	1 each	Test Shaft, 72" Diameter					
(1010)	803-L	(S)	1 each	Test Shaft, 84" Diameter					

(08/01/2005)

SECTION 905

BR-0009-02(053)V21 / 101645

PROPOSAL (Sheet No. 2- 17)

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1020) 803-M		(S)	73 linear	foot	Trial Shaft, 48" Diameter				
(1030) 803-M		(S)	105 linear	foot	Trial Shaft, 72" Diameter				
(1040) 803-M		(S)	178 linear	foot	Trial Shaft, 84" Diameter				
(1050) 803-N		(S)	400 linear	foot	Exploration				
(1060) 803-O		(S)	900 linear	foot	Temporary Casing, 48" Diameter				
(1070) 803-O		(S)	320 linear	foot	Temporary Casing, 72" Diameter				
(1080) 803-O		(S)	300 linear	foot	Temporary Casing, 84" Diameter				

(08/01/2005)

SECTION 905

PROPOSAL (Sheet No. 2- 18)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1100)	907-804-A	(S)	15,554	Cubic Yard	Bridge Concrete, Class AA				
(1110)	907-804-A	(S)	1,562	Cubic Yard	Bridge Concrete, Class S				
(1120)	907-804-C	(S)	3,263	Linear Feet	137' Prestressed Concrete Beam, Type BT-72				
(1130)	907-804-C	(S)	11,328	Linear Feet	120' Prestressed Concrete Beam, Type BT-72				
(1140)	805-A	(S)	3,283,925	pound	Reinforcement				
(1150)	810-A	(S)	3,495,750	pound	Structural Steel				
(1160)	813-A	(S)	7,621	linear foot	Concrete Railing, 42"				

(08/01/2005)

SECTION 905

PROPOSAL (Sheet No. 2- 19)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1170) 815-A		(S)	3,500	ton	Loose Riprap, Size 300				
(1180) 815-A		(S)	2,646	ton	Loose Riprap, Size 500				
(1190) 815-E		(S)	6,250	square yard	Geotextile under Riprap				

SUBTOTAL - COMMON PAY ITEMS\$

SECTION 905

PROPOSAL (Sheet No. 2- 20)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
<u>ALTERNATE TYPES OF CONSTRUCTION</u> (BID ALL ITEMS UNDER ONE ALTERNATE)									
<u>ALTERNATE NO. 1</u>									
(1200) 907-308-A CHANGED 07/18/2006			298 Ton		Portland Cement				
(1210) 907-308-B CHANGED 07/18/2006		(M)	4,463 Square Yard		Soil-Cement-Water Mixing, Optional Mixers, Design Soil				
(1220) 907-308-B CHANGED 07/18/2006		(M)	22,315 Square Yard		Soil-Cement-Water Mixing, Optional Mixers, Base				
SUBTOTAL - ALTERNATE NO. 1						1.....\$			

SECTION 905

PROPOSAL (Sheet No. 2- 21)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
<u>ALTERNATE NO. 2</u>									
(1230) 311-A		(M)	26,778 square yard		Processing Lime and Fly Ash Treated Course, 6" Thick				
(1240) 311-B			202 ton		Lime				
(1250) 311-C			808 ton		Fly Ash, Class C or F				
						SUBTOTAL - ALTERNATE NO. 2.....\$			

GRAND SUBTOTAL - DIRECT PAY ITEMS (COMMON ITEMS AND ALTERNATE ITEMS).....\$

SECTION 905

PROPOSAL (Sheet No. 2- 22)

BR-0009-02(053)V21 / 101645

Warren County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
<u>DEPENDENT PAY ITEMS</u>									
(1260) 618-A				lump sum	Maintenance of Traffic	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1270) 620-A				lump sum	Mobilization	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1280) 699-A				lump sum	Roadway Construction Stakes	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		

SUBTOTAL - DEPENDENT ITEMS.....\$

TOTAL BID - DIRECT AND DEPENDENT ITEMS\$ _____

COMPLETE ITEM NOS. 1, 2, AND/OR 3 AS APPROPRIATE. SEE NOTICE TO BIDDERS NO. 696 AND SUPPLEMENT.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).

2. Classification of Bidder: Small Business (DBE) _____ Small Business (WBE) _____

3. A joint venture with a Small Business (DBE/WBE): YES _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

