

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 9/29/2006 </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. <u> 2 </u>	DATED <u> 10/16/2006 </u>	ADDENDUM NO. _____	DATED _____

- | Number | Description |
|--------|--|
| 1 | Replace Table of Contents with Same and Added Special Provision No. 907-304-11M. |
| 2 | Replace Page 3 of the Table of Contents with Same, Replace Special Provision No. 907-304-11M with same, Add Special Provision No. 907-626-14M, Replace bid sheet nos. 2-19, 2-20, & 2-30 with same. Requires a revised diskette. |

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)


Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

resident Address

Secretary Address

Treasurer Address

The following is my (our) itemized proposal.



PAGE 3 - PROJECT: STP-0064-01(022)/101208302 - HARRISON COUNTY

907-401-10M: Hot Mix Asphalt (HMA)
907-403-8M: Hot Mix Asphalt (HMA)
907-410-3M: Bituminous Surface Treatments
907-413-1M: Sawing & Sealing Joints in Bituminous Concrete Overlay
907-423-2M: Ground-In Rumble Strips
907-501-6M: Diamond Grinding & Grooving W/ Supplement
907-603-3M: Culverts and Storm Drains
907-605-5M: Geotextile Fabric
907-605-7M: Edge Drains
907-606-1M: Terminal End Sections
907-617-3M: Right-Of-Way Markers
907-618-7M: Placement of Temporary Traffic Stripe
907-619-5M: Terminal End Sections
907-619-11M: Traffic Control for Construction Zones
907-619-12M: Changeable Message Sign
907-619-13M: Temporary Pavement Markings
907-625-2M: Painted Traffic Markings
907-626-12M: Thermoplastic Markings
907-626-14M: Double Drop Thermoplastic Markings
907-627-1M: Raised Pavement Markings
907-628-9M: Cold Plastic Pavement Markings
907-690-1M: Decommissioning of Abandoned or Unused Water Wells W/ Supplement
907-700-2M: Use of Crushed Reclaimed Concrete Pavement in Asphalt
907-701-2M: Portland Cement
907-702-7M: Petroleum Asphalt Cement & Polymer Modified Petroleum Asphalt Cement
907-702-8M: Polymer Modified Emulsified Asphalt
907-703-1M: Coarse Aggregate for Cement Concrete
907-703-4M: Aggregates for Hot Mix Asphalt (HMA)
907-707-1M: Rubber Type Gaskets
907-707-3M: Joint Material
907-708-2M: Corrugated Plastic Pipe and Drainage Tubing
907-708-4M: Non-Metal Drainage Structures
907-710-1M: Fast Drying Acrylic Waterborne Traffic Paint
907-711-1M: Reinforcing Steel
907-711-2M: Reinforcing Steel
907-711-5M: Synthetic Structural Fiber Reinforcement
907-712-4M: Materials for Guardrail Posts
907-714-7M: Quick Lime
907-714-9M: Geotextiles
907-714-10M: Miscellaneous Materials
907-715-2M: Erosion Control Blanket

- CONTINUED ON NEXT PAGE -

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-304-11M

CODE: (SP)

DATE: 10/09/2006

SUBJECT: Crushed Stone Base

Section 304, Granular Courses, of the 1996 Metric Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows for Crushed Stone Base ONLY:

907-304.02--Materials.

907-304.02.1--General. Delete the first sentence of Subsection 304.02.1 on Page 304-1 and substitute the following:

Materials used in this work shall conform to the requirements of Subsection 703.07, may be crushed concrete, and shall meet the following gradation requirements:

Size 825 Base

<u>Sieve Size</u>	<u>Crushed Stone Percent Passing</u>	<u>Crushed Concrete Percent Passing</u>
50.0 mm	100	-
37.5 mm	90-100	100
25.0 mm	75 - 98	90 - 100
12.5 mm	60 - 85	60 - 85
4.75 mm	40 - 70	40 - 65
2.36 mm	28 - 54	28 - 54
1.18 mm	19 - 42	19 - 42
300 µm	9 - 32	9 - 27
75 µm	4 - 18	2 - 18

Prior to placement of any crushed base material, the Contractor shall advise the Engineer in writing what type of materials will be used for pay item 907-304-I, Crushed Stone Base (Size 825).

907-304.03--Construction Requirements.

907-304.03.6--Shaping, Compacting and Finishing. Add the following to the last paragraph on page 304-3:

For crushed stone courses, the required density shall equal or exceed 99.0 percent with no single density test below 95.0 percent. When placed on geotextile, the required density shall equal or exceed 96.0 percent with no single density test below 92.0 percent.

907-304.05--Basis of Payment. After the last pay item listed on page 304-5, add the following:

907-304-I: Crushed Stone Base (Size 825) - per metric ton

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-626-14M

CODE: (SP)

DATE: 10/16/2006

SUBJECT: Double Drop Thermoplastic Markings

Section 626, Thermoplastic Traffic Markings, of the 1996 Metric Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-626.03.2--Construction Details. After the second sentence of the sixth paragraph of Subsection 626.03.2 on page 626-2 and add the following:

When edge lines are placed on rumble strips, the thickness of the edge line shall be 2.25-millimeters.

After the last paragraph of Subsection 626.03.2 on page 626-2, add the following:

In addition to the bead requirement in Subsection 907-720.02, additional beads by the drop-on method shall be applied to double drop thermoplastic stripe at a rate of not less than 45 grams of Class B glass beads per meter of 150-mm stripe. The Class B glass beads shall be applied to the newly placed stripe first, followed by the application of the Class A glass beads.

907-626.05--Basis of Payment. Add the following to the list of pay items on page 446.

- | | |
|---|--------------------------|
| 907-626-CC: 150-mm Thermoplastic Double Drop Edge Stripe
(Continuous White) (2.25-mm) | - per meter or kilometer |
| 907-626-FF: 150-mm Thermoplastic Double Drop Edge Stripe
(Continuous Yellow) (2.25-mm) | - per meter or kilometer |

SECTION 905

STP-0064-01(022)/101208302

PROPOSAL (Sheet No. 2- 19)

HARRISON County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1230)	619-G7			4 Each	Warning Lights (Type "B")				
(1240)	619-K2			5 Each	Installation and Removal of Guard Rail (Bridge End Section)				
(1250)	907-619-K4			5 Each	Installation and Removal of Guardrail (Terminal End Section)				
(1260)	621-A			1 Each	Field Laboratory				
(1270)	907-622-A			1 Each	Engineer's Field Office Building (Type 3)				
(1280)	907-626-AA			37 Kilometer	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)				
(1290)	907-626-CC CHANGED 10/16/2006			44 Kilometer	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)				

(10/09/2006)

SECTION 905

STP-0064-01(022)/101208302

PROPOSAL (Sheet No. 2- 20)

HARRISON County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
(1300)	907-626-EE		17 Kilometer		150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)				
(1310)	907-626-FF CHANGED 10/09/2006		28 Kilometer		150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (2.25-mm min)				
(1320)	907-626-GG		16 333 Meter		Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)				
(1330)	907-626-GG		9049 Meter		Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)				
(1340)	907-626-HH		56 Square Meter		Thermoplastic Legend (White)(3.00-mm min.)				
(1350)	907-626-HH		1123 Meter		Thermoplastic Legend (White)(3.00-mm min.)				
(1360)	907-627-K		2571 Each		Red-Clear Reflective High Performance Raised Markers				

(10/09/2006)

SECTION 905

STP-0064-01(022)/101208302

PROPOSAL (Sheet No. 2- 30)

HARRISON County

REF. NO.	PAY ITEM NO.	ADJ. CODE	APPROX. QUANTITY	UNIT	DESCRIPTION	UNIT PRICE		ITEM TOTAL	
						DOLLAR	CENT	DOLLAR	CENT
<u>DEPENDENT PAY ITEMS</u>									
(1900) 618-A					Lump Sum Maintenance of Traffic	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1910) 620-A					Lump Sum Mobilization	XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
(1920) 907-699-A					Lump Sum Roadway Construction Stakes	XXXXXXXXXXXX	XXXX		
CHANGED 10/16/2006						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		
						XXXXXXXXXXXX	XXXX		

SUBTOTAL - DEPENDENT ITEMS.....\$ _____