



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JANUARY - Tuesday, January 23, 2007**

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

**Bidders List (Proposal and Specimen Holders) is now available online at [www.gomdot.com](http://www.gomdot.com)**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Administration Building, Room 1100  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JANUARY**

CALL	CONTRACT	COUNTY
010	IM-0010-01(105)N / 104435301	Hancock
020	IM-0020-01(178)N / 104515301	Rankin
030	IM-0055-04(081)N / 104807301	Desoto, Panola, & Tate
* 040	IM-0059-03(086)N / 104151301	Lauderdale
050	STP-6947-00(001)N / 101708301	Madison
060	NH-0002-07(014) / 104668301	Prentiss
070	NH-0002-08(011) / 104124301	Alcorn
* 080	STP-0024-02(029) / 104730301	Madison
090	STP-0039-01(011) / 104832301	Claiborne
* 100	STP-0052-01(006)/104499301	Coahoma
* 110	STP-0063-02(023)MP / 104773301	Forrest
120	STP-0391-00(008) / 104829301	Simpson
* 130	STP-0717-00(021) / 104669301	Montgomery
140	STP-0748-00(001) / 104579301	Lowndes
150	PSB-0000-02(003) / 104835301	Yalobusha
160	PSB-0000-02(004) / 104835302	Marshall
170	PSB-0000-02(005) / 104835303	Calhoun, Grenada, Lafayette, & Panola
180	PSB-0000-02(006) / 104835304	Attala, Carroll, Leflore, Montgomery, & Tallahatchie
* 190	MP-7000-00(066) / 303138301	Covington, Jefferson Davis, Lawrence, Marion, Pike, Simpson, Smith, & Walthall

CALL CONTRACT

COUNTY

200 SPR-0001-01(043) / 104321306  
210 BWO-2001-54(008) / 501635301  
220 BWO-3143-82(001) / 501614301 & BWO-3145-82(001) / 501628301  
230 LWO-6017-18(003) / 501632301  
240 BWO-7113-33(001) / 501135301 & BWO-7111-33(001) / 501135302  
250 LWO-7031-57(005) / 501416302

Coahoma, Desoto, Itawamba, Lee, Pike, &  
Tishomingo  
Panola  
Yazoo  
Forrest  
Jefferson Davis  
Pike

Overlaying Interstate 10 from the Pearl River to the Jourdan River, known as Federal Aid Project No. IM-0010-01(105)N /104435301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: 213 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

8	Acre	Clearing and Grubbing
187	Each	Removal of Delineator, All Types
35	Each	Removal of Flared End Section, All Sizes
2,367	Linear Feet	Removal of Traffic Stripe
39	Each	Removal of Headwall
5,525	Linear Feet	Removal of Guard Rail
7	Each	Removal of Object Markers
18	Each	Removal of Box Culvert Wings and Headwall, All Sizes
1,000	Cubic Yard	Unclassified Excavation, FM
6,570	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
681	Cubic Yard	Structure Excavation
212	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
2,500	Square Yard	Topsoil for Slope Treatment, From Right-of-Way
38,720	Square Yard	Standard Ground Preparation
8	Acre	Mowing
8,050	Linear Feet	Temporary Silt Fence
120	Bale	Temporary Erosion Checks
24,778	Cubic Yard	Granular Material, LVM, Class 9, Group C
34,450	Square Yard	Cold Milling of Bituminous Pavement, All Depths
100	Linear Feet	Cleaning and Sealing Joints
51	Mile	Rumble Strips, Ground In
1,082	Cubic Yard	Class "B" Structural Concrete
4	Cubic Yard	Class "B" Structural Concrete, Minor Structures
126,034	Pounds	Reinforcing Steel
88	Linear Feet	24" Reinforced Concrete Pipe, Class III
144	Linear Feet	30" Reinforced Concrete Pipe, Class III
40	Linear Feet	36" Reinforced Concrete Pipe, Class III
80	Linear Feet	42" Reinforced Concrete Pipe, Class III
12	Each	24" Reinforced Concrete End Section
11	Each	30" Reinforced Concrete End Section
4	Each	36" Reinforced Concrete End Section
6	Each	42" Reinforced Concrete End Section
16	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
2	Each	65" x 40" Concrete Arch Pipe End Section
1,238	Linear Feet	Guard Rail, Class A, Type 1
1	Each	Guard Rail, Bridge End Section, Type A
8	Each	Guard Rail, Bridge End Section, Type C
9	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
62	Mile	Temporary Traffic Stripe, Continuous White
62	Mile	Temporary Traffic Stripe, Continuous Yellow

CALL No. 010

62	Mile	Temporary Traffic Stripe, Skip White
500	Linear Feet	Temporary Traffic Stripe, Skip Yellow
64	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
704	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	Barricades, Type III, Single Faced
	Lump Sum	Mobilization
31	Mile	6" Thermoplastic Traffic Stripe, Skip White
15,878	Linear Feet	Thermoplastic Detail Stripe, White
74	Square Feet	Thermoplastic Legend, White
144	Linear Feet	Thermoplastic Legend, White
3,147	Each	Red-Clear Reflective High Performance Raised Markers
1,052	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,052	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,052	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
35	Each	Delineators, Guard Rail, White
28	Each	Delineators, Guard Rail, Yellow
9	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
24	Ton	Agricultural Limestone
8	Acre	Grassing
4	Acre	Temporary Grassing
19,899	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
15,993	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture
52,246	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
42,561	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
32	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
32	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Overlaying Interstate Highway 20 from Greenfield Road to the Brandon Exit, known as Federal Aid Project No. IM-0020-01(178)N / 104515301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: 45 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

54	Square Yard	Removal of Cement Treated Base, All Depths
23	Square Yard	Removal of Concrete Paved Ditch
56	Linear Feet	Removal of Curb, All Types
216	Linear Feet	Removal of Fence, All Types
2,850	Linear Feet	Removal of Guard Rail Only
6,608	Linear Feet	Removal of Traffic Stripe
36	Each	Removal of Guard Post
54	Square Yard	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	Borrow Excavation, AH, LVM, Class B15
50	Cubic Yard	Excess Excavation, LVM
500	Square Yard	Site Grading
60	Square Yard	Solid Sodding
1	Thousand Gallon	Watering
2	Cubic Yard	Portland Cement Concrete Paved Ditch
250	Linear Feet	Temporary Silt Fence
20	Bale	Temporary Erosion Checks
500	Ton	Granular Material, Class 5, Group C
77,500	Square Yard	Cold Milling of Bituminous Pavement, All Depths
907	Square Yard	Cold Milling of Concrete Pavement, All Depths
54	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
40	Linear Feet	Saw Cut, Longitudinal Joints
24	Linear Feet	Saw Cut, 3-inch
24	Linear Feet	Saw Cut, 8-inch
1	Cubic Yard	Concrete for Base Repair
20	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
180	Pounds	Gratings
36	Each	Guard Posts
2,244	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
7	Each	Guard Rail, Cable Anchor, Type 1
4	Each	Guard Rail, Bridge End Section, Type A Modified
2	Each	Guard Rail, Bridge End Section, Type C Modified
13	Each	Guard Rail, Terminal End Section
216	Linear Feet	60" Type I Chain Link Fence, Class I
100	Linear Feet	Barbed Wire Fence, Single Strand
2	Each	Gate, 12' x 52" Aluminum
4	Each	Line Post, 12' x 2" Galvanized Steel
6	Each	Line Post, 8' x 1 1/2" Galvanized Steel
12	Each	Brace Post, 7' x 2 1/2" Galvanized Steel
4	Each	Brace Post, 8' x 2 1/2" Galvanized Steel
4	Each	Gate Post, 8' x 2 1/2" Galvanized Steel

CALL No. 020

	Lump Sum	Maintenance of Traffic
10	Mile	Temporary Traffic Stripe, Continuous White
10	Mile	Temporary Traffic Stripe, Continuous Yellow
10	Mile	Temporary Traffic Stripe, Skip White
10,300	Linear Feet	Temporary Traffic Stripe, Detail
900	Each	Red-Clear Reflective Raised Pavement Markers
	Lump Sum	Mobilization
6	Mile	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
5,150	Linear Feet	Thermoplastic Detail Stripe, White
900	Each	Red-Clear Reflective High Performance Raised Markers
1,420	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,569	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,619	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
58	Each	Delineators, Guard Rail, White
35	Each	Delineators, Guard Rail, Yellow
34	Each	Delineators, Post Mounted, Single White
37	Each	Delineators, Post Mounted, Double White
2	Each	Delineators, Post Mounted, Double Yellow
1,950	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
200	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
6,950	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
370	Linear Feet	Cleaning and Sealing Joints in PCC Pavement
3	Each	Bridge Repair, Repair Type "A" Bridge End Connection

Clearing and replacing fence on Interstate 55 between Cobb's Road and Church Road, known as Federal Aid Project Nos.IM-0055-04(081)N / 104807301, 302, & 303, in the Counties of DeSoto, Tate, & Panola, State of Mississippi.

PROJECT COMPLETION: 279 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

113	Acre	Clearing and Grubbing
161,172	Linear Feet	Removal of Fence, All Types
57	Ton	Superphosphate
1,700	Square Yard	Ditch Liner
57	Acre	Insect Pest Control
226	Acre	Mowing
100	Square Yard	Soil Reinforcing Mat
8,000	Linear Feet	Temporary Silt Fence
500	Bale	Temporary Erosion Checks
154,572	Linear Feet	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
18,905	Linear Feet	60" Type I Chain Link Fence, Class II
16,625	Linear Feet	Barbed Wire Fence, Single Strand
6	Each	Gate, 12' x 5' Chain Link
4	Each	Gate, 12' x 5' Aluminum
1,226	Each	Line Post, 7' x 1 1/2" Galvanized Steel
10	Each	Line Post, 12' x 2" Galvanized Steel
8,831	Each	Line Post, 7' Tee Post Steel
1,767	Each	Line Post, 9' Tee Post Steel
1,177	Each	Line Post, 10' Tee Post Steel
19	Each	Line Post, 12' x 2 1/2" Galvanized Steel
162	Each	Line Post, 10' x 1 1/2" Galvanized Steel
246	Each	Line Post, 9' x 1 1/2" Galvanized Steel
4	Each	Line Post, 7' x 2" Galvanized Steel
14	Each	Line Post, 7' x 2 1/2" Galvanized Steel
1,080	Each	Brace Post, 8' x 6" Timber
166	Each	Brace Post, 10' x 6" Timber
110	Each	Brace Post, 12' x 6" Timber
23	Each	Brace Post, 10' x 2" Galvanized Steel
15	Each	Brace Post, 12' x 2" Galvanized Steel
147	Each	Brace Post, 8' x 2" Galvanized Steel
8	Each	Gate Post, 8' x 6" Timber
12	Each	Gate Post, 8' x 3 1/2" Galvanized Steel
1,364	Each	Concrete Anchors
	Lump Sum	Maintenance of Traffic
128	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1,372	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	Barricades, Type III, Single Faced
144	Linear Feet	Barricades, Type III, Double Faced
25	Each	Free Standing Plastic Drums
	Lump Sum	Mobilization
	Lump Sum	Roadway Construction Stakes



CALL No. 030

113 Acre

Grassing

226 Ton

Agricultural Limestone

2 Each

Changeable Message Sign

Milling and overlaying I-59/I-20 from 65th Ave. to 0.5 miles west of US Hwy. 45, known as Federal Project No. IM-0059-03(086)N / 104151301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 135 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

13 Acre	Clearing and Grubbing
1,200 Square Yard	Removal of Asphalt Pavement, All Depths
425 Square Yard	Removal of Cement Treated Base, All Depths
200 Linear Feet	Removal of Fence, All Types
70 Each	Removal of Guard Post
650 Square Yard	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
7,538 Linear Feet	Removal of Guard Rail
6 Mile	Removal of Traffic Stripe
57 Each	Removal of Debris and Sand From Inlet and Junction Box, AllTypes & Sizes
8,500 Cubic Yard	Borrow Excavation, AH, LVM, Class B15
500 Square Yard	Site Grading
33,880 Square Yard	Light Ground Preparation
62,920 Square Yard	Standard Ground Preparation
9 Ton	Combination Fertilizer, 13-13-13
260 Pounds	Seeding, Bermudagrass
325 Pounds	Seeding, Tall Fescue
260 Pounds	Seeding, Crimson Clover
140 Pounds	Seeding, Browntop Millet
630 Pounds	Seeding, Oats
175 Pounds	Seeding, Rye Grass
33 Ton	Vegetative Materials for Mulch
7,500 Linear Feet	Temporary Silt Fence
200 Bale	Temporary Erosion Checks
1,500 Ton	Granular Material, Class 5, Group C
47,800 Ton	Cold Milling of Bituminous Pavement, All Depths
2,750 Square Yard	Cold Milling of Concrete Pavement, All Depths
350 Linear Feet	Cleaning and Sealing Joints
16 Mile	Rumble Strips, Ground In
12 Linear Feet	Expansion Joints, Without Dowels
12 Linear Feet	Joint Filler, Wooden Board
650 Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
508 Linear Feet	Saw Cut, Longitudinal Joints
552 Linear Feet	Saw Cut, 3-inch
576 Linear Feet	Saw Cut, 8-inch
24 Cubic Yard	Concrete for Base Repair
259 Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
12 Each	No. 5 Smooth Dowel Bars, Drilled & Epoxied or Grouted
88 Each	Holes
80 Hundred Weight	Calcium Chloride
111 Each	Guard Posts
5,788 Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

CALL No. 040

100	Linear Feet	Guard Rail, Class A, Type 1, Double Faced, Metal Post
5	Each	Guard Rail, Cable Anchor, Type 1
1	Each	Guard Rail, Cable Anchor, Type 1 Modified
5	Each	Guard Rail, Bridge End Section, Type A
28	Each	Guard Rail, Bridge End Section, Type D Modified
37	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
44	Mile	Temporary Traffic Stripe, Continuous White
39	Mile	Temporary Traffic Stripe, Continuous Yellow
39	Mile	Temporary Traffic Stripe, Skip White
51,000	Linear Feet	Temporary Traffic Stripe, Detail
1,600	Linear Feet	Temporary Traffic Stripe, Legend
2,800	Square Feet	Temporary Traffic Stripe, Legend
9,700	Each	Red-Clear Reflective High Performance Raised Marker
812	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	Barricades, Type III, Single Faced
	Lump Sum	Mobilization
15	Mile	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
24	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
38,500	Linear Feet	Thermoplastic Detail Stripe, White
12,500	Linear Feet	Thermoplastic Detail Stripe, Yellow
2,800	Square Feet	Thermoplastic Legend, White
1,600	Linear Feet	Thermoplastic Legend, White
4,100	Each	Red-Clear Reflective High Performance Raised Markers
1,500	Each	Two-Way Yellow Reflective High Performance Raised Markers
3	Mile	6" High Performance Cold Plastic Traffic Stripe, Skip White
3	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2,400	Linear Feet	High Performance Cold Plastic Detail Stripe, White
500	Linear Feet	High Performance Cold Plastic Detail Stripe, Yellow
400	Square Feet	High Performance Cold Plastic Legend, White
250	Linear Feet	High Performance Cold Plastic Legend, White
208	Each	Delineators, Guard Rail, White
39	Each	Delineators, Guard Rail, Yellow
110	Each	Delineators, Post Mounted, Single White
35	Each	Delineators, Post Mounted, Single Yellow
165	Each	Delineators, Post Mounted, Double White
85	Each	Delineators, Post Mounted, Double Yellow
1,610	Each	Delineators, Median Barrier Mounted, Type I, Yellow
35	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
75	Cubic Yard	Flowable Fill
3,874	Linear Feet	Vehicle Loop Assemblies
150	Ton	Loose Riprap, Size 100
26	Ton	Agricultural Limestone

CALL No. 040

2,850	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
200	Ton	Hot Mix Asphalt, HT, 19-mm mixture
7,100	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture
22,150	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
27,750	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
32,100	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
1,100	Linear Feet	Cleaning and Filling Joints in PCC Pavement
4,425	Square Yard	5" Fiber Reinforced Thin Concrete Pavement
3,760	Pounds	Portland Cement Pressure Grout Slurry, Type 1.
22	Each	Median Barrier Inlet Gratings, 3"x3"x1/4" Angle Iron, 4'x3'
39	Each	Median Barrier Inlet Gratings, 3"x3"x1/4" Angle Iron, 5'x3'
4	Each	Changeable Message Sign
	Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 1Eastbound
	Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 2Westbound
1	Each	Bridge Repair, Repair Type "A" Bridge End Connection

Reconstruction of Mississippi Highway 463 east of Interstate 55 to Post Oak Road, known as Federal Aid Project No. STP-6947-00(001)N / 101708301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: 233 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	Clearing and Grubbing
1 Acre	Clearing and Grubbing
15,645 Square Yard	Removal of Asphalt Pavement, All Depths
120 Square Yard	Removal of Concrete Sidewalk
2,274 Linear Feet	Removal of Curb, All Types
3 Each	Removal of Inlets, All Sizes
157 Linear Feet	Removal of Pipe, 8" And Above
11,375 Linear Feet	Removal of Traffic Stripe
27,843 Cubic Yard	Unclassified Excavation, FM, AH
1,000 Cubic Yard	Borrow Excavation, AH, FME, Class B15
5,486 Cubic Yard	Excess Excavation, LVM, AH
5,101 Cubic Yard	Structure Excavation
231 Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
4,650 Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
27,910 Square Yard	Light Ground Preparation
55,819 Square Yard	Standard Ground Preparation
8 Ton	Combination Fertilizer, 13-13-13
6 Ton	Superphosphate
230 Pounds	Seeding, Bermudagrass
115 Pounds	Seeding, Tall Fescue
115 Pounds	Seeding, Crimson Clover
115 Pounds	Seeding, Browntop Millet
518 Pounds	Seeding, Oats
144 Pounds	Seeding, Rye Grass
29 Ton	Vegetative Materials for Mulch
348 Square Yard	Solid Sodding
500 Square Yard	Ditch Liner
7 Thousand Gallon	Watering
6 Acre	Insect Pest Control
21 Cubic Yard	Portland Cement Concrete Paved Ditch
1 Acre	Mowing
5,697 Linear Feet	Temporary Silt Fence
500 Bale	Temporary Erosion Checks
1,295 Cubic Yard	Granular Material, AEA, Class 5, Group C
8,472 Cubic Yard	Granular Material, AEA, Class 9, Group C
1,475 Ton	Cold Milling of Bituminous Pavement, All Depths
3,448 Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
197 Cubic Yard	Class "B" Structural Concrete, Minor Structures
19,084 Pounds	Reinforcing Steel
5,220 Linear Feet	18" Reinforced Concrete Pipe, Class III
1,864 Linear Feet	24" Reinforced Concrete Pipe, Class III

CALL No. 050

100	Linear Feet	36" Reinforced Concrete Pipe, Class III
2	Each	18" Reinforced Concrete End Section
1	Each	36" Reinforced Concrete End Section
108	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
64	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
2	Each	22" x 13" Concrete Arch Pipe End Section
2	Each	29" x 18" Concrete Arch Pipe End Section
2	Each	18" Branch Connections, Stub into Existing Inlet
4,617	Pounds	Castings
1,377	Pounds	Gratings
8,233	Square Yard	Geotextile for Subsurface Drainage, Type V
1,500	Linear Feet	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
50	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
814	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,792	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
3,939	Square Yard	Concrete Sidewalk, With Reinforcement
1,530	Linear Feet	Combination Concrete Curb and Gutter Type 2
14,475	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
1,158	Square Yard	Concrete Driveway, Without Reinforcement
1,223	Square Yard	Concrete Median and/or Island Pavement, 4-inch
188	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
2	Mile	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	Temporary Traffic Stripe, Skip White, Paint
3,419	Linear Feet	Temporary Traffic Stripe, Detail, Paint
3,025	Linear Feet	Temporary Traffic Stripe, Legend, Paint
196	Square Feet	Temporary Traffic Stripe, Legend, Paint
19	Each	Red-Clear Reflective High Performance Raised Marker
79	Each	Two-Way Yellow Reflective High Performance Raised Marker
215	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
916	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	Flashing Arrow Panel, Type C
654	Linear Feet	Barricades, Type III, Double Faced
120	Linear Feet	Barricades, Type III, Double Faced, Permanent, Red/White
294	Each	Free Standing Plastic Drums
	Lump Sum	Mobilization
2	Mile	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
9,863	Linear Feet	Thermoplastic Detail Stripe, White
5,468	Linear Feet	Thermoplastic Detail Stripe, Yellow
989	Square Feet	Thermoplastic Legend, White
4,988	Linear Feet	Thermoplastic Legend, White

CALL No. 050

379	Each	Red-Clear Reflective High Performance Raised Markers
227	Each	Two-Way Yellow Reflective High Performance Raised Markers
92	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
249	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
602	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
32	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
2,760	Linear Feet	Vehicle Loop Assemblies
6,530	Linear Feet	Shielded Cable, AWG #18, 4 Conductor
8	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	Traffic Signal Equipment Pole, Type IV, 40' Shaft, 60' Arm
1	Each	Traffic Signal Equipment Pole Shaft Extension, 20-foot, Video Camera Mount
18	Each	Traffic Signal Heads, Type 1 LED
8	Each	Traffic Signal Heads, Type 7 LED
16	Each	Traffic Signal Heads, Type 6 LED Countdown
2	Each	Solid State Traffic Actuated Controllers, Type 8A
1	Each	Closed Loop On-Street Master System
8	Each	Optical Detector
1,875	Linear Feet	Optical Detector Cable
2	Each	Phase Selector, 4 Channel
5	Each	Pullbox, Type 1
4	Each	Pullbox, Type 4
4	Each	Pullbox, Type 5
10	Each	Pullbox, Type 2
4	Each	On Street Video Equipment, Fixed Type
2	Each	On Street Video Equipment, PTZ Type
1,735	Linear Feet	Fiber Optic Cable, 72 SM
30	Linear Feet	Fiber Optic Drop Cable, 12 SM
2,455	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
1,510	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
110	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
429	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
1,920	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
3,505	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
60	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
1,315	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
100	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	Roadway Construction Stakes
290	Ton	Loose Riprap, Size 300
256	Square Yard	Geotextile under Riprap
35	Ton	Agricultural Limestone

CALL No. 050

4,000	Each	Shrub Planting, Annuals	1 Pint
9,131	Each	Shrub Planting, Asian Jasmine	1 Pint
1,553	Each	Shrub Planting, Parsons Juniper	2 Gallon
27	Each	Tree Planting, Red Sunset Maple	
46,817	Square Yard	Asphalt Drainage Course	
48,429	Square Yard	6" Soil-Lime-Water Mixing, Class B	
654	Ton	Lime	
471	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture	
8,584	Ton	Hot Mix Asphalt, HT, 19-mm mixture	
8,784	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	
4,896	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified	
18,135	Square Feet	Stamped and Colored Concrete Sidewalk, Per Plans	
ALTERNATE GROUP AA NO. 1			
492	Ton	Portland Cement	
58,115	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base	
ALTERNATE GROUP AA NO. 2			
58,115	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick	
438	Ton	Lime	
1,753	Ton	Fly Ash, Class C or F	



Construction necessary for the milling and overlay of US 45 from SR 4 to Alcorn County line, known as Federal Aid Project No. NH-0002-07(014) / 104668301, in the County of Prentiss, State of Mississippi.

PROJECT COMPLETION: 84 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

100	Square Yard	Removal of Asphalt Pavement, All Depths
2,889	Linear Feet	Removal of Traffic Stripe
8	Each	Removal of Guard Rail Terminal End Section
100	Cubic Yard	Excess Excavation, LVM, AH
4,165	Cubic Yard	Granular Material, LVM, Class 3, Group C
245,765	Square Yard	Cold Milling of Bituminous Pavement, All Depths
2,903	Gallon	Asphalt for Surface Treatment, Grade AC-10
108	Cubic Yard	Seal Aggregate Cover Material, Size 7, Stone
20	Mile	Rumble Strips, Ground In
8	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
24	Mile	Temporary Traffic Stripe, Continuous White
1,200	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
22	Mile	Temporary Traffic Stripe, Continuous Yellow
24	Mile	Temporary Traffic Stripe, Skip White
4,112	Linear Feet	Temporary Traffic Stripe, Legend
12	Mile	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
24,315	Linear Feet	Thermoplastic Detail Stripe, White
13,458	Linear Feet	Thermoplastic Detail Stripe, Yellow
2,056	Linear Feet	Thermoplastic Legend, White
1,635	Each	Red-Clear Reflective High Performance Raised Markers
1,284	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,284	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,284	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
30,049	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture

Reconstructing the Truck Scale Facilities on US Highway 45 North and South bound sides, near Corinth, known as Federal Aid Project No. NH-0002-08(011) / 104124301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: March 31, 2009

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

	Lump Sum	Clearing and Grubbing
	Lump Sum	Removal of Obstructions
2,770	Square Yard	Removal of Concrete Pavement, Conventional Reinforcement, All Depths
4,250	Cubic Yard	Unclassified Excavation, LVM
5,300	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
100	Square Yard	Standard Ground Preparation
600	Square Yard	Solid Sodding, Centipede
5	Thousand Gallon	Watering
800	Linear Feet	Temporary Silt Fence
50	Bale	Temporary Erosion Checks
630	Linear Feet	Expansion Joints, Without Dowels
11,636	Linear Feet	Silicone Sealed Joints
260	Pounds	Castings
320	Pounds	Gratings
250	Square Yard	Geotextile for Subsurface Drainage, Type V
125	Linear Feet	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
350	Linear Feet	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
40	Cubic Yard	Filter Material for Filter Beds, Type A
40	Cubic Yard	Filter Material for Filter Beds, Type B
2	Each	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
430	Square Yard	Concrete Sidewalk, With Reinforcement
405	Linear Feet	Concrete Curb, Header
465	Linear Feet	Concrete Curb, Integral, Type 2
	Lump Sum	Maintenance of Traffic
	Lump Sum	Mobilization
800	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White
1,600	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	Thermoplastic Detail Stripe, White
414	Square Feet	Thermoplastic Legend, White
80	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
110	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
4,000	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
980	Linear Feet	Underground Branch Circuit, AWG 2, 3 Conductor
6,780	Linear Feet	Underground Branch Circuit, AWG 4, 3 Conductor
70	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
740	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
220	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
13	Each	Underground Pull Box
4	Each	Lighting Assembly, High Mast, Type 100-4-S
4	Each	Lighting Assembly, High Mast, Type 100-2-S
15	Each	Lighting Assembly, Low Mast, Type 40-1-10-400

CALL No. 070

18	Cubic Yard	Pole Foundation, 24" Diameter
52	Cubic Yard	Pole Foundation, 36" Diameter
10	Linear Feet	Slip Casing, 24" Diameter
24	Linear Feet	Slip Casing, 36" Diameter
	Lump Sum	Roadway Construction Stakes
1	Ton	Agricultural Limestone
2	Each	Truck Scales Administration Building
2	Each	Three Platform Static Scale
2	Each	Water and Sewer Improvements, Per Plans
4	Each	Lighting Assembly, Flag Pole Lighting
2	Each	Flagpole
400	Cubic Yard	Size 825 Crushed Stone Base, LVM
1,160	Square Yard	8" Reinforced Cement Concrete Pavement, Broom Finish
215	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA
2	Each	Thermoplastic Legend, Blue-ADA Handicap Symbol
2	Each	Traffic Sign, Open/Close

Construction necessary for the overlay of SR 22 from SR 463 to I-55, known as Federal Aid Project No. STP-0024-02(029)/104730301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: 95 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,000	Square Yard	Removal of Asphalt Pavement, All Depths
270	Linear Feet	Removal of Traffic Stripe
8	Each	Removal of Terminal End Section
1	Each	Removal of Pipe Headwall, All Sizes
100	Linear Feet	Removal of Bituminous Curb
2,000	Cubic Yard	Borrow Excavation, AH, LVM, Class B15
200	Cubic Yard	Excess Excavation, FM, AH
10,822	Cubic Yard	Granular Material, LVM, Class 5, Group C
3,733	Square Yard	Cold Milling of Bituminous Pavement, All Depths
18	Mile	Rumble Strips, Ground In
50	Cubic Yard	Class "B" Structural Concrete
3,000	Pounds	Reinforcing Steel
16	Linear Feet	30" Reinforced Concrete Pipe, Class III
1	Each	30" Reinforced Concrete End Section
884	Linear Feet	Guard Rail, Class A, Type 1
8	Each	Guard Rail, Terminal End Section
929	Linear Feet	Bituminous Curb
	Lump Sum	Maintenance of Traffic
18	Mile	Temporary Traffic Stripe, Continuous White
12	Mile	Temporary Traffic Stripe, Continuous Yellow
5	Mile	Temporary Traffic Stripe, Skip Yellow
1,100	Linear Feet	Temporary Traffic Stripe, Detail
756	Linear Feet	Temporary Traffic Stripe, Legend
703	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
220	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	Barricades, Type III, Double Faced
18	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,100	Linear Feet	Thermoplastic Detail Stripe, White
1,008	Linear Feet	Thermoplastic Legend, White
1,217	Each	Two-Way Yellow Reflective High Performance Raised Markers
360	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
90	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
270	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
69	Each	Delineators, Guard Rail, White
16,847	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
28,916	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
1	Cubic Yard	Class "B" Structural Concrete, Minor Structures, Per Plans

Construction necessary to widen and overlay SR 18 from the intersection of US 61 east 5.3 miles, known as Federal Aid Project No. STP-0039-01(011)/104832301, in the County of Claiborne, State of Mississippi.

PROJECT COMPLETION: 40 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway**

200	Square Yard	Removal of Asphalt Pavement, All Depths
100	Linear Feet	Removal of Traffic Stripe
500	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
100	Cubic Yard	Excess Excavation, FM
3,480	Ton	Granular Material, Class 5, Group E
500	Square Yard	Cold Milling of Bituminous Pavement, All Depths
11	Mile	Rumble Strips, Ground In
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
22	Mile	Temporary Traffic Stripe, Continuous White
22	Mile	Temporary Traffic Stripe, Continuous Yellow
1	Mile	Temporary Traffic Stripe, Skip Yellow
2,600	Linear Feet	Temporary Traffic Stripe, Detail
985	Linear Feet	Temporary Traffic Stripe, Legend
550	Each	Two-Way Yellow Reflective High Performance Raised Marker
599	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
92	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
42	Linear Feet	Barricades, Type III, Double Faced
2	Each	Warning Lights, Type "B"
	Lump Sum	Mobilization
11	Mile	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,300	Linear Feet	Thermoplastic Detail Stripe, White
2,500	Linear Feet	Thermoplastic Detail Stripe, Yellow
1,400	Square Feet	Thermoplastic Legend, White
20	Each	Red-Clear Reflective High Performance Raised Markers
550	Each	Two-Way Yellow Reflective High Performance Raised Markers
250	Ton	3/4" and Down Crushed Stone Base
7,500	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
4,500	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling

Widening and overlaying approximately 7.9 miles of MS Hwy 1 beginning at Southern Fresh and ending at Delta Landing, known as Federal Aid Project No. STP-0052-01(006) / 104499301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: 59 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

350	Linear Feet	Removal of Traffic Stripe
300	Cubic Yard	Excess Excavation, LVM, AH
1,000	Linear Feet	Temporary Silt Fence
300	Bale	Temporary Erosion Checks
6,600	Ton	Granular Material, Class 3, Group D
16	Mile	Rumble Strips, Ground In
45	Linear Feet	Guard Rail, Class A, Type 1
1	Each	Guard Rail, Cable Anchor, Type 1
2	Each	Guard Rail, Bridge End Section, Type A Modified
2	Each	Guard Rail, Bridge End Section, Type F Modified
3	Each	Guard Rail, Terminal End Section, Flared
2	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
16	Mile	Temporary Traffic Stripe, Continuous White
2,000	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
8	Mile	Temporary Traffic Stripe, Skip Yellow
6,000	Linear Feet	Temporary Traffic Stripe, Detail
1,200	Linear Feet	Temporary Traffic Stripe, Legend
16	Mile	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
2,000	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	Thermoplastic Detail Stripe, White
3,000	Linear Feet	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	Thermoplastic Legend, White
800	Each	Two-Way Yellow Reflective High Performance Raised Markers
300	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
150	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
8	Each	Delineators, Guard Rail, White
2	Each	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	Type 3 Object Markers, OM-3L, Post Mounted
1,200	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture
2,000	Ton	Hot Mix Asphalt, ST, 4.75-mm mixture
3,000	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
13,750	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Widening and overlaying Mississippi Highway 42 from US Highway 11 to the Perry County Line, known as Federal Aid Project No. STP-0063-02(023)MP / 104773301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 38 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

270 Square Yard	Removal of Pavement, All Types and Depths
2,570 Cubic Yard	Borrow Excavation, LVM, Class B7-6
5,100 Square Yard	Cold Milling of Bituminous Pavement, All Depths
4 Mile	Rumble Strips, Ground In
110 Linear Feet	Combination Concrete Curb and Gutter Type 2
4 Square Yard	Concrete Median and/or Island Pavement, 4-inch
6 Square Yard	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	Maintenance of Traffic
1 Square Feet	Additional Construction Signs
34 Mile	Temporary Traffic Stripe, Continuous White
14 Mile	Temporary Traffic Stripe, Continuous Yellow
10 Mile	Temporary Traffic Stripe, Skip Yellow
8,000 Linear Feet	Temporary Traffic Stripe, Detail
3,053 Linear Feet	Temporary Traffic Stripe, Legend
2 Mile	6" Thermoplastic Traffic Stripe, Continuous White
5 Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,718 Linear Feet	Thermoplastic Detail Stripe, White
13,252 Linear Feet	Thermoplastic Detail Stripe, Yellow
735 Square Feet	Thermoplastic Legend, White
3,053 Linear Feet	Thermoplastic Legend, White
1,225 Each	Two-Way Yellow Reflective High Performance Raised Markers
2,442 Linear Feet	Vehicle Loop Assemblies
115 Ton	Hot Mix Asphalt, MT, 19-mm mixture
10,850 Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
4,110 Ton	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
15 Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Milling and overlaying MS. 149 from the intersection of US Hwy. 49 & MS. 149 South of Mendenhall then proceed North to the South Corp. limits of D'Lo, known as Federal Aid Project No. STP-0391-00(008) / 104829301, in the County of Simpson, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

235	Square Yard	Removal of Concrete Sidewalk
451	Linear Feet	Removal of Curb, All Types
2,376	Linear Feet	Removal of Traffic Stripe
150	Linear Feet	Removal of Guard Rail
174	Square Yard	Removal of Island Pavement, All Types
1,746	Cubic Yard	Granular Material, LVM, Class 6, Group D
38,106	Square Yard	Cold Milling of Bituminous Pavement, All Depths
5	Mile	Rumble Strips, Ground In
1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
60	Pounds	Reinforcing Steel
1,800	Pounds	Gratings
4	Each	Guard Rail, Terminal End Section
290	Square Yard	Concrete Sidewalk, With Reinforcement
180	Linear Feet	Concrete Curb, Doweled Type 2
351	Linear Feet	Combination Concrete Curb and Gutter Type 2
77	Linear Feet	Combination Concrete Curb and Gutter Type 1 Modified
60	Linear Feet	Combination Concrete Curb and Gutter Type 3A
195	Square Yard	Concrete Median and/or Island Pavement, 6-inch
72	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
9	Mile	Temporary Traffic Stripe, Continuous White
6	Mile	Temporary Traffic Stripe, Continuous Yellow
414	Linear Feet	Temporary Traffic Stripe, Skip White
3	Mile	Temporary Traffic Stripe, Skip Yellow
21,491	Linear Feet	Temporary Traffic Stripe, Detail
9,752	Linear Feet	Temporary Traffic Stripe, Legend
674	Square Feet	Temporary Traffic Stripe, Legend
	Lump Sum	Mobilization
207	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,243	Linear Feet	Thermoplastic Detail Stripe, White
4,735	Linear Feet	Thermoplastic Detail Stripe, Yellow
432	Square Feet	Thermoplastic Legend, White
4,120	Linear Feet	Thermoplastic Legend, White
15	Each	Red-Clear Reflective High Performance Raised Markers
467	Each	Two-Way Yellow Reflective High Performance Raised Markers
1,584	Linear Feet	6" Cold Plastic Traffic Stripe, Continuous White



CALL No. 120

792	Linear Feet	6" Cold Plastic Traffic Stripe, Skip Yellow
12	Each	Delineators, Guard Rail, White
9,126	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
500	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
450	Linear Feet	Temporary Traffic Stripe, Detail Blue ADA
160	Square Feet	Temporary Traffic Stripe, Legend Blue ADA
225	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA
80	Square Feet	Thermoplastic Legend, Blue-ADA

Construction necessary for the milling, widening and overlaying of MS Hwy 407 beginning at the Carroll County line and ending near US Hwy 51 in Winona, known as Federal Aid Project No. STP-0717-00(021)/104669301, in the County of Montgomery, State of Mississippi.

PROJECT COMPLETION: 57 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

920	Linear Feet	Removal of Traffic Stripe
8	Each	Removal of Guard Rail Terminal End Section
300	Cubic Yard	Excess Excavation, LVM, AH
1,400	Ton	Granular Material, Class 3, Group D
25,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths
15	Mile	Rumble Strips, Ground In
8	Each	Guard Rail, Terminal End Section, Flared
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
15	Mile	Temporary Traffic Stripe, Continuous White
75,000	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
4	Mile	Temporary Traffic Stripe, Skip Yellow
5,200	Linear Feet	Temporary Traffic Stripe, Detail
1,050	Linear Feet	Temporary Traffic Stripe, Legend
200	Square Feet	Temporary Traffic Stripe, Legend
15	Mile	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
54,000	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,600	Linear Feet	Thermoplastic Detail Stripe, White
2,600	Linear Feet	Thermoplastic Detail Stripe, Yellow
200	Square Feet	Thermoplastic Legend, White
1,050	Linear Feet	Thermoplastic Legend, White
720	Each	Two-Way Yellow Reflective High Performance Raised Markers
625	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
100	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Each	Delineators, Guard Rail, White
16,500	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
3,200	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
160	Each	Remove and Replace Guard Rail Blockouts

Construction necessary to add two lanes to Mississippi Highway 791, South of US Highway 82 (Golden Triangle Road), known as Federal Aid Project No. STP-0748-00(001) / 104579301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 212 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	Clearing and Grubbing
1 Acre	Clearing and Grubbing
17,592 Square Yard	Removal of Asphalt Pavement, All Depths
1,400 Linear Feet	Removal of Curb, All Types
3 Each	Removal of Inlets, All Sizes
645 Linear Feet	Removal of Pipe, 8" And Above
17 Each	Removal of Sign Including Post & Footing
2,000 Linear Feet	Removal of Traffic Stripe
4 Each	Removal of Box Culvert Headwall, All Sizes
284 Linear Feet	Removal of Guard Rail
211,192 Cubic Yard	Borrow Excavation, AH, FME, Class B10
8,916 Cubic Yard	Excess Excavation, FM, AH
4,623 Cubic Yard	Structure Excavation
225 Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
7,784 Square Yard	Geotextile Stabilization, Type V
231,211 Square Yard	Light Ground Preparation
462,423 Square Yard	Standard Ground Preparation
60 Ton	Combination Fertilizer, 13-13-13
48 Ton	Superphosphate
1,195 Pounds	Seeding, Bahiagrass
1,911 Pounds	Seeding, Bermudagrass
2,389 Pounds	Seeding, Tall Fescue
955 Pounds	Seeding, Crimson Clover
955 Pounds	Seeding, Browntop Millet
4,299 Pounds	Seeding, Oats
1,194 Pounds	Seeding, Rye Grass
239 Ton	Vegetative Materials for Mulch
2,602 Square Yard	Solid Sodding
4,900 Square Yard	Ditch Liner
17 Thousand Gallon	Watering
48 Acre	Insect Pest Control
632 Cubic Yard	Portland Cement Concrete Paved Ditch
1 Acre	Mowing
7,675 Linear Feet	Temporary Silt Fence
3,370 Bale	Temporary Erosion Checks
60,265 Cubic Yard	Granular Material, LVM, Class 3, Group C
1,100 Square Yard	Cold Milling of Bituminous Pavement, All Depths
86 Linear Feet	Expansion Joints, Without Dowels
191 Square Yard	Transverse Grooving
191 Square Yard	Reinforced Cement Concrete Bridge End Pavement
949 Cubic Yard	Class "B" Structural Concrete

CALL No. 140

54	Cubic Yard	Class "B" Structural Concrete, Minor Structures
157,131	Pounds	Reinforcing Steel
64	Linear Feet	18" Type A Alternate Pipe
44	Linear Feet	24" Type A Alternate Pipe
1,332	Linear Feet	18" Reinforced Concrete Pipe, Class III
240	Linear Feet	30" Reinforced Concrete Pipe, Class III
224	Linear Feet	36" Reinforced Concrete Pipe, Class III
284	Linear Feet	42" Reinforced Concrete Pipe, Class III
20	Linear Feet	48" Reinforced Concrete Pipe, Class III
224	Linear Feet	54" Reinforced Concrete Pipe, Class III
60	Linear Feet	48" Reinforced Concrete Pipe, Class V, Jacked or Bored
96	Linear Feet	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
56	Linear Feet	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
112	Linear Feet	54" Reinforced Concrete Pipe, Class V, Jacked or Bored
52	Linear Feet	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
35	Each	18" Reinforced Concrete End Section
7	Each	30" Reinforced Concrete End Section
10	Each	36" Reinforced Concrete End Section
4	Each	42" Reinforced Concrete End Section
2	Each	48" Reinforced Concrete End Section
4	Each	54" Reinforced Concrete End Section
256	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
840	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
80	Linear Feet	88" x 54" Concrete Arch Pipe, Class A III
4	Each	22" x 13" Concrete Arch Pipe End Section
20	Each	65" x 40" Concrete Arch Pipe End Section
2	Each	88" x 54" Concrete Arch Pipe End Section
1	Each	18" Branch Connections, Stub into 54" Concrete Pipe
4	Each	18" Branch Connections, Stub into Box Culvert
2,750	Pounds	Gratings
650	Linear Feet	Guard Rail, Class A, Type 1
4	Each	Guard Rail, Bridge End Section, Type I
4	Each	Guard Rail, Terminal End Section
1,609	Linear Feet	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
13	Each	Line Post, 10' x 4" x 4" Concrete
101	Each	Line Post, 7' x 4" x 4" Concrete
20	Each	Line Post, 9' x 4" x 4" Concrete
19	Each	Brace Post, 8' x 6" x 6" Concrete
4	Each	Brace Post, 10' x 6" x 6" Concrete
2	Each	Brace Post, 12' x 6" x 6" Concrete
35	Each	Concrete Anchors
5,166	Linear Feet	Combination Concrete Curb and Gutter Type 2
1,883	Square Yard	Concrete Median and/or Island Pavement, 4-inch
143	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
11	Mile	Temporary Traffic Stripe, Continuous White

CALL No. 140

11	Mile	Temporary Traffic Stripe, Continuous Yellow
2	Mile	Temporary Traffic Stripe, Skip White
1,725	Linear Feet	Temporary Traffic Stripe, Detail
798	Linear Feet	Temporary Traffic Stripe, Legend
474	Each	Two-Way Yellow Reflective High Performance Raised Marker
355	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1,086	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
858	Linear Feet	Barricades, Type III, Single Faced
96	Linear Feet	Barricades, Type III, Double Faced
413	Each	Free Standing Plastic Drums
15	Each	Warning Lights, Type "B"
	Lump Sum	Mobilization
1	Each	Field Laboratory
7	Mile	6" Thermoplastic Traffic Stripe, Skip White
420	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
13,970	Linear Feet	Thermoplastic Detail Stripe, White
10,272	Linear Feet	Thermoplastic Detail Stripe, Yellow
768	Square Feet	Thermoplastic Legend, White
3,735	Linear Feet	Thermoplastic Legend, White
742	Each	Red-Clear Reflective High Performance Raised Markers
262	Each	Two-Way Yellow Reflective High Performance Raised Markers
717	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
717	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
717	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
432	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
675	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,519	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
18	Linear Feet	Steel U-Section Posts, 2.0 to 2.5 lb/ft
1,526	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
193	Linear Feet	Structural Steel Beams, S4 x 7.7
65	Linear Feet	Structural Steel Beams, W6 x 9
74	Linear Feet	Structural Steel Beams, W6 x 15
78	Linear Feet	Structural Steel Beams, W8 x 18
99	Linear Feet	Structural Steel Beams, W10 x 26
103	Linear Feet	Structural Steel Beams, W12 x 26
297	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
207	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
419	Pounds	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
345	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	Delineators, Guard Rail, White
14	Each	Delineators, Guard Rail, Yellow
14	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green

CALL No. 140

14	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
6	Each	Delineators, Flexible Post Mounted, Crossover, Type II
15	Each	Delineators, Post Mounted, Double White
9	Each	Delineators, Post Mounted, Double Yellow
4	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
104	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"
28	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
75	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	Roadway Construction Stakes
210	Ton	Loose Riprap, Size 300
241	Square Yard	Geotextile under Riprap
287	Ton	Agricultural Limestone
36,572	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
213,529	Square Yard	12" Soil-Lime-Water Mixing, Class A
5,765	Ton	Lime
17,238	Ton	Hot Mix Asphalt, HT, 19-mm mixture
23,628	Ton	Hot Mix Asphalt, HT, 25-mm mixture
655	Ton	Hot Mix Asphalt, HT, 25-mm mixture, Trench Widening
16,349	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
3,685	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
12,527	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

**Bridge Items**

1,272	Square Yard	Transverse Grooving
1	Each	Test Pile
1	Each	Conventional Static Loading Test
1,085	Linear Feet	HP 14 x 117 Steel Piling
1	Each	Pile Restrike
270	Linear Feet	Drilled Shaft, 42" Diameter
30	Linear Feet	Trial Shaft, 42" Diameter
15	Linear Feet	Exploration
112	Linear Feet	Temporary Casing, 42" Diameter
104,076	Pounds	Reinforcement
636	Linear Feet	Concrete Railing
105	Cubic Yard	Concrete Slope Paving
558	Cubic Yard	Bridge Concrete, Class AA
1,053	Linear Feet	88' Prestressed Concrete Beam, Type IV
837	Linear Feet	70' Prestressed Concrete Beam, Type IV

Construction necessary for guardrail placement in various locations in District 2, known as Federal Aid Project No. PSB-0000-02(003)/ 104835301, in the County of Yalobusha, State of Mississippi.

PROJECT COMPLETION: 83 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

56	Linear Feet	Removal of Pipe, All Sizes
12,800	Cubic Yard	Borrow Excavation, AH, FME, Class B9
3	Ton	Superphosphate
6,500	Square Yard	Ditch Liner
1	Acre	Insect Pest Control
13,000	Linear Feet	Temporary Silt Fence
3,900	Bale	Temporary Erosion Checks
2,795	Ton	Granular Material, Class 3, Group D
184	Linear Feet	18" Corrugated Polyethylene Pipe
40	Linear Feet	24" Corrugated Polyethylene Pipe
120	Linear Feet	30" Corrugated Polyethylene Pipe
4,575	Linear Feet	Guard Rail, Class A, Type 1
28	Each	Guard Rail, Bridge End Section, Type A
24	Each	Guard Rail, Bridge End Section, Type E
52	Each	Guard Rail, Terminal End Section, Flared
52	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
263	Each	Delineators, Guard Rail, White
52	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
5	Acre	Grassing
10	Ton	Agricultural Limestone
2,500	Linear Feet	Wattles

Construction necessary for guardrail placement in various locations in District 2, known as Federal Aid Project No. PSB-0000-02(004)/104835302, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: 59 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

896	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
20	Linear Feet	Removal of Pipe, All Sizes
10,700	Cubic Yard	Borrow Excavation, AH, FME, Class B9
2	Ton	Superphosphate
4,500	Square Yard	Ditch Liner
2	Acre	Insect Pest Control
9,000	Linear Feet	Temporary Silt Fence
2,700	Bale	Temporary Erosion Checks
2,045	Ton	Granular Material, Class 3, Group D
40	Linear Feet	48" Reinforced Concrete Pipe, Class III
40	Linear Feet	54" Reinforced Concrete Pipe, Class III
80	Linear Feet	18" Corrugated Polyethylene Pipe
40	Linear Feet	24" Corrugated Polyethylene Pipe
120	Linear Feet	30" Corrugated Polyethylene Pipe
4,275	Linear Feet	Guard Rail, Class A, Type 1
1	Each	Guard Rail, Cable Anchor, Type 1
24	Each	Guard Rail, Bridge End Section, Type A
14	Each	Guard Rail, Terminal End Section, Flared
21	Each	Guard Rail, Terminal End Section, Non-Flared
22	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
172	Each	Delineators, Guard Rail, White
36	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
4	Acre	Grassing
8	Ton	Agricultural Limestone
1,000	Linear Feet	Wattles



Construction necessary for guardrail placement at various locations in District 2, known as Federal Aid Project No. PSB-0000-02(005)/ 104835303, in the Counties of Calhoun, Grenada, Lafayette & Panola, State of Mississippi.

PROJECT COMPLETION: 99 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

20 Linear Feet	Removal of Pipe, All Sizes
16,800 Cubic Yard	Borrow Excavation, AH, FME, Class B9
3 Ton	Superphosphate
9,000 Square Yard	Ditch Liner
2 Acre	Insect Pest Control
18,000 Linear Feet	Temporary Silt Fence
5,400 Bale	Temporary Erosion Checks
3,870 Ton	Granular Material, Class 3, Group D
80 Linear Feet	18" Corrugated Polyethylene Pipe
120 Linear Feet	24" Corrugated Polyethylene Pipe
40 Linear Feet	30" Corrugated Polyethylene Pipe
5,838 Linear Feet	Guard Rail, Class A, Type 1
1 Each	Guard Rail, Cable Anchor, Type 1
16 Each	Guard Rail, Bridge End Section, Type A
14 Each	Guard Rail, Bridge End Section, Type E
4 Each	Guard Rail, Bridge End Section, Type A Modified
12 Each	Guard Rail, Bridge End Section, Type A Modified 2
69 Each	Guard Rail, Terminal End Section, Flared
2 Each	Guard Rail, Terminal End Section, Non-Flared
48 Each	Special Sections, Bridge Connector
Lump Sum	Maintenance of Traffic
1 Square Feet	Additional Construction Signs
Lump Sum	Mobilization
309 Each	Delineators, Guard Rail, White
72 Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
Lump Sum	Roadway Construction Stakes
500 Ton	Loose Riprap, Size 300
750 Square Yard	Geotextile under Riprap
6 Acre	Grassing
12 Ton	Agricultural Limestone
2,000 Linear Feet	Wattles

Construction necessary for guardrail placement at various locations in District 2, known as Federal Aid Project No. PSB-0000-02(006)/ 104835304, in the Counties of Attala, Carroll, Leflore, Montgomery & Tallahatchie, State of Mississippi.

PROJECT COMPLETION: 160 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

117	Linear Feet	Removal of Pipe, All Sizes
29,600	Cubic Yard	Borrow Excavation, AH, FME, Class B9
4	Ton	Superphosphate
14,000	Square Yard	Ditch Liner
4	Acre	Insect Pest Control
28,000	Linear Feet	Temporary Silt Fence
8,400	Bale	Temporary Erosion Checks
6,620	Ton	Granular Material, Class 3, Group D
1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	24" Reinforced Concrete Pipe, Class III
40	Linear Feet	18" Corrugated Polyethylene Pipe
480	Linear Feet	24" Corrugated Polyethylene Pipe
40	Linear Feet	30" Corrugated Polyethylene Pipe
10,100	Linear Feet	Guard Rail, Class A, Type 1
4	Each	Guard Rail, Cable Anchor, Type 1
4	Each	Guard Rail, Bridge End Section, Type A
24	Each	Guard Rail, Bridge End Section, Type E
20	Each	Guard Rail, Bridge End Section, Type A Modified
52	Each	Guard Rail, Bridge End Section, Type A Modified 2
104	Each	Guard Rail, Terminal End Section, Flared
4	Each	Guard Rail, Terminal End Section, Non-Flared
94	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
555	Each	Delineators, Guard Rail, White
112	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
8	Acre	Grassing
16	Ton	Agricultural Limestone
5,000	Linear Feet	Wattles

CALL No. 190

Construction necessary to install sidewalk handicap access ramps, known as State Project No. MP-7000-00(066) / 303138301, in the Counties of Marion, Simpson, Pike, Walthall, Lawrence, Smith, Jefferson Davis & Covington, State of Mississippi.

PROJECT COMPLETION: July 31, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

632	Square Yard	Removal of Concrete Sidewalk
852	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
632	Square Yard	Concrete Sidewalk, With Reinforcement
	Lump Sum	Maintenance of Traffic
	Lump Sum	Mobilization

Construction necessary to install automatic traffic recorders, know as Federal Aid Project No. SPR-0001-01(043) / 104321306, in the Counties of Coahoma, Desoto, Itawamba, Lee, Pike & Tishomingo, State of Mississippi.

PROJECT COMPLETION: September 28, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	Maintenance of Traffic
1 Square Feet	Additional Construction Signs
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 1
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 2
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 3
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 4
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 5
Lump Sum	Vehicle Inductive Loop and Axle Detector System, Site 6

CALL No. 210

Construction necessary to build a sloped roof and modifications to HVAC for District Two Headquarters at Batesville, known as State Project No. BWO-2001-54(008)/501635, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: December 14, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

Lump Sum

Sloped Metal Roof & Modifications to HVAC at District 2 Headquarters

CALL No. 220

Construction necessary to build a storage facility with offices and an equipment shed, known as State Project No. BWO-3143-82(001) 501614 & BWO-3145-82(001)/ 501628301, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: January 30, 2008

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

Lump Sum	Construction of Storage Facility with Offices
Lump Sum	Construction of Equipment Shed

Work necessary to improve the parking lot and the site of District Six Headquarters in Hattiesburg, known as State Project No. LWO-6017-18(003) / 501632301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: August 31, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	Clearing and Grubbing
Lump Sum	Removal of Obstructions
200 Cubic Yard	Excess Excavation, FM
25 Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
2,000 Square Yard	Standard Ground Preparation
1 Ton	Combination Fertilizer, 8-24-24
650 Square Yard	Solid Sodding, Centipede
5 Thousand Gallon	Watering
1 Acre	Insect Pest Control
1 Thousand	Fertilizer for Woody Plant Material
75 Cubic Yard	Tree Bark Mulch, Type I
500 Linear Feet	Temporary Silt Fence
50 Bale	Temporary Erosion Checks
250 Cubic Yard	Granular Material, LVM, Class 9, Group C
1,400 Square Yard	Cold Milling of Bituminous Pavement, All Depths
3 Cubic Yard	Class "B" Structural Concrete, Minor Structures
177 Pounds	Reinforcing Steel
115 Linear Feet	15" Corrugated Polyethylene Pipe
1,240 Square Yard	Concrete Sidewalk, With Reinforcement
580 Linear Feet	Concrete Curb, Header
810 Linear Feet	Combination Concrete Curb and Gutter Type 3B
Lump Sum	Maintenance of Traffic
Lump Sum	Mobilization
114 Square Feet	Cold Plastic Legend, White
10 Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
32 Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
2 Each	Pullbox, Type 5
2 Each	Pullbox, Type 2
240 Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
680 Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4"
1,285 Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 10, 2 Conductor
375 Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 6, 2 Conductor
40 Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 12, 3 Conductor
1 Each	Secondary Power Controllers
3 Each	Lighting Assembly, Low Mast, Type 30-2-0-250
7 Each	Lighting Assembly, Low Mast, Type 30-1-0-250
15 Cubic Yard	Pole Foundation, 24" Diameter
Lump Sum	Roadway Construction Stakes
241 Each	Shrub Planting, Asiatic Jasmine
78 Each	Shrub Planting, Dwarf Yaupon Holly
16 Each	Shrub Planting, Japanese Clecyera

CALL No. 230

19	Each	Shrub Planting, Japanese Privet, Tree-Form
5	Each	Tree Planting, Little Gem Magnolia
6	Each	Tree Planting, Crape Myrtle 'Natchez'
560	Linear Feet	Bed Edging
7,500	Square Feet	Bed Preparation
4	Each	Trash Receptacle
9	Each	Cast Stone Bench
2	Each	Bollard
8	Each	Car Stop
5	Each	Cigarette Receptacle
2	Each	Sign, Masonry and Stone
3	Each	Lighting Assembly, Flag Pole Lighting
2	Each	Lighting Assembly, Sign Lighting
15	Each	Lighting Assembly, Building Uplighting
4	Each	Sprinkler Head, 1812-PRS-8H
56	Each	Sprinkler Head, 1812-PRS-5H
231	Linear Feet	Piping, 1/2" Diameter
664	Linear Feet	Piping, 3/4" Diameter
54	Linear Feet	Piping, 1" Diameter
70	Linear Feet	Sleeves, 2"
38	Linear Feet	Sleeves, 4"
1,000	Linear Feet	Valve Control Wire
850	Linear Feet	Trench Excavation and Backfill
1	Each	Electric Controller, 4 Station
2	Each	Electric Control Valve, 1"
1	Each	Flagpole
200	Cubic Yard	Size 825 Crushed Stone Base, LVM
800	Ton	Hot Mix Asphalt, ST, 19-mm mixture
400	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
225	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Leveling
38	Linear Feet	8" Corrugated Polyethylene Pipe
3	Each	18" Preformed Polyethylene Drainage Catch Basin
310	Linear Feet	96" Cypress Wood Fence, Screening Barrier, Per Plans
90	Linear Feet	75" Brick Fence, Screening Barrier, Per Plans
2	Each	Gate, Barrier Fence, Per Plans
1,360	Square Feet	Brick Painting
2,350	Linear Feet	Cold Plastic Detail Stripe, White, 4" Equivalent Length
222	Linear Feet	4" Cold Plastic Detail Stripe, Blue-ADA
4	Each	Cold Plastic Legend, Blue-ADA Handicap Symbol



Work necessary for construction of a maintenance area headquarter building and an equipment shed in Prentiss, known as State Project Nos. BWO-7113-33(001)/ 501135301 and BWO-7111-33(001)/ 501135302, in the County of Jefferson Davis, State of Mississippi.

PROJECT COMPLETION: January 31, 2008

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

Lump Sum	Construction of Construction of Maintence Area Hdqtrs.
Lump Sum	Construction of Construction of Equipment Shed

Construction necessary for site improvements to the District 7 complex at McComb, known as State Project No. LWO-7031-57(005)/501416302, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: July 31, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

	Lump Sum	Clearing and Grubbing
	Lump Sum	Removal of Obstructions
3,303	Square Yard	Removal of Asphalt Pavement, All Depths
412	Square Yard	Removal of Concrete Sidewalk
765	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
1	Each	Removal of Tree Less Than 10"
3	Each	Removal of Curb Inlet
2,548	Cubic Yard	Excess Excavation, LVM
450	Cubic Yard	Surplus Excavation, LVM
5,183	Square Yard	Site Grading
54	Cubic Yard	Topsoil for Plant Holes, Contractor Furnished
3,723	Square Yard	Light Ground Preparation
1	Ton	Combination Fertilizer, 8-8-8
1	Ton	Combination Fertilizer, 15-0-15
3,723	Square Yard	Solid Sodding, Centipede
1	Thousand	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	Fertilizer for Woody Plant Material, Tablet, 10 gram
791	Linear Feet	Temporary Silt Fence
351	Linear Feet	Expansion Joints, Without Dowels
125	Linear Feet	Saw Cut, Full Depth
9	Cubic Yard	Class "B" Structural Concrete, Minor Structures
779	Pounds	Reinforcing Steel
41	Linear Feet	18" Reinforced Concrete Pipe, Class III
1	Each	18" Branch Connections, Stub into Inlet
804	Pounds	Castings
400	Pounds	Gratings
809	Square Yard	Concrete Sidewalk, With Reinforcement
2,404	Linear Feet	Combination Concrete Curb and Gutter Type 1
3	Each	Adjustment of Inlet
	Lump Sum	Maintenance of Traffic
	Lump Sum	Mobilization
1,190	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
1	Each	Underground Pull Box
9	Cubic Yard	Pole Foundation, 24" Diameter
8	Linear Feet	Slip Casing, 18" Diameter
	Lump Sum	Roadway Construction Stakes
1	Ton	Agricultural Limestone
3	Each	Shrub Planting, Border Forsythia
13	Each	Shrub Planting, Burgundy Loropetalum
126	Each	Shrub Planting, Carissa Holly
92	Each	Shrub Planting, Dwarf Stella De Oro Daylily

CALL No. 250

126	Each	Shrub Planting, Dwarf Yaupon Holly
16	Each	Shrub Planting, Nellie R. Stevens Holly
17	Each	Shrub Planting, Pampas Grass
21	Each	Shrub Planting, Japanese Cleypora
116	Each	Shrub Planting, Louisiana Iris
107	Each	Shrub Planting, Asian Jasmine
70	Each	Shrub Planting, Clara Indian Hawthorn
36	Each	Shrub Planting, Anthony Waterer Spiraea
202	Each	Shrub Planting, Purple Verbena Homestead
285	Each	Shrub Planting, Silvery Sunproof Liriope
10	Each	Shrub Planting, Gardenia
23	Each	Shrub Planting, Dwarf Maiden Grass
58	Each	Shrub Planting, Morning Light Miscanthus
52	Each	Shrub Planting, Sherwood Glossy Abelia
362	Each	Shrub Planting, Evergreen Giant Liriope
6	Each	Shrub Planting, Fig Vine
17	Each	Tree Planting, Bald Cypress
8	Each	Tree Planting, Little Gem Magnolia
6	Each	Tree Planting, Shumard Oak
9	Each	Tree Planting, Willow Oak
3	Each	Tree Planting, Eastern Red Cedar
5	Each	Tree Planting, Nutall Oak
19	Each	Tree Planting, Bracken's Southern Magnolia
21	Each	Tree Planting, Dynamite Crape Myrtle
3	Each	Tree Planting, Lennei Saucer Magnolia
3	Each	Tree Planting, Slender Silhouette Sweetgum
433	Linear Feet	Bed Edging
4,921	Square Feet	Bed Preparation
75	Cubic Yard	Tree Bark Mulch, Type III
58	Cubic Yard	Tree Bark Mulch, Type V
373	Linear Feet	Temporary Tree Protection Fencing, Per Plans
30	Acre	Landscape Mowing
	Lump Sum	Shade Structure
76	Linear Feet	Seat Wall
3	Each	Table and Chairs
5	Each	Litter Receptacle
24	Linear Feet	Handrail
4	Each	Lighting Assembly, Nonlighted Bollard
16	Each	Lighting Assembly, Lighted Bollard
14	Each	Sprinkler Head, 1812-PRS-15Q
36	Each	Sprinkler Head, 1812-PRS-15H
4	Each	Sprinkler Head, 1812-PRS-15EST
30	Each	Sprinkler Head, 1804-PRS-15Q
64	Each	Sprinkler Head, 1804-PRS-15H
21	Each	Sprinkler Head, R-50-SAM-PC-1.5
54	Each	Sprinkler Head, R-50-SAM-PC-3.0

CALL No. 250

8	Each	Sprinkler Head, R-50-SAM-PC-4.0
64	Each	Sprinkler Head, R-50-SAM-PC-6.0
6	Each	Sprinkler Head, 1804-PRS-15TQ
10	Each	Sprinkler Head, 1804-PRS-15F
8	Each	Sprinkler Head, 1812-PRS-15SST
1	Each	Sprinkler Head, 1812-PRS-15T
29	Each	Sprinkler Head, 1804-PRS-15T
1	Each	Sprinkler Head, 1804-PRS-15TT
2,663	Linear Feet	Piping, 1/2" Diameter
737	Linear Feet	Piping, 3/4" Diameter
1,062	Linear Feet	Piping, 1" Diameter
886	Linear Feet	Piping, 1 1/4" Diameter
1,157	Linear Feet	Piping, 1 1/2" Diameter
297	Linear Feet	Piping, 2" Diameter
153	Linear Feet	Piping, 2 1/2" Diameter
1,425	Linear Feet	Piping, 3" Diameter
63	Linear Feet	Sleeves, 4"
601	Linear Feet	Sleeves, 6-inch Diameter
5,019	Linear Feet	Valve Control Wire
8,380	Linear Feet	Trench Excavation and Backfill
1	Each	Meter With Meter Box, 4"
1	Each	Electric Control Valve, 1"
2	Each	Electric Control Valve, 1 1/2"
16	Each	Electric Control Valve, 2"
1	Each	Backflow Preventer, 2 1/2"
9	Each	Isolation Valve, 3"
4	Each	Quick Coupler Key with Hose and Swivel
5,663	Square Yard	Granular Material, Class 6, Group C, State Furnished
214	Square Yard	6" Plain Cement Concrete Pavement, Drag Finish
1	Each	Grate Inlet
150	Linear Feet	Temporary Construction Fence
3	Each	Temporary Construction Double Gate
4,877	Square Feet	Brick Pavers
444	Linear Feet	Concrete Band
10	Each	Handicap Parking Sign with Post
5	Each	Lighting Assembly, Low Mast, Type 30-1-0-250
4	Each	Lighting Assembly, Low Mast, Type 30-1-1-250

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR