



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR FEBRUARY - Tuesday, February 27, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

| CALL | CONTRACT | COUNTY |
|------|------------------------------|------------------------------|
| * 1 | ER-0010-01(126)N / 104876301 | Hancock, Harrison, & Jackson |
| 2 | STP-0044-02(014) / 101800301 | Prentiss |
| 3 | STP-2841-00(010) / 104858301 | Chickasaw |
| 4 | MP-1000-00(025) / 303143301 | District 1 |
| 5 | MRP-5055-25(132)/302969301 | Hinds |
| 6 | BWO-1138-73(001) / 501398301 | Union |
| 7 | BWO-5052-51(003) / 501501301 | Newton |

CALL No. 1

Construction necessary for the repair and replacement of damaged and downed fence along each side of I-10 from the Louisiana State Line east to the Alabama State Line, known as Federal Aid Project Nos. ER-0010-01(126)N / 104876301, ER-0010-01(126)N / 104876302 & ER-0010-01(126)N / 104876303, in the Counties of Hancock, Harrison & Jackson, State of Mississippi.

PROJECT COMPLETION: August 31, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | |
|--------------------|---|
| Lump Sum | Clearing and Grubbing |
| 60,000 Linear Feet | Temporary Silt Fence |
| 500 Bale | Temporary Erosion Checks |
| 90,000 Linear Feet | 31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown |
| 3,500 Linear Feet | 60" Type I Chain Link Fence, Class II |
| 10,000 Linear Feet | Barbed Wire Fence, Single Strand |
| 34 Each | Line Post, 10' x 4" x 4" Concrete |
| 190 Each | Line Post, 7' x 1 1/2" Galvanized Steel |
| 670 Each | Line Post, 7' x 4" x 4" Concrete |
| 34 Each | Line Post, 9' x 4" x 4" Concrete |
| 3,131 Each | Line Post, 7' x 4" Timber |
| 20 Each | Line Post, 8' x 1 1/2" Galvanized Steel |
| 20 Each | Line Post, 10' x 1 1/2" Galvanized Steel |
| 3,000 Each | Brace Post, 8' x 6" Timber |
| 306 Each | Brace Post, 10' x 6" Timber |
| 306 Each | Brace Post, 12' x 6" Timber |
| 70 Each | Brace Post, 8' x 6" x 6" Concrete |
| 8 Each | Brace Post, 10' x 6" x 6" Concrete |
| 8 Each | Brace Post, 12' x 6" x 6" Concrete |
| 20 Each | Brace Post, 7 1/2' x 2" Galvanized Steel |
| 8 Each | Brace Post, 9' x 2" Galvanized Steel |
| 8 Each | Brace Post, 10' x 2" Galvanized Steel |
| 525 Each | Concrete Anchors |
| Lump Sum | Maintenance of Traffic |
| 1 Square Feet | Additional Construction Signs |
| Lump Sum | Mobilization |
| 25 Acre | Grassing |
| 50 Ton | Agricultural Limestone |
| 25 Each | Right-of-Way Marker |

Construction necessary to grade the Booneville Bypass, known as Federal Aid Project No. STP-0044-02(014) / 101800301, in the County of Prentiss, State of Mississippi.

PROJECT COMPLETION: 544 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | |
|-----------------------|---|
| Lump Sum | Clearing and Grubbing |
| 4 Acre | Clearing and Grubbing |
| Lump Sum | Removal of Obstructions |
| 13,889 Square Yard | Removal of Asphalt Pavement, All Depths |
| 6 Each | Removal of Flared End Section, All Sizes |
| 759 Linear Feet | Removal of Pipe, 8" And Above |
| 1,200 Linear Feet | Removal of Traffic Stripe |
| 3,515,953 Cubic Yard | Unclassified Excavation, FM, AH |
| 2,029,171 Cubic Yard | Borrow Excavation, AH, FME, Class B9 |
| 6,354 Cubic Yard | Excess Excavation, FM |
| 11,449 Cubic Yard | Structure Excavation |
| 6,262 Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM |
| 94,662 Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 1,122,477 Square Yard | Light Ground Preparation |
| 2,244,954 Square Yard | Standard Ground Preparation |
| 290 Ton | Combination Fertilizer, 13-13-13 |
| 232 Ton | Superphosphate |
| 9,280 Pounds | Seeding, Bermudagrass |
| 11,600 Pounds | Seeding, Tall Fescue |
| 4,640 Pounds | Seeding, Crimson Clover |
| 5,800 Pounds | Seeding, Sericea Lespedeza |
| 4,640 Pounds | Seeding, Browntop Millet |
| 20,880 Pounds | Seeding, Oats |
| 5,800 Pounds | Seeding, Rye Grass |
| 1,160 Ton | Vegetative Materials for Mulch |
| 27,372 Square Yard | Solid Sodding |
| 33,531 Square Yard | Ditch Liner |
| 548 Thousand Gallon | Watering |
| 232 Acre | Insect Pest Control |
| 6,424 Cubic Yard | Portland Cement Concrete Paved Ditch |
| 1 Acre | Mowing |
| 45,990 Square Yard | Soil Reinforcing Mat |
| 50,218 Linear Feet | Temporary Silt Fence |
| 5,495 Bale | Temporary Erosion Checks |
| 4 Each | Silt Basin, Type A |
| 62 Each | Silt Basin, Type D |
| 4,460 Linear Feet | Temporary Slope Drains |
| 41,280 Cubic Yard | Granular Material, LVM, Class 3, Group C |
| 3,200 Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 180 Linear Feet | Expansion Joints, Without Dowels |
| 400 Square Yard | Transverse Grooving |

CALL No. 2

| | | |
|-----------|-------------|---|
| 400 | Square Yard | Reinforced Cement Concrete Bridge End Pavement |
| 7,900 | Cubic Yard | Class "AA" Structural Concrete |
| 1,246 | Cubic Yard | Class "B" Structural Concrete |
| 57 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 2,123,178 | Pounds | Reinforcing Steel |
| 3,512 | Linear Feet | 18" Type A Alternate Pipe |
| 532 | Linear Feet | 24" Type A Alternate Pipe |
| 196 | Linear Feet | 30" Type A Alternate Pipe |
| 936 | Linear Feet | 18" Reinforced Concrete Pipe, Class III |
| 2,144 | Linear Feet | 24" Reinforced Concrete Pipe, Class III |
| 708 | Linear Feet | 30" Reinforced Concrete Pipe, Class III |
| 856 | Linear Feet | 36" Reinforced Concrete Pipe, Class III |
| 768 | Linear Feet | 48" Reinforced Concrete Pipe, Class III |
| 156 | Linear Feet | 24" Reinforced Concrete Pipe, Class IV |
| 372 | Linear Feet | 30" Reinforced Concrete Pipe, Class IV |
| 396 | Linear Feet | 36" Reinforced Concrete Pipe, Class IV |
| 336 | Linear Feet | 42" Reinforced Concrete Pipe, Class IV |
| 368 | Linear Feet | 48" Reinforced Concrete Pipe, Class IV |
| 200 | Linear Feet | 54" Reinforced Concrete Pipe, Class IV |
| 264 | Linear Feet | 36" Reinforced Concrete Pipe, Class V |
| 236 | Linear Feet | 42" Reinforced Concrete Pipe, Class V |
| 424 | Linear Feet | 48" Reinforced Concrete Pipe, Class V |
| 180 | Linear Feet | 24" Reinforced Concrete Pipe, Class IV, Class B Bedding |
| 236 | Linear Feet | 30" Reinforced Concrete Pipe, Class IV, Class B Bedding |
| 272 | Linear Feet | 24" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 224 | Linear Feet | 30" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 580 | Linear Feet | 42" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 548 | Linear Feet | 48" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 268 | Linear Feet | 72" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 580 | Linear Feet | 30" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench |
| 344 | Linear Feet | 36" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench |
| 324 | Linear Feet | 42" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench |
| 472 | Linear Feet | 48" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench |
| 948 | Linear Feet | 60" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench |
| 22 | Each | 18" Reinforced Concrete End Section |
| 37 | Each | 24" Reinforced Concrete End Section |
| 19 | Each | 30" Reinforced Concrete End Section |
| 20 | Each | 36" Reinforced Concrete End Section |
| 10 | Each | 42" Reinforced Concrete End Section |
| 18 | Each | 48" Reinforced Concrete End Section |
| 2 | Each | 54" Reinforced Concrete End Section |
| 2 | Each | 60" Reinforced Concrete End Section |
| 2 | Each | 72" Reinforced Concrete End Section |
| 92 | Linear Feet | 29" x 18" Concrete Arch Pipe, Class A III |
| 420 | Linear Feet | 36" x 23" Concrete Arch Pipe, Class A III |
| 104 | Linear Feet | 51" x 31" Concrete Arch Pipe, Class A III |

CALL No. 2

| | | |
|--------|-------------|--|
| 84 | Linear Feet | 73" x 45" Concrete Arch Pipe, Class A III |
| 2 | Each | 29" x 18" Concrete Arch Pipe End Section |
| 10 | Each | 36" x 23" Concrete Arch Pipe End Section |
| 2 | Each | 51" x 31" Concrete Arch Pipe End Section |
| 2 | Each | 73" x 45" Concrete Arch Pipe End Section |
| 250 | Pounds | Gratings |
| 760 | Square Yard | Geotextile for Subsurface Drainage, Type III |
| 1,000 | Linear Feet | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 100 | Linear Feet | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 64 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 69 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 800 | Linear Feet | Guard Rail, Class A, Type 1 |
| 8 | Each | Guard Rail, Bridge End Section, Type I |
| 8 | Each | Guard Rail, Terminal End Section |
| | Lump Sum | Maintenance of Traffic |
| 10 | Mile | Temporary Traffic Stripe, Continuous White |
| 10 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 2,000 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape |
| 3,300 | Linear Feet | Temporary Traffic Stripe, Detail |
| 478 | Linear Feet | Temporary Traffic Stripe, Legend |
| 513 | Each | Two-Way Yellow Reflective High Performance Raised Marker |
| 154 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 2,386 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 535 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More, Permanent |
| 1,556 | Linear Feet | Barricades, Type III, Single Faced |
| 1,176 | Linear Feet | Barricades, Type III, Single Faced, Permanent |
| 60 | Linear Feet | Barricades, Type III, Double Faced |
| 285 | Each | Free Standing Plastic Drums |
| 8 | Each | Warning Lights, Type "B" |
| | Lump Sum | Mobilization |
| 10 | Mile | 6" Thermoplastic Edge Stripe, Continuous White |
| 1 | Mile | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 10 | Mile | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2,100 | Linear Feet | Thermoplastic Detail Stripe, White |
| 1,200 | Linear Feet | Thermoplastic Detail Stripe, Yellow |
| 412 | Linear Feet | Thermoplastic Legend, White |
| 513 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 1 | Mile | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 1 | Mile | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 1 | Mile | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 28 | Each | Delineators, Guard Rail, White |
| 16 | Each | Delineators, Guard Rail, Yellow |
| 8 | Each | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| | Lump Sum | Roadway Construction Stakes |
| 12,517 | Ton | Loose Riprap, Size 300 |
| 13,978 | Square Yard | Geotextile under Riprap |

CALL No. 2

| | | |
|--------|------------|---------------------------------------|
| 329 | Ton | Sediment Control Stone |
| 1,392 | Ton | Agricultural Limestone |
| 31,541 | Cubic Yard | 3/4" and Down Crushed Stone Base, LVM |
| 9,712 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture |
| 13,294 | Ton | Hot Mix Asphalt, ST, 19-mm mixture |

Bridge Items

| | | |
|---------|-------------|---|
| 5,528 | Square Yard | Transverse Grooving |
| 1,075 | Cubic Yard | Foundation Excavation for Bridges |
| 7 | Each | Test Pile |
| 6 | Each | Conventional Static Loading Test |
| 7,090 | Linear Feet | HP 12 x 53 Steel Piling |
| 12,580 | Linear Feet | HP 14 x 73 Steel Piling |
| 6 | Each | Pile Restrike |
| 515,066 | Pounds | Reinforcement |
| 2,026 | Linear Feet | Concrete Railing |
| 454 | Cubic Yard | Concrete Slope Paving |
| 2,888 | Cubic Yard | Bridge Concrete, Class AA |
| 838 | Linear Feet | 70' Prestressed Concrete Beam, Type III |
| 1,229 | Linear Feet | 88' Prestressed Concrete Beam, Type IV |
| 625 | Linear Feet | 70' Prestressed Concrete Beam, Type IV |
| 670 | Linear Feet | 75' Prestressed Concrete Beam, Type IV |
| 1,958 | Linear Feet | 109' Prestressed Concrete Beam, Type IV |
| 1,965 | Linear Feet | 110' Prestressed Concrete Beam, Type IV |
| 683 | Linear Feet | 114' Prestressed Concrete Beam, Type IV |

CALL No. 3

Construction necessary for the overlay of MS 245 from 0.3 miles north of US 45A to MS 41, known as Federal Aid Project No. STP-2841-00(010) / 104858301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: 44 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|-------|-------------|---|
| 750 | Square Yard | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 250 | Linear Feet | Removal of Guard Rail |
| 250 | Cubic Yard | Excess Excavation, FM |
| 3,000 | Cubic Yard | Granular Material, LVM, Class 3, Group D |
| 2,200 | Square Yard | Cold Milling of Bituminous Pavement, All Depths |
| 9 | Mile | Rumble Strips, Ground In |
| 4 | Each | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | Maintenance of Traffic |
| 1 | Square Feet | Additional Construction Signs |
| 10 | Mile | Temporary Traffic Stripe, Continuous White |
| 6 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 8 | Mile | Temporary Traffic Stripe, Skip Yellow |
| 600 | Linear Feet | Temporary Traffic Stripe, Detail |
| 600 | Linear Feet | Temporary Traffic Stripe, Legend |
| 12 | Each | Delineators, Guard Rail, White |
| 25 | Each | Free Standing Plastic Drums |
| 10 | Mile | 6" Thermoplastic Edge Stripe, Continuous White |
| 5 | Mile | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 3 | Mile | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,500 | Linear Feet | Thermoplastic Detail Stripe, White |
| 600 | Linear Feet | Thermoplastic Detail Stripe, Yellow |
| 700 | Square Feet | Thermoplastic Legend, White |
| 500 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 8,400 | Ton | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 1,850 | Ton | Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening |

CALL No. 4

Work necessary to install ADA Compliant Curb Cuts, known as Maintenance Project No. MP-1000-00(025) / 303143301, in the Counties of Oktibbeha and Winston, State of Mississippi.

PROJECT COMPLETION: November 30, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|-----|-------------|---|
| 207 | Square Yard | Removal of Concrete Sidewalk |
| 411 | Linear Feet | Removal of Curb &/or Curb and Gutter, All Types |
| 141 | Linear Feet | Saw Cut, Full Depth |
| 311 | Square Yard | Concrete Sidewalk, Without Reinforcement |
| | Lump Sum | Maintenance of Traffic |
| | Lump Sum | Mobilization |

CALL No. 5

Construction necessary for bridge repair 2.3 miles north of Terry Interchange, Wynndale Road over I-55, Bridge #80.2, known as State Project No. MRP-5055-25(132) / 302969301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: May 11, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

| | |
|---------------|--|
| Lump Sum | Maintenance of Traffic |
| 1 Square Feet | Additional Construction Signs |
| Lump Sum | Mobilization |
| Lump Sum | Bridge Repair, Remove and Replace Damaged Concrete |

CALL No. 6

Construction necessary to build a new Project Office Building at New Albany, known as State Project No. BWO-1138-73(001) / 501398301, in the County of Union, State of Mississippi.

PROJECT COMPLETION: April 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum

Construction of Project Office Building

CALL No. 7

Work necessary for alterations and additions to District Five Materials Lab / Auditorium, known as State Project No. BWO-5052-51(003) / 501501301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: April 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum

Alterations Additions to District Five Matr'ls Lab/Auditorium in Newton

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR