

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR APRIL - Tuesday, April 24, 2007**

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

**Bidders List (Proposal and Specimen Holders) is now available online at [www.gomdot.com](http://www.gomdot.com)**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Administration Building, Room 1100  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR APRIL**

CALL	CONTRACT	COUNTY
1	ER-0003-01(109)/104569307 & NH-0003-01(109)/104569312	Hancock
* 2	ER-0010-01(126)N / 104876901	Harrison & Jackson
* 3	ER-0010-01(129)N / 104876301	Hancock
4	IM-0059-01(100)N / 104436301	Pearl River
5	PSB-0000-02(003) / 104835301	Yalobusha
6	PSB-0000-02(004) / 104835302	Marshall
7	PSB-0000-02(005) / 104835303	Calhoun, Grenada, Lafayette, & Panola
8	PSB-0000-02(006) / 104835304	Attala, Carroll, Leflore, Montgomery, & Tallahatchie
* 9	NH-0002-03(068)MP / 104954301	Kemper
* 10	NH-0011-02(056)MP/104940301	Leflore
* 11	STP-0032-01(032)MP / 104965301	Pearl River
* 12	STP-0039-02(041)MP / 104719301	Smith
* 13	STP-0065-02(008)MP / 104964301	Clarke
14	HSIP-0070-04(014)/102481301	Lafayette
* 15	STP-0241-00(009)MP/104962301	Jones
* 16	STP-0336-00(009)MP/104963301	Jasper
* 17	STP-2175-00(011) MP /104722301	Pike
18	HSIP-6098-00(003) / 102252301	Forrest
19	MP-3012-76(010)/303221301	Washington

CALL CONTRACT

COUNTY

20 BWO-9001-25(016) / 501781301

Hinds

21 LWO-5001-51(002) / 501642302

Newton

CALL No. 1

Repairing or replacing traffic signals on US Highway 90, MS. Highway 43, and Highway 603, known as Federal Aid Project Nos. ER-0003-01(109) / 104569307 & NH-0003-01(109) / 104569312, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: 135 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

40	Square Yard	Removal of Asphalt Pavement, All Depths
27	Square Yard	Removal of Concrete Sidewalk
218	Square Feet	Removal of Legend, All Types
75	Linear Feet	Removal of Traffic Stripe
85	Linear Feet	Saw Cut, Full Depth
59	Square Yard	Concrete Sidewalk, With Reinforcement
60	Linear Feet	Combination Concrete Curb and Gutter Type 2
16	Square Yard	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	Maintenance of Traffic
	Lump Sum	Mobilization
90	Square Feet	Thermoplastic Legend, White
52	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
14	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
39	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
28	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
3,794	Linear Feet	Vehicle Loop Assemblies
2	Each	Probe Point Detection Units, Paired
15,010	Linear Feet	Shielded Cable, AWG #18, 4 Conductor
19	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1	Each	Traffic Signal Equipment Pole, Type I, 50 Foot
1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
8	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
2	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60' Arms
3	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
4	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 45' Arms
1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 45' Arms
1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 50' Arms
1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' Arms

CALL No. 1

1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50'Arms
78	Each	Traffic Signal Heads, Type 1 LED
11	Each	Traffic Signal Heads, Type 3 LED
5	Each	Traffic Signal Heads, Type 5 LED
24	Each	Traffic Signal Heads, Type 7 LED
10	Each	Traffic Signal Heads, Type 1A LED
2	Each	Traffic Signal Heads, Type 6 LED Countdown
5	Each	Traffic Signal Heads, Type 7A, LED
13	Each	Solid State Traffic Actuated Controllers, Type 8A
1	Each	Closed Loop On-Street Master System
28	Each	Pullbox, Type 1
73	Each	Pullbox, Type 2
5	Each	On Street Video Equipment, Fixed Type
2	Each	On Street Video Equipment, PTZ Type
150	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
4,550	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
800	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
1,989	Linear Feet	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
4,960	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
405	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
460	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
2,445	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
2,105	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
870	Linear Feet	Thermoplastic Detail Stripe, White, 4" Equivalent Length
1,920	Linear Feet	Thermoplastic Detail Stripe, Yellow, 4" Equivalent Length
9,094	Linear Feet	Thermoplastic Legend, White, 4" Equivalent Length
12	Each	Painting Existing Traffic Signal Equipment Poles
2	Each	Solid State Traffic Actuated Controller Modification, Per Plans
14	Each	Radio Ethernet Interconnect, Local Intersection
10	Each	Radio Ethernet Distribution Repeater Installation
9	Each	Radio Ethernet Fixed Backbone Repeater Installation
	Lump Sum	Radio Interconnect Training, Testing and Installation
38	Each	Video Detection System, 1 Sensor
18	Each	Video Detection-Data Collection and Reporting Tool License
	Lump Sum	Video Detection Software and Setup
18	Each	Video Detection-Digitized Video Encoder/Decoded
	Lump Sum	Video Detection Training
2	Each	Battery Back-up System

CALL No. 2

Construction necessary to replace damaged and downed fence along each side of I-10 from the Hancock County Line east to the Alabama State Line, known as Federal Aid Project No. ER-0010-01(126) N / 104876302 & 303, in the Counties of Harrison and Jackson, State of Mississippi.

PROJECT COMPLETION: December 21, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

36,000	Linear Feet	Temporary Silt Fence
300	Bale	Temporary Erosion Checks
51,000	Linear Feet	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
3,500	Linear Feet	60" Type I Chain Link Fence, Class II
7,000	Linear Feet	Barbed Wire Fence, Single Strand
20	Each	Line Post, 10' x 4" x 4" Concrete
190	Each	Line Post, 7' x 1 1/2" Galvanized Steel
402	Each	Line Post, 7' x 4" x 4" Concrete
20	Each	Line Post, 9' x 4" x 4" Concrete
1,878	Each	Line Post, 7' x 4" Timber
20	Each	Line Post, 8' x 1 1/2" Galvanized Steel
20	Each	Line Post, 10' x 1 1/2" Galvanized Steel
1,800	Each	Brace Post, 8' x 6" Timber
184	Each	Brace Post, 10' x 6" Timber
184	Each	Brace Post, 12' x 6" Timber
42	Each	Brace Post, 8' x 6" x 6" Concrete
5	Each	Brace Post, 10' x 6" x 6" Concrete
5	Each	Brace Post, 12' x 6" x 6" Concrete
20	Each	Brace Post, 7 1/2' x 2" Galvanized Steel
8	Each	Brace Post, 9' x 2" Galvanized Steel
8	Each	Brace Post, 10' x 2" Galvanized Steel
315	Each	Concrete Anchors
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
15	Acre	Grassing
30	Ton	Agricultural Limestone
15	Each	Right-of-Way Marker

CALL No. 3

Construction necessary for the repair and replacement of damaged and downed fence along each side of I-10 from the Louisiana State Line east to the Harrison County Line, known as Federal Aid Project No. ER-0010-01(129) N / 104876301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: December 21, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

24,000	Linear Feet	Temporary Silt Fence
200	Bale	Temporary Erosion Checks
39,000	Linear Feet	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
3,000	Linear Feet	Barbed Wire Fence, Single Strand
14	Each	Line Post, 10' x 4" x 4" Concrete
268	Each	Line Post, 7' x 4" x 4" Concrete
14	Each	Line Post, 9' x 4" x 4" Concrete
1,253	Each	Line Post, 7' x 4" Timber
1,200	Each	Brace Post, 8' x 6" Timber
122	Each	Brace Post, 10' x 6" Timber
122	Each	Brace Post, 12' x 6" Timber
28	Each	Brace Post, 8' x 6" x 6" Concrete
3	Each	Brace Post, 10' x 6" x 6" Concrete
3	Each	Brace Post, 12' x 6" x 6" Concrete
210	Each	Concrete Anchors
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
10	Acre	Grassing
20	Ton	Agricultural Limestone
10	Each	Right-of-Way Marker

Overlaying Interstate Highway 59 from Nicholson to McNeil, known as Federal Aid Project No. IM-0059-01(100)N / 104436301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 215 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

42 Acre	Clearing and Grubbing
270 Each	Removal of Delineator, All Types
2,212 Linear Feet	Removal of Traffic Stripe
8,475 Linear Feet	Removal of Guard Rail
203,280 Square Yard	Standard Ground Preparation
21 Ton	Superphosphate
42 Acre	Insect Pest Control
42 Acre	Mowing
80,000 Linear Feet	Temporary Silt Fence
350 Bale	Temporary Erosion Checks
10,350 Cubic Yard	Granular Material, LVM, Class 9, Group C
12,878 Square Yard	Cold Milling of Bituminous Pavement, All Depths
5,333 Square Yard	Cold Milling of Concrete Pavement, All Depths
3,089 Linear Feet	Cleaning and Sealing Joints
160 Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
59 Mile	Rumble Strips, Ground In
5,600 Linear Feet	Guard Rail, Class A, Type 1
550 Linear Feet	Guard Rail, Class A, Type 1, Thrie Beam
20 Each	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
20 Each	Guard Rail, Cable Anchor, Type 1
22 Each	Guard Rail, Bridge End Section, Type A
2 Each	Guard Rail, Bridge End Section, Type H
30 Each	Guard Rail, Terminal End SectionNote 1
8 Each	Guard Rail, Terminal End SectionNote 2
Lump Sum	Maintenance of Traffic
64 Mile	Temporary Traffic Stripe, Continuous White
64 Mile	Temporary Traffic Stripe, Continuous Yellow
64 Mile	Temporary Traffic Stripe, Skip White
112 Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
560 Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
224 Linear Feet	Barricades, Type III, Single Faced
Lump Sum	Mobilization
32 Mile	6" Thermoplastic Traffic Stripe, Skip White
32 Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
26,000 Linear Feet	Thermoplastic Detail Stripe, White
4,381 Each	Red-Clear Reflective High Performance Raised Markers
2 Mile	6" High Performance Cold Plastic Traffic Stripe, Skip White
4 Mile	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
4 Mile	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
143 Each	Delineators, Guard Rail, White
152 Each	Delineators, Guard Rail, Yellow

CALL No. 4

20	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
42	Acre	Grassing
10	Ton	Agricultural Limestone
933	Linear Feet	Wattles
33,969	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture
59,550	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
45,860	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
32	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White



CALL No. 5

Construction necessary for guardrail placement in various locations in District 2, known as Federal Aid Project No. PSB-0000-02(003)/ 104835301, in the County of Yalobusha, State of Mississippi.

PROJECT COMPLETION: 83 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

		<b>Roadway Items Items</b>
56	Linear Feet	Removal of Pipe, All Sizes
17,800	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
3	Ton	Superphosphate
6,500	Square Yard	Ditch Liner
1	Acre	Insect Pest Control
13,000	Linear Feet	Temporary Silt Fence
3,900	Bale	Temporary Erosion Checks
1,985	Cubic Yard	Granular Material, LVM, Class 3, Group D
184	Linear Feet	18" Corrugated Polyethylene Pipe
40	Linear Feet	24" Corrugated Polyethylene Pipe
120	Linear Feet	30" Corrugated Polyethylene Pipe
4,575	Linear Feet	Guard Rail, Class A, Type 1
28	Each	Guard Rail, Bridge End Section, Type A
24	Each	Guard Rail, Bridge End Section, Type E
52	Each	Guard Rail, Terminal End Section, Flared
52	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
263	Each	Delineators, Guard Rail, White
52	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
5	Acre	Grassing
10	Ton	Agricultural Limestone
2,500	Linear Feet	Wattles

CALL No. 6

Construction necessary for guardrail placement in various locations in District 2, known as Federal Aid Project No. PSB-0000-02(004)/104835302, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: 59 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

		<b>Roadway Items Items</b>
896	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
20	Linear Feet	Removal of Pipe, All Sizes
14,860	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
2	Ton	Superphosphate
4,500	Square Yard	Ditch Liner
2	Acre	Insect Pest Control
9,000	Linear Feet	Temporary Silt Fence
2,700	Bale	Temporary Erosion Checks
1,450	Cubic Yard	Granular Material, LVM, Class 3, Group D
40	Linear Feet	48" Reinforced Concrete Pipe, Class III
40	Linear Feet	54" Reinforced Concrete Pipe, Class III
80	Linear Feet	18" Corrugated Polyethylene Pipe
40	Linear Feet	24" Corrugated Polyethylene Pipe
120	Linear Feet	30" Corrugated Polyethylene Pipe
4,275	Linear Feet	Guard Rail, Class A, Type 1
1	Each	Guard Rail, Cable Anchor, Type 1
24	Each	Guard Rail, Bridge End Section, Type A
14	Each	Guard Rail, Terminal End Section, Flared
21	Each	Guard Rail, Terminal End Section, Non-Flared
22	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
172	Each	Delineators, Guard Rail, White
36	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
4	Acre	Grassing
8	Ton	Agricultural Limestone
1,000	Linear Feet	Wattles

CALL No. 7

Construction necessary for guardrail placement at various locations in District 2, known as Federal Aid Project No. PSB-0000-02(005)/ 104835303, in the Counties of Calhoun, Grenada, Lafayette & Panola, State of Mississippi.

PROJECT COMPLETION: 99 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

20	Linear Feet	Removal of Pipe, All Sizes
23,300	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
3	Ton	Superphosphate
9,000	Square Yard	Ditch Liner
2	Acre	Insect Pest Control
18,000	Linear Feet	Temporary Silt Fence
5,400	Bale	Temporary Erosion Checks
2,750	Cubic Yard	Granular Material, LVM, Class 3, Group D
80	Linear Feet	18" Corrugated Polyethylene Pipe
120	Linear Feet	24" Corrugated Polyethylene Pipe
40	Linear Feet	30" Corrugated Polyethylene Pipe
5,838	Linear Feet	Guard Rail, Class A, Type 1
1	Each	Guard Rail, Cable Anchor, Type 1
16	Each	Guard Rail, Bridge End Section, Type A
14	Each	Guard Rail, Bridge End Section, Type E
4	Each	Guard Rail, Bridge End Section, Type A Modified
12	Each	Guard Rail, Bridge End Section, Type A Modified 2
69	Each	Guard Rail, Terminal End Section, Flared
2	Each	Guard Rail, Terminal End Section, Non-Flared
48	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
309	Each	Delineators, Guard Rail, White
72	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
6	Acre	Grassing
12	Ton	Agricultural Limestone
2,000	Linear Feet	Wattles

CALL No. 8

Construction necessary for guardrail placement at various locations in District 2, known as Federal Aid Project No. PSB-0000-02(006)/ 104835304, in the Counties of Attala, Carroll, Leflore, Montgomery & Tallahatchie, State of Mississippi.

PROJECT COMPLETION: 160 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

117	Linear Feet	Removal of Pipe, All Sizes
41,100	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
4	Ton	Superphosphate
14,000	Square Yard	Ditch Liner
4	Acre	Insect Pest Control
28,000	Linear Feet	Temporary Silt Fence
8,400	Bale	Temporary Erosion Checks
4,700	Cubic Yard	Granular Material, LVM, Class 3, Group D
1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	24" Reinforced Concrete Pipe, Class III
40	Linear Feet	18" Corrugated Polyethylene Pipe
480	Linear Feet	24" Corrugated Polyethylene Pipe
40	Linear Feet	30" Corrugated Polyethylene Pipe
10,100	Linear Feet	Guard Rail, Class A, Type 1
4	Each	Guard Rail, Cable Anchor, Type 1
4	Each	Guard Rail, Bridge End Section, Type A
24	Each	Guard Rail, Bridge End Section, Type E
20	Each	Guard Rail, Bridge End Section, Type A Modified
52	Each	Guard Rail, Bridge End Section, Type A Modified 2
104	Each	Guard Rail, Terminal End Section, Flared
4	Each	Guard Rail, Terminal End Section, Non-Flared
94	Each	Special Sections, Bridge Connector
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
	Lump Sum	Mobilization
555	Each	Delineators, Guard Rail, White
112	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
500	Ton	Loose Riprap, Size 300
750	Square Yard	Geotextile under Riprap
8	Acre	Grassing
16	Ton	Agricultural Limestone
5,000	Linear Feet	Wattles

Overlaying US Highway 45 from Scooba to the Noxubee County Line, known as Federal Aid Project No. NH-0002-03(068)MP / 104954301, in the County of Kemper, State of Mississippi.

PROJECT COMPLETION: 82 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

70	Square Yard	Removal of Asphalt Pavement, All Depths
3,330	Linear Feet	Removal of Traffic Stripe
14,263	Cubic Yard	Granular Material, LVM, Class 5, Group C
2,283	Cubic Yard	Size I Stabilizer Aggregate, Coarse
132,549	Square Yard	Cold Milling of Bituminous Pavement, All Depths
11,000	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
29	Mile	Rumble Strips, Ground In
8	Each	Guard Rail, Terminal End Section, Flared
	Lump Sum	Maintenance of Traffic
15	Mile	Temporary Traffic Stripe, Continuous White
13	Mile	Temporary Traffic Stripe, Continuous Yellow
15	Mile	Temporary Traffic Stripe, Skip White
20,420	Linear Feet	Temporary Traffic Stripe, Detail
4,220	Linear Feet	Temporary Traffic Stripe, Legend
32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
104	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	Barricades, Type III, Double Faced
15	Mile	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	6" Thermoplastic Traffic Stripe, Continuous White
14	Mile	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow
6,162	Linear Feet	Thermoplastic Detail Stripe, White
14,258	Linear Feet	Thermoplastic Detail Stripe, Yellow
4,220	Linear Feet	Thermoplastic Legend, White
1,200	Each	Red-Clear Reflective High Performance Raised Markers
250	Each	Two-Way Yellow Reflective High Performance Raised Markers
278	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,110	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,110	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
28	Each	Delineators, Guard Rail, White
28	Each	Delineators, Guard Rail, Yellow
42	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green
42	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
34,447	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture
500	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
7,500	Ton	Hot Mix Asphalt, MT, 4.75-mm mixture, Leveling

CALL No. 10

Construction necessary for the widening and overlaying of approximately 15 miles of US Hwy 82 between the Sunflower County Line and Ms Hwy 7, known as Federal Aid Project No. NH-0011-02(056)MP / 104940301, in the County of Leflore, State of Mississippi.

PROJECT COMPLETION: 88 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

300	Cubic Yard	Excess Excavation, LVM, AH
6,700	Ton	Granular Material, Class 3, Group D
132,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths
36	Mile	Rumble Strips, Ground In
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
18	Mile	Temporary Traffic Stripe, Continuous White
18	Mile	Temporary Traffic Stripe, Continuous Yellow
36	Mile	Temporary Traffic Stripe, Skip White
50,000	Linear Feet	Temporary Traffic Stripe, Detail
1,000	Linear Feet	Temporary Traffic Stripe, Legend
19	Mile	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	6" Thermoplastic Edge Stripe, Continuous White
19	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
25,000	Linear Feet	Thermoplastic Detail Stripe, White
25,000	Linear Feet	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	Thermoplastic Legend, White
3,640	Each	Red-Clear Reflective High Performance Raised Markers
600	Each	Two-Way Yellow Reflective High Performance Raised Markers
7,000	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
33,500	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
7,000	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Construction necessary to widen and overlay SR 43 from Jim Stanford Road north 7.4 miles to the Marion County Line, known as Federal Aid Project No. STP-0032-01(032) MP / 104965301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 35 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

700	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
2,215	Linear Feet	Removal of Traffic Stripe
800	Square Yard	Removal of Pavement, All Types and Depths
2,170	Cubic Yard	Borrow Excavation, LVM, Class B7-6
4,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths
15	Mile	Rumble Strips, Ground In
550	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
30	Mile	Temporary Traffic Stripe, Continuous White
26	Mile	Temporary Traffic Stripe, Continuous Yellow
1	Mile	Temporary Traffic Stripe, Skip Yellow
411	Linear Feet	Temporary Traffic Stripe, Legend
2	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
759	Linear Feet	Thermoplastic Detail Stripe, White
600	Linear Feet	Thermoplastic Detail Stripe, Yellow
50	Square Feet	Thermoplastic Legend, White
415	Linear Feet	Thermoplastic Legend, White
950	Each	Two-Way Yellow Reflective High Performance Raised Markers
1,300	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
700	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
30	Each	Delineators, Guard Rail, White
2	Each	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
345	Ton	Hot Mix Asphalt, ST, 19-mm mixture
7,350	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
7,745	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
15	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Widen & Overlay SR 18 between Raleigh and Jasper County Line, known as Federal Aid Project No. STP-0039-02(041)MP / 104719301, in the County of Smith, State of Mississippi.

PROJECT COMPLETION: 64 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4,014	Linear Feet	Removal of Traffic Stripe
3,300	Linear Feet	Removal of Guard Rail
7,962	Cubic Yard	Granular Material, LVM, Class 6, Group D
17,328	Square Yard	Cold Milling of Bituminous Pavement, All Depths
27	Mile	Rumble Strips, Ground In
2,400	Linear Feet	Guard Rail, Class A, Type 1
16	Each	Guard Rail, Bridge End Section, Type D Modified
16	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
27	Mile	Temporary Traffic Stripe, Continuous White
19	Mile	Temporary Traffic Stripe, Continuous Yellow
6	Mile	Temporary Traffic Stripe, Skip Yellow
10,398	Linear Feet	Temporary Traffic Stripe, Detail
4,236	Linear Feet	Temporary Traffic Stripe, Legend
6	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,583	Linear Feet	Thermoplastic Detail Stripe, White
7,036	Linear Feet	Thermoplastic Detail Stripe, Yellow
131	Square Feet	Thermoplastic Legend, White
4,236	Linear Feet	Thermoplastic Legend, White
32	Each	Red-Clear Reflective High Performance Raised Markers
1,612	Each	Two-Way Yellow Reflective High Performance Raised Markers
2,676	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,338	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
88	Each	Delineators, Guard Rail, White
29,204	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
1,800	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
1,058	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
27	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min



Construction necessary to widen and overlay SR 18 from the Jasper County Line east to the junction of SR 512, known as Federal Aid Project No. STP-0065-02(008)MP / 104964301, in the County of Clarke, State of Mississippi.

PROJECT COMPLETION: 29 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

675 Square Yard	Removal of Pavement, All Types and Depths
2,115 Cubic Yard	Borrow Excavation, LVM, Class B7-6
8,200 Square Yard	Cold Milling of Bituminous Pavement, All Depths
10 Mile	Rumble Strips, Ground In
120 Linear Feet	Combination Concrete Curb and Gutter Type 2
13 Square Yard	Concrete Median and/or Island Pavement, 4-inch
7 Square Yard	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	Maintenance of Traffic
1 Square Feet	Additional Construction Signs
20 Mile	Temporary Traffic Stripe, Continuous White
9 Mile	Temporary Traffic Stripe, Continuous Yellow
8 Mile	Temporary Traffic Stripe, Skip Yellow
300 Linear Feet	Temporary Traffic Stripe, Detail
1,875 Linear Feet	Temporary Traffic Stripe, Legend
150 Square Feet	Temporary Traffic Stripe, Legend
4 Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,340 Linear Feet	Thermoplastic Detail Stripe, White
1,400 Linear Feet	Thermoplastic Detail Stripe, Yellow
150 Square Feet	Thermoplastic Legend, White
1,900 Linear Feet	Thermoplastic Legend, White
700 Each	Two-Way Yellow Reflective High Performance Raised Markers
285 Ton	Hot Mix Asphalt, ST, 19-mm mixture
5,745 Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
5,700 Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
10 Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Construction necessary for the upgrade of the interchange of Hwy 6 at Lamar Blvd. in Oxford, known as Federal Aid Project No. HSIP-0070-04(014) / 102481301, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: August 17, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

Lump Sum	Clearing and Grubbing
80 Square Yard	Removal of Asphalt Driveways, All Depths
2,901 Square Yard	Removal of Asphalt Pavement, All Depths
96 Square Yard	Removal of Concrete Paved Ditch
137 Square Feet	Removal of Legend, All Types
14 Each	Removal of Sign Including Post & Footing
4,603 Linear Feet	Removal of Traffic Stripe
1,167 Linear Feet	Removal of Curb & Gutter, All Types
1 Each	Removal of Traffic Signal
2,073 Cubic Yard	Unclassified Excavation, LVM, AH
1,463 Cubic Yard	Borrow Excavation, AH, LVM, Class B9
173 Cubic Yard	Structure Excavation
4,257 Square Yard	Geotextile Stabilization, Type V, Non-Woven
1 Ton	Superphosphate
75 Square Yard	Solid Sodding
40 Square Yard	Ditch Liner
1 Thousand Gallon	Watering
1 Acre	Insect Pest Control
5 Cubic Yard	Portland Cement Concrete Paved Ditch
1 Acre	Mowing
570 Linear Feet	Temporary Silt Fence
52 Bale	Temporary Erosion Checks
3,546 Square Yard	Cold Milling of Bituminous Pavement, All Depths
53 Cubic Yard	Class "B" Structural Concrete, Minor Structures
5,226 Pounds	Reinforcing Steel
336 Linear Feet	18" Reinforced Concrete Pipe, Class III
11 Each	18" Reinforced Concrete End Section
216 Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
40 Linear Feet	22" x 13" Concrete Arch Pipe, Class A IV, Jacked or Bored
2 Each	22" x 13" Concrete Arch Pipe End Section
1,106 Pounds	Castings
466 Square Yard	Geotextile Fabric for Subsurface Drainage, Type III
40 Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
12 Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
175 Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	Guard Rail, Bridge End Section, Type E
4 Each	Guard Rail, Terminal End Section
133 Linear Feet	Concrete Curb, Header
2,205 Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
1,582 Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
45 Square Yard	Concrete Driveway, Without Reinforcement

CALL No. 14

81	Square Yard	Concrete Median and/or Island Pavement, 4-inch
602	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
6,769	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape
147	Square Feet	Temporary Traffic Stripe, Legend, Type 1 Tape
102	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
36	Linear Feet	Barricades, Type III, Double Faced
136	Each	Free Standing Plastic Drums
	Lump Sum	Mobilization
124	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
124	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow
7,302	Linear Feet	Thermoplastic Detail Stripe, White
5,387	Linear Feet	Thermoplastic Detail Stripe, Yellow
147	Square Feet	Thermoplastic Legend, White
118	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
209	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
255	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
39	Linear Feet	Steel U-Section Posts, 2.0 to 2.5 lb/ft
470	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft
34	Linear Feet	Structural Steel Beams, W6 x 9
37	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
99	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
12	Each	Delineators, Post Mounted, Single White
12	Each	Delineators, Post Mounted, Single Yellow
68	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
46	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	Roadway Construction Stakes
1	Acre	Grassing
3	Ton	Agricultural Limestone
3,464	Ton	3/4" and Down Crushed Stone Base
313	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
469	Ton	Hot Mix Asphalt, ST, 19-mm mixture
527	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture

Construction necessary to widen and overlay SR 29 from SR 588 to SR 28, known as Federal Aid Project No. STP-0241-00(009) MP / 104962301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 38 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,500	Linear Feet	Removal of Traffic Stripe
465	Square Yard	Removal of Pavement, All Types and Depths
3,500	Square Yard	Cold Milling of Bituminous Pavement, All Depths
14	Mile	Rumble Strips, Ground In
75	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	Guard Rail, Terminal End Section
225	Linear Feet	Combination Concrete Curb and Gutter Type 2
9	Square Yard	Concrete Median and/or Island Pavement, 4-inch
15	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
32	Mile	Temporary Traffic Stripe, Continuous White
22	Mile	Temporary Traffic Stripe, Continuous Yellow
8	Mile	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	Temporary Traffic Stripe, Detail
1,300	Linear Feet	Temporary Traffic Stripe, Legend
4	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,800	Linear Feet	Thermoplastic Detail Stripe, White
7,000	Linear Feet	Thermoplastic Detail Stripe, Yellow
575	Square Feet	Thermoplastic Legend, White
1,300	Linear Feet	Thermoplastic Legend, White
50	Each	Red-Clear Reflective High Performance Raised Markers
2,000	Each	Two-Way Yellow Reflective High Performance Raised Markers
760	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
760	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
10	Each	Delineators, Guard Rail, White
200	Ton	Hot Mix Asphalt, ST, 19-mm mixture
8,100	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
8,220	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
16	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Construction necessary to widen and overlay SR 528 from the junction of SR 15 east 11.3 miles to the Tallahala Creek Bridge, known as Federal Aid Project No. STP-0336-00(009)MP / 104963301, in the County of Jasper, State of Mississippi.

PROJECT COMPLETION: 51 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,218	Linear Feet	Removal of Traffic Stripe
2,159	Square Yard	Removal of Pavement, All Types and Depths
4,935	Cubic Yard	Borrow Excavation, LVM, Class B7-6
3,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths
22	Mile	Rumble Strips, Ground In
660	Linear Feet	Combination Concrete Curb and Gutter Type 2
35	Square Yard	Concrete Median and/or Island Pavement, 4-inch
45	Square Yard	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
44	Mile	Temporary Traffic Stripe, Continuous White
30	Mile	Temporary Traffic Stripe, Continuous Yellow
12	Mile	Temporary Traffic Stripe, Skip Yellow
200	Linear Feet	Temporary Traffic Stripe, Detail
1,639	Linear Feet	Temporary Traffic Stripe, Legend
245	Square Feet	Temporary Traffic Stripe, Legend
6	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,500	Linear Feet	Thermoplastic Detail Stripe, White
2,820	Linear Feet	Thermoplastic Detail Stripe, Yellow
245	Square Feet	Thermoplastic Legend, White
1,675	Linear Feet	Thermoplastic Legend, White
1,500	Each	Two-Way Yellow Reflective High Performance Raised Markers
2,080	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
505	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
640	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
4	Each	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
150	Linear Feet	Vehicle Loop Assemblies
925	Ton	Hot Mix Asphalt, ST, 19-mm mixture
8,700	Ton	Hot Mix Asphalt, ST, 4.75-mm mixture
12,445	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
22	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Widen & Overlay US Highway 51 from the Louisiana State Line to Price Road, known as Federal Aid Project No. STP-2175-00(011)MP / 104722301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: 59 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

256	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
1,100	Linear Feet	Removal of Traffic Stripe
2,900	Each	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
3,292	Cubic Yard	Granular Material, LVM, Class 6, Group D
16,964	Square Yard	Cold Milling of Bituminous Pavement, All Depths
27,995	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	Rumble Strips, Ground In
306	Linear Feet	Saw Cut, Full Depth
2,125	Linear Feet	Guard Rail, Class A, Type 1
10	Each	Guard Rail, Bridge End Section, Type E
10	Each	Guard Rail, Bridge End Section, Type F
20	Each	Guard Rail, Terminal End Section
1	Each	Adjustment of Manhole Cover and Water Valve
	Lump Sum	Maintenance of Traffic
1	Square Feet	Additional Construction Signs
19	Mile	Temporary Traffic Stripe, Continuous White
23	Mile	Temporary Traffic Stripe, Continuous Yellow
14	Mile	Temporary Traffic Stripe, Skip Yellow
5,000	Linear Feet	Temporary Traffic Stripe, Detail
4,500	Linear Feet	Temporary Traffic Stripe, Legend
2	Mile	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,500	Linear Feet	Thermoplastic Detail Stripe, White
1,500	Linear Feet	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	Thermoplastic Legend, White
886	Each	Two-Way Yellow Reflective High Performance Raised Markers
922	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
461	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
110	Each	Delineators, Guard Rail, White
22,408	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
1,250	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
18	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min

Reconstruction of State Route 198 (Hardy Street), from I-59 to US 49 in Hattiesburg, known as Federal Aid Project No. HSIP-6098-00(003) / 102252301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 244 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

	Lump Sum	Clearing and Grubbing
	Lump Sum	Removal of Obstructions
4,000	Square Meter	Removal of Asphalt Pavement (All Depths)
1,162	Meter	Removal of Concrete Combination Curb & Gutter
245	Square Meter	Removal of Concrete Median & Island Pavement (All Depths)
15	Square Meter	Removal of Concrete Paved Ditch
490	Square Meter	Removal of Concrete Pavement (All Depths)
830	Square Meter	Removal of Concrete Sidewalk
137	Meter	Removal of Pipe (200-mm and above)
500	Meter	Removal of Traffic Stripe
1,619	Meter	Removal of Integral Curb
13	Meter	Removal of Pipe (All Sizes)
1	Kilometer	Removal of Traffic Stripe
88	Meter	Removal of Header Curb
460	Square Meter	Removal of Asphalt Median & Island Pavement
6,800	Cubic Meter	Excess Excavation (LVM) (AH)
1,696	Cubic Meter	Structure Excavation
100	Cubic Meter	Select Material for Undercuts (Contractor Furnished) (FM)
2,600	Square Meter	Standard Ground Preparation
2,600	Square Meter	Solid Sodding
1	thousand liter	Watering
32,000	Square Meter	Cold Milling of Bituminous Pavement (All Depths)
77	Meter	Expansion Joints (With Dowels)
102	Cubic Meter	Class "B" Structural Concrete, Minor Structures
5,370	Kilogram	Reinforcing Steel
1,168	Meter	450-mm Reinforced Concrete Pipe, Class III
33	Meter	600-mm Reinforced Concrete Pipe, Class III
14	Meter	750-mm Reinforced Concrete Pipe, Class III
72	Meter	560-mm x 345-mm Concrete Arch Pipe, Class A III
3,993	Kilogram	Castings
2,070	Kilogram	Gratings
2,782	Square Meter	Concrete Sidewalk (Without Reinforcement)
203	Meter	Concrete Curb, Type Header
934	Meter	Concrete Curb, Type Doweled
492	Meter	Concrete Curb, Type Special Design
1,183	Meter	Concrete Curb (Integral) Type 2
786	Meter	Combination Concrete Curb and Gutter Type 1
118	Meter	Combination Concrete Curb and Gutter Type 2
352	Meter	Combination Concrete Curb and Gutter Type 3B Modified (150-mm)
1,364	Meter	Combination Concrete Curb and Gutter Type 3B Modified (165-mm)
4	Each	Adjustment of Gratings

CALL No. 18

1,398	Square Meter	Concrete Driveway (With Reinforcement)
3,854	Square Meter	Concrete Median and/or Island Pavement (100-mm)
188	Square Meter	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	Maintenance of Traffic
54	Square Meter	Standard Roadside Construction Signs (less than 0.9 square meter)
20	Square Meter	Standard Roadside Construction Signs (0.9 square meter or more)
7	Each	Flashing Arrow Panel (Type A)
29	Meter	Barricades (Type III) (Single Faced)
6	Meter	Barricades (Type III) (Double Faced)
722	Each	Free Standing Plastic Drums
	Lump Sum	Mobilization
23	Square Meter	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
21	Square Meter	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
239	Meter	Steel U-Section Posts (2.97 to 3.72 kg/m)
44	Meter	Welded & Seamless Steel Pipe Posts (DN 75)
7	Meter	Welded & Seamless Steel Pipe Posts (DN 100)
1,500	Cubic Meter	Borrow Excavation (AH)(LVM) (Class B9)
100	Meter	Temporary Silt Fence
3,400	Metric Ton	Crushed Stone Base (Size 825)
2,100	Metric Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
850	Metric Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
1,300	Metric Ton	Hot Mix Asphalt, ST, 19-mm mixture
1,020	Metric Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
77	Meter	Cleaning and Sealing New Longitudinal Construction Joints (No.1) (Per Plans)
3,400	Meter	Cleaning and Sealing Existing Longitudinal Joints (No. 2) (Per Plans)
1,300	Meter	Cleaning and Sealing Existing Expansion Joints (No. 5) (PerPlans)
77	Meter	Cleaning and Sealing New Construction Joints (No. 6) (Per Plans)
231	Each	Dowels (Drilled and Installed)
77	Meter	Joint Filler (Wooden Board)
1,900	Square Meter	225-mm and Variable Reinforced Concrete Pavement (Broom Finish)
85	Meter	Saw Cut (150-mm)
1,200	Meter	Saw Cut (Full Depth)
2,700	Each	Tie Bars (# 16 Deformed)(Drilled & Epoxied or Grouted)
231	Each	Tie Bars (# 25 Deformed)(Drilled & Epoxied or Grouted)
231	Each	30-mm Smooth Dowel Bars( Drilled & Epoxied or Grouted)
18,280	Square Meter	150-mm Fiber Reinforced Thin Concrete Pavement
32,300	Square Meter	Grinding Concrete Pavement
153	Each	Right-of-Way Marker
1	Kilometer	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
1	Kilometer	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
1	Kilometer	Temporary Traffic Stripe (Skip White) (Type 1 Tape)
1,645	Meter	Temporary Traffic Stripe (Detail) (Type 1 Tape)
38	Square Meter	Temporary Traffic Stripe (Legend) (Type 1 Tape)
1,862	Meter	Temporary Traffic Stripe (Legend)
4	Kilometer	Traffic Stripe (Continuous White)
3	Kilometer	Traffic Stripe (Continuous Yellow)



CALL No. 18

1	Kilometer	150-mm Thermoplastic Traffic Stripe (Skip White)(2.25-mm min.)
3	Kilometer	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
1	Kilometer	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
3	Kilometer	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
1	Kilometer	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (150-mm min.)
2,507	Meter	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
832	Meter	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
485	Meter	Thermoplastic Legend (White)(3.00-mm min.)
200	Square Meter	Thermoplastic Legend (White)(3.00-mm min.)
1,028	Each	Red-Clear Reflective High Performance Raised Markers
334	Each	Two-Way Yellow Reflective High Performance Raised Markers
5	Kilometer	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
3	Kilometer	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
1	Kilometer	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)
4	Kilometer	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
6,168	Meter	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((White)
924	Meter	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((Yellow)
932	Meter	High Performance Cold Plastic Legend (White)
260	Square Meter	High Performance Cold Plastic Legend (White)
273	Meter	Shielded Cable, AWG #18, 4 Conductor
2	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (12.2-m Arm)
2	Each	Traffic Signal Equipment Pole (Type IV) (12.2-m Shaft) (19.8-m Arm)
1	Each	Traffic Signal Equipment Pole (Type IV) (12.2-m Shaft) (15.2& 16.8-m Arms)
4	Each	Traffic Signal Equipment Pole (Type VI) (2.4-m Shaft)
1	Each	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (13.7-m Arm)
1	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (13.7-m Arm)
1	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (15.2-m Arm)
1	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (16.8-m Arm)
2	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (18.3-m Arm)
1	Each	Traffic Signal Equipment Pole (Type 1) (9.1-m Shaft)
1	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (19.8-m Arm)
1	Each	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (7.6-mArm)
2	Each	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (9.1-mArm)
2	Each	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (12.2-m Arm)
1	Each	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (16.8-m Arm)
1	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (7.6-mArm)
2	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (9.1-mArm)
2	Each	Traffic Signal Equipment Pole (Type IV) (9.1-m Shaft) (10.7-m Arm)
4	Each	Traffic Signal Equipment Pole Shaft Extension (3-meter) (Video Camera Mount)
36	Each	Traffic Signal Heads (Type 1) LED
3	Each	Traffic Signal Heads (Type 2) LED

CALL No. 18

3	Each	Traffic Signal Heads (Type 5) LED
4	Each	Traffic Signal Heads (Type 3) LED
18	Each	Traffic Signal Heads (Type 7) LED
36	Each	Traffic Signal Heads (Type 6) LED (Countdown)
3	Each	Radar Detection System
7	Each	Solid State Traffic Actuated Controllers (Type 8M)
3	Each	Solid State Traffic Actuated Controller Modification
7	Each	Pullbox (Type 4)
11	Each	Pullbox (Type 5)
6	Each	Video Vehicle Detection, New Installation, 4 Cameras
7,030	Meter	Fiber Optic Cable (72 SM)
530	Meter	Fiber Optic Drop Cable (12 SM)
8,130	Meter	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (50 mm)
225	Meter	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (75 mm)
32	Meter	Vehicle Loop Assemblies
2	Each	Equipment Cabinets
1	Each	Loop Detector Amplifier, Card Rack Mounted (4 Channel)
1	Each	Closed Loop On-Street Master System
24	Each	Optical Detector
1,140	Meter	Optical Detector Cable
6	Each	Phase Selector (4 Channel)
2	Each	Pullbox (Type 1)
24	Each	Pullboxes (Type 2)
965	Meter	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),5 Conductor
830	Meter	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),7 Conductor
185	Meter	Electric Cable (Underground in Conduit) (THHN) (AWG #2) (3 Conductor)
203	Meter	Electric Cable (Underground in Conduit) (THHN) (AWG #8) (2 Conductor)
520	Meter	Electric Cable (Underground in Conduit) (THHN) (AWG #10) (2Conductor)
70	Meter	Electric Cable (Underground in Conduit) (THHN) (AWG #8) (3 Conductor)
318	Meter	Electric Cable (Aerial Supported in Conduit)(IMSA 20-1)(AWG14), 7 Conductor
250	Meter	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
205	Meter	Traffic Signal Conduit (Underground) (Type IV) (DN 50)
61	Meter	Traffic Signal Conduit (Underground) (Type IV) (DN 75)

Construction necessary to widen and overlay SR 12 from SR 1 to Leroy Percy State Park, known as State Project No. MP-3012-76(010)/303221301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: 53 Time Units

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

350	Square Yard	Removal of Asphalt Pavement, All Depths
100	Linear Feet	Removal of Traffic Stripe
3,000	Cubic Yard	Borrow Excavation, AH, LVM, Class B9
300	Cubic Yard	Excess Excavation, FM
500	Linear Feet	Temporary Silt Fence
7,200	Ton	Granular Material, Class 5, Group E
1,000	Ton	Cold Milling of Bituminous Pavement, All Depths
14	Mile	Rumble Strips, Ground In
40	Linear Feet	18" Type A Alternate Pipe
950	Linear Feet	Guard Rail, Class A, Type 1
8	Each	Guard Rail, Bridge End Section, Type I, Metal Post
8	Each	Guard Rail, Terminal End Section
	Lump Sum	Maintenance of Traffic
28	Mile	Temporary Traffic Stripe, Continuous White
14	Mile	Temporary Traffic Stripe, Continuous Yellow
14	Mile	Temporary Traffic Stripe, Skip Yellow
2,400	Linear Feet	Temporary Traffic Stripe, Detail
600	Linear Feet	Temporary Traffic Stripe, Legend
700	Each	Two-Way Yellow Reflective High Performance Raised Marker
186	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
316	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	Barricades, Type III, Double Faced
2	Each	Warning Lights, Type "B"
	Lump Sum	Mobilization
14	Mile	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow
1,500	Linear Feet	Thermoplastic Detail Stripe, White
900	Linear Feet	Thermoplastic Detail Stripe, Yellow
600	Linear Feet	Thermoplastic Legend, White
700	Each	Two-Way Yellow Reflective High Performance Raised Markers
500	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
250	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
48	Each	Delineators, Guard Rail, White
8	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	Roadway Construction Stakes
5	Ton	Agricultural Limestone
2	Acre	Grassing
500	Ton	3/4" and Down Crushed Stone Base
10,500	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
11,200	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

CALL No. 20

Construction necessary to upgrade the electrical system at the Materials Lab Complex in Jackson, known as State Project No. BWO-9001-25(016) / 501781301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: July 31, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

Lump Sum

Upgrade Electrical System at Materials LabComplex in Jackson

CALL No. 21

Construction necessary to tie the District Office Complex to the Newton City Sewer System, known as State Project No. LWO-5001-51(002) / 501642302, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: December 20, 2007

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Building Items**

Lump Sum

Installation of a Tie-in to the Newton Sewer System

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR