

MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 22, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer

MDOT Administration Building

MOI North West Street

401 North West Street Jackson, MS 39201

(or)

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 Plans may be purchased from:

MDOT Plans Print Shop

MDOT Administration Building, Room 1100

401 North West Street Jackson, MS 39201

(or)

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461

or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

LIST OF CONTRACTS FOR MAY

| CALL | CONTRACT | COUNTY |
|------|--|--------------------|
| * 1 | ER-0010-01(127) / 104548303 | Jackson |
| * 2 | HSIP-0010-01(128) / 104948301 & HSIP-0010-01(128) / 104948302 | Hancock & Harrison |
| 3 | NH-0011-01(052)V21N /102134301 | Washington |
| 4 | NH-0015-02(114)PH3N /102069302 | Covington |
| 5 | NH-0002-08(013)MP / 104667301 | Alcorn |
| * 6 | NH-0015-01(059)MP / 104958301 | Franklin |
| * 7 | STP-0022-01(070)MP / 104982301 | Stone |
| 8 | STP-0022-03(022)MP / 104933301 | Chickasaw |
| 9 | STP-0079-02(014)MP / 104932301 | Monroe |
| * 10 | STP-0293-00(007)MP / 104981301 | Greene |
| * 11 | STP-0654-00(002) / 105007301 | Washington |
| * 12 | STP-7314-00(019)MP / 104956301, STP-7334-00(008)MP / 104956302, STP-6957-00(001)MP / 104956303, & STP-7367-00(001)MP / 104956304 | Rankin |
| 13 | MP-1014-80(012) / 303218301 | Winston |
| 14 | MP-1047-13(002) / 303217301 | Clay |
| 15 | MP-1397-80(006) / 303231301 | Winston |
| * 16 | MP-2003-00(033) / 303007301 | District 2 |
| * 17 | MP-3000-00(028) / 303158301 | District 3 |
| * 18 | MP-5021-50(016) / 302220301 | Neshoba |
| * 19 | MP-7024-79(009) / 303235301 | Wilkinson |
| | | |

^{*} No plans except Standard Drawings

CALL CONTRACT COUNTY

* 20 MP-7028-64(017) / 303236301 Simpson

* 21 MP-7908-57(001) / 303237301 Pike

22 LWO-6017-18(003) / 501632301 Forrest

Construction necessary for repairing piling, cap and deck damage caused by Hurricane Katrina to the Pascagoula River Bridge on Interstate 10, known at Federal Aid Project No. ER-0010-01(127) / 104548303, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: September 28, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum 618-A001 Maintenance of Traffic

Lump Sum 620-A001 Mobilization

Bridge Items

Lump Sum 907-824-PP093 Bridge Repair, Repair Bridge Over Pascagoula RiverPer Plans

Construction necessary for the milling and overlaying of the shoulders of I-10, from the west side of the Diamondhead Interchange to the Wolf River, known as Federal Aid Project Nos. HSIP-0010-01(128) / 104948301 & 302, in the Counties of Hancock and Harrison, State of Mississippi.

PROJECT COMPLETION: 67 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | 11044 Way 1001115 |
|---------|-------------|--------------|--|
| 20 | Station | 201-D001 | Random Clearing |
| 2,275 | Linear Feet | 202-B087 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 55 | Mile | 202-B149 | Removal of Traffic Stripe |
| 193,591 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 44 | Mile | 423-A001 | Rumble Strips, Ground In |
| 2,300 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 10 | Each | 606-D016 | Guard Rail, Bridge End Section, Type D |
| 16 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 12,000 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 1,500 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 300 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 50 | Each | 627-A001 | Type A, Non-Reflective White Raised Jiggle Markers |
| 10 | Each | 627-AY001 | Type AY, Non-Reflective Yellow Raised Jiggle Markers |
| 3,500 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 150 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 24 | Mile | 628-I001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 1 | Mile | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 1 | Mile | 628-M001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 27,887 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| 8,500 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 26 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 26 | Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| | | | |

Construction necessary for the US. Highway 82 Bypass from the Mississippi River Bridge to SR-1, known as Federal Aid Project No. NH-0011-01(052)V21N / 102134301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: 387 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | Lump Sum | 201-A001 | Clearing and Grubbing |
|-----------|--------------------|------------|---|
| 6 | Acre | 201-B001 | Clearing and Grubbing |
| 17,798 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 3,121 | Square Yard | 202-B030 | Removal of Concrete Pavement, All Depths |
| 2,358,783 | Cubic Yard | 203-EX017 | Borrow Excavation, AH, FME, Class B9 |
| 125,732 | Cubic Yard | 203-G001 | Excess Excavation, FM |
| 11,419 | Cubic Yard | 206-A001 | Structure Excavation |
| 1,187 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 680,000 | Square Yard | 212-A001 | Light Ground Preparation |
| 1,340,000 | Square Yard | 212-B001 | Standard Ground Preparation |
| 210 | Ton | 213-B001 | Combination Fertilizer, 13-13-13 |
| 140 | Ton | 213-C001 | Superphosphate |
| 5,600 | Pounds | 214-A002 | Seeding, Bermudagrass |
| 7,000 | Pounds | 214-A003 | Seeding, Tall Fescue |
| 2,800 | Pounds | 214-A014 | Seeding, Browntop Millet |
| 12,600 | Pounds | 214-A015 | Seeding, Oats |
| 3,500 | Pounds | 214-A020 | Seeding, Rye Grain |
| 1,480 | Ton | 215-A001 | Vegetative Materials for Mulch |
| 1,485 | Square Yard | 216-A001 | Solid Sodding |
| 1,376 | Square Yard | 217-A001 | Ditch Liner |
| 29 | Thousand Gallon | 219-A001 | Watering |
| 140 | Acre | 220-A001 | Insect Pest Control |
| 242 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 | Acre | 223-A001 | Mowing |
| 2,045 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 118,402 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 964 | Bale | 235-A001 | Temporary Erosion Checks |
| 53 | Each | 236-A001 | Silt Basin, Type A |
| 5 | Each | 236-A003 | Silt Basin, Type C |
| 71 | Each | 236-A004 | Silt Basin, Type D |
| 5,110 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 10,061 | Cubic Yard | 304-A025 | Granular Material, LVM, Class 5, Group E |
| 314 | Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 719 | Square Yard | 501-K001 | Transverse Grooving |
| 719 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 1,613 | Cubic Yard | 601-A003 | Class "B" Structural Concrete |
| 47 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 545,726 | Pounds | 602-A001 | Reinforcing Steel |
| 72 | Linear Feet | 603-ALT001 | 18" Type A Alternate Pipe |
| 24 | Linear Feet | 603-ALT021 | 48" Type A Alternate Pipe |
| | | | |

| 4,200 | Linear Feet | 603-CA002 | 18" Reinforced Concrete Pipe, Class III |
|--------|-------------|-----------|--|
| 544 | Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III |
| 184 | Linear Feet | 603-CA004 | 30" Reinforced Concrete Pipe, Class III |
| 832 | Linear Feet | 603-CA005 | 36" Reinforced Concrete Pipe, Class III |
| 600 | Linear Feet | 603-CA006 | 42" Reinforced Concrete Pipe, Class III |
| 280 | Linear Feet | 603-CA007 | 48" Reinforced Concrete Pipe, Class III |
| 49 | Each | 603-CB001 | 18" Reinforced Concrete End Section |
| 13 | Each | 603-CB002 | 24" Reinforced Concrete End Section |
| 2 | Each | 603-CB003 | 30" Reinforced Concrete End Section |
| 10 | Each | 603-CB004 | 36" Reinforced Concrete End Section |
| 6 | Each | 603-CB005 | 42" Reinforced Concrete End Section |
| 4 | Each | 603-CB006 | 48" Reinforced Concrete End Section |
| 120 | Linear Feet | 603-CE002 | 29" x 18" Concrete Arch Pipe, Class A III |
| 344 | Linear Feet | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III |
| 848 | Linear Feet | 603-CE007 | 65" x 40" Concrete Arch Pipe, Class A III |
| 432 | Linear Feet | 603-CE008 | 73" x 45" Concrete Arch Pipe, Class A III |
| 4 | Each | 603-CF002 | 29" x 18" Concrete Arch Pipe End Section |
| 4 | Each | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section |
| 8 | Each | 603-CF007 | 65" x 40" Concrete Arch Pipe End Section |
| 4 | Each | 603-CF008 | 73" x 45" Concrete Arch Pipe End Section |
| 23,500 | Pounds | 604-B001 | Gratings |
| 10,000 | Square Yard | 605-AA003 | Geotextile for Subsurface Drainage, Type III |
| 5,000 | Linear Feet | 605-O003 | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 2,000 | Linear Feet | 605-P003 | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 10,000 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 10,000 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 825 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 12 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 12 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 184 | Square Feet | 618-B001 | Additional Construction Signs |
| 9,400 | Linear Feet | 619-A2007 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 24,200 | Linear Feet | 619-A5004 | Temporary Traffic Stripe, Detail, Type 1 Tape |
| 131 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1,646 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 408 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 500 | Linear Feet | 619-G4002 | Barricades, Type III, Single Faced, Permanent |
| 120 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 165 | Each | 619-G5001 | Free Standing Plastic Drums |
| | Lump Sum | 620-A001 | Mobilization |
| 1 | Each | 621-A001 | Field Laboratory |
| 1 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 3 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 1 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 3 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 80 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| | | | |

| 4 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
|-----------|-------------|--------------|--|
| 110 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,700 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 2,700 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 36 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 149 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 54 | Each | 630-F001 | Delineators, Guard Rail, White |
| 12 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 100 | Cubic Yard | 631-A001 | Flowable Fill |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 840 | Ton | 907-213-A001 | Agricultural Limestone |
| 1,140 | Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| 2,353 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| 3,566 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 2,103 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 224 | Each | 907-617-A001 | Right-of-Way Marker |
| 3,055 | Cubic Yard | 907-804-B001 | Box Bridge Concrete, Class B |
| | | | Bridge Items |
| 15,850 | Square Yard | 209-A002 | Geotextile Stabilization, Type VI |
| 9,345 | Square Yard | 501-K001 | Transverse Grooving |
| 19,250 | Cubic Yard | 605-X005 | Filter Material for Filter Beds, Type C |
| 187,375 | Linear Feet | 610-A001 | Drainage Wicks |
| 3,346 | Cubic Yard | 801-A001 | Foundation Excavation for Bridges |
| 6,600 | Linear Feet | 803-C003 | 16" x 16" Prestressed Concrete Piling |
| 22,560 | Linear Feet | 803-C004 | 18" x 18" Prestressed Concrete Piling |
| 2 | Each | 803-H001 | PDA Test Pile, Conventional Load Test |
| 13 | Each | 803-I001 | PDA Test Pile |
| 1,067,189 | Pounds | 805-A001 | Reinforcement |
| 4,442 | Linear Feet | 813-A001 | Concrete Railing |
| 1,098 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 4,667 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 1,460 | Square Yard | 815-E001 | Geotextile under Riprap |
| | | 907-207-A001 | Settlement Plate |
| | • | 907-209-A001 | Geotextile Stabilization, Type IX |
| | | 907-804-A001 | Bridge Concrete, Class AA |
| | Linear Feet | 907-804-C003 | 100' Prestressed Concrete Beam, Type BT-72 |
| | Linear Feet | 907-804-C005 | 110' Prestressed Concrete Beam, Type BT-72 |
| | Linear Feet | 907-804-C011 | 130' Prestressed Concrete Beam, Type BT-72 |
| | Linear Feet | 907-804-C015 | 140' Prestressed Concrete Beam, Type BT-72 |
| | Linear Feet | 907-804-C026 | 90' Prestressed Concrete Beam, Type IV |
| | Linear Feet | 907-804-C147 | 70' Prestressed Concrete Beam, Type IV |
| | Linear Feet | 907-804-C157 | 91' Prestressed Concrete Beam, Type IV |
| | Linear Feet | | 95' Prestressed Concrete Beam, Type IV |
| 1,262 | Linear Feet | 907-804-C159 | 106' Prestressed Concrete Beam, Type IV |
| | | | |

Construction necessary to pave US Highway 84 at Collins, known as Federal-Aid Project No. NH-0015-02(114)PH3N / 102069302, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: 320 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | Lump Sum | 201-A001 | Clearing and Grubbing |
|--------|--------------------|----------|--|
| 30.698 | Square Yard | | Removal of Asphalt Pavement, All Depths |
| | Linear Feet | | Removal of Traffic Stripe |
| , | Linear Feet | | Removal of Pipe, All Sizes |
| | Linear Feet | | Removal of Box Bridge |
| | Cubic Yard | | Unclassified Excavation, FM, AH |
| | | | Borrow Excavation, AH, FME, Class B9 |
| , | Cubic Yard | | Excess Excavation, FM, AH |
| | Cubic Yard | | Structure Excavation |
| | Cubic Yard | | Select Material for Undercuts, Contractor Furnished, FM |
| 89,240 | Square Yard | | Light Ground Preparation |
| | Square Yard | | Standard Ground Preparation |
| | Ton | | Combination Fertilizer, 13-13-13 |
| 18 | Ton | | Superphosphate |
| 922 | Pounds | | Seeding, Bahiagrass |
| 763 | Pounds | | Seeding, Bermudagrass |
| 327 | Pounds | 214-A003 | Seeding, Tall Fescue |
| 369 | Pounds | 214-A004 | Seeding, Crimson Clover |
| 369 | Pounds | 214-A005 | Seeding, Sericea Lespedeza |
| 184 | Pounds | 214-A014 | Seeding, Browntop Millet |
| 830 | Pounds | 214-A015 | Seeding, Oats |
| 369 | Pounds | 214-A017 | Seeding, Rye Grass |
| 116 | Ton | 215-A001 | Vegetative Materials for Mulch |
| 250 | Square Yard | 216-A001 | Solid Sodding |
| 1,000 | Square Yard | 217-A001 | Ditch Liner |
| 1 | Thousand Gallon | 219-A001 | Watering |
| 18 | Acre | 220-A001 | Insect Pest Control |
| 30 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 350 | Acre | 223-A001 | Mowing |
| 5,000 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 200 | Bale | 235-A001 | Temporary Erosion Checks |
| 4 | Each | 236-A004 | Silt Basin, Type D |
| 32 | Each | 236-B004 | Maintenance and Removal of Existing Silt Basins, Type D |
| 30,053 | Cubic Yard | 304-C028 | Granular Material, AEA, Class 6, Group C |
| 72,811 | Cubic Yard | 304-C043 | Granular Material, AEA, Class 9, Group C |
| 500 | Cubic Yard | 305-B001 | Size I Stabilizer Aggregate, Coarse |
| 6 | Mile | 321-A001 | 6" In-Grade Preparation |
| | Square Yard | 406-A001 | |
| 8,870 | Gallon | 408-A003 | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 $$ |
| 8 | Mile | 423-A001 | Rumble Strips, Ground In |
| | | | |

| 721 | Linear Feet | 501-F001 | Expansion Joints, Without Dowels |
|---------|-------------|------------|--|
| | Square Yard | | Transverse Grooving |
| | Square Yard | | Reinforced Cement Concrete Bridge End Pavement |
| | Cubic Yard | | Class "B" Structural Concrete, Minor Structures |
| 151,685 | | | Reinforcing Steel |
| | Linear Feet | | 18" Reinforced Concrete Pipe, Class III |
| | Linear Feet | | 24" Reinforced Concrete Pipe, Class III |
| | Linear Feet | | 30" Reinforced Concrete Pipe, Class III |
| | Linear Feet | | 24" Reinforced Concrete Pipe, Class IV, Class C Bedding |
| | Each | | 18" Reinforced Concrete End Section |
| | Each | | 24" Reinforced Concrete End Section |
| | Pounds | 604-A001 | |
| | Pounds | 604-B001 | - |
| | Square Yard | | Geotextile for Subsurface Drainage, Type V |
| | Linear Feet | | Edge Drain |
| | Linear Feet | | Edge Drain Outlets/Vents |
| | Linear Feet | | Edge Drain & Edge Drain Outlet/Vent Inspection |
| | Linear Feet | | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| | Linear Feet | | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| | Cubic Yard | | Filter Material for Filter Beds, Type A |
| | Cubic Yard | | Filter Material for Filter Beds, Type B |
| | Linear Feet | | Guard Rail, Class A, Type 1 |
| | Each | | Guard Rail, Bridge End Section, Type I |
| | Each | | Guard Rail, Terminal End Section |
| | Linear Feet | | Combination Concrete Curb and Gutter Type 2 |
| | Square Yard | | Concrete Median and/or Island Pavement, 4-inch |
| | Square Yard | | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | | Maintenance of Traffic |
| 3 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 4 | Mile | | Temporary Traffic Stripe, Continuous Yellow |
| 1 | Mile | | Temporary Traffic Stripe, Skip White |
| 28,363 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 771 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 116 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1,717 | | 619-C10001 | Yellow-Clear Reflective High Performance Raised Marker |
| 708 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 680 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 1,640 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 876 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 447 | Each | 619-G5001 | Free Standing Plastic Drums |
| 7 | Each | 619-G7001 | Warning Lights, Type "B" |
| | Lump Sum | 620-A001 | Mobilization |
| 10 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 1 | Mile | 626-B002 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 3 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 54,960 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| | | | |

Page: 9

| | Linear Feet | | Thermoplastic Detail Stripe, Yellow |
|-------|-------------|----------|---|
| | Square Feet | | Thermoplastic Legend, White |
| 2,451 | Linear Feet | | Thermoplastic Legend, White |
| 2,753 | | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1,559 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,240 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,502 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 2,503 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 600 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 1,252 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 2,210 | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 196 | Square Feet | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 18 | Linear Feet | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft |
| 1,830 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 210 | Linear Feet | 630-D003 | Structural Steel Beams, W6 x 9 |
| 714 | Linear Feet | 630-D005 | Structural Steel Beams, W6 x 15 |
| 169 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 661 | Pounds | 630-E002 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 1,166 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 52 | Each | 630-F001 | Delineators, Guard Rail, White |
| 49 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 10 | Each | 630-F003 | Delineators, Flexible Post Mounted, Crossover, Type I, Green |
| 10 | Each | 630-F004 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 106 | Each | 630-F006 | Delineators, Post Mounted, Single White |
| 57 | Each | 630-F007 | Delineators, Post Mounted, Single Yellow |
| 99 | Each | 630-F008 | Delineators, Post Mounted, Double White |
| 37 | Each | 630-F009 | Delineators, Post Mounted, Double Yellow |
| 12 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| | Lump Sum | 630-I006 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| | Lump Sum | 630-I012 | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed |
| 206 | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" |
| 232 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 475 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 1,696 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 3,278 | Linear Feet | 636-A001 | Shielded Cable, AWG #18, 4 Conductor |
| 2 | Each | 637-A001 | Equipment Cabinet |
| 6 | Each | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 2 | Each | 639-A013 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm |
| 2 | Each | 639-A123 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm |
| 2 | Each | 639-A145 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 65' Arms |
| 12 | Each | 640-A001 | Traffic Signal Heads, Type 1 |
| 4 | Each | 640-A006 | Traffic Signal Heads, Type 3 |
| 4 | Each | 640-A013 | Traffic Signal Heads, Type 7 |
| 2 | Each | 640-A015 | Traffic Signal Heads, Type 8 |
| 2 | Each | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A |
| | | | |

| 1 | Each | 643-A001 | Closed Loop On-Street Master System |
|---------|-------------|--------------|--|
| 8 | Each | 644-A001 | Optical Detector |
| 1,785 | Linear Feet | 644-B001 | Optical Detector Cable |
| 2 | Each | 644-C002 | Phase Selector, 4 Channel |
| 4 | Each | 647-A001 | Pullbox, Type 1 |
| 12 | Each | 647-A005 | Pullbox, Type 2 |
| 2 | Each | 648-A001 | Radio Interconnect, Installed in New Controller Cabinet |
| 1,956 | Linear Feet | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 1,556 | Linear Feet | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" |
| 214 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 268 | Linear Feet | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 554 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 40 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 262 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 60 | Square Yard | 815-E001 | Geotextile under Riprap |
| 74 | Ton | 907-213-A001 | Agricultural Limestone |
| 20 | Each | 907-234-D001 | Inlet Siltation Guard |
| 5 | Each | 907-234-E001 | Reset Inlet Siltation Guard |
| 1,500 | Linear Feet | 907-237-A001 | Wattles |
| 152,770 | Square Yard | 907-306-A001 | Asphalt Drainage Course |
| 158,976 | Square Yard | 907-307-B002 | 6" Soil-Lime-Water Mixing, Class B |
| 2,147 | Ton | 907-307-D001 | Lime |
| 16,601 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 2,472 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 7,040 | Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 5,690 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 62,391 | Ton | 907-403-F001 | Maintained Hot Mix Asphalt |
| 12 | Mile | 907-626-C006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| 10 | Mile | 907-626-F006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min |
| 928 | Cubic Yard | 907-804-B001 | Box Bridge Concrete, Class B |
| | | AL | ΓERNATE GROUP AA NO. 1 |
| 2,648 | Ton | 907-308-A001 | Portland Cement |
| 238,466 | Square Yard | 907-308-B002 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| | | AL | ΓERNATE GROUP AA NO. 2 |
| 238,466 | Square Yard | 907-311-A003 | Processing Lime and Fly Ash Treated Course, 6" Thick |
| 1,799 | Ton | 907-311-B001 | Lime |
| 7,191 | Ton | 907-311-C002 | Fly Ash, Class C or F |

Construction necessary for the milling and overlaying of US 45 from the Prentiss / Alcorn County Line to MS 145 in Corinth, known as Federal Aid Project No. NH-0002-08(013)MP / 104667301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: 141 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 100 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
|--------|-------------|---------------|--|
| 12,384 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 150 | Linear Feet | 202-B102 | Removal of Guard Rail |
| 48 | Each | 202-B136 | Removal of Guard Rail Terminal End Section |
| 100 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 13,308 | Cubic Yard | 304-A013 | Granular Material, LVM, Class 3, Group C |
| 74,997 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 34 | Mile | 423-A001 | Rumble Strips, Ground In |
| 150 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 48 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 24 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 22 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 26 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 93,680 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,320 | Linear Feet | 619-A5004 | Temporary Traffic Stripe, Detail, Type 1 Tape |
| 7,968 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 20 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 19 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 13,790 | Linear Feet | 626-E001 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 15 | Mile | 626-F002 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 33,520 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 24,360 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 1,540 | Square Feet | 626-H001 | Thermoplastic Legend, White |
| 2,474 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,926 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 133 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 5,504 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 5,504 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 5,504 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 104 | Each | 630-F001 | Delineators, Guard Rail, White |
| 104 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 40,514 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 3,131 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 1,540 | Each | 907-606-PP001 | Remove and Replace Guard Rail Blockouts |
| | | | |

Milling and overlaying approximately 8 miles of US Highway 84 between the Adams County Line and Roxie, known as Federal-Aid Project No. NH-0015-01(059)MP / 104958301, in the County of Frankin, State of Mississippi.

PROJECT COMPLETION: 67 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | Roadway Items |
|--------|-------------|---------------|---|
| 5,176 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 12 | Each | 202-B136 | Removal of Guard Rail Terminal End Section |
| 19,071 | Ton | 304-B029 | Granular Material, Class 6, Group D |
| 38,153 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 20 | Mile | 423-A001 | Rumble Strips, Ground In |
| 25 | Linear Feet | 606-B024 | Guard Rail, Remove and Replace Guard Rail, Blockouts & Posts |
| 12 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 11 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 11 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 15 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 15,156 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 6,764 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 15 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 28,886 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 25,013 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 6,764 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,759 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 129 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,726 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 1,726 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 1,726 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 9 | Each | 630-F001 | Delineators, Guard Rail, White |
| 6 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 754 | Ton | 907-403-B003 | Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling |
| 36,377 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 345 | Each | 907-606-PP001 | Remove and Replace Guard Rail Blockouts |
| 11 | Mile | 907-626-C006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| 11 | Mile | 907-626-F006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min |

Widening and overlaying approximately 7 miles of SR 15 between Red Creek and SR 26, known as Federal-Aid Project No. STP-0022-01(070)MP / 104982301, in the County of Stone, State of Mississippi.

PROJECT COMPLETION: 34 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 230 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
|-------|-------------|--------------|--|
| 500 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 14 | Mile | 423-A001 | Rumble Strips, Ground In |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 24 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 23 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 5 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 6,200 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 400 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 3 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 12 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2,045 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 840 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 400 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 900 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 125 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| 6,800 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 7,900 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| 14 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| | | | |

Construction necessary for the milling and overlaying of SR 15 bypass from south of SR 8 to the north end of the Houston bypass, known as Federal Aid Project No. STP-0022-03(022)MP / 104933301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: 115 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 200 | 0 37 1 | 202 D005 | D 1 CA 1 1/D (A11 D (1 |
|----------------|-------------|-----------|--|
| | Square Yard | | Removal of Asphalt Pavement, All Depths |
| | Linear Feet | | Removal of Traffic Stripe |
| | Linear Feet | | Removal of Guard Rail |
| | Cubic Yard | | Excess Excavation, FM, AH |
| | Cubic Yard | | Granular Material, LVM, Class 3, Group D |
| 40,200 | Square Yard | | Cold Milling of Bituminous Pavement, All Depths |
| | Gallon | 410-A001 | Asphalt for Surface Treatment, Grade AC-10 |
| | Cubic Yard | | Seal Aggregate Cover Material, Size 7, Limestone |
| 17 | Mile | | Rumble Strips, Ground In |
| 12 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 32 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 10 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 5 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 12 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 155,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 3,200 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 620 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 25 | Each | 619-G5001 | Free Standing Plastic Drums |
| 3 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 16 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 6 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 2 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 4 | Mile | 626-F002 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 30,500 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 47,000 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 300 | Square Feet | 626-H001 | Thermoplastic Legend, White |
| 1,600 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 570 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1,900 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 800 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,500 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 850 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 1,100 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 6 | Each | 630-F001 | Delineators, Guard Rail, White |
| 30 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 28,500 | Ton | | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 2,500 | Ton | | Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening |
| | Each | | Remove and Replace Guard Rail Blockouts |
| · - | | | 1 |

Construction necessary for the milling and overlaying of US 45 ALT from the Chickasaw County Line to the Lee County Line, known as Federal Aid Project No. STP-0079-02(014)MP / 104932301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: 148 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | Rodaway Items |
|--------|-------------|---------------|--|
| 2,100 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 10,000 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 1,200 | Linear Feet | 202-B102 | Removal of Guard Rail |
| 700 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 13,500 | Cubic Yard | 304-A013 | Granular Material, LVM, Class 3, Group C |
| 92,000 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 850 | Gallon | 410-A001 | Asphalt for Surface Treatment, Grade AC-10 |
| 40 | Cubic Yard | 410-C012 | Seal Aggregate Cover Material, Size 7, Limestone |
| 35 | Mile | 423-A001 | Rumble Strips, Ground In |
| 50 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 27 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 25 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 17 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 27 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 57,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 4,900 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 25 | Each | 619-G5001 | Free Standing Plastic Drums |
| 20 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 19 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 17 | Mile | 626-F002 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 30,000 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 23,000 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 4,000 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,700 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 150 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,200 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 4,500 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 4,500 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 42 | Each | 630-F001 | Delineators, Guard Rail, White |
| 42 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 4,600 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 8,000 | Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 31,500 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 900 | Each | 907-606-PP001 | Remove and Replace Guard Rail Blockouts |

Widening and overlaying approximately 8 miles of SR 57 near Leakesville, known as Federal-Aid Project No. STP-0293-00(007)MP / 104981301, in the County of Greene, State of Mississippi.

PROJECT COMPLETION: 38 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 1,740 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
|--------|-------------|--------------|--|
| 1,200 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 16 | Mile | 423-A001 | Rumble Strips, Ground In |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 32 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 7 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 15 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 14,060 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 725 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 8 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 4 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 3,800 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 1,550 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 640 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,050 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 740 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| 8,500 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 9,030 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| 16 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| | | | |

Overlaying approximately 5 miles of SR 454 between US 82 and SR 1, known as Federal-Aid Project No. STP-0654-00(002) / 105007301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: 38 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | 11044 (4) 10111 |
|-------|-------------|--------------|--|
| 100 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 100 | Square Yard | 202-B097 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths |
| 600 | Linear Feet | 202-B102 | Removal of Guard Rail |
| 100 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 6,800 | Ton | 304-B025 | Granular Material, Class 5, Group E |
| 550 | Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 9 | Mile | 423-A001 | Rumble Strips, Ground In |
| 450 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-D015 | Guard Rail, Bridge End Section |
| 4 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 19 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 4 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 8 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 900 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| | Lump Sum | 620-A001 | Mobilization |
| 4 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 2 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 3,280 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 360 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 1,100 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 650 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 200 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 100 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 22 | Each | 630-F001 | Delineators, Guard Rail, White |
| 150 | Cubic Yard | 907-304-H002 | 3/4" and Down Crushed Stone Base, LVM |
| 6,200 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 8,400 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| 8 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| | | | |

Construction necessary for the milling and overlaying of approximately 8 miles of US 80, SR 468, SR 18 and SR 471 in Brandon and Pearl, known as Federal Aid Project Nos. STP-7314-00(019)MP / 104956301, STP-7334-00(008)MP / 104956302, STP-9657-00(001)MP / 104956303 & STP-7367-00(001) MP / 104956304, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: 68 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | Roadway Items |
|--------|-------------|-----------|--|
| 50 | Square Yard | 202-B013 | Removal of Cement Treated Base, All Depths |
| 2,296 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 276 | Square Yard | 202-B097 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths |
| 2,525 | Linear Feet | 202-B102 | Removal of Guard Rail |
| 100 | Cubic Yard | 203-G002 | Excess Excavation, LVM |
| 5,712 | Ton | 304-B023 | Granular Material, Class 5, Group C |
| 9,016 | Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 50 | Gallon | 413-A001 | Joint Sealer Material |
| 200 | Linear Feet | 413-C001 | Cleaning and Sealing Cracks |
| 8,020 | Linear Feet | 413-D001 | Cleaning and Filling Joints |
| 12,840 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 290 | Linear Feet | 501-D001 | Expansion Joints, With Dowels |
| 162 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 620 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 15 | Cubic Yard | 503-D001 | Concrete for Base Repair |
| 709 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 1,213 | Linear Feet | 606-B005 | Guard Rail, Class A, Type 1, 'W' Beam |
| 500 | Linear Feet | 606-B007 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 4 | Each | 606-C003 | Guard Rail, Cable Anchor, Type 1 |
| 2 | Each | 606-D001 | Guard Rail, Bridge End Section, Type A |
| 2 | Each | 606-D002 | Guard Rail, Bridge End Section, Type C |
| 2 | Each | 606-D006 | Guard Rail, Bridge End Section, Type G |
| 4 | Each | 606-D008 | Guard Rail, Bridge End Section, Type H |
| 15 | Each | 606-E001 | Guard Rail, Terminal End Section |
| | Lump Sum | 613-A001 | Adjustment of Castings, Gratings & Utility Appurtenances |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 11 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 10 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 13 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 2 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 84,355 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 11,630 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 6,819 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 64 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 956 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 126 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| | Lump Sum | 620-A001 | Mobilization |
| 11 | Mile | 626-A002 | 6" Thermoplastic Traffic Stripe, Skip White |
| 1 | Mile | 626-B002 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 11 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| | | | |

| 2 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
|--------|-------------|--------------|--|
| 12 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 56,403 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 29,673 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 6,756 | Square Feet | 626-H001 | Thermoplastic Legend, White |
| 11,793 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 4,431 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1,087 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 657 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 1,231 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 1,231 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 88 | Each | 630-F001 | Delineators, Guard Rail, White |
| 14 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 58 | Each | 630-F005 | Delineators, Flexible Post Mounted, Crossover, Type II |
| 16,841 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 175 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
| 31,836 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 564 | Ton | 907-403-B006 | Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling |
| 5,333 | Square Yard | 907-409-A001 | Geotextile Fabric For Underseal |
| 1,600 | Gallon | 907-409-B001 | Emulsified Asphalt for Fabric Underseal |
| 289 | Square Yard | 907-501-B002 | 8" Plain Cement Concrete Pavement, Broom Finish |

Construction necessary for the milling and overlaying of SR 14 from the Attala County Line to near Burroughs Road, known as Maintenance Project No. MP-1014-80(012) / 303218301, in the County of Winston, State of Mississippi.

PROJECT COMPLETION: 48 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 100 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
|--------|-------------|--------------|--|
| 800 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 50 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 2,400 | Cubic Yard | 304-A014 | Granular Material, LVM, Class 3, Group D |
| 1,600 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 27 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 16 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 7 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 900 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 17 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 4 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 10 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 250 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 750 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 900 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 740 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 600 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 75 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 100 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 12,500 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |

Construction necessary for the overlay of SR 47 from SR 50 to the Chickasaw County Line, known as Maintenance Project No. MP-1047-13(002)/303217301, in the County of Clay, State of Mississippi.

PROJECT COMPLETION: 113 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 630 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
|--------|-------------|--------------|--|
| 1,800 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 85 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 8,120 | Cubic Yard | 304-A014 | Granular Material, LVM, Class 3, Group D |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 70 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 28 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 27 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 4,550 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 35 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 14 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 14 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 900 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 1,450 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 2,340 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,518 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,554 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 259 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 130 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 33,436 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| | | | |

Construction necessary for the milling and overlaying of SR 397 from the Kemper County Line to Nanih Waiya, known as Maintenance Project No. MP-1397-80(006) / 303231301, in the County of Winston, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 100 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
|--------|-------------|--------------|--|
| 200 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 100 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 1,500 | Cubic Yard | 304-A014 | Granular Material, LVM, Class 3, Group D |
| 1,570 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 19 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 11 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 7 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 441 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 10 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 4 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 6 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 892 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 466 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 441 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 400 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 962 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 78 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 120 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 10,130 | Ton | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture |

Widening approximately 10 miles of SR 3 between Crenshaw and SR 4, known as Maintenance Project No. MP-2003-00(033) / 303007301, in the District 2, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 2,000 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
|-------|-------------|--------------|---|
| 1,500 | Ton | 304-B014 | Granular Material, Class 3, Group D |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 20 | Mile | 625-C002 | Traffic Stripe, Continuous White |
| 2,500 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 5,500 | Ton | 907-403-C005 | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening |

Construction necessary to modify existing curb and sidewalk or construct new curb and sidewalk to comply with ADA requirements throughtout District 3, known as Maintenance Project No. MP-3000-00(028) / 303158301, in District 3, State of Mississippi.

PROJECT COMPLETION: June 27, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 2,221 | Square Yard | 202-B035 | Removal of Concrete Sidewalk |
|-------|-------------|----------|---|
| 4,459 | Linear Feet | 202-B094 | Removal of Curb &/or Curb and Gutter, All Types |
| 2,221 | Square Yard | 608-A001 | Concrete Sidewalk, Without Reinforcement |
| | Lump Sum | 618-A001 | Maintenance of Traffic |

Milling and overlaying approximately 11 miles of SR 21 south of Philadelphia, known as Maintenance Project No. MP-5021-50(016) / 302220301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 48 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 1,415 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
|--------|-------------|--------------|--|
| 450 | Linear Feet | 202-B038 | Removal of Curb, All Types |
| 550 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 6,500 | Cubic Yard | 304-A023 | Granular Material, LVM, Class 5, Group C |
| 256 | Cubic Yard | 310-B001 | Size I Stabilizer Aggregate, Coarse |
| 2,460 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 820 | Linear Feet | 609-E001 | Bituminous Curb |
| 120 | Square Yard | 616-B001 | Hot Bituminous Median and/or Island Pavement |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 22 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 19 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 3 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 2,480 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,570 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1,150 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 356 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 24 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 22 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 3 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 19 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2,480 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 2,172 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 1,570 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,220 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 326 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 40 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 163 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 14,200 | Ton | | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 2,400 | Ton | 907-403-B003 | Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling |
| | | | |

 $\label{eq:miling} \begin{tabular}{ll} Milling and overlaying approximately 9 miles of SR 24 east of Woodville, known as Maintenance Project No. MP-7024-79(009) / 303235301, in the County of Wilkinson, State of Mississippi. \\ \end{tabular}$

PROJECT COMPLETION: 34 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 3,344 | Cubic Yard | 304-A029 | Granular Material, LVM, Class 6, Group D |
|--------|-------------|--------------|---|
| 21,708 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 18 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 18 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 2 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 4,500 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 3,104 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 17 | Mile | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White |
| 2 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 16 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 4,500 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 120 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 1,500 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 1,045 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 12,544 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 689 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| | | | |

Milling and overlaying approximately 5 miles of SR 28 between Magee and Mize, known as Maintenance Project No. MP-7028-64(017) / 303236301, in the County of Simpson, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| 363 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
|-------|-------------|--------------|---|
| 2,066 | Cubic Yard | 304-A029 | Granular Material, LVM, Class 6, Group D |
| 2,311 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 9 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 6 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 3 | Mile | 619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 1,204 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,427 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 3 | Mile | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 6 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 3,089 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 1,180 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 1,427 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 599 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 442 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 221 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 8,115 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 250 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| 9 | Mile | 907-626-C006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| | | | |

Milling and overlaying approximately 2 miles of SR 908 near Summit, known as Maintenance Project No. MP-7908-57(001) / 303237301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: 18 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| 682 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
|-------|-------------|--------------|---|
| 956 | Cubic Yard | 304-A029 | Granular Material, LVM, Class 6, Group D |
| 7,298 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 3 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 3 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 8,204 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 587 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 358 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 3 | Mile | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 5,775 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 2,429 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 358 | Square Feet | 626-H001 | Thermoplastic Legend, White |
| 587 | Linear Feet | 626-H002 | Thermoplastic Legend, White |
| 45 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 319 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 342 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 342 | Linear Feet | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
| 2,500 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 100 | Ton | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling |
| 3 | Mile | 907-626-C006 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| | | | |

Page: 29

Work necessary to improve the parking lot and the site of District Six Headquarters in Hattiesburg, known as State Project No. LWO-6017-18(003) / 501632301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: December 31, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| Roadway | Items | Items |
|---------|--------------|--------------|
|---------|--------------|--------------|

| | | | Roadway Items Items |
|-------|-----------------|--------------|--|
| | Lump Sum | 201-A001 | Clearing and Grubbing |
| | Lump Sum | 202-A001 | Removal of Obstructions |
| 25 | Cubic Yard | 203-G001 | Excess Excavation, FM |
| 25 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 1,750 | Square Yard | 212-B001 | Standard Ground Preparation |
| 1 | Ton | 213-B003 | Combination Fertilizer, 8-24-24 |
| 400 | Square Yard | 216-B001 | Solid Sodding, Centipede |
| 5 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-A001 | Insect Pest Control |
| 1 | Thousand | 232-A001 | Fertilizer for Woody Plant Material |
| 75 | Cubic Yard | 233-A001 | Tree Bark Mulch, Type I |
| 500 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 50 | Bale | 235-A001 | Temporary Erosion Checks |
| 150 | Cubic Yard | 304-A043 | Granular Material, LVM, Class 9, Group C |
| 1,400 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 1 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 35 | Pounds | 602-A001 | Reinforcing Steel |
| 925 | Square Yard | 608-B001 | Concrete Sidewalk, With Reinforcement |
| 580 | Linear Feet | 609-B001 | Concrete Curb, Header |
| 810 | Linear Feet | 609-D009 | Combination Concrete Curb and Gutter Type 3B |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| | Lump Sum | 620-A001 | Mobilization |
| 114 | Square Feet | 628-H002 | Cold Plastic Legend, White |
| 7 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 16 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 1 | Each | 647-A004 | Pullbox, Type 5 |
| 2 | Each | 647-A005 | Pullbox, Type 2 |
| 240 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 680 | Linear Feet | 668-B026 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4" |
| 1,285 | Linear Feet | 682-B009 | Underground Branch Circuit, Jacked or Bored, AWG 10, 2 Conductor |
| 375 | Linear Feet | 682-B030 | Underground Branch Circuit, Jacked or Bored, AWG 6, 2 Conductor |
| 40 | Linear Feet | 682-B039 | Underground Branch Circuit, Jacked or Bored, AWG 12, 3 Conductor |
| 1 | Each | 682-F001 | Secondary Power Controllers |
| 3 | Each | 683-B153 | Lighting Assembly, Low Mast, Type 30-2-0-250 |
| 7 | Each | 683-B154 | Lighting Assembly, Low Mast, Type 30-1-0-250 |
| 15 | Cubic Yard | 684-A003 | Pole Foundation, 24" Diameter |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 241 | Each | 907-230-A001 | Shrub Planting, Asiatic Jasmine |
| 78 | Each | 907-230-A011 | Shrub Planting, Dwarf Yaupon Holly |
| 16 | Each | 907-230-A033 | Shrub Planting, Japanese Cleyera |
| | | | |

| 10 | Each | 007 220 4070 | Should Dianting Jananasa Brivat Trac Form |
|-----|--------------|--------------|---|
| | Each | | Shrub Planting, Japanese Privet, Tree-Form Tree Planting, Little Gem Magnolia |
| | Each | | Tree Planting, Crape Myrtle 'Natchez' |
| | Linear Feet | | |
| | Square Feet | 907-230-C001 | |
| | Each | | Bed Preparation Track Pagantagle |
| | Each | | Trash Receptacle Cast Stone Bench |
| | Each | 907-258-K001 | |
| | Each | | |
| | Each | 907-258-N001 | • |
| | | | Cigarette Receptacle |
| | Each | | Sign, Masonry and Stone |
| | Each | | Lighting Assembly, Flag Pole Lighting |
| | Each | | Lighting Assembly, Sign Lighting |
| | Each | | Lighting Assembly, Building Uplighting |
| | Each | | Sprinkler Head, 1812-PRS-8H |
| | Each | | Sprinkler Head, 1812-PRS-5H |
| | Linear Feet | | Piping, 1/2" Diameter |
| | Linear Feet | | Piping, 3/4" Diameter |
| | Linear Feet | | Piping, 1" Diameter |
| | Linear Feet | 907-282-C001 | |
| | Linear Feet | 907-282-C002 | |
| · · | Linear Feet | | Valve Control Wire |
| | Linear Feet | | Trench Excavation and Backfill |
| | Each | | Electric Controller, 4 Station |
| | Each Each | | Electric Control Valve, 1" |
| _ | | 907-290-A001 | 51 |
| | Cubic Yard | | Size 825 Crushed Stone Base, LVM |
| | Ton | | Hot Mix Asphalt, ST, 19-mm mixture |
| | Ton | | Hot Mix Asphalt, ST, 9.5-mm mixture |
| | Ton | | Hot Mix Asphalt, ST, 19-mm mixture, Leveling |
| | Linear Feet | | 8" Corrugated Polyethylene Pipe |
| | Each | | 18" Preformed Polyethylene Drainage Catch Basin |
| | Linear Feet | | 96" Cypress Wood Fence, Screening Barrier, Per Plans |
| | Linear Feet | | 75" Brick Fence, Screening Barrier, Per Plans |
| | Each | | Gate, Barrier Fence, Per Plans |
| | Square Feet | 907-611-F001 | _ |
| | Linear Feet | | Cold Plastic Detail Stripe, White, 4" Equivalent Length |
| | Linear Feet | | 4" Cold Plastic Detail Stripe, Blue-ADA |
| | Each | | Cold Plastic Legend, Blue-ADA Handicap Symbol |
| | Linear Feet | | Underground Branch Circuit, AWG 6, 2 Conductor, Cable Only |
| 815 | Linear Feet | 907-082-A032 | Underground Branch Circuit, AWG 10, 2 Conductor, Cable Only |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.


Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN EXECUTIVE DIRECTOR



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - MAY 22, 2007

2-WEEK ADVERTISEMENT

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from: Plans may be purchased from:

Contract Administration Engineer MDOT Administration Building 401 North West Street, Room 1013

Jackson, MS 39201

or

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 MDOT Plans Print Shop MDOT Administration Building 401 North West Street, Room 1100 Jackson, MS 39201

or

P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461

or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

LIST OF CONTRACTS FOR MAY

| CALL | CONTRACT | COUNTY |
|------|-------------------------------|-----------|
| 23. | HSIP-0070-04(014) / 102481301 | Lafayette |

^{*} No plans except Standard Drawings

Construction necessary for the upgrade of the interchange of Hwy 6 at Lamar Blvd. in Oxford, known as Federal Aid Project No. HSIP-0070-04(014) / 102481301, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: August 17, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

| | | | Roadway Items |
|-------|--------------------|-----------|--|
| | Lump Sum | 201-A001 | Clearing and Grubbing |
| 80 | Square Yard | 202-B002 | Removal of Asphalt Driveways, All Depths |
| 2,901 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 96 | Square Yard | 202-B025 | Removal of Concrete Paved Ditch |
| 137 | Square Feet | 202-B059 | Removal of Legend, All Types |
| 14 | Each | 202-B070 | Removal of Sign Including Post & Footing |
| 4,603 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 1,167 | Linear Feet | 202-B093 | Removal of Curb & Gutter, All Types |
| 1 | Each | 202-B132 | Removal of Traffic Signal |
| 2,073 | Cubic Yard | 203-A004 | Unclassified Excavation, LVM, AH |
| 1,463 | Cubic Yard | 203-EX018 | Borrow Excavation, AH, LVM, Class B9 |
| 173 | Cubic Yard | 206-A001 | Structure Excavation |
| 4,257 | Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 1 | Ton | 213-C001 | Superphosphate |
| 75 | Square Yard | 216-A001 | Solid Sodding |
| 40 | Square Yard | 217-A001 | Ditch Liner |
| 1 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-A001 | Insect Pest Control |
| 5 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 | Acre | 223-A001 | Mowing |
| 570 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 52 | Bale | 235-A001 | Temporary Erosion Checks |
| 3,546 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 53 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 5,226 | Pounds | 602-A001 | Reinforcing Steel |
| 336 | Linear Feet | 603-CA002 | 18" Reinforced Concrete Pipe, Class III |
| 11 | Each | 603-CB001 | 18" Reinforced Concrete End Section |
| 216 | Linear Feet | 603-CE001 | 22" x 13" Concrete Arch Pipe, Class A III |
| 40 | Linear Feet | 603-CE046 | 22" x 13" Concrete Arch Pipe, Class A IV, Jacked or Bored |
| 2 | Each | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section |
| 1,106 | Pounds | 604-A001 | Castings |
| 466 | Square Yard | 605-AA001 | Geotextile Fabric for Subsurface Drainage, Type III |
| 40 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 12 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 175 | Linear Feet | 606-B005 | Guard Rail, Class A, Type 1, 'W' Beam |
| 4 | Each | 606-D004 | Guard Rail, Bridge End Section, Type E |
| 4 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 133 | Linear Feet | 609-B001 | Concrete Curb, Header |
| 2,205 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 3A Modified |
| 1,582 | Linear Feet | 609-D007 | Combination Concrete Curb and Gutter Type 2 Modified |
| | | | |

| 45 | Square Yard | 614-A001 | Concrete Driveway, Without Reinforcement |
|-------|-------------|--------------|---|
| 81 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| 602 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 6,769 | Linear Feet | 619-A5004 | Temporary Traffic Stripe, Detail, Type 1 Tape |
| 147 | Square Feet | 619-A6008 | Temporary Traffic Stripe, Legend, Type 1 Tape |
| 102 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 36 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 136 | Each | 619-G5001 | Free Standing Plastic Drums |
| | Lump Sum | 620-A001 | Mobilization |
| 124 | Linear Feet | 626-C001 | 6" Thermoplastic Edge Stripe, Continuous White |
| 124 | Linear Feet | 626-F001 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 7,302 | Linear Feet | 626-G001 | Thermoplastic Detail Stripe, White |
| 5,387 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, Yellow |
| 147 | Square Feet | 626-H001 | Thermoplastic Legend, White |
| 118 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 209 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 255 | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 39 | Linear Feet | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft |
| 470 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 34 | Linear Feet | 630-D003 | Structural Steel Beams, W6 x 9 |
| 37 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 99 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 12 | Each | 630-F006 | Delineators, Post Mounted, Single White |
| 12 | Each | 630-F007 | Delineators, Post Mounted, Single Yellow |
| 68 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 46 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 1 | Acre | 907-225-A001 | Grassing |
| 3 | Ton | 907-225-B001 | Agricultural Limestone |
| 3,464 | Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| 313 | Ton | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture |
| 469 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| 527 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| | | | |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN EXECUTIVE DIRECTOR