



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JUNE - Tuesday, June 26, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	ER-NH-0003-01(108) / 104569306 & ER-NH-0003-01(108)/104569308	Harrison
02	NH-HPP-0006-01(073)N/104095303	Union
03	NH-HPP-0006-01(074)N/104095304, NH-HPP-0006-02(022)N/104095305, & NH-HPP-0006-01(080)N/104095306	Lee, Pontotoc, & Union
04	HSIP-0055-02(203)N / 104906301	Hinds
05	HSIP-0055-02(204)N / 104902301	Hinds
06	NH-9999-00(331) CT3N/103811303, NH-9999-00(331) CT3N/103811304, & NH-9999-00(331) CT3N/103811305	Hinds, Madison, & Rankin
* 07	HSIP-0008-01(105) / 104923301	Harrison
08	HSIP-0022-02(050) / 104900301	Neshoba
* 09	HSIP-0023-02(046) / 104905301	Leake
* 10	STP-0032-01(032)MP / 104965301	Pearl River
11	HSIP-0040-02(030) / 104799301	Itawamba
* 12	HSIP-0056-01(066) / 104901301	Rankin
13	BR-1681-00(015)/ 100446301	Holmes
14	BR-2709-00(002) / 103078301	Lowndes
* 15	STP-2920-00(009)MP / 104939301	Tate
16	HSIP-9385-00(011) / 104850301	Jackson
17	MP-3012-76(010)/303221301	Washington
* 18	MP-3051-15(013) / 303273301	Copiah
* 19	MP-5494-38(006) / 302225301	Lauderdale

CALL	CONTRACT	COUNTY
* 20	MP-6000-00(124) / 303256301	District 6
* 21	MP-6013-37(008) / 303254301	Lamar
* 22	MP-6057-20(011) / 303255301	George
23	MRP-6059-55(043) / 303240301	Pearl River
* 24	MP-6145-12(001) / 303277301	Clarke
* 25	MP-6528-31(010) / 303276301	Jasper
* 26	MP-6969-18(001) / 303281301 & MP-6049-18(019) / 303282301	Forrest
27	LWO-5001-51(002) / 501642302	Newton

Grading, Draining, Paving & Replacing traffic signals on US 90 between Rodenburg Ave. and Biloxi Bay, known as Federal Aid Project Nos. ER-NH-0003-01(108) / 104569306 & ER-NH-0003-01(108) / 104569308, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: November 14, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
3,845	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
12,373	Square Yard	202-B035	Removal of Concrete Sidewalk
78,324	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B047	Removal of Guard Rail Bridge End Section, Type H
75	Linear Feet	202-B051	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
2	Each	202-B057	Removal of Inlets, All Sizes
2,840	Square Yard	202-B078	Removal of Pavement, All Types and Depths
93	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
168	Linear Feet	202-B102	Removal of Guard Rail
4,268	Linear Feet	202-B106	Removal of Pipe, All Sizes
1	Each	202-B137	Removal of Guard Rail Cable Anchor
1,062	Linear Feet	202-B174	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
267	Each	202-B175	Removal of Debris and Sand From Inlet and Junction Box, All Types & Sizes
16,098	Linear Feet	202-B176	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
2,616	Linear Feet	202-B177	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diameter
150	Linear Feet	202-B179	Removal of Debris and Sand From Pipe, 51" x 31" Arch Pipe
736	Linear Feet	202-B181	Removal of Debris and Sand From Pipe, 65" x 40" Arch Pipe
2,201	Linear Feet	202-B182	Removal of Debris and Sand From Pipe, Less Than 18" Diameter
1	Each	202-B189	Removal of Impact Attenuator
7	Each	202-B218	Removal of Inlet Tops
279	Each	202-B219	Removal of and Replacement of SS-2 Inlet Top
326	Linear Feet	202-B220	Removal of Debris and Sand From Pipe, 58" x 36" Arch Pipe
106	Linear Feet	202-B221	Removal of Debris and Sand From Pipe, 72" x 51" Arch Pipe
6,917	Linear Feet	202-B222	Removal of Debris and Sand From Pipe, 15" Slotted Metal Pipe
417	Cubic Yard	203-A002	Unclassified Excavation, LVM
2,478	Cubic Yard	203-EX006	Borrow Excavation, AH, LVM, Class B3
100	Cubic Yard	203-H004	Surplus Excavation, LVM, AH
405	Cubic Yard	206-A001	Structure Excavation
17	Ton	213-C001	Superphosphate
5,000	Square Yard	216-B004	Solid Sodding, Bermuda
100	Thousand Gallon	219-A001	Watering
17	Acre	220-A001	Insect Pest Control
49,300	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
226,661	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
41,360	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,000	Linear Feet	503-C007	Saw Cut, Full Depth

CALL No. 01

31	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2,297	Pounds	602-A001	Reinforcing Steel
1,984	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,064	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
428	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
880	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
232	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
80	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
4,373	Pounds	604-A001	Castings
63	Each	606-A002	Guard Post, Type II Modified
75	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
263	Linear Feet	606-B003	Guard Rail, Class A, Type 1, Wood Post
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-D008	Guard Rail, Bridge End Section, Type H
17,013	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
863	Linear Feet	609-B001	Concrete Curb, Header
442	Linear Feet	609-B002	Concrete Curb, Doweled
59,888	Linear Feet	609-B008	Concrete Curb, Special Design Header, Type 1
17,969	Linear Feet	609-B009	Concrete Curb, Special Design Header, Type 2
685	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
93	Linear Feet	609-D016	Combination Concrete Curb and Gutter Type 3 Modified
2	Each	613-D007	Adjustment of Utility Appurtenance
4,885	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
766	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
2,080	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
13,786	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
14,552	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,071	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
696	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
11	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
1,040	Linear Feet	626-D001	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
33,426	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
16,582	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
5,794	Square Feet	626-H001	Thermoplastic Legend, White
22,644	Linear Feet	626-H002	Thermoplastic Legend, White
2,114	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

CALL No. 01

312	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
1,121	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
706	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
803	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,698	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
282	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
174	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
58	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
328	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
180	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
	Lump Sum	630-I006	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
103	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
48	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,942	Cubic Yard	631-A001	Flowable Fill
96	Linear Feet	635-A001	Vehicle Loop Assemblies
950	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
67	Each	640-A016	Traffic Signal Heads, Type 1 LED
6	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
28	Each	640-A022	Traffic Signal Heads, Type 7 LED
3	Each	640-A031	Traffic Signal Heads, Type 1A LED
76	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
12	Each	640-A036	Traffic Signal Heads, Type 5L, LED
2	Each	640-A037	Traffic Signal Heads, Type 5LA, LED
12	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
45	Each	644-A001	Optical Detector
8,010	Linear Feet	644-B001	Optical Detector Cable
12	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
63	Each	647-A005	Pullbox, Type 2
2	Each	650-A002	On Street Video Equipment, Fixed Type
1	Each	650-A003	On Street Video Equipment, PTZ Type
3,558	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
10,127	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
8,160	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
905	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
840	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
335	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,955	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,225	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
68	Ton	907-213-A001	Agricultural Limestone

CALL No. 01

34 Acre	907-227-A001	Hydroseeding
3,474 Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
17,196 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
18,441 Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
43,148 Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
1 Each	907-622-A001	Engineer's Field Office Building, Type 2
7 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
784 Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
64 Linear Feet	907-629-D001	Crash Cushion System
2 Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
3 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
4 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
4 Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
6 Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2 Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
6 Each	907-639-A017	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
5 Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
3 Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
1 Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
2 Each	907-639-A029	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
1 Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
2 Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
1 Each	907-639-A032	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 60'Arms
1 Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35'Arms
12 Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
152 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
7 Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
581 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
12 Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection
6 Each	907-648-D001	Radio Ethernet Distribution Repeater Installation
5 Each	907-648-E001	Radio Ethernet Fixed Backbone Repeater Installation
Lump Sum	907-648-F001	Radio Interconnect Training, Testing and Installation
43 Each	907-649-A001	Video Detection System, 1 Sensor
14 Each	907-649-B001	Video Detection-Data Collection and Reporting Tool License
14 Each	907-649-D001	Video Detection-Digitized Video Encoder/Decoded
Lump Sum	907-649-E001	Video Detection Training

Upgrade of US 78 to Interstate Standards from SR 15 to Blue Springs, known as Federal Aid Project No. NH-HPP-0006-01(073) N / 104095303, in the County of Union, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

47,677	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
60	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
1,860	Square Yard	202-B025	Removal of Concrete Paved Ditch
745	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
4,400	Linear Feet	202-B076	Removal of Traffic Stripe
2,870	Linear Feet	202-B102	Removal of Guard Rail
1,800	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
550	Cubic Yard	203-G004	Excess Excavation, LVM, AH
368,800	Square Yard	212-B001	Standard Ground Preparation
40	Ton	213-B001	Combination Fertilizer, 13-13-13
40	Ton	213-C001	Superphosphate
1,525	Pounds	214-A002	Seeding, Bermudagrass
1,910	Pounds	214-A003	Seeding, Tall Fescue
1,525	Pounds	214-A004	Seeding, Crimson Clover
155	Ton	215-A001	Vegetative Materials for Mulch
1,310	Square Yard	216-A001	Solid Sodding
1,800	Square Yard	217-A001	Ditch Liner
27	Thousand Gallon	219-A001	Watering
19	Acre	220-A001	Insect Pest Control
311	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
550	Linear Feet	234-A001	Temporary Silt Fence
270	Bale	235-A001	Temporary Erosion Checks
69,100	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
17	Mile	321-A001	6" In-Grade Preparation
1,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,068	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
31,750	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
35	Mile	423-A001	Rumble Strips, Ground In
745	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
470	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,470	Linear Feet	503-C002	Saw Cut, 3-inch
1,683	Linear Feet	503-C007	Saw Cut, Full Depth
10	Cubic Yard	503-D001	Concrete for Base Repair
417	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,888	Linear Feet	606-B001	Guard Rail, Class A, Type 1
563	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
10	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
9	Each	606-E002	Guard Rail, Terminal End Section, Flared

CALL No. 02

5	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
53	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
53	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
53	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3,850	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
110	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
	Lump Sum	620-A001	Mobilization
18	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
18	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
1,550	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,670	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,460	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,460	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,460	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
77	Each	630-F001	Delineators, Guard Rail, White
77	Each	630-F002	Delineators, Guard Rail, Yellow
	Lump Sum	699-A001	Roadway Construction Stakes
230	Ton	907-213-A001	Agricultural Limestone
250	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
10,250	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
7,400	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
18,100	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
34,550	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
25,900	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
30,300	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

Upgrade of US 78 to Interstate Standards from Blue Springs to Belden, known as Federal Aid Project Nos. NH-HPP-0006-01 (074) N / 104095304, NH-HPP-0006-02(022) N / 104095305, NH-HPP-0006-01(080) N / 104095306, in the Counties of Lee, Pontotoc and Union, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

63,030	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
60	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
1,805	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,009	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
3,400	Linear Feet	202-B076	Removal of Traffic Stripe
2,050	Linear Feet	202-B102	Removal of Guard Rail
7,100	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
470	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,800	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
303,500	Square Yard	212-B001	Standard Ground Preparation
32	Ton	213-B001	Combination Fertilizer, 13-13-13
32	Ton	213-C001	Superphosphate
1,255	Pounds	214-A002	Seeding, Bermudagrass
1,575	Pounds	214-A003	Seeding, Tall Fescue
1,255	Pounds	214-A004	Seeding, Crimson Clover
126	Ton	215-A001	Vegetative Materials for Mulch
630	Square Yard	216-A001	Solid Sodding
750	Square Yard	217-A001	Ditch Liner
14	Thousand Gallon	219-A001	Watering
16	Acre	220-A001	Insect Pest Control
238	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,000	Linear Feet	234-A001	Temporary Silt Fence
230	Bale	235-A001	Temporary Erosion Checks
61,700	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
15	Mile	321-A001	6" In-Grade Preparation
5,580	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,350	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
27,500	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
29	Mile	423-A001	Rumble Strips, Ground In
1,009	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
816	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,789	Linear Feet	503-C002	Saw Cut, 3-inch
1,923	Linear Feet	503-C007	Saw Cut, Full Depth
14	Cubic Yard	503-D001	Concrete for Base Repair
569	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
10	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
10	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic

CALL No. 03

3	Square Feet	618-B001	Additional Construction Signs
46	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
47	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
46	Mile	619-A3006	Temporary Traffic Stripe, Skip White
23,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
150	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
	Lump Sum	620-A001	Mobilization
16	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
7,850	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,835	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,490	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,210	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,210	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
55	Each	630-F001	Delineators, Guard Rail, White
55	Each	630-F002	Delineators, Guard Rail, Yellow
	Lump Sum	699-A001	Roadway Construction Stakes
188	Ton	907-213-A001	Agricultural Limestone
170	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
9,150	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
6,750	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
14,900	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
30,600	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
23,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
26,800	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

Installation of median barriers on I-55 south from the Byram Interchange to the McDowell Road Interchange, known as Federal Aid Project No. HSIP-0055-02(203) N / 104906301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: 106 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

36,580	Linear Feet	202-B022	Removal of Concrete Median Barrier
7	Each	603-SB054	8" Branch Connection, Stub Into Existing Inlet
34,409	Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier, 42" High
2,200	Linear Feet	615-A013	Concrete Type III Cast-in-Place Median Barrier, 42" High
	Lump Sum	618-A001	Maintenance of Traffic
84	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
144	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5,000	Linear Feet	619-F1009	Portable Median Barrier, 60 MPH
36,580	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
68,160	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
180	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
3,660	Each	630-F011	Delineators, Median Barrier Mounted, Type I, Yellow
2,040	Linear Feet	907-604-A001	8" Trench Drain
2	Each	907-619-E3001	Changeable Message Sign

Installation of median barriers on I-55 from south of the Pearl Street Interchange to the Woodrow Wilson Interchange, known as Federal Aid Project No. HSIP-0055-02(204)N / 104902301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: 92 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

750 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
500 Square Yard	202-B025	Removal of Concrete Paved Ditch
4,650 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
63,330 Square Yard	212-B001	Standard Ground Preparation
7 Ton	213-B001	Combination Fertilizer, 13-13-13
7 Ton	213-C001	Superphosphate
260 Pounds	214-A002	Seeding, Bermudagrass
260 Pounds	214-A003	Seeding, Tall Fescue
260 Pounds	214-A004	Seeding, Crimson Clover
26 Ton	215-A001	Vegetative Materials for Mulch
100 Square Yard	216-A001	Solid Sodding
2 Thousand Gallon	219-A001	Watering
18 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
5,000 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
6,000 Ton	304-B023	Granular Material, Class 5, Group C
16,285 Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
Lump Sum	618-A001	Maintenance of Traffic
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
152 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8 Each	619-D3001	Remove and Reset Signs, All Sizes
5,000 Linear Feet	619-F1009	Portable Median Barrier, 60 MPH
11,300 Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
4 Each	629-A002	Vehicular Impact Attenuator, 60 MPH
1,630 Each	630-F011	Delineators, Median Barrier Mounted, Type I, Yellow
39 Ton	907-213-A001	Agricultural Limestone
2,200 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
1,650 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2 Each	907-619-E3001	Changeable Message Sign

The installation of Dynamic Message Signs in the Jackson Area, known as Federal Aid Project Nos. NH-9999-00(331) CT3N / 103811303, 304 & 305, in the Counties of Hinds, Madison and Rankin, State of Mississippi.

PROJECT COMPLETION: February 27, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

60	Linear Feet	202-B022	Removal of Concrete Median Barrier
1	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
300	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
1,800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4	Each	619-E1001	Flashing Arrow Panel, Type C
1,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
	Lump Sum	620-A001	Mobilization
378	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
33	Each	630-F001	Delineators, Guard Rail, White
5	Each	630-F002	Delineators, Guard Rail, Yellow
39	Each	647-A003	Pullbox, Type 4
20	Each	647-A004	Pullbox, Type 5
27	Each	647-A005	Pullbox, Type 2
30,620	Linear Feet	657-A006	Fiber Optic Cable, 72 SM
3,320	Linear Feet	657-B003	Fiber Optic Drop Cable, 12 SM
590	Linear Feet	666-B019	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 2, 4 Conductor
2,080	Linear Feet	666-B033	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 4, 3 Conductor
2,075	Linear Feet	666-B034	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 1/0, 4 Conductor
555	Linear Feet	666-B035	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 4, 4 Conductor
200	Linear Feet	666-B036	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 4 Conductor
30,090	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
5,980	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
5,820	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M003	Pedestal Sign Support, Assembly No 5, Contractor Designed
	Lump Sum	907-630-M004	Pedestal Sign Support, Assembly No 8, Contractor Designed
	Lump Sum	907-630-M005	Pedestal Sign Support, Assembly No 9, Contractor Designed
1	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
4	Each	907-656-A001	Dynamic Message Sign, Type 1

CALL No. 06

5	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-660-A001	OTN Node
1	Each	907-660-B001	OTN Node Communications Hut

Construction necessary to build a new median crossover on U.S. Highway 49 at the Lyman Project Office, known as Federal-Aid Project No. HSIP-0008-01(105) / 104923301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: September 28, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,200	Linear Feet	202-B076	Removal of Traffic Stripe
2,420	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
13	Pounds	214-A001	Seeding, Bahiagrass
10	Pounds	214-A002	Seeding, Bermudagrass
180	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
925	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
400	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
1,200	Linear Feet	626-F001	6" Thermoplastic Edge Stripe, Continuous Yellow
250	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
150	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
12	Linear Feet	626-H002	Thermoplastic Legend, White
20	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Ton	907-213-A001	Agricultural Limestone
145	Ton	907-304-F001	Size 825 Crushed Stone Base
300	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
180	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Reconstruction of Fork Road and Hwy 15 Intersection, known as Federal Aid Project No. HSIP-0022-02(050) / 104900301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: September 21, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
300 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,220 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
458 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
170 Square Yard	202-B025	Removal of Concrete Paved Ditch
450 Linear Feet	202-B076	Removal of Traffic Stripe
16,000 Cubic Yard	203-G001	Excess Excavation, FM
20 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
3,000 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
500 Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
3,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
650 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
337 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
85 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
750 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
750 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
112 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
100 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4 Each	619-G3001	Barricades, Type II
48 Linear Feet	619-G4005	Barricades, Type III, Double Faced
50 Each	619-G5001	Free Standing Plastic Drums
3,500 Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
4,200 Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,500 Linear Feet	626-G001	Thermoplastic Detail Stripe, White
600 Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
112 Linear Feet	626-H002	Thermoplastic Legend, White
500 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4 Acre	907-225-A001	Grassing
500 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

Construction of a turn lane at the intersection of SR 35 and Red Dog Road, known as Federal Aid Project No. HSIP-0023-02(046) / 104905301, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: 30 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

595	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
165	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
300	Linear Feet	202-B038	Removal of Curb, All Types
3	Each	202-B042	Removal of Flared End Section, All Sizes
580	Cubic Yard	203-E045	Borrow Excavation, LVM, Class B15
60	Cubic Yard	203-G003	Excess Excavation, FM, AH
8,424	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
35	Pounds	214-A002	Seeding, Bermudagrass
35	Pounds	214-A004	Seeding, Crimson Clover
4	Ton	215-A001	Vegetative Materials for Mulch
1,200	Square Yard	217-A001	Ditch Liner
50	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
684	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
1,832	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
74	Pounds	602-A001	Reinforcing Steel
48	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
243	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2,200	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
500	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
550	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
500	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,200	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
500	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
5,040	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,295	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
255	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
33	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
255	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
33	Square Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 Tape
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
52	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

CALL No. 09

48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
28	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
2,200	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
2,200	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
800	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
730	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,420	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
77	Square Feet	626-H001	Thermoplastic Legend, White
255	Linear Feet	626-H002	Thermoplastic Legend, White
90	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
190	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5	Ton	907-213-A001	Agricultural Limestone
1,100	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
865	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4	Each	907-630-O004	Remove and Reset Sign, 1 U-post
2	Each	907-630-O005	Remove and Reset Sign, 2 U-post

Construction necessary to widen and overlay SR 43 from Jim Stanford Road north 7.4 miles to the Marion County Line, known as Federal Aid Project No. STP-0032-01(032) MP / 104965301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 35 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

700	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,215	Linear Feet	202-B076	Removal of Traffic Stripe
800	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,170	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
4,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
550	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
411	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
759	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
600	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
50	Square Feet	626-H001	Thermoplastic Legend, White
415	Linear Feet	626-H002	Thermoplastic Legend, White
950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,300	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
700	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
30	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
345	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
7,350	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
7,745	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Construction necessary for adding a turn lane to SR 25 south of Fulton, known as Federal Aid Project No. HSIP-0040-02(030) / 104799301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: 134 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
331 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
217 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
858 Linear Feet	202-B064	Removal of Pipe, 8" And Above
8,212 Linear Feet	202-B076	Removal of Traffic Stripe
3,941 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
398 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,075 Cubic Yard	206-A001	Structure Excavation
10,992 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
13,125 Square Yard	212-A001	Light Ground Preparation
26,250 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
109 Pounds	214-A002	Seeding, Bermudagrass
136 Pounds	214-A003	Seeding, Tall Fescue
55 Pounds	214-A004	Seeding, Crimson Clover
68 Pounds	214-A011	Seeding, Annual Rye Grass
55 Pounds	214-A014	Seeding, Browntop Millet
244 Pounds	214-A015	Seeding, Oats
14 Ton	215-A001	Vegetative Materials for Mulch
389 Square Yard	216-A001	Solid Sodding
8 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
3 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
759 Linear Feet	234-A001	Temporary Silt Fence
82 Bale	235-A001	Temporary Erosion Checks
3,726 Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
2,957 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
45 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
3,366 Pounds	602-A001	Reinforcing Steel
776 Linear Feet	603-ALT001	18" Type A Alternate Pipe
1,224 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
168 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
8 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
1,027 Pounds	604-A001	Castings
500 Pounds	604-B001	Gratings

CALL No. 11

1,465	Square Yard	605-AA001	Geotextile Fabric for Subsurface Drainage, Type III
122	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
333	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,179	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
200	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,897	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,134	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,378	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
292	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
94	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
2	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
606	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
693	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
460	Square Feet	626-H001	Thermoplastic Legend, White
378	Linear Feet	626-H002	Thermoplastic Legend, White
508	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Ton	815-A009	Loose Riprap, Size 300
60	Square Yard	815-E001	Geotextile under Riprap
11	Ton	907-213-A001	Agricultural Limestone
4,544	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
4,096	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,314	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture

Reconstruction of the Intersection of MS 25 and Lakeland Square, known as Federal Aid Project No. HSIP-0056-01(066) / 104901301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: September 07, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

880	Linear Feet	202-B076	Removal of Traffic Stripe
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
90	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
46	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
120	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,000	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
140	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
59	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
51	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
76	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
61	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
56	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"

Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: 188 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
7,869	Linear Feet	202-B076	Removal of Traffic Stripe
11,928	Square Yard	202-B078	Removal of Pavement, All Types and Depths
825	Linear Feet	202-B102	Removal of Guard Rail
141	Linear Feet	202-B106	Removal of Pipe, All Sizes
2,055	Cubic Yard	203-A001	Unclassified Excavation, FM
64,072	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
24,758	Cubic Yard	203-G001	Excess Excavation, FM
13,583	Square Yard	209-A001	Geotextile Stabilization, Type V
49,454	Square Yard	212-A001	Light Ground Preparation
118,002	Square Yard	212-B001	Standard Ground Preparation
14	Ton	213-B001	Combination Fertilizer, 13-13-13
11	Ton	213-C001	Superphosphate
449	Pounds	214-A002	Seeding, Bermudagrass
295	Pounds	214-A003	Seeding, Tall Fescue
205	Pounds	214-A014	Seeding, Browntop Millet
920	Pounds	214-A015	Seeding, Oats
256	Pounds	214-A017	Seeding, Rye Grass
59	Ton	215-A001	Vegetative Materials for Mulch
107	Square Yard	216-A001	Solid Sodding
647	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
11	Acre	220-A001	Insect Pest Control
6	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
7,306	Linear Feet	234-A001	Temporary Silt Fence
828	Bale	235-A001	Temporary Erosion Checks
1,779	Ton	304-B024	Granular Material, Class 5, Group D
6,755	Ton	304-B025	Granular Material, Class 5, Group E
1,697	Ton	304-B043	Granular Material, Class 9, Group C
7,947	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,469	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
284	Linear Feet	501-E001	Expansion Joints, Without Dowels
630	Square Yard	501-K001	Transverse Grooving
630	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
113	Pounds	602-A001	Reinforcing Steel
84	Linear Feet	603-ALT001	18" Type A Alternate Pipe
1,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I

CALL No. 13

12	Each	606-E001	Guard Rail, Terminal End Section
103	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A1006	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,189	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
3,163	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
102	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
227	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,118	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Each	619-F3004	Delineators, Guard Rail, White
264	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
181	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
250	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
10	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
3	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
562	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
102	Linear Feet	626-H002	Thermoplastic Legend, White
127	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,313	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
656	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
113	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
126	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
6	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
499	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
56	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
62	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
20	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
14	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
2,105	Linear Feet	803-D002	HP 12 x 53 Steel Piling
6,979	Ton	815-A009	Loose Riprap, Size 300
10,947	Square Yard	815-E001	Geotextile under Riprap
62	Ton	907-213-A001	Agricultural Limestone
4,480	Ton	907-304-F003	3/4" and Down Crushed Stone Base

CALL No. 13

5,367	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,306	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
39	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
41	Each	907-617-A001	Right-of-Way Marker
Bridge Items			
2,120	Square Yard	501-K001	Transverse Grooving
6	Each	803-A001	Test Pile
6	Each	803-B001	Conventional Static Loading Test
1,690	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
850	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
540	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
495	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-J001	Pile Restrike
161,664	Pounds	805-A001	Reinforcement
1,062	Linear Feet	813-A001	Concrete Railing
1,314	Ton	815-A009	Loose Riprap, Size 300
1,175	Square Yard	815-E001	Geotextile under Riprap
977	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,891	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
359	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
740	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2

Construction necessary for bridge replacement on SR 182 at Lehmborg Road, known as Federal Aid Project No. BR-2709-00(002) / 103078301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 176 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
3,686 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
6 Square Yard	202-B025	Removal of Concrete Paved Ditch
10 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
15 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,950 Linear Feet	202-B076	Removal of Traffic Stripe
20 Linear Feet	202-B080	Removal of Box Culvert
3 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
270 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
97 Linear Feet	202-B102	Removal of Guard Rail
2,134 Cubic Yard	203-A001	Unclassified Excavation, FM
10,688 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
4,484 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,364 Cubic Yard	206-A001	Structure Excavation
324 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,731 Square Yard	209-A001	Geotextile Stabilization, Type V
7,727 Square Yard	212-A001	Light Ground Preparation
23,219 Square Yard	212-B001	Standard Ground Preparation
3 Ton	213-B001	Combination Fertilizer, 13-13-13
2 Ton	213-C001	Superphosphate
80 Pounds	214-A002	Seeding, Bermudagrass
112 Pounds	214-A003	Seeding, Tall Fescue
32 Pounds	214-A004	Seeding, Crimson Clover
32 Pounds	214-A014	Seeding, Browntop Millet
144 Pounds	214-A015	Seeding, Oats
40 Pounds	214-A017	Seeding, Rye Grass
12 Ton	215-A001	Vegetative Materials for Mulch
99 Square Yard	216-A001	Solid Sodding
250 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,300 Linear Feet	234-A001	Temporary Silt Fence
170 Bale	235-A001	Temporary Erosion Checks
1,257 Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
1,846 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures

CALL No. 14

243,691 Pounds	602-A001 Reinforcing Steel
312 Linear Feet	603-ALT001 18" Type A Alternate Pipe
8 Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
144 Linear Feet	603-CA004 30" Reinforced Concrete Pipe, Class III
2 Each	603-CB003 30" Reinforced Concrete End Section
8 Linear Feet	603-CE005 51" x 31" Concrete Arch Pipe, Class A III
2 Each	603-SB004 24" Branch Connections, Stub into Box Culvert
1 Each	603-SB053 51" x 31" Branch Connection, Stub into Box Culvert
500 Pounds	604-B001 Gratings
458 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
157 Square Yard	614-A001 Concrete Driveway, Without Reinforcement
Lump Sum	618-A001 Maintenance of Traffic
7,936 Linear Feet	619-A1001 Temporary Traffic Stripe, Continuous White
7,492 Linear Feet	619-A2001 Temporary Traffic Stripe, Continuous Yellow
1,950 Linear Feet	619-A2005 Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
733 Linear Feet	619-A2007 Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
644 Linear Feet	619-A4002 Temporary Traffic Stripe, Skip Yellow, Paint
492 Linear Feet	619-A5002 Temporary Traffic Stripe, Detail, Paint
513 Linear Feet	619-A5004 Temporary Traffic Stripe, Detail, Type 1 Tape
127 Linear Feet	619-A6003 Temporary Traffic Stripe, Legend, Paint
36 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
74 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
276 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
96 Linear Feet	619-G4001 Barricades, Type III, Single Faced
36 Linear Feet	619-G4005 Barricades, Type III, Double Faced
50 Each	619-G5001 Free Standing Plastic Drums
2 Each	619-G7001 Warning Lights, Type "B"
Lump Sum	620-A001 Mobilization
4,058 Linear Feet	626-C001 6" Thermoplastic Edge Stripe, Continuous White
664 Linear Feet	626-D001 6" Thermoplastic Traffic Stripe, Skip Yellow
5,378 Linear Feet	626-E001 6" Thermoplastic Traffic Stripe, Continuous Yellow
1,259 Linear Feet	626-G001 Thermoplastic Detail Stripe, White
178 Linear Feet	626-G002 Thermoplastic Detail Stripe, Yellow
417 Square Feet	626-H001 Thermoplastic Legend, White
629 Linear Feet	626-H002 Thermoplastic Legend, White
39 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
258 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
51 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30 Linear Feet	630-C004 Steel U-Section Posts, 3.0 to 3.5 lb/ft
1,300 Linear Feet	635-A001 Vehicle Loop Assemblies
715 Linear Feet	636-A001 Shielded Cable, AWG #18, 4 Conductor
2 Each	638-A005 Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4 Each	640-A016 Traffic Signal Heads, Type 1 LED
4 Each	640-A022 Traffic Signal Heads, Type 7 LED
1 Each	642-A008 Solid State Traffic Actuated Controllers, Type 8A

CALL No. 14

4	Each	644-A001	Optical Detector
670	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
4	Each	647-A001	Pullbox, Type 1
3	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
700	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
150	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
130	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
205	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
10	Ton	907-213-A001	Agricultural Limestone
2,800	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
516	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,450	Ton	907-403-A008	Hot Mix Asphalt, MT, 25-mm mixture
1,705	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
78	Ton	907-403-C004	Hot Mix Asphalt, MT, 25-mm mixture, Trench Widening
2	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A003	Traffic Signal Equipment Pole, Type III, 17' Shaft, 60' & 60' Arms
1	Each	907-639-A004	Traffic Signal Equipment Pole, Type 1, 40' Shaft
Bridge Items			
780	Ton	815-A009	Loose Riprap, Size 300
1,045	Square Yard	815-E001	Geotextile under Riprap
1,800	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Milling, Widening, and Overlaying on approximately 4.6 miles of US Highway 51 between Senatobia and Coldwater, known as Federal Aid Project No. STP-2920-00-(009)MP / 104939301, in the County of Tate, State of Mississippi.

PROJECT COMPLETION: 55 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
24 Each	202-B136	Removal of Guard Rail Terminal End Section
300 Cubic Yard	203-G004	Excess Excavation, LVM, AH
750 Ton	304-B014	Granular Material, Class 3, Group D
70,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9 Mile	423-A001	Rumble Strips, Ground In
24 Each	606-E002	Guard Rail, Terminal End Section, Flared
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
27 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
55,000 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,000 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
10 Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
5 Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
14,750 Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,310 Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,610 Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
325 Square Feet	626-H001	Thermoplastic Legend, White
2,000 Linear Feet	626-H002	Thermoplastic Legend, White
100 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
700 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300 Each	630-F001	Delineators, Guard Rail, White
24 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,456 Linear Feet	635-A001	Vehicle Loop Assemblies
300 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,500 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,750 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
12,500 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
240 Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

Work necessary to install a traffic signal on SR 609 at Shore Drive, known as Federal Aid Project No. HSIP-9385-00(011) / 104850301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: March 28, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

63	Square Feet	202-B059	Removal of Legend, All Types
30	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
83	Square Feet	626-H001	Thermoplastic Legend, White
512	Linear Feet	626-H002	Thermoplastic Legend, White
990	Linear Feet	635-A001	Vehicle Loop Assemblies
2	Each	635-B001	Probe Point Detection Units, Paired
1,170	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
540	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
2	Each	647-A001	Pullbox, Type 1
4	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
420	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
25	Linear Feet	666-B031	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
171	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
605	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
100	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
75	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
260	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
85	Linear Feet	668-C008	Traffic Signal Conduit, Aerial Supported, Type IV, 2"
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A027	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55'Arms
12	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
45	Linear Feet	907-639-D001	Slip Casing, 36" Diameter

Construction necessary to widen and overlay SR 12 from SR 1 to Leroy Percy State Park, known as State Project No. MP-3012-76(010)/303221301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: 53 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Linear Feet	202-B076	Removal of Traffic Stripe
300	Cubic Yard	203-G001	Excess Excavation, FM
7,200	Ton	304-B025	Granular Material, Class 5, Group E
1,000	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
40	Linear Feet	603-ALT001	18" Type A Alternate Pipe
	Lump Sum	618-A001	Maintenance of Traffic
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
700	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
186	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
316	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1,500	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
900	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
600	Linear Feet	626-H002	Thermoplastic Legend, White
700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
250	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
48	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
500	Ton	907-304-F003	3/4" and Down Crushed Stone Base
10,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
11,200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

Overlay of US 51 from SR 28 to S. Pat Harrison Dr., known as Maintenance Project No. MP-3051-15(013) / 303273301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 43 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
6,000	Ton	304-B025	Granular Material, Class 5, Group E
900	Cubic Yard	406-A002	Cold Milling of Bituminous Pavement (LVM) (All Depths)
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Replace Type A or C Bridge End Section
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
9,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
	Lump Sum	620-A001	Mobilization
5	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,000	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
8,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,600	Square Feet	626-H001	Thermoplastic Legend, White
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
760	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F001	Delineators, Guard Rail, White
100	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
12,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
6,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Overlay of approximately 9.66 miles of existing asphalt pavement on SR 494 from the Newton County Line to SR 19, known as Maintenance Project No. MP-5494-38(006) / 302225301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,077	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
500	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
1,187	Linear Feet	609-E001	Bituminous Curb
118	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
703	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
356	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
20	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
17	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,050	Linear Feet	626-H002	Thermoplastic Legend, White
1,395	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
3,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

CALL No. 20

Construction necessary to place a Chip Seal on various routes throughout the District, known as Maintenance Project No. MP-6000-00(124) / 303256301, in District 6, State of Mississippi.

PROJECT COMPLETION: October 12, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

523,674	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11,800	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
12,434	Cubic Yard	907-410-C001	Seal Aggregate Cover Material, State Furnished

Mill and Overlay SR 13 from the Pearl River/Lamar County Line to the Boulevard section in Lumberton, known as Maintenance Project No. MP-6013-37(008) / 303254301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800	Linear Feet	202-B076	Removal of Traffic Stripe
550	Square Yard	202-B078	Removal of Pavement, All Types and Depths
740	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
16,510	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,240	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,250	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,710	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,890	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
938	Square Feet	626-H001	Thermoplastic Legend, White
3,250	Linear Feet	626-H002	Thermoplastic Legend, White
360	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
115	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
285	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,800	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min

Widen and Overlay SR 57 from the Jackson/George County Line to the Junction of SR 26, including the intersection, known as Maintenance Project No. MP-6057-20(011) / 303255301, in the County of George, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,015	Linear Feet	202-B076	Removal of Traffic Stripe
430	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
22	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
8	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,600	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	626-H002	Thermoplastic Legend, White
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,645	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
205	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
165	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,800	Linear Feet	635-A001	Vehicle Loop Assemblies
200	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
10,563	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
12,700	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
22	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

CALL No. 23

Replacing exterior beams and portions of the deck, patching interior beams on the bridge on I-59 over Millard Road, known as Maintenance Project No. MRP-6059-55(043) / 303240301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: October 05, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	907-824-PP093	Bridge Repair, Remove & Replace prestressed beam,railing,&portions or brdg.dk. per plans.
Lump Sum	907-824-PP093	Bridge Repair, Repair Beams Nos. 1-6 w/epoxy mortar pp

Mill and overlay SR 145 from South of Quitman to the junction of SR 513, known as Maintenance Project No. MP-6145-12(001) / 303277301, in the County of Clarke, State of Mississippi.

PROJECT COMPLETION: 27 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

325	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
4,400	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
4,960	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
150	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D018	Guard Rail, Bridge End Section, Type E Modified
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,225	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
38	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
87	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,150	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
825	Square Feet	626-H001	Thermoplastic Legend, White
1,500	Linear Feet	626-H002	Thermoplastic Legend, White
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Each	630-F001	Delineators, Guard Rail, White
1,200	Linear Feet	635-A001	Vehicle Loop Assemblies
150	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,680	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,335	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Widening and Overlaying SR 528 from Interstate 59 to US Highway 11, known as Maintenance Project No. MP-6528-31(010) / 303276301, in the County of Jasper, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

550	Linear Feet	202-B076	Removal of Traffic Stripe
950	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,000	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
2,225	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
1,790	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
75	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
78	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,140	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,893	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,398	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
126	Square Feet	626-H001	Thermoplastic Legend, White
2,126	Linear Feet	626-H002	Thermoplastic Legend, White
575	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
272	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
136	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
136	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
350	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,545	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,691	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Overlaying SR 969 from US 49 to Edwards Street & Widening & Overlaying US 49 from US 98 to Edwards Street, known as Maintenance Project Nos. MP-6969-18(001) / 303281301 & MP-6049-18(019) / 303282301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 29 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,275	Linear Feet	202-B076	Removal of Traffic Stripe
575	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
1,000	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
2,715	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12,202	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	423-A001	Rumble Strips, Ground In
250	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
18	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
22	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,360	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,550	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
5	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,400	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,260	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
636	Square Feet	626-H001	Thermoplastic Legend, White
1,550	Linear Feet	626-H002	Thermoplastic Legend, White
625	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
175	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
430	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
430	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
430	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,500	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,293	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
100	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,375	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,190	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2,570	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

CALL No. 27

Construction necessary to tie the District Office Complex to the Newton City Sewer System, known as State Project No. LWO-5001-51(002) / 501642302, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: February 20, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum	1520-A001	Installation of a Tie-in to the Newton Sewer System
----------	-----------	---

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR