

| HOLMES (26) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Key, LLC | N. L. Carson Construction Company, Inc. | J. J. Ferguson Sand & Gravel, Inc. |
|--|-----------|---|-------------|-------|--|----------------|---|---------------------------------------|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,163,999.64 | \$3,997,629.26 | \$4,091,137.71 | \$4,278,746.15 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | | 50,000.00 | 65,500.00 | 40,100.00 |
| 0020 | 202-A001 | Removal of Obstructions | 1.000 | LS | | 15,000.00 | 36,000.00 | 34,000.00 |
| 0030 | 202-B076 | Removal of Traffic Stripe | 7,869.000 | LF | | 0.90 | 0.90 | 1.05 |
| 0040 | 202-B078 | Removal of Pavement, All Types and Depths | 11,928.000 | SY | | 3.25 | 2.75 | 3.39 |
| 0050 | 202-B102 | Removal of Guard Rail | 825.000 | LF | | 3.50 | 3.50 | 4.25 |
| 0060 | 202-B106 | Removal of Pipe, All Sizes | 141.000 | LF | | 12.00 | 10.00 | 23.17 |
| 0070 | 203-A001 | Unclassified Excavation, FM | 2,055.000 | CY | | 4.00 | 3.90 | 3.50 |
| 0080 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 64,072.000 | CY | | 7.75 | 6.80 | 7.25 |
| 0090 | 203-G001 | Excess Excavation, FM | 24,758.000 | CY | | 2.75 | 2.50 | 2.90 |
| 0100 | 209-A001 | Geotextile Stabilization, Type V | 13,583.000 | SY | | 2.35 | 1.80 | 3.20 |
| 0110 | 212-A001 | Light Ground Preparation | 49,454.000 | SY | | 0.05 | 0.05 | 0.07 |
| 0120 | 212-B001 | Standard Ground Preparation | 118,002.000 | SY | | 0.08 | 0.08 | 0.07 |
| 0130 | 213-B001 | Combination Fertilizer, 13-13-13 | 14.000 | TON | | 500.00 | 500.00 | 775.00 |
| 0140 | 213-C001 | Superphosphate | 11.000 | TON | | 300.00 | 300.00 | 500.00 |
| 0150 | 214-A002 | Seeding, Bermudagrass | 449.000 | LBS | | 7.00 | 7.00 | 8.80 |
| 0160 | 214-A003 | Seeding, Tall Fescue | 295.000 | LBS | | 4.00 | 4.00 | 4.40 |
| 0170 | 214-A014 | Seeding, Browntop Millet | 205.000 | LBS | | 2.00 | 2.00 | 4.40 |
| 0180 | 214-A015 | Seeding, Oats | 920.000 | LBS | | 2.00 | 2.00 | 3.30 |
| 0190 | 214-A017 | Seeding, Rye Grass | 256.000 | LBS | | 2.00 | 2.00 | 3.30 |
| 0200 | 215-A001 | Vegetative Materials for Mulch | 59.000 | TON | | 220.00 | 220.00 | 275.00 |
| 0210 | 216-A001 | Solid Sodding | 107.000 | SY | | 4.00 | 4.00 | 11.00 |
| 0220 | 217-A001 | Ditch Liner | 647.000 | SY | | 1.00 | 1.00 | 16.50 |
| 0230 | 219-A001 | Watering | 2.000 | KGAL | | 20.00 | 20.00 | 20.00 |
| 0240 | 220-A001 | Insect Pest Control | 11.000 | ACRE | | 30.00 | 30.00 | 30.00 |
| 0250 | 221-A001 | Portland Cement Concrete Paved Ditch | 6.000 | CY | | 400.00 | 386.00 | 345.00 |
| 0260 | 234-A001 | Temporary Silt Fence | 7,306.000 | LF | | 3.50 | 5.25 | 2.50 |

| HOLMES (26) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Key, LLC | N. L. Carson Construction Company, Inc. | J. J. Ferguson Sand & Gravel, Inc. |
|--|------------|--|-----------|-------|--|----------------|---|---------------------------------------|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,163,999.64 | \$3,997,629.26 | \$4,091,137.71 | \$4,278,746.15 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0270 | 235-A001 | Temporary Erosion Checks | 828.000 | BALE | | 8.00 | 5.00 | 9.80 |
| 0280 | 304-B024 | Granular Material, Class 5, Group D | 1,779.000 | TON | | 14.00 | 11.10 | 15.00 |
| 0290 | 304-B025 | Granular Material, Class 5, Group E | 6,755.000 | TON | | 14.00 | 11.10 | 14.35 |
| 0300 | 304-B043 | Granular Material, Class 9, Group C | 1,697.000 | TON | | 7.00 | 8.00 | 7.55 |
| 0310 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 7,947.000 | SY | | 2.50 | 4.50 | 2.59 |
| 0320 | 408-A003 | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 | 3,469.000 | GAL | | 1.00 | 2.00 | 2.35 |
| 0330 | 501-E001 | Expansion Joints, Without Dowels | 284.000 | LF | | 7.00 | 10.50 | 5.45 |
| 0340 | 501-K001 | Transverse Grooving | 630.000 | SY | | 2.80 | 3.00 | 4.60 |
| 0350 | 502-A001 | Reinforced Cement Concrete Bridge End Pavement | 630.000 | SY | | 115.00 | 90.00 | 62.38 |
| 0360 | 601-B001 | Class "B" Structural Concrete, Minor Structures | 2.000 | CY | | 1,250.00 | 1,250.00 | 1,450.00 |
| 0370 | 602-A001 | Reinforcing Steel | 113.000 | LBS | | 0.95 | 0.95 | 0.88 |
| 0380 | 603-ALT001 | 18" Type A Alternate Pipe | 84.000 | LF | | 40.00 | 24.00 | 33.50 |
| 0390 | 606-B001 | Guard Rail, Class A, Type 1 | 1,200.000 | LF | | 20.00 | 20.00 | 24.39 |
| 0400 | 606-D012 | Guard Rail, Bridge End Section, Type I | 12.000 | EA | | 2,150.00 | 2,150.00 | 2,600.00 |
| 0410 | 606-E001 | Guard Rail, Terminal End Section | 12.000 | EA | | 2,000.00 | 2,000.00 | 2,400.00 |
| 0420 | 609-D002 | Combination Concrete Curb and Gutter Type 2 | 103.000 | LF | | 31.15 | 15.00 | 23.50 |
| 0430 | 618-A001 | Maintenance of Traffic | 1.000 | LS | | 25,000.00 | 57,000.00 | 50,000.00 |
| 0440 | 618-C001 | Construction & Removal of Detour Bridge | 1.000 | LS | | 140,000.00 | 194,000.00 | 225,000.00 |
| 0450 | 619-A1002 | Temporary Traffic Stripe, Continuous White | 2.000 | MI | | 800.00 | 800.00 | 880.00 |
| 0460 | 619-A1006 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape | 2.000 | MI | | 7,000.00 | 7,000.00 | 7,700.00 |
| 0470 | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow | 2.000 | MI | | 1,400.00 | 1,400.00 | 1,550.00 |
| 0480 | 619-A2006 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tap | 1.000 | MI | | 7,000.00 | 7,000.00 | 7,700.00 |
| 0490 | 619-A4001 | Temporary Traffic Stripe, Skip Yellow | 3,189.000 | LF | | 0.30 | 0.30 | 0.35 |
| 0500 | 619-A5001 | Temporary Traffic Stripe, Detail | 3,163.000 | LF | | 0.30 | 0.30 | 0.35 |
| 0510 | 619-A6001 | Temporary Traffic Stripe, Legend | 102.000 | LF | | 1.00 | 1.00 | 1.10 |
| 0520 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 227.000 | SF | | 11.30 | 9.00 | 10.00 |

| HOLMES (26) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Key, LLC | N. L. Carson Construction Company, Inc. | J. J. Ferguson Sand & Gravel, Inc. |
|--|-----------|--|-----------|-------|--|----------------|---|---------------------------------------|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,163,999.64 | \$3,997,629.26 | \$4,091,137.71 | \$4,278,746.15 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0530 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 1,118.000 | SF | | 11.30 | 9.00 | 10.00 |
| 0540 | 619-F3004 | Delineators, Guard Rail, White | 30.000 | EA | | 18.00 | 18.00 | 21.00 |
| 0550 | 619-G4001 | Barricades, Type III, Single Faced | 264.000 | LF | | 20.85 | 10.25 | 21.00 |
| 0560 | 619-G4005 | Barricades, Type III, Double Faced | 96.000 | LF | | 31.35 | 12.00 | 26.00 |
| 0570 | 619-G5001 | Free Standing Plastic Drums | 181.000 | EA | | 68.40 | 55.00 | 83.00 |
| 0580 | 619-G7001 | Warning Lights, Type "B" | 4.000 | EA | | 788.90 | 362.00 | 360.00 |
| 0590 | 619-K1001 | Installation and Removal of Guard Rail, Type I, Class A | 250.000 | LF | | 25.00 | 25.00 | 30.49 |
| 0600 | 619-K4001 | Installation and Removal of Guardrail, Terminal End Section | 10.000 | EA | | 1,500.00 | 1,500.00 | 1,800.00 |
| 0610 | 620-A001 | Mobilization | 1.000 | LS | | 255,000.00 | 212,200.00 | 184,000.00 |
| 0620 | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White | 3.000 | MI | | 2,400.00 | 2,400.00 | 2,700.00 |
| 0630 | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 2.000 | MI | | 1,200.00 | 1,200.00 | 1,350.00 |
| 0640 | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 1.000 | MI | | 2,400.00 | 2,400.00 | 2,700.00 |
| 0650 | 626-G001 | Thermoplastic Detail Stripe, White | 562.000 | LF | | 1.50 | 1.50 | 1.75 |
| 0660 | 626-H002 | Thermoplastic Legend, White | 102.000 | LF | | 4.00 | 4.00 | 4.50 |
| 0670 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 127.000 | EA | | 8.00 | 8.00 | 8.80 |
| 0680 | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous | 1,313.000 | LF | | 5.00 | 5.00 | 5.50 |
| 0690 | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow | 656.000 | LF | | 5.00 | 5.00 | 5.50 |
| 0700 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 113.000 | SF | | 20.00 | 20.00 | 22.00 |
| 0710 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 126.000 | SF | | 22.50 | 22.50 | 24.70 |
| 0720 | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 36.000 | SF | | 25.00 | 25.00 | 27.50 |
| 0730 | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft | 6.000 | LF | | 7.00 | 7.00 | 7.75 |
| 0740 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 499.000 | LF | | 7.50 | 7.50 | 8.25 |
| 0750 | 630-D003 | Structural Steel Beams, W6 x 9 | 56.000 | LF | | 45.00 | 45.00 | 50.00 |
| 0760 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 62.000 | LBS | | 3.50 | 3.50 | 3.90 |
| 0770 | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | 20.000 | LBS | | 3.50 | 3.50 | 3.85 |
| 0780 | 630-F001 | Delineators, Guard Rail, White | 66.000 | EA | | 18.00 | 18.00 | 20.00 |

| HOLMES (26) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Key, LLC | N. L. Carson Construction Company, Inc. | J. J. Ferguson Sand & Gravel, Inc. |
|--|--------------|--|-------------|-------|--|----------------|---|---------------------------------------|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,163,999.64 | \$3,997,629.26 | \$4,091,137.71 | \$4,278,746.15 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0790 | 630-G004 | Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, P | 12.000 | EA | | 75.00 | 75.00 | 83.00 |
| 0800 | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" | 14.000 | LF | | 40.00 | 40.00 | 44.00 |
| 0805 | 699-A001 | Roadway Construction Stakes | 1.000 | LS | | 50,000.00 | 118,000.00 | 100,000.00 |
| 0810 | 803-D002 | HP 12 x 53 Steel Piling | 2,105.000 | LF | | 44.00 | 39.00 | 38.50 |
| 0820 | 815-A009 | Loose Riprap, Size 300 | 6,979.000 | TON | | 42.00 | 42.00 | 55.00 |
| 0830 | 815-E001 | Geotextile under Riprap | 10,947.000 | SY | | 2.35 | 2.80 | 2.15 |
| 0840 | 907-213-A001 | Agricultural Limestone | 62.000 | TON | | 60.00 | 60.00 | 170.00 |
| 0850 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 4,480.000 | TON | | 42.00 | 40.00 | 45.00 |
| 0860 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 5,367.000 | TON | | 68.50 | 64.00 | 63.50 |
| 0870 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 2,306.000 | TON | | 64.00 | 68.50 | 70.00 |
| 0880 | 907-403-C005 | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening | 39.000 | TON | | 98.00 | 98.00 | 94.00 |
| 0890 | 907-617-A001 | Right-of-Way Marker | 41.000 | EA | | 125.00 | 97.50 | 170.00 |
| 0900 | 501-K001 | Transverse Grooving | 2,120.000 | SY | | 2.80 | 3.00 | 3.78 |
| 0910 | 803-A001 | Test Pile | 7.000 | EA | | 5,500.00 | 8,675.00 | 4,500.00 |
| 0920 | 803-B001 | Conventional Static Loading Test | 6.000 | EA | | 5,000.00 | 5,000.00 | 5,000.00 |
| 0930 | 803-C002 | 14" x 14" Prestressed Concrete Piling | 1,690.000 | LF | | 33.00 | 43.75 | 34.00 |
| 0940 | 803-C003 | 16" x 16" Prestressed Concrete Piling | 850.000 | LF | | 46.00 | 54.35 | 42.85 |
| 0950 | 803-C004 | 18" x 18" Prestressed Concrete Piling | 540.000 | LF | | 60.00 | 64.61 | 52.50 |
| 0960 | 803-D003 | HP 14 x 73 Steel Piling | 495.000 | LF | | 55.00 | 49.00 | 55.00 |
| 0970 | 803-J001 | Pile Restrike | 3.000 | EA | | 350.00 | 1,200.00 | 100.00 |
| 0980 | 805-A001 | Reinforcement | 161,664.000 | LBS | | 0.95 | 0.85 | 0.78 |
| 0990 | 813-A001 | Concrete Railing | 1,062.000 | LF | | 35.05 | 36.00 | 55.50 |
| 1000 | 815-A009 | Loose Riprap, Size 300 | 1,314.000 | TON | | 42.00 | 42.00 | 54.50 |
| 1010 | 815-E001 | Geotextile under Riprap | 1,175.000 | SY | | 2.50 | 2.80 | 2.60 |
| 1020 | 907-804-A001 | Bridge Concrete, Class AA | 977.000 | CY | | 470.00 | 461.00 | 540.00 |
| 1030 | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 | 1,891.000 | LF | | 65.00 | 86.00 | 75.00 |

| | | | | | | | | |
|--|--------------|--|----------|-------|--|----------------|---|---------------------------------------|
| HOLMES (26) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Key, LLC | N. L. Carson Construction Company, Inc. | J. J. Ferguson Sand & Gravel, Inc. |
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,163,999.64 | \$3,997,629.26 | \$4,091,137.71 | \$4,278,746.15 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 1040 | 907-804-C019 | 60' Prestressed Concrete Beam, Type II+2 | 359.000 | LF | | 90.00 | 106.00 | 98.00 |
| 1050 | 907-804-C145 | 50' Prestressed Concrete Beam, Type II + 2 | 740.000 | LF | | 90.00 | 100.00 | 90.00 |

| HOLMES (26) | | | | | Joe McGee Construction Company, Inc. | Dozer, LLC | T. L. Wallace Construction Company, Inc. | |
|--|-----------|---|-------------|-------|--|----------------|--|--|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,474,418.88 | \$5,349,466.35 | \$5,410,161.04 | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | 6 | |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | 345,000.00 | 325,000.00 | 350,000.00 | |
| 0020 | 202-A001 | Removal of Obstructions | 1.000 | LS | 45,000.00 | 70,000.00 | 59,600.00 | |
| 0030 | 202-B076 | Removal of Traffic Stripe | 7,869.000 | LF | 2.00 | 0.90 | 1.15 | |
| 0040 | 202-B078 | Removal of Pavement, All Types and Depths | 11,928.000 | SY | 1.50 | 5.00 | 2.35 | |
| 0050 | 202-B102 | Removal of Guard Rail | 825.000 | LF | 3.50 | 3.50 | 4.40 | |
| 0060 | 202-B106 | Removal of Pipe, All Sizes | 141.000 | LF | 20.00 | 25.00 | 10.20 | |
| 0070 | 203-A001 | Unclassified Excavation, FM | 2,055.000 | CY | 7.70 | 7.50 | 3.85 | |
| 0080 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 64,072.000 | CY | 7.00 | 12.75 | 7.90 | |
| 0090 | 203-G001 | Excess Excavation, FM | 24,758.000 | CY | 4.50 | 7.50 | 4.90 | |
| 0100 | 209-A001 | Geotextile Stabilization, Type V | 13,583.000 | SY | 2.60 | 3.50 | 2.20 | |
| 0110 | 212-A001 | Light Ground Preparation | 49,454.000 | SY | 0.05 | 0.05 | 0.07 | |
| 0120 | 212-B001 | Standard Ground Preparation | 118,002.000 | SY | 0.06 | 0.06 | 0.10 | |
| 0130 | 213-B001 | Combination Fertilizer, 13-13-13 | 14.000 | TON | 460.00 | 460.00 | 625.00 | |
| 0140 | 213-C001 | Superphosphate | 11.000 | TON | 460.00 | 460.00 | 375.00 | |
| 0150 | 214-A002 | Seeding, Bermudagrass | 449.000 | LBS | 7.00 | 7.00 | 8.75 | |
| 0160 | 214-A003 | Seeding, Tall Fescue | 295.000 | LBS | 4.00 | 4.00 | 5.00 | |
| 0170 | 214-A014 | Seeding, Browntop Millet | 205.000 | LBS | 3.00 | 3.00 | 2.50 | |
| 0180 | 214-A015 | Seeding, Oats | 920.000 | LBS | 2.50 | 2.50 | 2.50 | |
| 0190 | 214-A017 | Seeding, Rye Grass | 256.000 | LBS | 2.50 | 2.50 | 2.50 | |
| 0200 | 215-A001 | Vegetative Materials for Mulch | 59.000 | TON | 190.00 | 190.00 | 275.00 | |
| 0210 | 216-A001 | Solid Sodding | 107.000 | SY | 7.00 | 7.00 | 5.00 | |
| 0220 | 217-A001 | Ditch Liner | 647.000 | SY | 1.60 | 1.60 | 1.25 | |
| 0230 | 219-A001 | Watering | 2.000 | KGAL | 20.00 | 20.00 | 20.00 | |
| 0240 | 220-A001 | Insect Pest Control | 11.000 | ACRE | 30.00 | 30.00 | 30.00 | |
| 0250 | 221-A001 | Portland Cement Concrete Paved Ditch | 6.000 | CY | 1,200.00 | 400.00 | 604.00 | |
| 0260 | 234-A001 | Temporary Silt Fence | 7,306.000 | LF | 2.75 | 2.75 | 11.80 | |

| HOLMES (26) | | | | | Joe McGee Construction Company, Inc. | Dozer, LLC | T. L. Wallace Construction Company, Inc. | |
|--|------------|--|-----------|-------|--|----------------|--|--|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,474,418.88 | \$5,349,466.35 | \$5,410,161.04 | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | 6 | |
| 0270 | 235-A001 | Temporary Erosion Checks | 828.000 | BALE | 7.00 | 7.00 | 11.60 | |
| 0280 | 304-B024 | Granular Material, Class 5, Group D | 1,779.000 | TON | 16.00 | 23.00 | 15.40 | |
| 0290 | 304-B025 | Granular Material, Class 5, Group E | 6,755.000 | TON | 16.00 | 23.00 | 13.60 | |
| 0300 | 304-B043 | Granular Material, Class 9, Group C | 1,697.000 | TON | 11.60 | 19.00 | 12.20 | |
| 0310 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 7,947.000 | SY | 1.00 | 4.75 | 1.25 | |
| 0320 | 408-A003 | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 | 3,469.000 | GAL | 2.00 | 2.00 | 2.20 | |
| 0330 | 501-E001 | Expansion Joints, Without Dowels | 284.000 | LF | 4.50 | 20.00 | 10.20 | |
| 0340 | 501-K001 | Transverse Grooving | 630.000 | SY | 2.80 | 3.80 | 6.30 | |
| 0350 | 502-A001 | Reinforced Cement Concrete Bridge End Pavement | 630.000 | SY | 112.55 | 110.00 | 141.00 | |
| 0360 | 601-B001 | Class "B" Structural Concrete, Minor Structures | 2.000 | CY | 1,250.00 | 1,250.00 | 1,570.00 | |
| 0370 | 602-A001 | Reinforcing Steel | 113.000 | LBS | 0.95 | 0.95 | 1.20 | |
| 0380 | 603-ALT001 | 18" Type A Alternate Pipe | 84.000 | LF | 29.00 | 40.00 | 26.00 | |
| 0390 | 606-B001 | Guard Rail, Class A, Type 1 | 1,200.000 | LF | 20.00 | 20.00 | 25.00 | |
| 0400 | 606-D012 | Guard Rail, Bridge End Section, Type I | 12.000 | EA | 2,150.00 | 2,150.00 | 2,690.00 | |
| 0410 | 606-E001 | Guard Rail, Terminal End Section | 12.000 | EA | 2,000.00 | 2,000.00 | 2,500.00 | |
| 0420 | 609-D002 | Combination Concrete Curb and Gutter Type 2 | 103.000 | LF | 32.00 | 31.15 | 39.00 | |
| 0430 | 618-A001 | Maintenance of Traffic | 1.000 | LS | 53,100.00 | 90,000.00 | 23,300.00 | |
| 0440 | 618-C001 | Construction & Removal of Detour Bridge | 1.000 | LS | 150,000.00 | 200,000.00 | 203,300.00 | |
| 0450 | 619-A1002 | Temporary Traffic Stripe, Continuous White | 2.000 | MI | 1,000.00 | 800.00 | 1,000.00 | |
| 0460 | 619-A1006 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape | 2.000 | MI | 2,700.00 | 7,000.00 | 8,750.00 | |
| 0470 | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow | 2.000 | MI | 1,000.00 | 1,400.00 | 1,750.00 | |
| 0480 | 619-A2006 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tap | 1.000 | MI | 2,700.00 | 7,000.00 | 8,750.00 | |
| 0490 | 619-A4001 | Temporary Traffic Stripe, Skip Yellow | 3,189.000 | LF | 1.00 | 0.30 | 0.38 | |
| 0500 | 619-A5001 | Temporary Traffic Stripe, Detail | 3,163.000 | LF | 0.65 | 0.30 | 0.38 | |
| 0510 | 619-A6001 | Temporary Traffic Stripe, Legend | 102.000 | LF | 1.00 | 1.00 | 1.30 | |
| 0520 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 227.000 | SF | 11.30 | 14.00 | 18.80 | |

| HOLMES (26) | | | | | Joe McGee Construction Company, Inc. | Dozer, LLC | T. L. Wallace Construction Company, Inc. | |
|--|-----------|--|-----------|-------|--|----------------|--|--|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,474,418.88 | \$5,349,466.35 | \$5,410,161.04 | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | 6 | |
| 0530 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 1,118.000 | SF | 11.30 | 14.00 | 18.80 | |
| 0540 | 619-F3004 | Delineators, Guard Rail, White | 30.000 | EA | 18.00 | 18.00 | 22.50 | |
| 0550 | 619-G4001 | Barricades, Type III, Single Faced | 264.000 | LF | 20.85 | 22.00 | 22.50 | |
| 0560 | 619-G4005 | Barricades, Type III, Double Faced | 96.000 | LF | 31.35 | 25.00 | 25.00 | |
| 0570 | 619-G5001 | Free Standing Plastic Drums | 181.000 | EA | 68.40 | 75.00 | 100.00 | |
| 0580 | 619-G7001 | Warning Lights, Type "B" | 4.000 | EA | 788.90 | 900.00 | 1,250.00 | |
| 0590 | 619-K1001 | Installation and Removal of Guard Rail, Type I, Class A | 250.000 | LF | 25.00 | 25.00 | 31.30 | |
| 0600 | 619-K4001 | Installation and Removal of Guardrail, Terminal End Section | 10.000 | EA | 1,500.00 | 1,500.00 | 1,880.00 | |
| 0610 | 620-A001 | Mobilization | 1.000 | LS | 97,800.00 | 250,000.00 | 402,000.00 | |
| 0620 | 626-C002 | 6" Thermoplastic Edge Stripe, Continuous White | 3.000 | MI | 1,800.00 | 2,400.00 | 3,000.00 | |
| 0630 | 626-D002 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 2.000 | MI | 750.00 | 1,200.00 | 1,500.00 | |
| 0640 | 626-E002 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 1.000 | MI | 2,300.00 | 2,400.00 | 3,000.00 | |
| 0650 | 626-G001 | Thermoplastic Detail Stripe, White | 562.000 | LF | 1.50 | 1.50 | 1.90 | |
| 0660 | 626-H002 | Thermoplastic Legend, White | 102.000 | LF | 3.00 | 4.00 | 5.00 | |
| 0670 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 127.000 | EA | 9.00 | 8.00 | 10.00 | |
| 0680 | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous | 1,313.000 | LF | 5.00 | 5.00 | 6.25 | |
| 0690 | 628-L002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow | 656.000 | LF | 6.00 | 5.00 | 6.25 | |
| 0700 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 113.000 | SF | 20.00 | 20.00 | 25.00 | |
| 0710 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 126.000 | SF | 22.50 | 22.50 | 28.20 | |
| 0720 | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 36.000 | SF | 25.00 | 25.00 | 31.30 | |
| 0730 | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft | 6.000 | LF | 7.00 | 7.00 | 8.80 | |
| 0740 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 499.000 | LF | 7.50 | 7.50 | 9.40 | |
| 0750 | 630-D003 | Structural Steel Beams, W6 x 9 | 56.000 | LF | 45.00 | 45.00 | 56.30 | |
| 0760 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 62.000 | LBS | 3.50 | 3.50 | 4.40 | |
| 0770 | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | 20.000 | LBS | 3.50 | 3.50 | 4.40 | |
| 0780 | 630-F001 | Delineators, Guard Rail, White | 66.000 | EA | 18.00 | 18.00 | 22.50 | |

| HOLMES (26) | | | | | Joe McGee Construction Company, Inc. | Dozer, LLC | T. L. Wallace Construction Company, Inc. | |
|--|--------------|--|-------------|-------|--|----------------|--|--|
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,474,418.88 | \$5,349,466.35 | \$5,410,161.04 | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | 6 | |
| 0790 | 630-G004 | Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, P | 12.000 | EA | 75.00 | 75.00 | 93.80 | |
| 0800 | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" | 14.000 | LF | 40.00 | 40.00 | 50.00 | |
| 0805 | 699-A001 | Roadway Construction Stakes | 1.000 | LS | 173,312.50 | 175,000.00 | 101,000.00 | |
| 0810 | 803-D002 | HP 12 x 53 Steel Piling | 2,105.000 | LF | 45.90 | 47.00 | 36.00 | |
| 0820 | 815-A009 | Loose Riprap, Size 300 | 6,979.000 | TON | 46.25 | 48.00 | 80.70 | |
| 0830 | 815-E001 | Geotextile under Riprap | 10,947.000 | SY | 2.60 | 3.50 | 2.30 | |
| 0840 | 907-213-A001 | Agricultural Limestone | 62.000 | TON | 70.00 | 70.00 | 75.00 | |
| 0850 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 4,480.000 | TON | 47.00 | 40.00 | 41.00 | |
| 0860 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 5,367.000 | TON | 64.00 | 64.00 | 87.50 | |
| 0870 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 2,306.000 | TON | 68.50 | 68.50 | 97.50 | |
| 0880 | 907-403-C005 | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening | 39.000 | TON | 98.00 | 98.00 | 157.00 | |
| 0890 | 907-617-A001 | Right-of-Way Marker | 41.000 | EA | 200.00 | 125.00 | 69.00 | |
| 0900 | 501-K001 | Transverse Grooving | 2,120.000 | SY | 2.80 | 3.80 | 6.30 | |
| 0910 | 803-A001 | Test Pile | 7.000 | EA | 5,500.00 | 7,500.00 | 8,210.00 | |
| 0920 | 803-B001 | Conventional Static Loading Test | 6.000 | EA | 5,000.00 | 5,000.00 | 5,000.00 | |
| 0930 | 803-C002 | 14" x 14" Prestressed Concrete Piling | 1,690.000 | LF | 37.50 | 39.00 | 36.00 | |
| 0940 | 803-C003 | 16" x 16" Prestressed Concrete Piling | 850.000 | LF | 49.00 | 52.00 | 60.00 | |
| 0950 | 803-C004 | 18" x 18" Prestressed Concrete Piling | 540.000 | LF | 58.50 | 61.00 | 70.00 | |
| 0960 | 803-D003 | HP 14 x 73 Steel Piling | 495.000 | LF | 58.50 | 59.00 | 70.00 | |
| 0970 | 803-J001 | Pile Restrike | 3.000 | EA | 500.00 | 1,000.00 | 1,830.00 | |
| 0980 | 805-A001 | Reinforcement | 161,664.000 | LBS | 0.84 | 0.92 | 1.05 | |
| 0990 | 813-A001 | Concrete Railing | 1,062.000 | LF | 58.00 | 35.10 | 43.90 | |
| 1000 | 815-A009 | Loose Riprap, Size 300 | 1,314.000 | TON | 46.25 | 48.00 | 44.50 | |
| 1010 | 815-E001 | Geotextile under Riprap | 1,175.000 | SY | 2.60 | 3.50 | 2.20 | |
| 1020 | 907-804-A001 | Bridge Concrete, Class AA | 977.000 | CY | 550.00 | 545.00 | 550.00 | |
| 1030 | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2 | 1,891.000 | LF | 67.50 | 75.00 | 66.20 | |

| | | | | | | | | |
|--|--------------|--|----------|-------|--|----------------|--|--|
| HOLMES (26) | | | | | Joe McGee Construction Company, Inc. | Dozer, LLC | T. L. Wallace Construction Company, Inc. | |
| Construction necessary for bridge replacement on US 51 between Pickens and Goodman, known as Federal Aid Project No. BR-1681-00(015) / 100446301, in the County of Holmes, State of Mississippi. | | | | | \$4,474,418.88 | \$5,349,466.35 | \$5,410,161.04 | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | 6 | |
| 1040 | 907-804-C019 | 60' Prestressed Concrete Beam, Type II+2 | 359.000 | LF | 89.65 | 95.00 | 93.30 | |
| 1050 | 907-804-C145 | 50' Prestressed Concrete Beam, Type II + 2 | 740.000 | LF | 88.35 | 95.00 | 90.10 | |