

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 7/17/2007 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised NTB 1239; Revised Bidsheets; Revised or Added Plan Sht. Nos. 2A & B, 4, 5, 7, 8, 8.1, 9A & B, 11, 13, 15, 22, 25, 26, 39, and 40; Addendum diskette required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.
ER-NH-0003-01(106) / 104569304 ER-NH-0003-01(106) / 104569309 Harrison County(ies)
Revised 09/21/2005

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 1239

CODE: (SP)

DATE: 07/16/2007

SUBJECT: Radio Interconnect

PROJECT: ER-NH-0003-01(106) / 104569304 &
ER-NH-0003-01(106) / 104569309-- Harrison County

Bidders are hereby advised that the following Radio Interconnect Modifications specifications will be required on this project.

Radio Interconnect Modifications

Scope of Work: The Mississippi Department of Transportation desires to implement a high capacity, high speed wireless RF Data network capable of providing a minimum redundant 100 Mbps, full duplex, connection between fixed repeater (backbone) distribution sites and a minimum of 1.5 Mbps Non-Line-Of-Sight (NLOS) distribution system to all specified traffic intersection locations. The radio channel infrastructure must be designed to support the full requirements of these specifications. **The wireless RF Data network installed under this project (ER-NH-0003-01(106)) must be fully and completely compatible with the Inline Communication, Inc. wireless network being installed in Hancock County under Project# ER-NH-0003-01(109).** MDOT would like to utilize license restricted frequencies for the fixed repeaters (backbone) and license free spectrum for the NLOS distribution system to the intersections. It is expected that the system will transmit data over standard conventional radio channels. The NLOS distribution system will be used to interconnect a minimum of 54 traffic signal locations and provide Ethernet capability at each intersection. MDOT is not specifying a specific technology or mix of technologies. A variety of frequency bands can be used. The RF infrastructure provided in this project must cover all intersections as listed in this Notice to Bidders and provide communications back to a central controller located at the MDOT Lyman Project Office, 16499 Highway 49, Saucier, MS 39574. The system must be expandable to cover future intersections which MDOT may choose to add at a future date.

Project Locations/Sites: Predictable and consistently reliable RF communications coverage shall be required for all MDOT intersections and tower (backbone) locations. A general map that illustrates the desired overall coverage area is included in this Notice to Bidders, Appendix A. Appendix B, illustrates the specific coverage area required for this phase of the overall Highway 90 project and this specific Notice to Bidders. The Mississippi Department of Transportation will supply limited information on the suggested sites but it will be the Contractor's responsibility to forecast coverage from these sites using their own methods. These forecasts must meet MDOT's requirements for the desired system coverage and future growth. Elements of consideration should include current tower heights as opposed to required and/or desired tower heights. MDOT strongly recommends using existing state radio towers and/or city owned water towers as

repeater backbone locations. The Contractor is not limited to the MDOT suggested tower locations in this Notice to Bidders. It is the responsibility of the Contractor to select the tower locations that will guarantee MDOT the desired system coverage outlined in these specifications. However, MDOT must approve all new tower site additions and/or required tower site replacements. MDOT will negotiate any necessary agreements and access permits with the local municipalities. It is also the Contractor's responsibility to determine the number of radio channels needed to meet the minimum system requirements. The Mississippi Department of Transportation will not be liable for any costs incurred by the Contractor in preparing a response to these specifications. The Contractor will submit a response at their own risk and expense.

The Contractor is responsible for the RF link performance. If the RF coverage performance of the installed system does not meet the requirements of these specifications, the Contractor will modify or otherwise cause the system to meet the minimum requirements at no cost, directly or indirectly, to the Mississippi Department of Transportation, and must state a time commitment for correcting such a condition.

Intersection Locations:

Harrison County Highway 90 intersection locations, in Gulfport, that must support a minimum of 1.5 Mbps transfer rate:

- Debuys
- Eisenhower
- East Mall
- Coliseum
- Beauvoir
- Treasure Bay
- Camellia
- Veterans
- Rodenburg

Suggested Tower Locations:

- None – Water Tower locations were installed under separate projects.

Documentation: The Contractor must provide in their response to this bid a Conceptual Design, System Diagrams, Product Specification sheets, and list of any proposed Subcontractors for the proposed Radio Interconnect system. The Conceptual design should include, but is not limited to, a narrative outline of the hardware, software, technology, and vendor alliances that will be needed to implement the proposed system. System Diagrams will be included in the package illustrating the following interconnections:

- General overview of the RF repeater (backbone) distribution hardware configuration and coverage area.

- General overview of the RF NLOS distribution hardware configuration and coverage area.

All documents and drawings must be professionally drafted, clear, and legible. Contractor must provide an electronic copy of all documents and drawings.


MDOT reserves the right to accept or reject the proposed Conceptual Design at its sole discretion.

References: The Contractor must be a reputable, established, and financially stable provider of wireless networks and must be a licensed Competitive Local Exchange Carrier (CLEC) and have held a CLEC license for at least the last three years with no interruption in licensure.

The Contractor must provide in their response to this bid a references from at least three (3) government entities that are currently utilizing a RF wireless solution based on the same technology as that proposed by the Contractor and which the Contractor has implemented in the last three (3) years.


Training: 120 hours of training and assistance shall be provided for operations, testing, and maintenance of the Radio Interconnect Systems.

APPENDIX A



Traffic Signal Improvements
U.S. Hwy 90 –West Biloxi
ER-NH-0003-01(106) / 104569/304000 & 309000

APPENDIX B



**Traffic Signal Improvements
U.S. Hwy 90 – West Biloxi
ER-NH-0003-01(106) / 104569/304000 & 309000**

Grading, Draining, and Paving, between Debuys Road in Gulfport and Rodenburg Avenue in Biloxi and installing traffic signals, known as Federal Aid Project Nos.ER-NH-0003-01(106) / 104569304 & ER-NH-0003-01(106) / 104569309, in the County of Harrison, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-A001		1	Lump Sum	Removal of Obstructions	XXXXXXXX	XXX		
0030	202-B024		4,620	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0040	202-B035		6,375	Square Yard	Removal of Concrete Sidewalk				
0050	202-B038		79,570	Linear Feet	Removal of Curb, All Types				
0060	202-B078		8,145	Square Yard	Removal of Pavement, All Types and Depths				
0070	202-B086		20	Each	Removal of Guard Post				
0080	202-B093		374	Linear Feet	Removal of Curb & Gutter, All Types				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
0090	202-B106		3,376	Linear Feet	Removal of Pipe, All Sizes			
0100	202-B173		464	Linear Feet	Removal of Debris and Sand From Box Culvert, 6-foot to Less Than 10-foot Width			
0110	202-B174		37	Linear Feet	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width			
0120	202-B175		220	Each	Removal of Debris and Sand From Inlet and Junction Box, All Types & Sizes			
0130	202-B176		13,038	Linear Feet	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter			
0140	202-B177		2,907	Linear Feet	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diameter			
0150	202-B180		146	Linear Feet	Removal of Debris and Sand From Pipe, 54" to Less Than 72" Diameter			
0160	202-B182		790	Linear Feet	Removal of Debris and Sand From Pipe, Less Than 18" Diameter			
0170	202-B218		37	Each	Removal of Inlet Tops			
0180	202-B219		193	Each	Removal of and Replacement of SS-2 Inlet Top			
0190	203-A004	(E)	4,355	Cubic Yard	Unclassified Excavation, LVM, AH			
0200	203-EX006	(E)	6,355	Cubic Yard	Borrow Excavation, AH, LVM, Class B3			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	203-H004	(E)	100	Cubic Yard	Surplus Excavation, LVM, AH				
0220	206-A001	(S)	431	Cubic Yard	Structure Excavation				
0230	209-A001		6,533	Square Yard	Geotextile Stabilization, Type V				
0240	213-C001		14	Ton	Superphosphate				
0250	216-B004		5,000	Square Yard	Solid Sodding, Bermuda				
0260	219-A001		100	Thousand Gallon	Watering	20.	00	2,000.	00
0270	220-A001		28	Acre	Insect Pest Control	30.	00	840.	00
0280	234-A001		40,546	Linear Feet	Temporary Silt Fence				
0290	235-A001		200	Bale	Temporary Erosion Checks				
0300	406-A001		175,262	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0310	413-E001		32,297	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
0320	503-C007		1,000	Linear Feet	Saw Cut, Full Depth				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	601-B001	(S)	101	Cubic Yard	Class "B" Structural Concrete, Minor Structures				
0340	602-A001	(S)	11,530	Pounds	Reinforcing Steel				
0350	603-CA002	(S)	2,204	Linear Feet	18" Reinforced Concrete Pipe, Class III				
0360	603-CA003	(S)	752	Linear Feet	24" Reinforced Concrete Pipe, Class III				
0370	603-CA004	(S)	816	Linear Feet	30" Reinforced Concrete Pipe, Class III				
0380	603-CA005	(S)	96	Linear Feet	36" Reinforced Concrete Pipe, Class III				
0390	603-CA006	(S)	384	Linear Feet	42" Reinforced Concrete Pipe, Class III				
0400	603-CA007	(S)	112	Linear Feet	48" Reinforced Concrete Pipe, Class III				
0410	603-CA008	(S)	32	Linear Feet	54" Reinforced Concrete Pipe, Class III				
0420	604-A001		8,147	Pounds	Castings				
0430	606-A002		20	Each	Guard Post, Type II Modified				
0440	608-A001 Changed 07/17/2007	(S)	11,341	Square Yard	Concrete Sidewalk, Without Reinforcement				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	609-B008	(S)	41,563	Linear Feet	Concrete Curb, Special Design Header, Type 1				
0460	609-B009	(S)	39,138	Linear Feet	Concrete Curb, Special Design Header, Type 2				
0470	609-D005 Changed 07/17/2007	(S)	9,051	Linear Feet	Combination Concrete Curb and Gutter Type 3B Modified				
0475	613-D007 Added 07/17/2007		26	Each	Adjustment of Utility Appurtenance				
0480	614-A001	(S)	376	Square Yard	Concrete Driveway, Without Reinforcement				
0490	616-A001 Changed 07/17/2007	(S)	4,595	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0500	616-A003	(S)	42	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0510	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXX	XXX		
0520	619-A1004		5	Mile	Temporary Traffic Stripe, Continuous White, Paint				
0530	619-A2003		4,084	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint				
0540	619-A3007		15	Mile	Temporary Traffic Stripe, Skip White, Paint				
0550	619-A5002		12,720	Linear Feet	Temporary Traffic Stripe, Detail, Paint				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0560	619-A6003		10,798	Linear Feet	Temporary Traffic Stripe, Legend, Paint				
0570	619-A6004		2,289	Square Feet	Temporary Traffic Stripe, Legend, Paint				
0580	619-D1001		32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0590	619-D2001		392	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0600	619-G4005		48	Linear Feet	Barricades, Type III, Double Faced				
0610	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0620	626-A002		7	Mile	6" Thermoplastic Traffic Stripe, Skip White				
0630	626-B002		3	Mile	6" Thermoplastic Traffic Stripe, Continuous White				
0640	626-E001		5,237	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow				
0650	626-G001		14,848	Linear Feet	Thermoplastic Detail Stripe, White				
0660	626-G002		10,955	Linear Feet	Thermoplastic Detail Stripe, Yellow				
0670	626-H001		3,798	Square Feet	Thermoplastic Legend, White				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0680	626-H002		16,548	Linear Feet	Thermoplastic Legend, White		
0690	627-K001		1,877	Each	Red-Clear Reflective High Performance Raised Markers		
0700	627-L001		4	Each	Two-Way Yellow Reflective High Performance Raised Markers		
0710	630-A001 Changed 07/17/2007		569	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness		
0720	630-A002 Changed 07/17/2007		413	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0730	630-B001		220	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted		
0740	630-C004 Changed 07/17/2007		1,607	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft		
0750	630-D003		214	Linear Feet	Structural Steel Beams, W6 x 9		
0760	630-E001		196	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles		
0770	631-A001		2,092	Cubic Yard	Flowable Fill		
0780	635-A001 Changed 07/17/2007		912	Linear Feet	Vehicle Loop Assemblies		
0790	636-A001 Changed 07/17/2007		9,910	Linear Feet	Shielded Cable, AWG #18, 4 Conductor		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0800	638-A005		17	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel				
0810	640-A016 Changed 07/17/2007		67	Each	Traffic Signal Heads, Type 1 LED				
0820	640-A020		1	Each	Traffic Signal Heads, Type 5R LED				
0830	640-A021 Changed 07/17/2007		50	Each	Traffic Signal Heads, Type 6 LED				
0840	640-A022 Changed 07/17/2007		12	Each	Traffic Signal Heads, Type 7 LED				
0850	640-A031		1	Each	Traffic Signal Heads, Type 1A LED				
0860	640-A036		8	Each	Traffic Signal Heads, Type 5L, LED				
0870	640-A037		1	Each	Traffic Signal Heads, Type 5LA, LED				
0880	642-A008		9	Each	Solid State Traffic Actuated Controllers, Type 8A				
0890	643-A001		1	Each	Closed Loop On-Street Master System				
0900	644-A001 Changed 07/17/2007		36	Each	Optical Detector				
0910	644-B001 Changed 07/17/2007		6,030	Linear Feet	Optical Detector Cable				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0920	644-C002 Changed 07/17/2007		10	Each	Phase Selector, 4 Channel				
0930	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment	XXXXXXXX	XXX		
0940	647-A005 Changed 07/17/2007		75	Each	Pullbox, Type 2				
0950	650-A003		2	Each	On Street Video Equipment, PTZ Type				
0960	666-B004 Changed 07/17/2007		2,140	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor				
0970	666-B015 Changed 07/17/2007		5,235	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor				
0980	666-B016 Changed 07/17/2007		6,045	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor				
0990	668-A018 Changed 07/17/2007		510	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"				
1000	668-A020 Changed 07/17/2007		1,095	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"				
1010	668-B025 Changed 07/17/2007		3,015	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"				
1020	668-B024 Changed 07/17/2007		7,150	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"				
1030	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXX	XXX		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1040	907-213-A001		84	Ton	Agricultural Limestone		
1050	907-227-A001		28	Acre	Hydroseeding		
1060	907-304-F001	(GT)	2,205	Ton	Size 825 Crushed Stone Base		
1070	907-403-A011	(BA1)	1,409	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture Changed 07/17/2007		
1080	907-403-A012	(BA1)	1,761	Ton	Hot Mix Asphalt, ST, 19-mm mixture Changed 07/17/2007		
1090	907-403-A015	(BA1)	1,057	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture Changed 07/17/2007		
1100	907-403-B002	(BA1)	3,407	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Leveling Changed 07/17/2007		
1110	907-403-D004	(BA1)	13,254	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified		
1120	907-403-E004	(BA1)	14,121	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling		
1130	907-603-V001		34,764	Linear Feet	Video Pipe Inspection, All Sizes		
1140	907-626-C003		7	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White		
1150	907-626-F003		6	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1160	907-626-G001		253	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA				
1170	907-639-A006		9	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm				
1175	907-639-A011 Added 07/17/2007		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm				
1180	907-639-A007		3	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm				
1190	907-639-A015 Changed 07/17/2007		3	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm				
1195	907-639-A010 Added 07/17/2007		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm				
1200	907-639-A021		10	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm				
1210	907-639-A028		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm				
1220	907-639-A034 Changed 07/17/2007		12	Each	Traffic Signal Equipment Pole, Type VI, 8' Shaft				
1230	907-639-A036		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40' Arms				
1240	907-639-A037		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 40' Arms				
1250	907-639-A038		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 50' Arms				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1260	907-639-C002		117	Cubic Yard	Pole Foundations, 36" Diameter				
	Changed 07/17/2007								
1270	907-639-C003		8	Cubic Yard	Pole Foundations, 24" Diameter				
	Changed 07/17/2007								
1280	907-639-D001		443	Linear Feet	Slip Casing, 36" Diameter				
	Changed 07/17/2007								
1290	907-648-C001		10	Each	Radio Ethernet Interconnect, Local Intersection				
	Changed 07/17/2007								
1300	907-648-F001		1	Lump Sum	Radio Interconnect Training, Testing and Installation	XXXXXXXX	XXX		
1310	907-649-A001		31	Each	Video Detection System, 1 Sensor				
	Changed 07/17/2007								
1320	907-649-B001		14	Each	Video Detection-Data Collection and Reporting Tool License				
	Changed 07/17/2007								
1330	907-649-D001		14	Each	Video Detection-Digitized Video Encoder/Decoded				
	Changed 07/17/2007								
1340	907-649-E001		1	Lump Sum	Video Detection Training	XXXXXXXX	XXX		
1350	907-813-J001	(S)	460	Linear Feet	Cleaning and Coating Existing Railing				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER