



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JULY - Tuesday, July 24, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	ER-NH-0003-01(104) / 104569302 & ER-NH-0003-01(104) / 104569310	Harrison
02	ER-NH-0003-01(106) / 104569304 & ER-NH-0003-01(106) / 104569309	Harrison
* 03	ER-0003-01(137) / 105030301 & ER-0032-01(033) / 105030302	Hancock
* 04	ER-0008-01(106) / 105032301	Harrison
* 05	ER-0008-01(107) / 105033301	Harrison
* 06	IM-0059-03(088) N / 104801302	Lauderdale
* 07	ER-9385-00(012) / 105029301	Jackson
08	HSIP-0007-01(073) / 104890301	Tippah
09	MP-1023-48(002) / 303263301	Monroe
* 10	MP-1025-48(009) / 303272301	Monroe
11	MP-1050-13(008) / 303262301	Clay
12	MP-1050-44(007) / 303261301	Lowndes
* 13	MP-2000-00(034) / 303259301	District 2
* 14	MP-2000-00(035) / 303264301000	District 2
* 15	MP-2003-00(033) / 303007301	District 2
* 16	MP-2322-14(005) / 303260301	Coahoma
* 17	MP-5021-50(016) / 302220301	Neshoba
* 18	MP-5022-45(006) / 303267301 & MPR-5043-45(008) / 303267302	Madison
* 19	MP-5890-25(001) / 303222301	Hinds
* 20	MP-7024-79(009) / 303235301	Wilkinson

CALL CONTRACT

* 21 MP-7035-65(011) / 303274301
* 22 MP-7044-39(004) / 303271301
* 23 MP-7908-57(001) / 303237301
24 BWO-2173-68(001) / 501579301 & BWO-2172-68(001) / 501580301

COUNTY

Smith
Lawrence
Pike
Tallahatchie

Reconstruction of US 90 between Lewis Ave. and Debuys Rd. in Gulfport, known as Federal Aid Project No. ER-NH-0003-01(104) / 104569302 & 310, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
13,612	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
13,364	Square Yard	202-B035	Removal of Concrete Sidewalk
149,739	Linear Feet	202-B038	Removal of Curb, All Types
10,035	Square Yard	202-B078	Removal of Pavement, All Types and Depths
5,508	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
6,123	Linear Feet	202-B106	Removal of Pipe, All Sizes
230	Linear Feet	202-B172	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
992	Linear Feet	202-B173	Removal of Debris and Sand From Box Culvert, 6-foot to Less Than 10-foot Width
730	Linear Feet	202-B174	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
430	Each	202-B175	Removal of Debris and Sand From Inlet and Junction Box, All Types & Sizes
23,667	Linear Feet	202-B176	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
2,674	Linear Feet	202-B177	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diameter
82	Linear Feet	202-B180	Removal of Debris and Sand From Pipe, 54" to Less Than 72" Diameter
72	Linear Feet	202-B181	Removal of Debris and Sand From Pipe, 65" x 40" Arch Pipe
3,996	Linear Feet	202-B182	Removal of Debris and Sand From Pipe, Less Than 18" Diameter
28	Each	202-B218	Removal of Inlet Tops
391	Each	202-B223	Removal of and Replacement of SS-5 INLET TOP
160	Linear Feet	202-B224	Removal of Debris and Sand From Pipe, 36" x 23" Arch Pipe
376	Linear Feet	202-B225	Removal of Top of Sea Wall
4,000	Cubic Yard	203-EX006	Borrow Excavation, AH, LVM, Class B3
200	Cubic Yard	203-H004	Surplus Excavation, LVM, AH
29	Ton	213-C001	Superphosphate
10,000	Square Yard	216-B004	Solid Sodding, Bermuda
200	Thousand Gallon	219-A001	Watering
57	Acre	220-A001	Insect Pest Control
82,416	Linear Feet	234-A001	Temporary Silt Fence
400	Bale	235-A001	Temporary Erosion Checks
340,044	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
67,822	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,000	Linear Feet	503-C007	Saw Cut, Full Depth
35	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
5,031	Pounds	602-A001	Reinforcing Steel
3,161	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,449	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
772	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
521	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III

CALL No. 01

32	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
32	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
1,580	Pounds	604-A001	Castings
23,714	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
4,759	Linear Feet	609-B001	Concrete Curb, Header
1,240	Linear Feet	609-B002	Concrete Curb, Doweled
101,612	Linear Feet	609-B008	Concrete Curb, Special Design Header, Type 1
42,087	Linear Feet	609-B009	Concrete Curb, Special Design Header, Type 2
1,136	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
4,511	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
89	Each	613-D007	Adjustment of Utility Appurtenance
13,158	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
244	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
6,172	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
34	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
26,642	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
19,652	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
3,886	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,064	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
18	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
3,086	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
44,361	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
22,809	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
5,396	Square Feet	626-H001	Thermoplastic Legend, White
23,528	Linear Feet	626-H002	Thermoplastic Legend, White
3,525	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
216	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,011	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,055	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
561	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
3,916	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
313	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
375	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
112	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
89	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
3,448	Cubic Yard	631-A001	Flowable Fill
912	Linear Feet	635-A001	Vehicle Loop Assemblies
9,945	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor

CALL No. 01

18	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
50	Each	640-A016	Traffic Signal Heads, Type 1 LED
6	Each	640-A018	Traffic Signal Heads, Type 3 LED
8	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	640-A031	Traffic Signal Heads, Type 1A LED
48	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
17	Each	640-A036	Traffic Signal Heads, Type 5L, LED
9	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
31	Each	644-A001	Optical Detector
6,010	Linear Feet	644-B001	Optical Detector Cable
9	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
71	Each	647-A005	Pullbox, Type 2
3	Each	650-A003	On Street Video Equipment, PTZ Type
2,030	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
6,335	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
7,095	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
495	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
80	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
6,650	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
3,405	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
171	Ton	907-213-A001	Agricultural Limestone
57	Acre	907-227-A001	Hydroseeding
5,519	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
25,715	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
26,909	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
65,115	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,738	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
2	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
3	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
3	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
5	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
3	Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
13	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	907-639-A035	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 30'Arms
3	Each	907-639-A036	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40'Arms
1	Each	907-639-A038	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 50'Arms
96	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter

CALL No. 01

9	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
375	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
9	Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection
2	Each	907-648-D001	Radio Ethernet Distribution Repeater Installation
6	Each	907-648-E001	Radio Ethernet Fixed Backbone Repeater Installation
	Lump Sum	907-648-F001	Radio Interconnect Training, Testing and Installation
25	Each	907-649-A001	Video Detection System, 1 Sensor
10	Each	907-649-B001	Video Detection-Data Collection and Reporting Tool License
10	Each	907-649-D001	Video Detection-Digitized Video Encoder/Decoded
	Lump Sum	907-649-E001	Video Detection Training
1	Each	907-687-A014	Loop, Sensor, Loop ATR Station
6,593	Linear Feet	907-813-J001	Cleaning and Coating Existing Railing

Grading, Draining, and Paving, between Debuys Road in Gulfport and Rodenburg Avenue in Biloxi and installing traffic signals, known as Federal Aid Project Nos.ER-NH-0003-01(106) / 104569304 & ER-NH-0003-01(106) / 104569309, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: December 21, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
4,620	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
6,375	Square Yard	202-B035	Removal of Concrete Sidewalk
79,570	Linear Feet	202-B038	Removal of Curb, All Types
8,145	Square Yard	202-B078	Removal of Pavement, All Types and Depths
20	Each	202-B086	Removal of Guard Post
374	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
3,376	Linear Feet	202-B106	Removal of Pipe, All Sizes
464	Linear Feet	202-B173	Removal of Debris and Sand From Box Culvert, 6-foot to Less Than 10-foot Width
37	Linear Feet	202-B174	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
220	Each	202-B175	Removal of Debris and Sand From Inlet and Junction Box, All Types & Sizes
13,038	Linear Feet	202-B176	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
2,907	Linear Feet	202-B177	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diameter
146	Linear Feet	202-B180	Removal of Debris and Sand From Pipe, 54" to Less Than 72" Diameter
790	Linear Feet	202-B182	Removal of Debris and Sand From Pipe, Less Than 18" Diameter
37	Each	202-B218	Removal of Inlet Tops
193	Each	202-B219	Removal of and Replacement of SS-2 Inlet Top
4,355	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
6,355	Cubic Yard	203-EX006	Borrow Excavation, AH, LVM, Class B3
100	Cubic Yard	203-H004	Surplus Excavation, LVM, AH
431	Cubic Yard	206-A001	Structure Excavation
6,533	Square Yard	209-A001	Geotextile Stabilization, Type V
14	Ton	213-C001	Superphosphate
5,000	Square Yard	216-B004	Solid Sodding, Bermuda
100	Thousand Gallon	219-A001	Watering
28	Acre	220-A001	Insect Pest Control
40,546	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
175,262	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32,297	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,000	Linear Feet	503-C007	Saw Cut, Full Depth
101	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
11,530	Pounds	602-A001	Reinforcing Steel
2,204	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
752	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
816	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III

CALL No. 02

384	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
112	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
8,147	Pounds	604-A001	Castings
20	Each	606-A002	Guard Post, Type II Modified
11,178	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
41,563	Linear Feet	609-B008	Concrete Curb, Special Design Header, Type 1
39,138	Linear Feet	609-B009	Concrete Curb, Special Design Header, Type 2
3,531	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
376	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
4,517	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
42	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4,084	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
12,720	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
10,798	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,289	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
392	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
7	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
5,237	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,848	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
10,955	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
3,798	Square Feet	626-H001	Thermoplastic Legend, White
16,548	Linear Feet	626-H002	Thermoplastic Legend, White
1,877	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
581	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
434	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
220	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,682	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
214	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
196	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
2,092	Cubic Yard	631-A001	Flowable Fill
816	Linear Feet	635-A001	Vehicle Loop Assemblies
9,080	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
17	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
61	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
44	Each	640-A021	Traffic Signal Heads, Type 6 LED

CALL No. 02

11	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	640-A031	Traffic Signal Heads, Type 1A LED
8	Each	640-A036	Traffic Signal Heads, Type 5L, LED
1	Each	640-A037	Traffic Signal Heads, Type 5LA, LED
9	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
33	Each	644-A001	Optical Detector
5,610	Linear Feet	644-B001	Optical Detector Cable
9	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
66	Each	647-A005	Pullbox, Type 2
2	Each	650-A003	On Street Video Equipment, PTZ Type
1,935	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
4,605	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
5,980	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
490	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
6,305	Linear Feet	668-A024	Traffic Signal Conduit, Underground, Type 4, 6"
2,935	Linear Feet	668-A025	Traffic Signal Conduit, Underground, Rolled Pipe, 1"
255	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
84	Ton	907-213-A001	Agricultural Limestone
28	Acre	907-227-A001	Hydroseeding
2,205	Ton	907-304-F001	Size 825 Crushed Stone Base
577	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
721	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
433	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
3,375	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
13,254	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
14,121	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
34,764	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
253	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
9	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
3	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
10	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
1	Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
11	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	907-639-A036	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40'Arms
2	Each	907-639-A037	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 40'Arms
2	Each	907-639-A038	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 50'Arms
106	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
7	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
402	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
9	Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection

CALL No. 02

	Lump Sum	907-648-F001	Radio Interconnect Training, Testing and Installation
29	Each	907-649-A001	Video Detection System, 1 Sensor
15	Each	907-649-B001	Video Detection-Data Collection and Reporting Tool License
15	Each	907-649-D001	Video Detection-Digitized Video Encoder/Decoded
	Lump Sum	907-649-E001	Video Detection Training
460	Linear Feet	907-813-J001	Cleaning and Coating Existing Railing

Widening and overlaying of US 90 from Carroll Ave. to Bay St. Louis Bridge and SR 43 from US 90 to the end of the 4 lane, known as Federal Aid Project Nos. ER-0003-01(137) / 105030301 and ER-0032-01(033) / 105030302, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: December 31, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7,020	Linear Feet	202-B038	Removal of Curb, All Types
27	Square Yard	202-B078	Removal of Pavement, All Types and Depths
4,500	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
425	Cubic Yard	304-A045	Granular Material, LVM, Class 9, Group E
78,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
24	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
2	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
34	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
34	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8,850	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,150	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
435	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
560	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
17	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
18	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
34,300	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
35,529	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,435	Square Feet	626-H001	Thermoplastic Legend, White
4,764	Linear Feet	626-H002	Thermoplastic Legend, White
2,205	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,200	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
175	Cubic Yard	815-D001	Concrete Slope Paving
35	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
250	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
26,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
17,000	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
4,400	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Milling and overlaying of US 49 from US 90 to 28th Street, known as Federal Aid Project No. ER-0008-01(106) / 105032301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: October 31, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

27	Square Yard	202-B078	Removal of Pavement, All Types and Depths
28	Cubic Yard	304-A045	Granular Material, LVM, Class 9, Group E
7,200	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
21,300	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,842	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
696	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
5,884	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
532	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
48	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
216	Linear Feet	619-G4001	Barricades, Type III, Single Faced
3	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,482	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
360	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
5,884	Square Feet	626-H001	Thermoplastic Legend, White
696	Linear Feet	626-H002	Thermoplastic Legend, White
2,007	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
5,800	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Milling and overlaying US Highway 49 between Creosote Road and O'Neal Road, known as Federal Aid Project No. ER-0008-01(107) / 105033301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: April 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

27 Square Yard	202-B078	Removal of Pavement, All Types and Depths
450 Cubic Yard	304-A045	Granular Material, LVM, Class 9, Group E
18,200 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
43,200 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
Lump Sum	618-A001	Maintenance of Traffic
11 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20 Mile	619-A3006	Temporary Traffic Stripe, Skip White
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
44,225 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,267 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,067 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
560 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144 Linear Feet	619-G4001	Barricades, Type III, Single Faced
13 Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
1 Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
4 Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
33,855 Linear Feet	626-G001	Thermoplastic Detail Stripe, White
23,134 Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
3,339 Square Feet	626-H001	Thermoplastic Legend, White
3,740 Linear Feet	626-H002	Thermoplastic Legend, White
2,440 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
365 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
35 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
18,200 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
11,400 Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
6 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Milling, inlaying and overlaying of Interstate 20/59 from Russell to the Alabama State Line, known as Federal Aid Project No. IM-0059-03(088) N / 104801302, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 192 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,464	Linear Feet	202-B076	Removal of Traffic Stripe
10,740	Ton	304-B023	Granular Material, Class 5, Group C
83,644	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
45	Mile	423-A001	Rumble Strips, Ground In
2,500	Linear Feet	605-H001	Edge Drain
350	Linear Feet	605-I001	Edge Drain Outlets/Vents
2,500	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
	Lump Sum	618-A001	Maintenance of Traffic
58	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
66	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
72	Mile	619-A3006	Temporary Traffic Stripe, Skip White
79,374	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,090	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
520	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
24	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
23	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
24,458	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
3,090	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,197	Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White
1,892	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
1,892	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
9,962	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
50,869	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
7,377	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
12,980	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
48,308	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
44,116	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2	Each	907-619-E3001	Changeable Message Sign

Milling and overlaying SR 609 between US Highway 90 and Interstate 10, known as Federal Aid Project No. ER-9385-00(012) / 105029301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: October 31, 2007

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,483	Each	202-B066	Removal of Raised Reflective Pavement Marker
7,820	Linear Feet	202-B076	Removal of Traffic Stripe
500	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
10,139	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
34,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,540	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
6	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,010	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,281	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
2,770	Square Feet	626-H001	Thermoplastic Legend, White
1,500	Linear Feet	626-H002	Thermoplastic Legend, White
400	Each	627-A001	Type A, Non-Reflective White Raised Jiggle Markers
1,385	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
800	Linear Feet	628-G002	6" Cold Plastic Detail Stripe, Yellow
48	Square Feet	628-H002	Cold Plastic Legend, White
1,585	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,170	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,170	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
220	Each	630-F009	Delineators, Post Mounted, Double Yellow
3,676	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
8,724	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5,000	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Improvements to the Intersection of US 72 and SR 15, known as Federal Aid Project No. HSIP-0007-01(073) / 104890301, in the County of Tippah, State of Mississippi

PROJECT COMPLETION: 84 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

186	Square Yard	202-B025	Removal of Concrete Paved Ditch
95	Linear Feet	202-B038	Removal of Curb, All Types
2	Each	202-B043	Removal of Guard Rail Bridge End Section
2	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
165	Square Yard	202-B216	Removal of Island Pavement, All Types
590	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,010	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4,840	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
25	Pounds	214-A001	Seeding, Bahiagrass
20	Pounds	214-A002	Seeding, Bermudagrass
15	Pounds	214-A003	Seeding, Tall Fescue
20	Pounds	214-A004	Seeding, Crimson Clover
2	Ton	215-A001	Vegetative Materials for Mulch
13	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
28	Bale	235-A001	Temporary Erosion Checks
987	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
17,294	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
72	Pounds	602-A001	Reinforcing Steel
30	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
940	Pounds	604-B001	Gratings
2	Each	606-E001	Guard Rail, Terminal End Section
95	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
152	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
21	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7,240	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
4,126	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,386	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
18,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
446	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
484	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
60	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
2,693	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
1,730	Linear Feet	626-B001	6" Thermoplastic Traffic Stripe, Continuous White
1,890	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
2,063	Linear Feet	626-F001	6" Thermoplastic Edge Stripe, Continuous Yellow

CALL No. 08

5,500	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,688	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
242	Square Feet	626-H001	Thermoplastic Legend, White
223	Linear Feet	626-H002	Thermoplastic Legend, White
203	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
79	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,169	Linear Feet	635-A001	Vehicle Loop Assemblies
2,876	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4	Each	639-A168	Traffic Signal Equipment Pole, Type I, 32 Foot
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
8	Each	640-A029	Traffic Signal Heads, Type 12 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8	Each	647-A001	Pullbox, Type 1
7	Each	647-A005	Pullbox, Type 2
1,624	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
445	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
2,355	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3Conductor
1,657	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
190	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
287	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
158	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Ton	907-213-A001	Agricultural Limestone
1,060	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
158	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
250	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,700	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22

Overlaying of SR 23 from SR 25 to the Itawamba County Line, known as Maintenance Project No. MP-1023-48(002) / 303263301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: 23 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

465	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
570	Linear Feet	202-B076	Removal of Traffic Stripe
120	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,030	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
275	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
660	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
6	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
510	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
275	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
100	Square Feet	626-H001	Thermoplastic Legend, White
660	Linear Feet	626-H002	Thermoplastic Legend, White
275	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
380	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
190	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,700	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Overlaying approximately 10 miles of SR 25 near Amory, known as Maintenance Project No. MP-1025-48(009) / 303272301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: 70 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
36	Linear Feet	202-B038	Removal of Curb, All Types
725	Linear Feet	202-B076	Removal of Traffic Stripe
225	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,050	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
4,400	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6	Each	606-E001	Guard Rail, Terminal End Section
1,300	Linear Feet	609-B001	Concrete Curb, Header
80	Linear Feet	609-B002	Concrete Curb, Doweled
570	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
16,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,750	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
115	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
15	Each	619-G5001	Free Standing Plastic Drums
19	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,600	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
6,400	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
110	Square Feet	626-H001	Thermoplastic Legend, White
6,750	Linear Feet	626-H002	Thermoplastic Legend, White
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
430	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
220	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
220	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
18	Each	630-F001	Delineators, Guard Rail, White
17,250	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
25	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

Overlaying of SR 50 from West Point to approximately 4 miles eastward, known as Maintenance Project No. MP-1050-13(008) / 303262301, in the County of Clay, State of Mississippi.

PROJECT COMPLETION: 31 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
456	Linear Feet	202-B076	Removal of Traffic Stripe
461	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,525	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
583	Linear Feet	503-C007	Saw Cut, Full Depth
200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E001	Guard Rail, Terminal End Section
388	Linear Feet	609-B001	Concrete Curb, Header
112	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
362	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
8	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
300	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
362	Linear Feet	626-H002	Thermoplastic Legend, White
300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
304	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
40	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
17	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
9,500	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

Overlaying SR 50 from Columbus to the Alabama State Line, known as Maintenance Project No. MP-1050-44(007) / 303261301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 35 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,635	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,428	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
11	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
756	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,602	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,428	Linear Feet	626-H002	Thermoplastic Legend, White
588	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11,300	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

CALL No. 13

Replacement of raised pavement markers at various locations throughout the district, known as Maintenance Project No. MP-2000-00(034) / 303259301, in District 2, State of Mississippi.

PROJECT COMPLETION: May 08, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
25,500 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
42,000 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Scrub sealing approximately 52 miles of roadway throughout the District, known as Maintenance Project No. MP-2000-00(035) / 303264301, in District 2, State of Mississippi.

PROJECT COMPLETION: May 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,735	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
105	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
492,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
82	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
28,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
105	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
41	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
246,000	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,400	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
14,100	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
6,200	Square Feet	626-H001	Thermoplastic Legend, White
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
5,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,320	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
975	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
595	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
662,000	Square Yard	907-405-D001	Scrub Seal

CALL No. 15

Widening approximately 10 miles of SR 3 between Crenshaw and SR 4, known as Maintenance Project No. MP-2003-00(033) / 303007301, in the District 2, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,000	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,500	Ton	304-B014	Granular Material, Class 3, Group D
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
20	Mile	625-C002	Traffic Stripe, Continuous White
2,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
5,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

Widening and overlaying of SR 322 from SR 1 to SR 161, known as Maintenance Project No. MP-2322-14(005) / 303260301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: 85 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

350	Linear Feet	202-B076	Removal of Traffic Stripe
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,400	Ton	304-B014	Granular Material, Class 3, Group D
15	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
21,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,080	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
15	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7,500	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,500	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,500	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
100	Square Feet	626-H001	Thermoplastic Legend, White
1,360	Linear Feet	626-H002	Thermoplastic Legend, White
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
150	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
2,850	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
10,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,000	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling

Milling and overlaying approximately 11 miles of SR 21 south of Philadelphia, known as Maintenance Project No. MP-5021-50(016) / 302220301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,415	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
450	Linear Feet	202-B038	Removal of Curb, All Types
550	Linear Feet	202-B076	Removal of Traffic Stripe
6,500	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
256	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
2,460	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
820	Linear Feet	609-E001	Bituminous Curb
120	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,480	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,570	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,150	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
356	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
22	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,480	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,172	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,570	Linear Feet	626-H002	Thermoplastic Legend, White
1,220	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
326	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
40	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
163	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
14,200	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,400	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widening and overlaying approximately 5 miles of SR 22 & SR 43 near Canton, known as Maintenance Project Nos. MP-5022-45(006) & MPR-5043-45(008) / 303267301 & 302, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,104	Linear Feet	202-B076	Removal of Traffic Stripe
487	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,325	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
31,575	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
262	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,735	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,975	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
102	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
838	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
2	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,594	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
5,878	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
850	Square Feet	626-H001	Thermoplastic Legend, White
4,990	Linear Feet	626-H002	Thermoplastic Legend, White
558	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,864	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,526	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,526	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,526	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,526	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
20	Each	630-F001	Delineators, Guard Rail, White
1,812	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
16,560	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widening and overlaying approximately 1.5 miles of Highway 80 at Bolton, known as Maintenance Project No.MP-5890-25(001) / 303222301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: 25 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

180	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
76	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
150	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
700	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
200	Linear Feet	503-C007	Saw Cut, Full Depth
45	Linear Feet	609-E001	Bituminous Curb
7	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
175	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
168	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
3	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
750	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
150	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
175	Linear Feet	626-H002	Thermoplastic Legend, White
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
850	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
50	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
36	Square Feet	907-626-H001	Thermoplastic Legend, Blue-ADA

Milling and overlaying approximately 9 miles of SR 24 west of Woodville, known as Maintenance Project No. MP-7024-79(009) / 303235301, in the County of Wilkinson, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,344	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
21,708	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,104	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
17	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,500	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
120	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,500	Linear Feet	626-H002	Thermoplastic Legend, White
1,045	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12,544	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
689	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

Overlaying approximately 7 miles of SR 35 near Raleigh, known as Maintenance Project No. MP-7035-65(011) / 303274301, in the County of Smith, State of Mississippi.

PROJECT COMPLETION: 34 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,596	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
571	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
676	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
11	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,168	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
571	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
676	Linear Feet	626-H002	Thermoplastic Legend, White
811	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,216	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
400	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
12	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min

Overlaying approximately 8 miles of SR 44 between SR 583 and SR 27, known as Maintenance Project No. MP-7044-39(004) / 303271301, in the County of Lawrence, State of Mississippi.

PROJECT COMPLETION: 41 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,272	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
150	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,250	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
1,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,600	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,600	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,800	Linear Feet	626-H002	Thermoplastic Legend, White
663	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
15,208	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,250	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
16	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min

Milling and overlaying approximately 2 miles of SR 908 near Summit, known as Maintenance Project No. MP-7908-57(001) / 303237301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: 20 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

682	Linear Feet	202-B076	Removal of Traffic Stripe
956	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
7,298	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8,204	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
587	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
358	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,775	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,429	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
358	Square Feet	626-H001	Thermoplastic Legend, White
587	Linear Feet	626-H002	Thermoplastic Legend, White
45	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
319	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
342	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
342	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
100	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
3	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min

CALL No. 24

Construction of Maintenance Area Headquarters and Equipment Shed with enclosed bay, known as State Project Nos. BWO-2173-68(001) / 501579301 & BWO-2172-68(001) / 501580301, in the County of Tallahatchie, State of Mississippi.

PROJECT COMPLETION: June 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum 1500-A001 Construction of Equipment Shed

Building Items

Lump Sum 1500-A001 Construction of New Maintenance Area Headquarters

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR