

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS

# LETTING DATE FOR SEPTEMBER - Tuesday, September 25, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

#### Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer

Plans may be purchased from:

MDOT Plans Print Shop

MDOT Administration Building MDOT Administration Building, Room 1100

401 North West Street401 North West StreetJackson, MS 39201Jackson, MS 39201

(or)

P.O. Box 1850 P.O. Box 1850

 Jackson, MS 39215-1850
 Jackson, MS 39215-1850

 Telephone: (601) 359-7744
 Telephone: (601) 359-7460

 FAX: (601) 359-7732
 or FAX: (601) 359-7461

or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

#### LIST OF CONTRACTS FOR SEPTEMBER

	CALL	CONTRACT	COUNTY
	01	ER-NH-0003-01(103) / 104569301 & ER-NH-0003-01(103) / 104569311	Harrison
*	02	ER-0008-01(106) / 105032301	Harrison
*	03	ER-0003-01(138) / 105040302	Harrison
	04	BR-0034-01(007) / 103323301	Yalobusha
	05	HSIP-2920-00(005) / 103373301 & 302	Desoto & Tate
	06	MRP-6110-24(023) / 303300301	Harrison
	07	APD-0078-01(009)N / 102076302 & NH-0078-01(009)N / 102076303	Itawamba

<sup>\*</sup> No plans except Standard Drawings

Reconstruction of US 90 between Henderson Point and Lewis Ave., known as Federal-Aid Project No. ER-NH-0003-01(103) / 104569301 & 311, in the County of Harrison, State of Mississippi.

## PROJECT COMPLETION: December 31, 2008

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

			Roadway Items
	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
28,410	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
9,322	Square Yard	202-B035	Removal of Concrete Sidewalk
203,994	Linear Feet	202-B038	Removal of Curb, All Types
13,780	Square Yard	202-B078	Removal of Pavement, All Types and Depths
20	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
7,271	Linear Feet	202-B106	Removal of Pipe, All Sizes
110	Linear Feet	202-B172	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
357	Linear Feet	202-B173	Removal of Debris and Sand From Box Culvert, 6-foot to LessThan 10-foot Width
115	Linear Feet	202-B174	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
481	Each	202-B175	Removal of Debris and Sand From Inlet and Junction Box, AllTypes & Sizes
25,387	Linear Feet	202-B176	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
7,199	Linear Feet	202-B177	Removal of Debris and Sand From Pipe, 36" to Less Than 54" Diamater
1,559	Linear Feet	202-B182	Removal of Debris and Sand From Pipe, Less Than 18" Diameter
510	Each	202-B223	Removal of and Replacement of SS-5 Inlet Top
799	Linear Feet	202-B227	Removal of Debris and Sand From Pipe, 22" x 13" Arch Pipe
198	Linear Feet	202-B228	Removal of Debris and Sand From Pipe, 29" x 18" Arch Pipe
90	Linear Feet	202-B229	Removal of Debris and Sand From Pipe, 33" x 21" Arch Pipe
126	Linear Feet	202-B230	Removal of Debris and Sand From Pipe, 44" x 27" Arch Pipe
4,000	Cubic Yard	203-EX006	Borrow Excavation, AH, LVM, Class B3
200	Cubic Yard	203-Н004	Surplus Excavation, LVM, AH
205	Cubic Yard	206-A001	Structure Excavation
38	Ton	213-C001	Superphosphate
10,000	Square Yard	216-B004	Solid Sodding, Bermuda
200	Thousand Gallon	219-A001	Watering
75	Acre	220-A001	Insect Pest Control
1,500	Square Yard	224-A001	Soil Reinforcing Mat
107,660	Linear Feet	234-A001	Temporary Silt Fence
400	Bale	235-A001	Temporary Erosion Checks
381,674	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
89,016	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2,000	Linear Feet	503-C007	Saw Cut, Full Depth
21	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,095	Pounds	602-A001	Reinforcing Steel
2,808	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,888	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,024	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1,152	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III

480	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
	Linear Feet		48" Reinforced Concrete Pipe, Class III
	Linear Feet		22" x 13" Concrete Arch Pipe, Class A III
	Linear Feet		29" x 18" Concrete Arch Pipe, Class A III
	Linear Feet		44" x 27" Concrete Arch Pipe, Class A III
1	Each		18" Branch Connections, Stub into Existing Box Culvert
	Pounds	604-A001	Castings
	Pounds	604-B001	
	Square Yard		Concrete Sidewalk, Without Reinforcement
	Linear Feet		Concrete Curb, Header
	Linear Feet		Concrete Curb, Doweled
	Linear Feet		Concrete Curb, Special Design Header, Type 1
	Linear Feet	609-B009	Concrete Curb, Special Design Header, Type 2
	Each	613-D007	Adjustment of Utility Appurtenance
	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
77	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
, ,	Lump Sum	618-A001	Maintenance of Traffic
7,870	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
41	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
982	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,224	•	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
	Linear Feet	619-G4005	Barricades, Type III, Double Faced
40	Lump Sum	620-A001	Mobilization
21	Mile		6" Thermoplastic Traffic Stripe, Skip White
3,877	Linear Feet		6" Thermoplastic Traffic Stripe, Continuous White
,	Linear Feet		Thermoplastic Detail Stripe, White
	Linear Feet		Thermoplastic Detail Stripe, Wille  Thermoplastic Detail Stripe, Yellow
	Square Feet		Thermoplastic Legend, White
	Linear Feet		Thermoplastic Legend, White
3,575			Red-Clear Reflective High Performance Raised Markers
	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,068 1,057	1	630-A001	-
	Square Feet		Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness  Interstate Directional Signs, Rolled Extraded Aluminum Banels, Ground
580	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
3,572	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
373	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
432	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
180	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4,288	Cubic Yard	631-A001	Flowable Fill
576	Linear Feet	635-A001	Vehicle Loop Assemblies
5,080	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
11	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
35	Each	640-A016	Traffic Signal Heads, Type 1 LED

Page: 3

9	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
9	Each	640-A022	Traffic Signal Heads, Type 7 LED
20	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
5	Each	640-A036	Traffic Signal Heads, Type 5L, LED
6	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
25	Each	644-A001	Optical Detector
3,840	Linear Feet	644-B001	Optical Detector Cable
6	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
4	Each	647-A001	Pullbox, Type 1
46	Each	647-A005	Pullbox, Type 2
3	Each	650-A003	On Street Video Equipment, PTZ Type
1,485	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
2,475	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
3,780	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,320	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
160	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
130	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
3,010	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
825	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
225	Ton	907-213-A001	Agricultural Limestone
75	Acre	907-227-A001	Hydroseeding
7,348	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
28,864	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
30,828	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
73,366	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,140	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1	Each	907-639-A005	Traffic Signal Equipment Pole, Type 1, 50' Shaft
1	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
3	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
3	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
	Each		Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50'Arms
	Each		Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
	Each		Traffic Signal Equipment Pole, Type VI, 8' Shaft
	Each		Traffic Signal Equipment Pole, Type IV, 30' Shaft, 20' & 30'Arms
	Each		Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 45'Arms
1	Each	907-639-A041	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 70'Arms

1	Each	907-639-A042	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' & 60'Arms
67	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
257	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
6	Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection
2	Each	907-648-D001	Radio Ethernet Distribution Repeater Installation
6	Each	907-648-E001	Radio Ethernet Fixed Backbone Repeater Installation
	Lump Sum	907-648-F001	Radio Interconnect Training, Testing and Installation
23	Each	907-649-A001	Video Detection System, 1 Sensor
11	Each	907-649-B001	Video Detection-Data Collection and Reporting Tool License
11	Each	907-649-D001	Video Detection-Digitized Video Encoder/Decoded
	Lump Sum	907-649-E001	Video Detection Training
1,588	Linear Feet	907-813-J001	Cleaning and Coating Existing Railing

Milling and overlaying of US 49 from US 90 to 28th Street, known as Federal Aid Project No. ER-0008-01(106) / 105032301, in the County of Harrison, State of Mississippi.

## PROJECT COMPLETION: April 30, 2008

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

			·
27	Square Yard	202-B078	Removal of Pavement, All Types and Depths
28	Cubic Yard	304-A045	Granular Material, LVM, Class 9, Group E
7,200	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
21,300	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,842	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
696	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
5,884	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
3	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,482	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
360	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
5,884	Square Feet	626-H001	Thermoplastic Legend, White
696	Linear Feet	626-H002	Thermoplastic Legend, White
2,007	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
5,800	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Work necessary to remove the landing ramp and parking area used by the Bay Saint Louis Ferry, known as Federal Aid Project No. ER-0003-01(138) / 105040302, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: November 30, 2007

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

#### **Roadway Items**

Lump Sum 202-A001 Removal of Obstructions- Henderson Point

1 Square Feet 618-B001 Additional Construction Signs

Lump Sum 620-A001 Mobilization

Bridge replacement on SR 315 from SR 7 to the Calhoun County Line, known as Federal Aid Project No. BR-0034-01(007) / 103323301, in the County of Yalobusha, State of Mississippi.

## PROJECT COMPLETION: August 02, 2008

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

	T G	201 4001	
	Lump Sum		Clearing and Grubbing
6.075	Lump Sum		Removal of Obstructions
	Square Yard		Removal of Asphalt Pavement, All Depths
	Linear Feet		Removal of Pipe, 8" And Above
	Linear Feet		Removal of Traffic Stripe
· ·	Cubic Yard		Unclassified Excavation, FM, AH
· ·	Cubic Yard		Borrow Excavation, AH, FME, Class B9
	Cubic Yard		Channel Excavation, FM
	Cubic Yard		Excess Excavation, FM, AH
	Cubic Yard		Structure Excavation
	Cubic Yard		Select Material for Undercuts, Contractor Furnished, FM
7,300	Square Yard	209-A001	Geotextile Stabilization, Type V
2	Ton	213-C001	Superphosphate
211	Square Yard	216-A001	Solid Sodding
540	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
50	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
963	Square Yard	224-A001	Soil Reinforcing Mat
2,819	Linear Feet	234-A001	Temporary Silt Fence
776	Bale	235-A001	Temporary Erosion Checks
4,147	Ton	304-B014	Granular Material, Class 3, Group D
1,411	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
74	Linear Feet	501-E001	Expansion Joints, Without Dowels
164	Square Yard	501-K001	Transverse Grooving
164	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
113	Cubic Yard	601-A003	Class "B" Structural Concrete
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
107,947	Pounds	602-A001	Reinforcing Steel
708	Linear Feet	603-ALT001	18" Type A Alternate Pipe
24	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
1	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White

380	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1,690	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
211	Linear Feet	619-A4004	Temporary Traffic Stripe, Skip Yellow, Type 1 Tape
3,414	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
47	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
86	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
575	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
22	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum		Mobilization
3,127	Linear Feet	625-B001	Traffic Stripe, Skip Yellow
6,253	Linear Feet	625-C001	Traffic Stripe, Continuous White
85	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
385	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
192	Linear Feet		6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
22	Each		Delineators, Guard Rail, White
4	Each		Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum		Roadway Construction Stakes
	Ton		Loose Riprap, Size 300
873	Square Yard		Geotextile under Riprap
5	Acre	907-225-A001	-
13	Ton		Agricultural Limestone
	Acre		Temporary Grassing
2,480			Size 610 Crushed Stone Base
1,604			Hot Mix Asphalt, ST, 12.5-mm mixture
	Ton		Hot Mix Asphalt, ST, 19-mm mixture
1,201			Hot Mix Asphalt, ST, 9.5-mm mixture
	Each		Right-of-Way Marker
469	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
522	Square Yard	501 V001	Bridge Items Transverse Grooving
533	Each	501-K001 803-A001	Test Pile
	Each		
	Linear Feet		Conventional Static Loading Test 14" x 14" Prestressed Concrete Piling
	Each		Pile Restrike
	Pounds		Reinforcement
	Linear Feet		Concrete Railing
	Ton		Loose Riprap, Size 300
	Square Yard		Geotextile under Riprap
170	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	015 2001	

247 Cubic Yard	907-804-A001	Bridge Concrete, Class AA	
----------------	--------------	---------------------------	--

740 Linear Feet 907-804-C145 50' Prestressed Concrete Beam, Type II + 2

Guardrail replacement on the bridge that crosses the Coldwater River on US 51, known as Federal Aid Project No. HSIP-2920-00(005) / 103373301 & 302, in the Counties of Tate and Desoto, State of Mississippi.

#### PROJECT COMPLETION: 28 Time Units

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

1,100	Square Yard	202-B036	Removal of Concrete Slope Paving
2,500	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1	Ton	213-C001	Superphosphate
200	Square Yard	217-A001	Ditch Liner
1	Acre	220-A001	Insect Pest Control
1,000	Linear Feet	234-A001	Temporary Silt Fence
300	Bale	235-A001	Temporary Erosion Checks
215	Ton	304-B014	Granular Material, Class 3, Group D
600	Linear Feet	503-C007	Saw Cut, Full Depth
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-F001	Special Sections, Bridge Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
500	Ton	815-A009	Loose Riprap, Size 300
225	Cubic Yard	815-D001	Concrete Slope Paving
500	Square Yard	815-E001	Geotextile under Riprap
1	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
1,000	Linear Feet	907-237-A001	Wattles

Work necessary for the fender system repair on the I-110 Bridge over the back bay of Biloxi between D'Iberville and Biloxi, known as Maintenance Project No. MRP-6110-24(023) / 303300301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: December 21, 2007

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

#### **Roadway Items**

59 Each 202-B130 Removal of Piling
7 Thousand Board 820-B001 Treated Timber
Feet

3,540 Linear Feet 820-D001 Treated Timber Piling

Grade, Drain, and Pave 4-Lane Corridor "V" from Highway 23 to the Ms./Al. State Line, known as Federal Aid Project Nos. APD-0078-01(009)N / 102076302 & NH-0078-01(009)N / 102076303, in the County of Itawamba, State of Mississippi.

#### PROJECT COMPLETION: 393 Time Units

## Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

	Lump Sum	201-A001	Clearing and Grubbing
4	Acre		Clearing and Grubbing
10,950	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,369,869	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
793,992	Cubic Yard	203-G001	Excess Excavation, FM
5,884	Cubic Yard	206-A001	Structure Excavation
1,421	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
733,777	Square Yard	212-A001	Light Ground Preparation
1,467,553	Square Yard	212-B001	Standard Ground Preparation
190	Ton	213-B001	Combination Fertilizer, 13-13-13
152	Ton	213-C001	Superphosphate
6,065	Pounds	214-A002	Seeding, Bermudagrass
7,580	Pounds	214-A003	Seeding, Tall Fescue
3,032	Pounds	214-A004	Seeding, Crimson Clover
3,032	Pounds	214-A014	Seeding, Browntop Millet
13,645	Pounds	214-A015	Seeding, Oats
3,791	Pounds	214-A017	Seeding, Rye Grass
758	Ton	215-A001	Vegetative Materials for Mulch
5,342	Square Yard	216-A001	Solid Sodding
1,889	Square Yard	217-A001	Ditch Liner
107	Thousand Gallon	219-A001	Watering
152	Acre	220-A001	Insect Pest Control
550	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4,326	Square Yard	224-A001	Soil Reinforcing Mat
13,228	Linear Feet	234-A001	Temporary Silt Fence
1,863	Bale	235-A001	Temporary Erosion Checks
26	Each	236-A004	Silt Basin, Type D
1,200	Linear Feet	239-A001	Temporary Slope Drains
11,541	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
17,090	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
28,581	Cubic Yard	304-A045	Granular Material, LVM, Class 9, Group E
10	Mile	423-A001	Rumble Strips, Ground In
3,279	Cubic Yard	601-A001	Class "AA" Structural Concrete
884	Cubic Yard	601-A003	Class "B" Structural Concrete
60	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
613,532	Pounds	602-A001	Reinforcing Steel
1,860	Linear Feet	603-ALT001	18" Type A Alternate Pipe
3,346	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,208	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
708	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III

184	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
264	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
284	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
372	Linear Feet	603-CA018	42" Reinforced Concrete Pipe, Class IV
424	Linear Feet	603-CA028	30" Reinforced Concrete Pipe, Class V
26	Each	603-CB001	18" Reinforced Concrete End Section
16	Each	603-CB002	24" Reinforced Concrete End Section
12	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
132	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
1	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
10,250	Pounds	604-B001	Gratings
3,047	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
50,494	Linear Feet	605-H001	Edge Drain
6,325	Linear Feet	605-I001	Edge Drain Outlets/Vents
28,410	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
8,398	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
745	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
593	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
5,533	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,988	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
473	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
103	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,315	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
279	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
274	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,038	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
93	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
552	Linear Feet	619-G4001	Barricades, Type III, Single Faced
144	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
141	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
5	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow

4,969	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,916	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
116	Square Feet	626-H001	Thermoplastic Legend, White
880	Linear Feet	626-H002	Thermoplastic Legend, White
543	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
209	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
12	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
	Lump Sum	699-A001	Roadway Construction Stakes
13,023	Ton	815-A009	Loose Riprap, Size 300
630	Square Yard	815-E001	Geotextile under Riprap
72	Ton	815-F002	Sediment Control Stone
909	Ton 9	907-213-A001	Agricultural Limestone
2,820	Ton	907-304-F003	3/4" and Down Crushed Stone Base
96,279	Square Yard 9	907-306-A001	Asphalt Drainage Course
67,279	Square Yard 9	907-307-C003	6" Soil-Lime-Water Mixing, Class C
909	Ton 9	907-307-D001	Lime
29,882	Ton 9	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
9,172	Ton 9	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,364	Ton 9	907-308-A001	Portland Cement
124,945	Square Yard 9	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
124,945	Square Yard 9	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
937	Ton 9	907-311-B001	Lime
3,738	Ton 9	907-311-C002	Fly Ash, Class C or F

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN EXECUTIVE DIRECTOR