




**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for November – November 27, 2007

**PLEASE NOTE THAT THIS MAILOUT WILL CEASE AFTER THE
NOVEMBER 2007 LETTING. YOU MAY OBTAIN FUTURE
“NOTICE TO CONTRACTORS” ONLINE AT
WWW.GOMDOT.COM**

FIRST CLASS MAIL



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR NOVEMBER - Tuesday, November 27, 2007

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	NH-0011-01(052)V21N / 102134301	Washington
02	NH-0055-02(200)N / 104819301	Madison
03	APD-0070-05(022)N / 100078302 & APD-0070-06(023)N / 100078303	Lee & Pontotoc
04	HSIP-0014-02(056) / 104891301	Lamar
05	HSIP-0014-02(057) / 104891302 & STP-0014-02(058) / 105046301	Lamar
06	BR-0015-02(053) / 100885301	Covington
07	STP-0018-02(048)MP / 104936301	Attala
08	HSIP-7304-00(008) / 104904301	Madison
09	SP-0006-01(086) / 104969302 & SP-0006-01(086) / 104969303	Pontotoc & Union
10	SP-0011-02(052) / 105004301	Webster
11	MP-1078-29(008) / 303228301	Itawamba
12	MRP-2055-08(048) / 303316301	Carroll
13	MRP-6619-30(001) / 303246301	Jackson
14	BWO-1177-09(001) / 501633301	Chickasaw
15	BWO-5129-51(001) / 501517301 & BWO-5179-51(001) / 501817301	Newton
16	BWO-6205-24(001) / 501948301	Harrison
17	HSIP-0063-02(024) / 104896301	Forrest

Construction necessary for the US Highway 82 Bypass from the Mississippi River Bridge to SR-1, known as Federal Aid Project No. NH-0011-01(052)V21N / 102134301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: 428 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
6 Acre	201-B001	Clearing and Grubbing
17,798 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,121 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,358,783 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
125,732 Cubic Yard	203-G001	Excess Excavation, FM
11,419 Cubic Yard	206-A001	Structure Excavation
1,187 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
680,000 Square Yard	212-A001	Light Ground Preparation
1,340,000 Square Yard	212-B001	Standard Ground Preparation
210 Ton	213-B001	Combination Fertilizer, 13-13-13
140 Ton	213-C001	Superphosphate
5,600 Pounds	214-A002	Seeding, Bermudagrass
7,000 Pounds	214-A003	Seeding, Tall Fescue
2,800 Pounds	214-A014	Seeding, Browntop Millet
12,600 Pounds	214-A015	Seeding, Oats
3,500 Pounds	214-A017	Seeding, Rye Grass
1,480 Ton	215-A001	Vegetative Materials for Mulch
1,485 Square Yard	216-A001	Solid Sodding
1,376 Square Yard	217-A001	Ditch Liner
29 Thousand Gallon	219-A001	Watering
140 Acre	220-A001	Insect Pest Control
242 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,045 Square Yard	224-A001	Soil Reinforcing Mat
118,402 Linear Feet	234-A001	Temporary Silt Fence
964 Bale	235-A001	Temporary Erosion Checks
53 Each	236-A001	Silt Basin, Type A
5 Each	236-A003	Silt Basin, Type C
71 Each	236-A004	Silt Basin, Type D
5,110 Linear Feet	239-A001	Temporary Slope Drains
10,061 Cubic Yard	304-A025	Granular Material, LVM, Class 5, Group E
314 Linear Feet	501-E001	Expansion Joints, Without Dowels
719 Square Yard	501-K001	Transverse Grooving
719 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,613 Cubic Yard	601-A003	Class "B" Structural Concrete
47 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
545,726 Pounds	602-A001	Reinforcing Steel
72 Linear Feet	603-ALT001	18" Type A Alternate Pipe
24 Linear Feet	603-ALT021	48" Type A Alternate Pipe

CALL No. 01

4,200	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
544	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
184	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
832	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
600	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
280	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
49	Each	603-CB001	18" Reinforced Concrete End Section
13	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
120	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
344	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
848	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
432	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
4	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
8	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
4	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
23,500	Pounds	604-B001	Gratings
10,000	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
5,000	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
2,000	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
10,000	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
10,000	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
184	Square Feet	618-B001	Additional Construction Signs
9,400	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
24,200	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
131	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,646	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
408	Linear Feet	619-G4001	Barricades, Type III, Single Faced
500	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
120	Linear Feet	619-G4005	Barricades, Type III, Double Faced
165	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
80	Linear Feet	626-H002	Thermoplastic Legend, White

CALL No. 01

4	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,700	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,700	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
149	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
54	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
100	Cubic Yard	631-A001	Flowable Fill
	Lump Sum	699-A001	Roadway Construction Stakes
840	Ton	907-213-A001	Agricultural Limestone
1,140	Ton	907-304-F003	3/4" and Down Crushed Stone Base
2,353	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
3,566	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,103	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
224	Each	907-617-A001	Right-of-Way Marker
3,055	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Bridge Items			
15,850	Square Yard	209-A001	Geotextile Stabilization, Type V
19,250	Square Yard	209-A002	Geotextile Stabilization, Type VI
9,345	Square Yard	501-K001	Transverse Grooving
20,500	Cubic Yard	605-X005	Filter Material for Filter Beds, Type C
187,375	Linear Feet	610-A001	Drainage Wicks
3,346	Cubic Yard	801-A001	Foundation Excavation for Bridges
6,600	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
22,560	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
2	Each	803-H001	PDA Test Pile, Conventional Load Test
13	Each	803-I001	PDA Test Pile
1,067,189	Pounds	805-A001	Reinforcement
4,442	Linear Feet	813-A001	Concrete Railing
1,098	Ton	815-A009	Loose Riprap, Size 300
4,667	Cubic Yard	815-D001	Concrete Slope Paving
1,460	Square Yard	815-E001	Geotextile under Riprap
16	Each	907-207-A001	Settlement Plate
5,810	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,392	Linear Feet	907-804-C003	100' Prestressed Concrete Beam, Type BT-72
2,627	Linear Feet	907-804-C005	110' Prestressed Concrete Beam, Type BT-72
1,550	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
1,948	Linear Feet	907-804-C015	140' Prestressed Concrete Beam, Type BT-72
1,074	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,806	Linear Feet	907-804-C147	70' Prestressed Concrete Beam, Type IV
1,082	Linear Feet	907-804-C157	91' Prestressed Concrete Beam, Type IV
1,318	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
1,262	Linear Feet	907-804-C159	106' Prestressed Concrete Beam, Type IV

Construction necessary to add one lane to I-55 Southbound from County Line Road through the I-220 Interchange, known as Federal Aid Project No. NH-0055-02(200)N / 104819301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: 146 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	202-A001	Removal of Obstructions
761	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
1	Each	202-B056	Removal of High Mast Lighting Foundation
9	Each	202-B070	Removal of Sign Including Post & Footing
6,405	Linear Feet	202-B076	Removal of Traffic Stripe
936	Linear Feet	202-B102	Removal of Guard Rail
5	Each	202-B127	Removal of Signs
7,983	Cubic Yard	203-A001	Unclassified Excavation, FM
17,360	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
16,054	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,322	Square Yard	204-A002	Geogrid, Type II
30	Cubic Yard	206-A001	Structure Excavation
6,964	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
616	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7,391	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
31	Pounds	214-A002	Seeding, Bermudagrass
18	Pounds	214-A003	Seeding, Tall Fescue
16	Pounds	214-A004	Seeding, Crimson Clover
4	Ton	215-A001	Vegetative Materials for Mulch
2,222	Square Yard	216-A001	Solid Sodding
45	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
67	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
4,500	Linear Feet	234-A001	Temporary Silt Fence
125	Bale	235-A001	Temporary Erosion Checks
7,766	Cubic Yard	304-C023	Granular Material, AEA, Class 5, Group C
7,455	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
28	Linear Feet	501-E001	Expansion Joints, Without Dowels
85	Square Yard	501-K001	Transverse Grooving
85	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
22	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
57	Pounds	602-A001	Reinforcing Steel
16	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
810	Linear Feet	606-B001	Guard Rail, Class A, Type 1

CALL No. 02

2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
3	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
3,941	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
2,889	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
3,033	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2,889	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
3,033	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2,258	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
3,033	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
600	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
296	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
91	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
154	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,228	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3	Each	619-E1001	Flashing Arrow Panel, Type C
5,200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
32	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1002	Impact Attenuator, 50 MPH
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
11,850	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
8,722	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
8,273	Linear Feet	626-F001	6" Thermoplastic Edge Stripe, Continuous Yellow
2,111	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
726	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
762	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
544	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
381	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
326	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
79	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
226	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,180	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
28	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
32	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
30	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
17	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
21	Each	630-F002	Delineators, Guard Rail, Yellow
50	Each	630-F006	Delineators, Post Mounted, Single White
50	Each	630-F007	Delineators, Post Mounted, Single Yellow
70	Each	630-F008	Delineators, Post Mounted, Double White

CALL No. 02

50	Each	630-F009	Delineators, Post Mounted, Double Yellow
56	Each	630-F010	Delineators, Median Barrier Mounted, Type I, White
255	Each	630-F011	Delineators, Median Barrier Mounted, Type I, Yellow
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1
16	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
73	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
210	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
70	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
6	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
20	Linear Feet	684-B004	Slip Casing, 36" Diameter
1	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
5	Ton	907-213-A001	Agricultural Limestone
1,975	Ton	907-304-F004	Size 825B Crushed Stone Base
1,302	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
6,252	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
669	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,120	Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
535	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,373	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
6	Each	907-619-E3001	Changeable Message Sign
2,900	Linear Feet	907-682-A1004	Branch Circuit Wire, AWG #2, 3 Conductor
2,960	Linear Feet	907-682-A1007	Branch Circuit Wire, AWG #4, 3 Conductor
	Lump Sum	907-687-A013	Vehicle Classification and Axle Detector System

Bridge Items

1	Each	803-A001	Test Pile
1	Each	803-B001	Conventional Static Loading Test
1,035	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1	Each	803-J001	Pile Restrike
210	Linear Feet	803-K002	Drilled Shaft, 48" Diameter
65	Linear Feet	803-M002	Trial Shaft, 48" Diameter
20	Linear Feet	803-N001	Exploration
100	Linear Feet	803-O008	Temporary Casing, 48" Diameter
58,056	Pounds	805-A001	Reinforcement
746	Linear Feet	813-A001	Concrete Railing
116	Cubic Yard	815-D001	Concrete Slope Paving
289	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
107	Linear Feet	907-804-C153	51' Prestressed Concrete Beam, Type III
440	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
264	Linear Feet	907-804-C155	90' Prestressed Concrete Beam, Type III
310	Linear Feet	907-804-C161	83' Prestressed Concrete Beam, Type IV

Construction necessary to relocate SR 6 from SR 342 to Natchez Trace Parkway, known as Federal Aid Project Nos. APD-0070-05(022) N / 100078302 & APD-0070-06(023) N / 100078303, in the Counties of Lee and Pontotoc, State of Mississippi.

PROJECT COMPLETION: 186 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
2,415 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
614,914 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
133,979 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
646,130 Cubic Yard	203-G003	Excess Excavation, FM, AH
6,472 Cubic Yard	206-A001	Structure Excavation
989 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
29,180 Square Yard	209-A001	Geotextile Stabilization, Type V
56,802 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
817,960 Square Yard	212-B001	Standard Ground Preparation
85 Ton	213-B001	Combination Fertilizer, 13-13-13
85 Ton	213-C001	Superphosphate
4,225 Pounds	214-A001	Seeding, Bahiagrass
3,380 Pounds	214-A002	Seeding, Bermudagrass
4,225 Pounds	214-A003	Seeding, Tall Fescue
1,690 Pounds	214-A004	Seeding, Crimson Clover
2,113 Pounds	214-A005	Seeding, Sericea Lespedeza
338 Ton	215-A001	Vegetative Materials for Mulch
3,167 Square Yard	216-A001	Solid Sodding
14,463 Square Yard	217-A001	Ditch Liner
64 Thousand Gallon	219-A001	Watering
85 Acre	220-A001	Insect Pest Control
349 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
169 Acre	223-A001	Mowing
13,535 Square Yard	224-A001	Soil Reinforcing Mat
17,956 Linear Feet	234-A001	Temporary Silt Fence
3,738 Bale	235-A001	Temporary Erosion Checks
12 Each	236-A004	Silt Basin, Type D
1,000 Linear Feet	239-A001	Temporary Slope Drains
3,015 Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
2,270 Cubic Yard	601-A003	Class "B" Structural Concrete
25 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
467,328 Pounds	602-A001	Reinforcing Steel
1,580 Linear Feet	603-ALT001	18" Type A Alternate Pipe
192 Linear Feet	603-ALT005	24" Type A Alternate Pipe
132 Linear Feet	603-ALT009	30" Type A Alternate Pipe
2,416 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
376 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
528 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III

CALL No. 03

648	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
640	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
688	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
476	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
36	Each	603-CB001	18" Reinforced Concrete End Section
6	Each	603-CB002	24" Reinforced Concrete End Section
8	Each	603-CB003	30" Reinforced Concrete End Section
14	Each	603-CB004	36" Reinforced Concrete End Section
10	Each	603-CB005	42" Reinforced Concrete End Section
16	Each	603-CB006	48" Reinforced Concrete End Section
8	Each	603-CB007	54" Reinforced Concrete End Section
1,208	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
72	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
44	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
6,750	Pounds	604-B001	Gratings
	Lump Sum	618-A001	Maintenance of Traffic
412	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
950	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,584	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
18	Linear Feet	619-G4005	Barricades, Type III, Double Faced
353	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
2	Each	621-A001	Field Laboratory
3	Mile	625-C002	Traffic Stripe, Continuous White
3	Mile	625-D002	Traffic Stripe, Continuous Yellow
40	Linear Feet	625-F002	Legend
126	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
73	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
	Lump Sum	699-A001	Roadway Construction Stakes
1,786	Ton	815-A009	Loose Riprap, Size 300
201	Ton	815-F002	Sediment Control Stone
507	Ton	907-213-A001	Agricultural Limestone
85	Acre	907-226-A001	Temporary Grassing
13,807	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
2,984	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,874	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,236	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
281	Each	907-617-A001	Right-of-Way Marker
1,425	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Bridge Items			
1,520	Square Yard	501-K001	Transverse Grooving
2	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test

CALL No. 03

1,860	Linear Feet	803-D001	HP 10 x 42 Steel Piling
2	Each	803-J001	Pile Restrike
301	Linear Feet	803-K002	Drilled Shaft, 48" Diameter
1	Each	803-L002	Test Shaft, 48" Diameter
20	Linear Feet	803-M002	Trial Shaft, 48" Diameter
20	Linear Feet	803-N001	Exploration
80	Linear Feet	803-O008	Temporary Casing, 48" Diameter
124,850	Pounds	805-A001	Reinforcement
760	Linear Feet	813-A001	Concrete Railing
769	Ton	815-A009	Loose Riprap, Size 300
769	Square Yard	815-E001	Geotextile under Riprap
699	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,077	Linear Feet	907-804-C155	90' Prestressed Concrete Beam, Type III
1,194	Linear Feet	907-804-C160	50' Prestressed Concrete Beam, Type II

Upgrading US Highway 98, from SR 589 to Weathersby Rd, known as Federal Aid Project No. HSIP-0014-02(056) / 104891301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 189 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3,019 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,703 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
271 Square Yard	202-B025	Removal of Concrete Paved Ditch
173 Linear Feet	202-B038	Removal of Curb, All Types
4 Each	202-B070	Removal of Sign Including Post & Footing
3,300 Linear Feet	202-B076	Removal of Traffic Stripe
1,130 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,038 Linear Feet	202-B106	Removal of Pipe, All Sizes
17,727 Cubic Yard	203-A001	Unclassified Excavation, FM
11,564 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,650 Cubic Yard	203-G001	Excess Excavation, FM
1,725 Square Yard	204-A007	Geogrid, Type III, Uniaxial
181 Cubic Yard	206-A001	Structure Excavation
36 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6 Ton	213-C001	Superphosphate
8,423 Square Yard	216-A001	Solid Sodding
168 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
44 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
12 Acre	223-A001	Mowing
11,085 Linear Feet	234-A001	Temporary Silt Fence
1,888 Bale	235-A001	Temporary Erosion Checks
19,797 Cubic Yard	304-A028	Granular Material, LVM, Class 6, Group C
2,965 Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
93 Cubic Yard	601-A003	Class "B" Structural Concrete
13 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
14,642 Pounds	602-A001	Reinforcing Steel
1,068 Linear Feet	603-ALT001	18" Type A Alternate Pipe
720 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
56 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
13 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB003	30" Reinforced Concrete End Section
32 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
16 Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
2 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1 Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
250 Pounds	604-B001	Gratings
950 Linear Feet	606-B001	Guard Rail, Class A, Type 1

CALL No. 04

5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
5	Each	606-E001	Guard Rail, Terminal End Section
100	Linear Feet	609-B001	Concrete Curb, Header
1,773	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
856	Square Yard	614-B001	Concrete Driveway, With Reinforcement
883	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
292	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
102	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
55	Each	619-D3001	Remove and Reset Signs, All Sizes
380	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
475	Linear Feet	626-B001	6" Thermoplastic Traffic Stripe, Continuous White
1,085	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,973	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,989	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
631	Square Feet	626-H001	Thermoplastic Legend, White
1,235	Linear Feet	626-H002	Thermoplastic Legend, White
136	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
128	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
36	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
4	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
175	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
2	Each	639-A137	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 55' Arms
2	Each	639-A156	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' Arms
2	Each	639-A172	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 75' Arms With Luminaire
14	Each	640-A016	Traffic Signal Heads, Type 1 LED
5	Each	640-A018	Traffic Signal Heads, Type 3 LED
5	Each	640-A019	Traffic Signal Heads, Type 5 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	644-A001	Optical Detector
1,050	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
9	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	649-A003	Video Vehicle Detection, New Installation, 3 Cameras
2	Each	649-A004	Video Vehicle Detection, New Installation, 4 Cameras
13,520	Linear Feet	657-A006	Fiber Optic Cable, 72 SM
550	Linear Feet	657-B003	Fiber Optic Drop Cable, 12 SM
350	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor

CALL No. 04

3,215	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
390	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
310	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
210	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
17,550	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
250	Linear Feet	668-B016	Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 2"
390	Linear Feet	668-B018	Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 3"
10,470	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
4,000	Square Feet	802-C002	Temporary Steel Sheet Piling
450	Square Feet	809-A003	Retaining Wall System
9	Ton	815-A006	Loose Riprap, Size 100
11	Square Yard	815-E001	Geotextile under Riprap
12	Acre	907-225-A001	Grassing
24	Ton	907-225-B001	Agricultural Limestone
6	Acre	907-226-A001	Temporary Grassing
4,304	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,133	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
67	Each	907-617-A001	Right-of-Way Marker
1,414	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
858	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-651-A001	Magnetometer Advance Detection System4 Nodes, 2 Repeaters, 1 Access PT.
1	Each	907-651-A001	Magnetometer Advance Detection System5 Nodes, 2 Repeaters, 1 Access PT.

Widen, Overlay, and put a traffic signal on US 98, from Weathersby Rd. to I-59, known as Federal Aid Project Nos. HSIP-0014-02(057) / 104891302 & STP-0014-02(058) / 105046301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 137 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

293	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,884	Linear Feet	202-B038	Removal of Curb, All Types
1,884	Square Yard	202-B078	Removal of Pavement, All Types and Depths
880	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
6	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
445	Linear Feet	202-B106	Removal of Pipe, All Sizes
950	Cubic Yard	203-A002	Unclassified Excavation, LVM
1,390	Cubic Yard	203-G002	Excess Excavation, LVM
384	Cubic Yard	206-A001	Structure Excavation
1	Ton	213-C001	Superphosphate
100	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner
189	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
100	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
4,000	Linear Feet	234-A001	Temporary Silt Fence
200	Bale	235-A001	Temporary Erosion Checks
1,460	Cubic Yard	304-A044	Granular Material, LVM, Class 9, Group D
40,365	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
663	Pounds	602-A001	Reinforcing Steel
840	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
40	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
1,464	Pounds	604-A001	Castings
1,200	Pounds	604-B001	Gratings
394	Linear Feet	609-B001	Concrete Curb, Header
114	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
650	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,422	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
793	Square Yard	614-B001	Concrete Driveway, With Reinforcement
245	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
48	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
14,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

CALL No. 05

8,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,054	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
280	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
6	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,000	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
10,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
400	Square Feet	626-H001	Thermoplastic Legend, White
3,580	Linear Feet	626-H002	Thermoplastic Legend, White
5,166	Linear Feet	635-A001	Vehicle Loop Assemblies
19	Each	638-A002	Loop Detector Amplifier, 4 Channel
3	Each	647-A003	Pullbox, Type 4
9	Each	647-A004	Pullbox, Type 5
7,245	Linear Feet	657-A006	Fiber Optic Cable, 72 SM
590	Linear Feet	657-B001	Fiber Optic Drop Cable, 12 Fiber
4,670	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
10,880	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
1,070	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
946	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,487	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
300	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
4,832	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22
3,625	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
3	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
13	Each	907-630-O003	Remove and Reset Sign, All Sizes
6	Each	907-642-B001	Solid State Traffic Actuated Controller Modification

Bridge replacement on US 84 at Station Creek and Oakey Woods Creek, known as Federal Aid Project No. BR-0015-02(053) / 100885301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: 157 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Hectare	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
13,486	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
330	Square Meter	202-B025	Removal of Concrete Paved Ditch
315	Meter	202-B039	Removal of Curb (All Types)
4	Each	202-B043	Removal of Flared End Section (All Sizes)
1	Each	202-B059	Removal of Inlets (All Sizes)
187	Meter	202-B066	Removal of Pipe (200-mm and above)
2,376	Meter	202-B076	Removal of Traffic Stripe
244	Meter	202-B170	Removal of Guard Rail (All Types)
21,317	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
82	Cubic Meter	206-A001	Structure Excavation
56,451	Square Meter	212-A001	Light Ground Preparation
112,902	Square Meter	212-B001	Standard Ground Preparation
14	Metric Ton	213-B001	Combination Fertilizer (13-13-13)
11	Metric Ton	213-C001	Superphosphate
316	Kilogram	214-A001	Seeding (Bahagrass)
260	Kilogram	214-A002	Seeding (Bermudagrass)
96	Kilogram	214-A003	Seeding (Tall Fescue)
130	Kilogram	214-A004	Seeding (Crimson Clover)
158	Kilogram	214-A005	Seeding (Sericea Lespedeza)
127	Kilogram	214-A015	Seeding, Browntop Millet
571	Kilogram	214-A016	Seeding, Oats
158	Kilogram	214-A018	Seeding, Rye Grass
64	Metric Ton	215-A001	Vegetative Materials for Mulch
662	Square Meter	216-A001	Solid Sodding
5	Hectare	220-A001	Insect Pest Control
147	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
1,000	Square Meter	224-A001	Soil Reinforcing Mat
1,000	Bale	235-A001	Temporary Erosion Checks
9	Each	236-A004	Silt Basin (Type D)
500	Meter	239-A001	Temporary Slope Drains
14,066	Metric Ton	304-B028	Granular Material (Class 6, Group C)
7,261	Metric Ton	304-B029	Granular Material (Class 6, Group D)
50	Meter	501-E001	Expansion Joints (Without Dowels)
150	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
3	Cubic Meter	601-B001	Class "B" Structural Concrete, Minor Structures
61	Kilogram	602-A001	Reinforcing Steel
215	Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
151	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III

CALL No. 06

2	Each	603-C-B001	450-mm Reinforced Concrete End Section
4	Each	603-C-B002	600-mm Reinforced Concrete End Section
111	Kilogram	604-A001	Castings
205	Kilogram	604-B001	Gratings
198	Meter	606-B001	Guard Rail (Class A, Type 1)
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
407	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
182	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
15	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
22	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
152	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
4	Each	619-E1001	Flashing Arrow Panel (Type C)
8	Each	619-F3004	Delineators (Guard Rail) (White)
56	Meter	619-G4001	Barricades (Type III) (Single Faced)
112	Meter	619-G4005	Barricades (Type III) (Double Faced)
195	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights (Type "B")
4	Each	619-K2002	Installation and Removal of Guard Rail (Type I Bridge End Section)
	Lump Sum	620-A001	Mobilization
7	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
22	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
120	Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
6	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
14	Each	630-F001	Delineators (Guard Rail)(White)
14	Each	630-F002	Delineators (Guard Rail)(Yellow)
8	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
8	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
14	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
152	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
41,225	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
6,738	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
76	Metric Ton	907-213-A001	Agricultural Limestone
1,300	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-223-A001	Mowing
2,000	Meter	907-234-A002	Temporary Silt Fence
500	Meter	907-237-A001	Wattles
1,675	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
24	Metric Ton	907-307-D001	Lime
1,517	Metric Ton	907-403-A009	Hot Mix Asphalt, HT, 9.5-mm mixture
5,794	Metric Ton	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture
1,351	Metric Ton	907-403-C005	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
5,520	Metric Ton	907-403-D001	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2,275	Metric Ton	907-403-D003	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
12	Kilometer	907-423-A001	Rumble Strips (Ground In)
150	Square Meter	907-501-K001	Transverse Grooving

CALL No. 06

120	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
4	Each	907-606-E001	Guard Rail, Terminal End Section
32	Each	907-617-A003	Right-of-Way Marker
2,302	Meter	907-619-A1001	Temporary Traffic Stripe (Continuous White) (Paint)
107	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
1,104	Meter	907-619-A2001	Temporary Traffic Stripe (Continuous Yellow) (Paint)
214	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
2,350	Meter	907-619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
8,060	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
4	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)
196	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
4	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
6	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
6	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
6	Kilometer	907-626-FF005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (2.25-mm min)
1,158	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
250	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
12	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
333	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
17	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
114	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
114	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
114	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
14	Metric Ton	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NO. 1			
344	Metric Ton	907-308-A001	Portland Cement
31,829	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
ALTERNATE GROUP AA NO. 2			
31,829	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
262	Metric Ton	907-311-B001	Lime
1,049	Metric Ton	907-311-C003	Fly Ash, Class C or F
Bridge Items			
41,084	Kilogram	805-A001	Reinforcement
204	Meter	813-A001	Concrete Railing
563	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
1,102	Square Meter	907-501-K001	Transverse Grooving
5	Each	907-803-A001	Test Pile
5	Each	907-803-B002	Conventional Static Pile Load Test
685	Meter	907-803-D001	HP 310 x 79 Steel Piling
280	Meter	907-803-D002	HP 360 x 108 Steel Piling
5	Each	907-803-J001	Pile Restrike
461	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)

CALL No. 06

108 Meter	907-804-C022	18-m Prestressed Concrete Beams, Type II+50
496 Meter	907-804-C113	12-m Prestressed Concrete Beam (Type I + 50)
329 Square Meter	907-815-E001	Geotextile Fabric under Riprap

Milling and overlaying of approximately 2 miles of SR 12 through Kosciusko, known as Federal Aid Project No. STP-0018-02(048) MP / 104936301, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: 47 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

115	Linear Feet	202-B064	Removal of Pipe, 8" And Above
300	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
100	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
1,200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
20	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
300	Linear Feet	234-A001	Temporary Silt Fence
500	Ton	304-B014	Granular Material, Class 3, Group D
75,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
40	Linear Feet	503-C007	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
150	Pounds	602-A001	Reinforcing Steel
100	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
150	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
244	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings
300	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
270	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
70	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
20	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31,500	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,650	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
7,200	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
4	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
15,750	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,600	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
11,300	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
3,600	Square Feet	626-H001	Thermoplastic Legend, White
2,350	Linear Feet	626-H002	Thermoplastic Legend, White
400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,232	Linear Feet	635-A001	Vehicle Loop Assemblies

CALL No. 07

1,000	Linear Feet	636-A004	Shielded Cable, AWG #14, 4 Conductor
100	Linear Feet	907-237-A001	Wattles
500	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
975	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
6,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Traffic signal installation on US 51 at Olympic Way and McClellan Drive and modifications at existing signal locations, known as Federal Aid Project No. HSIP-7304-00(008) / 104904301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: June 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

79	Linear Feet	202-B038	Removal of Curb, All Types
135	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
38	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
602	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
231	Square Feet	626-H001	Thermoplastic Legend, White
1,224	Linear Feet	626-H002	Thermoplastic Legend, White
1,650	Linear Feet	635-A001	Vehicle Loop Assemblies
2,610	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
5	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3	Each	639-A014	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	639-A092	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	639-A137	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 55' Arms
1	Each	639-A169	Traffic Signal Equipment Pole, Type IV, 35' Shaft, 50' Arm
12	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
3	Each	640-A022	Traffic Signal Heads, Type 7 LED
36	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
7	Each	644-A001	Optical Detector
1,120	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
3	Each	647-A001	Pullbox, Type 1
13	Each	647-A003	Pullbox, Type 4
2	Each	647-A004	Pullbox, Type 5
4	Each	647-A005	Pullbox, Type 2
1	Each	650-A003	On Street Video Equipment, PTZ Type
7,920	Linear Feet	657-A006	Fiber Optic Cable, 72 SM
140	Linear Feet	657-B003	Fiber Optic Drop Cable, 12 SM
326	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
810	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
175	Linear Feet	666-B031	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
293	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
1,040	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
2,618	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
110	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
391	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"

CALL No. 08

5,979 Linear Feet

668-B024 Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"

Construction necessary to build a Frontage Road for the Toyota Plant from County Road 203 to SR 9, known as State Project No. SP-0006-01(086) / 104969302 & 303, in the Counties of Union and Pontotoc, State of Mississippi.

PROJECT COMPLETION: May 29, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
13 Acre	201-B001	Clearing and Grubbing
9,616 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
120 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
27 Each	202-B019	Removal of Concrete Headwall
4,805 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2,370 Square Yard	202-B025	Removal of Concrete Paved Ditch
25,926 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B057	Removal of Inlets, All Sizes
1,173 Linear Feet	202-B064	Removal of Pipe, 8" And Above
17 Each	202-B070	Removal of Sign Including Post & Footing
1 Each	202-B075	Removal of Timber Bridge
2,752 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,877 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,200 Linear Feet	202-B102	Removal of Guard Rail
12 Each	202-B107	Removal of Sign, Ground Mounted with Posts
3 Each	202-B140	Removal of Box Bridge Headwall
3 Mile	202-B149	Removal of Traffic Stripe
1 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
1,298,710 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
628,577 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
41,222 Cubic Yard	203-F001	Channel Excavation, FM
22,929 Cubic Yard	203-G003	Excess Excavation, FM, AH
14,124 Cubic Yard	206-A001	Structure Excavation
254 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
49,750 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
94,157 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
824,865 Square Yard	212-A001	Light Ground Preparation
1,649,728 Square Yard	212-B001	Standard Ground Preparation
213 Ton	213-B001	Combination Fertilizer, 13-13-13
170 Ton	213-C001	Superphosphate
8,521 Pounds	214-A001	Seeding, Bahiagrass
6,817 Pounds	214-A002	Seeding, Bermudagrass
8,521 Pounds	214-A003	Seeding, Tall Fescue
3,408 Pounds	214-A004	Seeding, Crimson Clover
4,261 Pounds	214-A005	Seeding, Sericea Lespedeza
3,408 Pounds	214-A014	Seeding, Browntop Millet
15,340 Pounds	214-A015	Seeding, Oats
4,261 Pounds	214-A017	Seeding, Rye Grass
852 Ton	215-A001	Vegetative Materials for Mulch

CALL No. 09

8,295	Square Yard	216-A001	Solid Sodding
4,806	Square Yard	217-A001	Ditch Liner
166	Thousand Gallon	219-A001	Watering
171	Acre	220-A001	Insect Pest Control
1,617	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
7,198	Square Yard	224-A001	Soil Reinforcing Mat
20,242	Linear Feet	234-A001	Temporary Silt Fence
1,992	Bale	235-A001	Temporary Erosion Checks
26	Each	236-A004	Silt Basin, Type D
620	Linear Feet	239-A001	Temporary Slope Drains
1,090	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
16,096	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
42,447	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
5,463	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17,449	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
1,691	Cubic Yard	601-A003	Class "B" Structural Concrete
281	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
607,837	Pounds	602-A001	Reinforcing Steel
600	Linear Feet	603-A003	42" Steel Pipe, Wall Thickness 0.500"
600	Linear Feet	603-A030	30" Steel Pipe, Wall Thickness 0.375"
600	Linear Feet	603-A031	36" Steel Pipe, Wall Thickness 0.375"
1,236	Linear Feet	603-ALT001	18" Type A Alternate Pipe
116	Linear Feet	603-ALT005	24" Type A Alternate Pipe
240	Linear Feet	603-ALT009	30" Type A Alternate Pipe
2,356	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
3,428	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
424	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
356	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
272	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
200	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
212	Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
152	Linear Feet	603-CA042	42" Reinforced Concrete Pipe, Class IV, Class B Bedding
292	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
456	Linear Feet	603-CA067	48" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
92	Linear Feet	603-CA122	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
404	Linear Feet	603-CA127	24" Reinforced Concrete Pipe, Class IV, Class C Bedding, Imperfect Trench
6	Each	603-CB001	18" Reinforced Concrete End Section
8	Each	603-CB002	24" Reinforced Concrete End Section
7	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
36	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
2,036	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III

CALL No. 09

156	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
384	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
6	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
6	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
1	Each	603-SB006	42" Branch Connections, Stub into Box Culvert
2	Each	603-SB055	30" Branch Connections, Stub into Box Bridge
7,696	Pounds	604-A001	Castings
3,700	Pounds	604-B001	Gratings
2,126	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
2,800	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
400	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
180	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
196	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
3,120	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
14,221	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
717	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
2,829	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
169	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
18,992	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
21,033	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8,019	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
810	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
34	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
748	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,771	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,820	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,260	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
270	Linear Feet	619-G4001	Barricades, Type III, Single Faced
40	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
154	Linear Feet	619-G4005	Barricades, Type III, Double Faced
146	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
2,666	Linear Feet	625-A001	Traffic Stripe, Skip White
2,774	Linear Feet	625-C001	Traffic Stripe, Continuous White
4,135	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
11,760	Linear Feet	625-E001	Detail Traffic Stripe
774	Square Feet	625-F001	Legend

CALL No. 09

256	Linear Feet	625-F002	Legend
45,914	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
3,241	Linear Feet	626-B001	6" Thermoplastic Traffic Stripe, Continuous White
62,245	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
39,210	Linear Feet	626-D001	6" Thermoplastic Traffic Stripe, Skip Yellow
59,410	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
15,432	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
26,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
5,152	Square Feet	626-H001	Thermoplastic Legend, White
2,140	Linear Feet	626-H002	Thermoplastic Legend, White
1,618	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,438	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
860	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
860	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
379	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
625	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,894	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
394	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
112	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,295	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
143	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
400	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
144	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
198	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
558	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
698	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
812	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
20	Each	630-F001	Delineators, Guard Rail, White
37	Each	630-F006	Delineators, Post Mounted, Single White
5	Each	630-F007	Delineators, Post Mounted, Single Yellow
52	Each	630-F008	Delineators, Post Mounted, Double White
16	Each	630-F009	Delineators, Post Mounted, Double Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
164	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
190	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
235	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
566	Cubic Yard	631-A001	Flowable Fill
152	Linear Feet	635-A001	Vehicle Loop Assemblies
1,252	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
1	Each	639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	639-A013	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED

CALL No. 09

1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	647-A001	Pullbox, Type 1
4	Each	647-A005	Pullbox, Type 2
621	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
165	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
887	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
190	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
118	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
29,301	Square Yard	815-A004	Loose Riprap, Size 300
40,717	Square Yard	815-E001	Geotextile under Riprap
491	Cubic Yard	815-F001	Sediment Control Stone
1,023	Ton	907-213-A001	Agricultural Limestone
66	Each	907-234-D001	Inlet Siltation Guard
66	Each	907-234-E001	Reset Inlet Siltation Guard
21,995	Ton	907-304-F003	3/4" and Down Crushed Stone Base
2,500	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
205,411	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,773	Ton	907-307-D001	Lime
7,065	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
10,810	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,351	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
83,107	Ton	907-403-F001	Maintained Hot Mix Asphalt
84	Each	907-617-A001	Right-of-Way Marker
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
80	Each	907-630-O003	Remove and Reset Sign, All Sizes
2	Each	907-649-A001	Video Detection System, 1 Sensor
1,505	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
		ALTERNATE GROUP AA NO. 1	
3,044	Ton	907-308-A001	Portland Cement
196,799	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
		ALTERNATE GROUP AA NO. 2	
196,799	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,661	Ton	907-311-B001	Lime
6,642	Ton	907-311-C002	Fly Ash, Class C or F

Work necessary to install roadway lighting at the interchange of US Hwy 82 and SR 9, known as State Project No. SP-0011-02(052) / 105004301, in the County of Webster, State of Mississippi.

PROJECT COMPLETION: September 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15	Square Yard	202-B025	Removal of Concrete Paved Ditch
16	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2,310	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
2,130	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
350	Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
2,610	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
190	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
220	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
410	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
360	Linear Feet	682-C016	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
11	Each	682-D001	Underground Pull Box
2	Each	682-D003	Structure Mounted Pull Box
1	Each	682-F001	Secondary Power Controllers
2	Each	683-A008	Lighting Assembly, High Mast, Type 100-4-A
1	Each	683-A014	Lighting Assembly, High Mast, Type 100-6-A
1	Each	683-A063	Lighting Assembly, High Mast, Type 130-4-S
2	Each	683-A069	Lighting Assembly, High Mast, Type 130-6-S
1	Each	683-B053	Lighting Assembly, Low Mast, Type 40-1-12-400
12	Each	683-B058	Lighting Assembly, Low Mast, Type 40-1-20-400
1	Each	683-D001	Portable Electric Power Units
17	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
18	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
32	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
22	Linear Feet	684-B004	Slip Casing, 36" Diameter
22	Linear Feet	684-B006	Slip Casing, 48" Diameter

CALL No. 11

Bridge Repair on US Highway 78 over the Tenn-Tom River at Fulton, known as State Project No. MP-1078-29(008) / 303228301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: June 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
48 Linear Feet	619-G4005	Barricades, Type III, Double Faced
Lump Sum	620-A001	Mobilization
Lump Sum	907-824-PP093	Bridge Repair, Modify Cap At Bent 5R, Per Plans
10 Each	907-824-PP095	Bridge Repair, Laminated Elastomeric Bearing Pads
5 Each	907-824-PP095	Bridge Repair, Repair Beam Ends, Per Plans

CALL No. 12

Construction necessary for Bridge Repair at I-55 and SR 35, known as State Project No. MRP-2055-08(048) / 303316301, in the County of Carroll, State of Mississippi.

PROJECT COMPLETION: May 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
300 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
300 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
300 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Bridge Items

Lump Sum	907-824-PP093	Bridge Repair, Remove and Replace Prestressed Beam,Railing & Portions of Bridge Deck Diaphr
Lump Sum	907-824-PP093	Bridge Repair, Repair Beam Nos. 1-6 with Epoxy Mortor

Repairing Home Port Bridge on SR 619, known as State Project No. MRP-6619-30(001) / 303246301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: March 28, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	907-824-PP088	Bridge Repair, Remove and Replace Beam, Railing and Portion of Deck & Diaphragm, Per Plans
Lump Sum	907-824-PP093	Bridge Repair, Repair Beam Nos. 32-5, 69-4, 85-5, & 113-3 with epoxy Mortar Per Plans

CALL No. 14

Construction of a Maintenance Shop Building at Houston, known as State Project No. BWO-1177-09(001) / 501633301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum 1500-A001 Construction of Maintenance Shop Building at Houston

CALL No. 15

Construction of a New Project Office Building and Storage Building at Newton, known as State Project Nos. BWO-5129-51(001) / 501517301 & BWO-5179-51(001) / 501817301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: January 31, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Project Office Building at Newton
Lump Sum	1500-A001	Construction of Storage Building at Newton
260 Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
2 Each	607-G117	Gate, 13' x 6' Chain Link
20 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
7 Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
4 Each	607-P3009	Gate Post, 10' x 3 1/2" Galvanized Steel

CALL No. 16

Construction necessary to design, assemble, and install an antenna tower and communications hut at the Lyman Project Office, known as State Project No. BWO-6205-24(001) / 501948301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: February 08, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Each	647-A004	Pullbox, Type 5
1,155	Linear Feet	657-B003	Fiber Optic Drop Cable, 12 SM
1,130	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
50	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
105	Linear Feet	682-A020	Underground Branch Circuit, AWG 2/0, 3 Conductor
	Lump Sum	907-698-A001	Antenna Tower
	Lump Sum	907-698-B001	Antenna Tower Communications Hut

Work necessary to install a traffic signal on MS Highway 42 at Petal High School, known as Federal Aid Project No. HSIP-0063-02(024) / 104896301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 160 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2,872 Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
964 Meter	202-B039	Removal of Curb (All Types)
234 Meter	202-B107	Removal of Pipe (All Sizes)
1,396 Cubic Meter	206-A001	Structure Excavation
16,871 Square Meter	211-A001	Topsoil for Slope Treatment (From Right-of-Way)
22,494 Square Meter	212-B001	Standard Ground Preparation
2 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
2 Metric Ton	213-C001	Superphosphate
45 Kilogram	214-A002	Seeding (Bermudagrass)
56 Kilogram	214-A003	Seeding (Tall Fescue)
52 Kilogram	214-A004	Seeding (Crimson Clover)
5 Metric Ton	215-A001	Vegetative Materials for Mulch
22,494 Square Meter	216-A001	Solid Sodding
1,417 thousand liter	219-A001	Watering
2 Hectare	220-A001	Insect Pest Control
35 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
234 Bale	235-A001	Temporary Erosion Checks
20 Meter	239-A001	Temporary Slope Drains
613 Cubic Meter	304-A029	Granular Material (LVM) (Class 6, Group D)
1,200 Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
40 Cubic Meter	601-B001	Class "B" Structural Concrete, Minor Structures
2,087 Kilogram	602-A001	Reinforcing Steel
820 Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
146 Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
34 Meter	603-C-A109	600-mm Reinforced Concrete Pipe, Class V, Jacked or Bored
2 Each	603-C-B001	450-mm Reinforced Concrete End Section
4 Each	603-C-B002	600-mm Reinforced Concrete End Section
4 Meter	603-C-E040	560-mm x 345-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
63 Kilogram	604-B001	Gratings
1,160 Meter	609-D009	Combination Concrete Curb and Gutter Type 3B
Lump Sum	618-A001	Maintenance of Traffic
7 Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
9 Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
118 Meter	619-G4005	Barricades (Type III) (Double Faced)
124 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
9 Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
6 Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
70 Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
18 Kilogram	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)

CALL No. 17

10	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
7,000	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
1,412	Cubic Meter	907-203-EX018	Borrow Excavation (AH)(FME) (Class B7)
15,966	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
15	Metric Ton	907-213-A001	Agricultural Limestone
1,470	Square Meter	907-217-A001	Ditch Liner
2,900	Meter	907-234-A002	Temporary Silt Fence
5,177	Metric Ton	907-304-I003	Crushed Stone Base (Size 825)
2,549	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
3,347	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
7,216	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
240	Metric Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
30	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
14	Each	907-617-A003	Right-of-Way Marker
5,310	Meter	907-619-A1009	Temporary Traffic Stripe (Continuous White)
6,540	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
250	Meter	907-619-A6009	Temporary Traffic Stripe (Legend)
170	Meter	907-626-AA002	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
1	Kilometer	907-626-BB003	150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
3	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
2	Kilometer	907-626-DD001	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
3	Kilometer	907-626-EE002	150-mm Thermoplastic Traffic Stripe (Continuous Yellow)(2.25-mm min.)
1,850	Meter	907-626-GG007	Thermoplastic Detail Stripe (150-mm Equivalent Length) (White) (3.00-mm min.)
336	Meter	907-626-GG008	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Yellow) (3.00-mm min.)
430	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
99	Square Meter	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)
178	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
606	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Meter	907-636-A001	Shielded Cable, AWG #18, 4 Conductor
1	Each	907-639-A015	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (12.2-m Arm)
6	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
2	Each	907-640-B004	Traffic Signal Heads (Type 3) LED
2	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
	Lump Sum	907-699-A001	Roadway Construction Stakes
313	Meter	908-635-A001	Vehicle Loop Assemblies
3	Each	908-638-A006	Loop Detector Amplifier, Card Rack Mounted (4 Channel)
1	Each	908-639-A170	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (15.2-m Arm)
2	Each	908-639-A171	Traffic Signal Equipment Pole (Type II) (5.2-m Shaft) (18.3-m Arm)
1	Each	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)
4	Each	908-644-A001	Optical Detector
270	Meter	908-644-B001	Optical Detector Cable
1	Each	908-644-C002	Phase Selector (4 Channel)
6	Each	908-647-A002	Pullboxes (Type 2)
60	Meter	908-666-B005	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 8), 2Conductor

CALL No. 17

288 Meter	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),7 Conductor
350 Meter	908-668-B016	Traffic Signal Conduit (Underground Drilled or Jacked)(TypeIV)(DN 50)
110 Meter	908-668-E001	Traffic Signal Conduit (Underground), Rolled Pipe, (DN 75)

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR

Mississippi Department of Transportation

P. O. Box 1850

Jackson, Mississippi 39215-1850

Visit Us On The Web...

www.goMDOT.com

FIRST CLASS MAIL