




**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for January – January 22, 2008



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 22, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

Bidders List (Proposal and Specimen Holders) is now available online at www.gomdot.com

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
* 01	ER-0010-01(130) N / 104876304	Hancock
* 02	ER-0055-01(091)N / 105160301 & ER-0055-01(091)N / 105160302	Lincoln & Pike
03	BRO-0055-02(189) N / 104628301	Madison
04	HSIP-0250-00(029)N / 104908301	Hinds, Madison, & Rankin
05	HSIP-0000-02(007) / 104895301	Attala, Benton, & Marshall
06	NH-0008-02(091) / 104513301 & NH-0008-02(091) / 104513302	Covington & Simpson
07	HSIP-0014-02(056) / 104891301	Lamar
08	STP-0058-01(032) / 105147301	Clay
09	BR-0793-00(001) / 100297301 & BR-0793-00(001) / 100297303	Calhoun & Lafayette
10	BR-1132-00(007) / 102412301	Wayne
* 11	MP-2000-00(036) / 303344301	Calhoun, Lafayette, & Montgomery
12	MP-2315-36(003) / 303342301	Lafayette
* 13	MP-6013-37(008) / 303254301	Lamar
* 14	MP-6145-12(001) / 303277301	Clarke
* 15	MP-6528-31(010) / 303276301	Jasper
16	MRP-6619-30(001) / 303246301	Jackson
17	BWO-7126-57(001) / 501774301 & BWO-7127-57(001) / 501774302	Pike

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, February 26, 2008; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, February 26, 2008, and shortly thereafter publicly opened for

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	APD-0070-06(008) N / 100078304	Lee
02	IM-0010-01(122)N / 104808301	Hancock

Replace or repair the Interstate fencing along I-10 East and West bound, known as Federal Aid Project No. ER-0010-01(130) N / 104876304, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: August 29, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

38 Acre	201-B001	Clearing and Grubbing
1,000 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
52,100 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
119,000 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
6,000 Each	607-P1020	Line Post, 7' x 4" Timber
4 Each	607-P2001	Brace Post, 8' x 6" Timber
4 Each	607-P2002	Brace Post, 10' x 6" Timber
4 Each	607-P2003	Brace Post, 12' x 6" Timber
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
38 Acre	907-225-A001	Grassing
72 Ton	907-225-B001	Agricultural Limestone

Work necessary to repair fence on I-55, known as Federal Aid Project Nos. ER-0055-01(091)N / 105160301 & ER-0055-01(091)N / 105160302, in the Counties of Pike & Lincoln, State of Mississippi.

PROJECT COMPLETION: July 24, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
11,935 Linear Feet	202-B041	Removal of Fence, All Types
11,561 Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
344 Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
30 Linear Feet	607-B013	72" Type I Chain Link Fence, Class II
4,802 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
2 Each	607-G019	Gate, 12' x 52" Galvanized Metal
20 Each	607-P1001	Line Post, 8' x 4" Timber
30 Each	607-P1008	Line Post, 8' x 2" Galvanized Steel
265 Each	607-P1013	Line Post, 7' Tee Post Steel
45 Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
5 Each	607-P2001	Brace Post, 8' x 6" Timber
4 Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
1 Each	607-P3001	Gate Post, 8' x 6" Timber
10 Each	607-Z001	Concrete Anchors
Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization

Construction necessary to raise the bridge at I-55 and Pisgah Bottom Road, known as Federal Aid Project No. BRO-0055-02(189) N / 104628301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: May 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Acre	201-B001	Clearing and Grubbing
602	Linear Feet	202-B102	Removal of Guard Rail
500	Cubic Yard	203-E101	Borrow Excavation, LVM, Class B9, AH
9,715	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
1,000	Linear Feet	234-A001	Temporary Silt Fence
1,377	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
801	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
175	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
4	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
96	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
352	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
836	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
16	Each	619-F3004	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
100	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1,716	Linear Feet	626-C001	6" Thermoplastic Edge Stripe, Continuous White
1,716	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
585	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
585	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2	Ton	907-213-A001	Agricultural Limestone
1	Acre	907-225-A001	Grassing
400	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,631	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

Bridge Items

Lump Sum	907-824-PP096	Bridge Raising
----------	---------------	----------------

Metro area guardrail upgrade at various locations on I-20, I-55, & I-220, known as Federal Aid Project Nos. HSIP-0250-00(029)N / 104908301, 302, & 303, in the Counties of Hinds, Madison, & Rankin, State of Mississippi.

PROJECT COMPLETION: 189 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

115	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2	Each	202-B048	Removal of Guard Rail Cable Anchor, Texas Twist Including Post & Rail
43,229	Linear Feet	202-B102	Removal of Guard Rail
8	Each	202-B189	Removal of Impact Attenuator
23,175	Cubic Yard	203-E042	Borrow Excavation, LVM, Class B14
12,000	Linear Feet	234-A001	Temporary Silt Fence
1,500	Linear Feet	239-A001	Temporary Slope Drains
500	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
200	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
24,119	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8,000	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post ⁸
925	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
20	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
60	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
21	Each	606-D001	Guard Rail, Bridge End Section, Type A
28	Each	606-D002	Guard Rail, Bridge End Section, Type C
49	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
5	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
44	Each	606-D008	Guard Rail, Bridge End Section, Type H
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
75	Each	606-E002	Guard Rail, Terminal End Section, Flared
95	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
169	Linear Feet	615-A002	Concrete Type III Cast-in-Place Median Barrier
1,962	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
750	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
	Lump Sum	620-A001	Mobilization
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
4	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
2	Each	629-A004	Vehicular Impact Attenuator, 40 MPH
2	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
2	Each	629-B001	Median Barrier End Section
1	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
595	Each	630-F001	Delineators, Guard Rail, White
477	Each	630-F002	Delineators, Guard Rail, Yellow
162	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6	Acre	907-225-A001	Grassing
15	Ton	907-225-B001	Agricultural Limestone

Non Participating Items

CALL No. 04

122	Each	907-692-A001	Linear Guidance System, 6-inch, Yellow
258	Each	907-692-A002	Linear Guidance System, 6-inch, White

Guardrail placement in various locations throughout District 2, known as Federal Aid Project No. HSIP-0000-02(007) / 104895301, in the Counties of Attala, Benton & Marshall, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

225	Linear Feet	202-B102	Removal of Guard Rail
5,100	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
3	Ton	213-C001	Superphosphate
400	Square Yard	217-A001	Ditch Liner
3	Acre	220-A001	Insect Pest Control
6,000	Linear Feet	234-A001	Temporary Silt Fence
960	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
40	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
80	Linear Feet	603-PE004	24" Corrugated Polyethylene Pipe
40	Linear Feet	603-PE005	30" Corrugated Polyethylene Pipe
2,276	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D024	Guard Rail, Bridge End Section, Special Design
22	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
110	Each	630-F001	Delineators, Guard Rail, White
24	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
500	Ton	815-A009	Loose Riprap, Size 300
500	Square Yard	815-E001	Geotextile under Riprap
3	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
5,400	Linear Feet	907-237-A001	Wattles
150	Linear Feet	907-606-PP004	Remove and Replace Wheel Guard & Retainer

Removing and replacing traffic signs on US Highway 49, from the Forrest County Line to the Rankin County Line, known as Federal Aid Project Nos. NH-0008-02(091) / 104513301 & NH-0008-02(091) / 104513302, in the Counties of Covington & Simpson, State of Mississippi.

PROJECT COMPLETION: September 04, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	202-A001	Removal of Obstructions
11,560	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
216	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
	Lump Sum	620-A001	Mobilization
5,288	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
11,277	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
5,147	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
	336 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
21,292	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
2,491	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
1,240	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
949	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
181	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
414	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
3,025	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,455	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
4,407	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
571	Each	630-F001	Delineators, Guard Rail, White
263	Each	630-F002	Delineators, Guard Rail, Yellow
234	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
234	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
244	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
33	Each	630-F006	Delineators, Post Mounted, Single White
23	Each	630-F007	Delineators, Post Mounted, Single Yellow
75	Each	630-F008	Delineators, Post Mounted, Double White
3	Each	630-F009	Delineators, Post Mounted, Double Yellow
236	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
24	Each	630-G005	End-Of-Roadway Markers, OM4-3, Post Mounted, Red
1,639	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
156	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
1,389	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
177	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
139	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans

Upgrading US Highway 98, from SR 589 to Weathersby Rd, known as Federal Aid Project No. HSIP-0014-02(056) / 104891301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 189 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3,019 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,703 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
271 Square Yard	202-B025	Removal of Concrete Paved Ditch
173 Linear Feet	202-B038	Removal of Curb, All Types
4 Each	202-B070	Removal of Sign Including Post & Footing
3,300 Linear Feet	202-B076	Removal of Traffic Stripe
1,196 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
7 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,057 Linear Feet	202-B106	Removal of Pipe, All Sizes
17,735 Cubic Yard	203-A001	Unclassified Excavation, FM
11,783 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,650 Cubic Yard	203-G001	Excess Excavation, FM
1,725 Square Yard	204-A007	Geogrid, Type III, Uniaxial
251 Cubic Yard	206-A001	Structure Excavation
57 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
6 Ton	213-C001	Superphosphate
8,423 Square Yard	216-A001	Solid Sodding
168 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
44 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
12 Acre	223-A001	Mowing
11,085 Linear Feet	234-A001	Temporary Silt Fence
1,888 Bale	235-A001	Temporary Erosion Checks
19,823 Cubic Yard	304-A028	Granular Material, LVM, Class 6, Group C
3,173 Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
3,937 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
24,282 Pounds	602-A001	Reinforcing Steel
1,068 Linear Feet	603-ALT001	18" Type A Alternate Pipe
752 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
56 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
13 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB003	30" Reinforced Concrete End Section
32 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
16 Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
2 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1 Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
250 Pounds	604-B001	Gratings
963 Linear Feet	606-B001	Guard Rail, Class A, Type 1
6 Each	606-C003	Guard Rail, Cable Anchor, Type 1

CALL No. 07

6	Each	606-E001	Guard Rail, Terminal End Section
100	Linear Feet	609-B001	Concrete Curb, Header
1,773	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
856	Square Yard	614-B001	Concrete Driveway, With Reinforcement
883	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
292	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
102	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
55	Each	619-D3001	Remove and Reset Signs, All Sizes
380	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
475	Linear Feet	626-B001	6" Thermoplastic Traffic Stripe, Continuous White
1,085	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,973	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,989	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
631	Square Feet	626-H001	Thermoplastic Legend, White
1,235	Linear Feet	626-H002	Thermoplastic Legend, White
136	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
128	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
170	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
39	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
4	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
175	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
2	Each	639-A137	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 55' Arms
2	Each	639-A156	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55' Arms
2	Each	639-A172	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' & 75' Arms With Luminaire
14	Each	640-A016	Traffic Signal Heads, Type 1 LED
5	Each	640-A018	Traffic Signal Heads, Type 3 LED
5	Each	640-A019	Traffic Signal Heads, Type 5 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
11	Each	644-A001	Optical Detector
2,385	Linear Feet	644-B001	Optical Detector Cable
3	Each	644-C002	Phase Selector, 4 Channel
9	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	649-A003	Video Vehicle Detection, New Installation, 3 Cameras
2	Each	649-A004	Video Vehicle Detection, New Installation, 4 Cameras
13,520	Linear Feet	657-A006	Fiber Optic Cable, 72 SM
550	Linear Feet	657-B003	Fiber Optic Drop Cable, 12 SM
350	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
3,215	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor

CALL No. 07

390	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
310	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
210	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
17,550	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
250	Linear Feet	668-B016	Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 2"
390	Linear Feet	668-B018	Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 3"
10,470	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
4,000	Square Feet	802-C002	Temporary Steel Sheet Piling
450	Square Feet	809-A003	Retaining Wall System
23	Ton	815-A006	Loose Riprap, Size 100
38	Square Yard	815-E001	Geotextile under Riprap
12	Acre	907-225-A001	Grassing
24	Ton	907-225-B001	Agricultural Limestone
6	Acre	907-226-A001	Temporary Grassing
4,327	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,139	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
167	Cubic Yard	907-601-A001	Class "B" Structural Concrete
13	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
67	Each	907-617-A001	Right-of-Way Marker
1,414	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
858	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-651-A001	Magnetometer Advance Detection System4 Nodes, 2 Repeaters, 1 Access PT.
1	Each	907-651-A001	Magnetometer Advance Detection System5 Nodes, 2 Repeaters, 1 Access PT.

Milling and overlaying of SR 50 from 1/2 mile east of SR 10 to End State Maintenance, known as Federal Aid Project No. STP-0058-01(032) / 105147301, in the County of Clay, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

192	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
40	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,833	Linear Feet	202-B076	Removal of Traffic Stripe
2,036	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,850	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
99,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
260	Linear Feet	503-C007	Saw Cut, Full Depth
975	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D004	Guard Rail, Bridge End Section, Type E
8	Each	606-D008	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
426	Linear Feet	609-B001	Concrete Curb, Header
133	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
14	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,030	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
710	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,400	Square Feet	626-H001	Thermoplastic Legend, White
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,518	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
315	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
78	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
14,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,800	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening

Replacement of three (3) bridges on SR 331 between SR 9 and SR 334, known as Federal Aid Project Nos. BR-0793-00(001) / 100297301 & 303, in the Counties of Calhoun & Lafayette, State of Mississippi.

PROJECT COMPLETION: 140 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Hectare	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
10,169	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
36	Meter	202-B066	Removal of Pipe (200-mm and above)
1,000	Meter	202-B076	Removal of Traffic Stripe
10,208	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
78	Cubic Meter	206-A001	Structure Excavation
35	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
9	Metric Ton	213-C001	Superphosphate
72	Square Meter	216-A001	Solid Sodding
5	thousand liter	219-A001	Watering
9	Hectare	220-A001	Insect Pest Control
15	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
1,280	Square Meter	224-A001	Soil Reinforcing Mat
11,888	Metric Ton	304-B014	Granular Material (Class 3, Group D)
2,961	Metric Ton	304-B042	Granular Material (Class 9, Group B)
14,819	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
46	Meter	501-E001	Expansion Joints (Without Dowels)
242	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
17,992	Kilogram	602-A001	Reinforcing Steel
55	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
66	Meter	603-C-A009	1500-mm Reinforced Concrete Pipe, Class III
4	Each	603-C-B001	450-mm Reinforced Concrete End Section
6	Each	603-C-B002	600-mm Reinforced Concrete End Section
6	Each	603-C-B008	1500-mm Reinforced Concrete End Section
244	Meter	606-B001	Guard Rail (Class A, Type 1)
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
	Lump Sum	618-A001	Maintenance of Traffic
16	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
97	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
62	Meter	619-F1001	Concrete Median Barrier (Precast)
124	Meter	619-F2001	Remove and Reset Concrete Median Barrier (Precast)
20	Each	619-F3004	Delineators (Guard Rail) (White)
60	Meter	619-G4001	Barricades (Type III) (Single Faced)
166	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights (Type "B")
65	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
	Lump Sum	620-A001	Mobilization
44	Each	630-F001	Delineators (Guard Rail)(White)
8	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted

CALL No. 09

600	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
10,240	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
26,470	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
542	Square Meter	907-217-A001	Ditch Liner
2	Hectare	907-223-A001	Mowing
6	Hectare	907-225-A001	Grassing
36	Metric Ton	907-225-B001	Agricultural Limestone
4	Hectare	907-226-A002	Temporary Grassing
1,735	Meter	907-234-A002	Temporary Silt Fence
314	Meter	907-237-A001	Wattles
2,039	Metric Ton	907-403-A002	Hot Mix Asphalt, ST, 12.5-mm mixture
3,375	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture
113	Metric Ton	907-403-C002	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
242	Square Meter	907-501-K001	Transverse Grooving
1	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
135	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
15	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
48	Meter	907-603-ALT06	600-mm Type B Alternate Pipe
22	Meter	907-603-ALT09	750-mm Type A Alternate Pipe
8	Each	907-606-E001	Guard Rail, Terminal End Section
38	Each	907-617-A003	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction & Removal of Detour Bridge
1,936	Meter	907-619-A1009	Temporary Traffic Stripe (Continuous White)
1,936	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
662	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
102	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
8	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
1	Each	907-621-A001	Field Laboratory
432	Meter	907-625-B002	Traffic Stripe, Skip Yellow
2,670	Meter	907-625-C001	Traffic Stripe (Continuous White)
1,525	Meter	907-625-D001	Traffic Stripe (Continuous Yellow)
103	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
167	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (Continuous White)
48	Meter	907-628-LL001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Yellow)
72	Meter	907-628-MM001	150-mm High Performance Cold Plastic Traffic Stripe (Continuous Yellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
256	Cubic Meter	907-804-B001	Box Bridge Concrete (Class B)
799	Square Meter	907-815-E001	Geotextile Fabric under Riprap
ALTERNATE GROUP AA NO. 1			
51	Metric Ton	907-308-A001	Portland Cement
4,108	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
ALTERNATE GROUP AA NO. 2			
4,108	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
35	Metric Ton	907-311-B001	Lime
136	Metric Ton	907-311-C003	Fly Ash, Class C or F

Bridge Items

CALL No. 09

4	Each	803-A001	Test Piles
4	Each	803-B001	Loading Tests
170	Meter	803-E002	350-mm x 350-mm Prestressed Concrete Piling
144	Meter	803-E003	400-mm x 400-mm Prestressed Concrete Piling
119	Meter	803-G002	HP 310 x 79 Steel Piling
285	Meter	803-G003	HP 360 x 108 Steel Piling
28,939	Kilogram	805-A001	Reinforcement
168	Meter	813-A001	Concrete Railing
847	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
705	Square Meter	907-501-K001	Transverse Grooving
334	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
120	Meter	907-804-C026	24-m Prestressed Concrete Beams, Type III
298	Meter	907-804-C113	12-m Prestressed Concrete Beam (Type I + 50)
707	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Replacing the bridge south of Clara at Turkey Creek, known as Federal Aid Project No. BR-1132-00(007) / 102412301, in Wayne County, State of Mississippi.

PROJECT COMPLETION: 141 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
400 Linear Feet	202-B076	Removal of Traffic Stripe
4,548 Square Yard	202-B078	Removal of Pavement, All Types and Depths
200 Linear Feet	202-B102	Removal of Guard Rail
133 Linear Feet	202-B106	Removal of Pipe, All Sizes
7,517 Cubic Yard	203-A001	Unclassified Excavation, FM
11,265 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
1,380 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
153 Cubic Yard	206-A001	Structure Excavation
5,360 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
48,324 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
24,162 Square Yard	212-A001	Light Ground Preparation
48,324 Square Yard	212-B001	Standard Ground Preparation
6 Ton	213-B001	Combination Fertilizer, 13-13-13
5 Ton	213-C001	Superphosphate
250 Pounds	214-A001	Seeding, Bahiagrass
200 Pounds	214-A002	Seeding, Bermudagrass
75 Pounds	214-A003	Seeding, Tall Fescue
100 Pounds	214-A004	Seeding, Crimson Clover
100 Pounds	214-A014	Seeding, Browntop Millet
449 Pounds	214-A015	Seeding, Oats
125 Pounds	214-A017	Seeding, Rye Grass
25 Ton	215-A001	Vegetative Materials for Mulch
68 Square Yard	216-A001	Solid Sodding
679 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
9 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
265 Square Yard	224-A001	Soil Reinforcing Mat
2,494 Linear Feet	234-A001	Temporary Silt Fence
337 Bale	235-A001	Temporary Erosion Checks
1 Each	236-A004	Silt Basin, Type D
121 Linear Feet	239-A001	Temporary Slope Drains
734 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
783 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
2 Mile	423-A001	Rumble Strips, Ground In
94 Linear Feet	501-E001	Expansion Joints, Without Dowels

CALL No. 10

196	Square Yard	501-K001	Transverse Grooving
202	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
480	Linear Feet	603-ALT001	18" Type A Alternate Pipe
24	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
84	Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
60	Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
2	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
759	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
1,000	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
64	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
69	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
129	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
1	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2,946	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2,946	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
158	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
108	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
244	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
45	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
2	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
343	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
128	Linear Feet	626-H002	Thermoplastic Legend, White
72	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
547	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
564	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
35	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
130	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
19	Each	630-F001	Delineators, Guard Rail, White
	Lump Sum	699-A001	Roadway Construction Stakes
489	Ton	815-A009	Loose Riprap, Size 300
1,111	Square Yard	815-E001	Geotextile under Riprap

CALL No. 10

2	Cubic Yard	815-F001	Sediment Control Stone
30	Ton	907-213-A001	Agricultural Limestone
2,418	Ton	907-304-F001	Size 825 Crushed Stone Base
1,149	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
956	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
862	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
394	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
17	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Bridge Items

1,067	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test
760	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,290	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
80,781	Pounds	805-A001	Reinforcement
483	Linear Feet	813-A001	Concrete Railing
655	Ton	815-A009	Loose Riprap, Size 300
333	Square Yard	815-E001	Geotextile under Riprap
447	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,417	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Construction necessary to place pavement markings on various routes in District 2, known as State Project No. MP-2000-00(036) / 303344301, in the Counties of Calhoun, Lafayette and Montgomery, in the State of Mississippi.

PROJECT COMPLETION: June 13, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,000	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
3,400	Linear Feet	625-C001	Traffic Stripe, Continuous White
4,400	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
7,000	Linear Feet	625-E001	Detail Traffic Stripe
2,400	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,200	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,000	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
22	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
126	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
39	Mile	907-626-W002	4" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
34	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
62,500	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
56,500	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min.
13,570	Linear Feet	907-626-Z001	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
300	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.

Bridge truss maintenance painting on SR 315 over the Yocona River, known as State Project No. MP-2315-36(003) / 303342301, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: June 30, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization

Bridge Items

Lump Sum	816-A001	Maintenance Painting of Metal Structures
----------	----------	--

Milling and Overlaying SR 13 from the Pearl River/Lamar County Line to the Boulevard section in Lumberton, known as State Project No. MP-6013-37(008) / 303254301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800	Linear Feet	202-B076	Removal of Traffic Stripe
550	Square Yard	202-B078	Removal of Pavement, All Types and Depths
740	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
16,510	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,240	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,250	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,710	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,890	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
938	Square Feet	626-H001	Thermoplastic Legend, White
3,250	Linear Feet	626-H002	Thermoplastic Legend, White
360	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
115	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
285	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,800	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min

Milling and overlaying SR 145 from South of Quitman to the junction of SR 513, known as State Project No. MP-6145-12(001) / 303277301, in the County of Clarke, State of Mississippi.

PROJECT COMPLETION: 27 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

325	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
4,400	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
4,960	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
150	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D018	Guard Rail, Bridge End Section, Type E Modified
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,225	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
38	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
87	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,150	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
825	Square Feet	626-H001	Thermoplastic Legend, White
1,500	Linear Feet	626-H002	Thermoplastic Legend, White
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Each	630-F001	Delineators, Guard Rail, White
1,200	Linear Feet	635-A001	Vehicle Loop Assemblies
150	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,680	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,335	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Widening and Overlaying SR 528 from Interstate 59 to US Highway 11, known as State Project No. MP-6528-31(010) / 303276301, in the County of Jasper, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

550	Linear Feet	202-B076	Removal of Traffic Stripe
950	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,000	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
2,225	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
1,790	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
75	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
78	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,140	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,893	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,398	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
126	Square Feet	626-H001	Thermoplastic Legend, White
2,126	Linear Feet	626-H002	Thermoplastic Legend, White
575	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
272	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
136	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
136	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
350	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,545	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,691	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Repairing Home Port Bridge on SR 619, known as State Project No. MRP-6619-30(001) / 303246301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: May 28, 2008

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	907-824-PP088	Bridge Repair, Remove and Replace Beam, Railing and Portion of Deck & Diaphragm, Per Plans
Lump Sum	907-824-PP093	Bridge Repair, Repair Beam Nos. 32-5, 69-4, 85-5, & 113-3 with epoxy Mortar Per Plans

CALL No. 17

Construction of a spray truck building and an equipment shed, known as State Project Nos. BWO-7126-57(001) 501774301 & BWO-7127-57(001) / 501774302, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: January 30, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Spray Truck Building
Lump Sum	1500-A001	Construction of Equipment Shed

CALL No. 01

Construction necessary to relocate SR 6 from the Natchez Trace Parkway to SR 145, known as Federal Aid Project No. APD-0070-06(008) N / 100078304, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: 387 Time Units

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
4 Acre	201-B001	Clearing and Grubbing
46,823 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4 Each	202-B008	Removal of Box Culvert
1,801 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,500 Linear Feet	202-B076	Removal of Traffic Stripe
6 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
80 Each	202-B105	Removal of Pipe Headwall, All Sizes
3 Each	202-B142	Removal of Junction Box
493,388 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,037,257 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
41,214 Cubic Yard	203-F001	Channel Excavation, FM
192,113 Cubic Yard	203-G003	Excess Excavation, FM, AH
10,712 Cubic Yard	206-A001	Structure Excavation
1,093 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
48,406 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
58 Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
530,906 Square Yard	212-A001	Light Ground Preparation
1,083,186 Square Yard	212-B001	Standard Ground Preparation
133 Ton	213-B001	Combination Fertilizer, 13-13-13
112 Ton	213-C001	Superphosphate
6,100 Pounds	214-A001	Seeding, Bahiagrass
4,924 Pounds	214-A002	Seeding, Bermudagrass
6,188 Pounds	214-A003	Seeding, Tall Fescue
2,440 Pounds	214-A004	Seeding, Crimson Clover
3,050 Pounds	214-A005	Seeding, Sericea Lespedeza
1,730 Pounds	214-A014	Seeding, Browntop Millet
7,785 Pounds	214-A015	Seeding, Oats
2,163 Pounds	214-A017	Seeding, Rye Grass
584 Ton	215-A001	Vegetative Materials for Mulch
654 Square Yard	216-A001	Solid Sodding
12,705 Square Yard	217-A001	Ditch Liner
13 Thousand Gallon	219-A001	Watering
87 Acre	220-A001	Insect Pest Control
1,526 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,764 Square Yard	224-A001	Soil Reinforcing Mat
140 Cubic Yard	233-A001	Tree Bark Mulch, Type I
140 Cubic Yard	233-A003	Tree Bark Mulch, Type III
56,171 Linear Feet	234-A001	Temporary Silt Fence

CALL No. 01

3,820	Bale	235-A001	Temporary Erosion Checks
11	Each	236-A004	Silt Basin, Type D
1,000	Linear Feet	239-A001	Temporary Slope Drains
1,705	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
9,607	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
43,039	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
32,400	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3,160	Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
73	Cubic Yard	410-B009	Coarse Aggregate Cover Material, Size 56, Slag
42	Cubic Yard	410-C004	Seal Aggregate Cover Material, Size 89, Slag
2	Mile	423-A001	Rumble Strips, Ground In
312	Linear Feet	501-E001	Expansion Joints, Without Dowels
694	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
659,040	Pounds	602-A001	Reinforcing Steel
1,050	Linear Feet	603-ALT001	18" Type A Alternate Pipe
70	Linear Feet	603-ALT023	54" Type A Alternate Pipe
2,411	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
436	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
648	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
622	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
524	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
460	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
400	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
176	Linear Feet	603-CA018	42" Reinforced Concrete Pipe, Class IV
432	Linear Feet	603-CA019	48" Reinforced Concrete Pipe, Class IV
178	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
208	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class V
304	Linear Feet	603-CA029	36" Reinforced Concrete Pipe, Class V
18	Each	603-CB001	18" Reinforced Concrete End Section
12	Each	603-CB002	24" Reinforced Concrete End Section
10	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
8	Each	603-CB005	42" Reinforced Concrete End Section
8	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
6	Each	603-CB008	60" Reinforced Concrete End Section
10,322	Pounds	604-B001	Gratings
912	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
1,000	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
77	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
84	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,325	Linear Feet	606-B001	Guard Rail, Class A, Type 1

CALL No. 01

16	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section
784	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
547	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
95	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
196	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
567	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
312	Linear Feet	619-G4001	Barricades, Type III, Single Faced
324	Linear Feet	619-G4005	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
4	Mile	625-C002	Traffic Stripe, Continuous White
4	Mile	625-D002	Traffic Stripe, Continuous Yellow
9	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
42,397	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,315	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
580	Linear Feet	626-H002	Thermoplastic Legend, White
285	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
39	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
78	Each	630-F001	Delineators, Guard Rail, White
	Lump Sum	699-A001	Roadway Construction Stakes
10,895	Ton	815-A009	Loose Riprap, Size 300
18,628	Square Yard	815-E001	Geotextile under Riprap
154	Ton	815-F002	Sediment Control Stone
672	Ton	907-213-A001	Agricultural Limestone
72	Each	907-230-B023	Tree Planting, Eastern Red Cedar
106	Each	907-230-B029	Tree Planting, Redbud
16	Each	907-230-B035	Tree Planting, Water Oak
36	Each	907-230-B046	Tree Planting, Southern Red Oak
16	Each	907-230-B067	Tree Planting, Dogwood
48	Each	907-230-B068	Tree Planting, Green Ash
50	Each	907-230-B069	Tree Planting, Red Maple
110	Each	907-230-B070	Tree Planting, Shortleaf Pine
48	Each	907-230-B071	Tree Planting, Sycamore
62	Each	907-230-B072	Tree Planting, Yellow Poplar
1,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
281	Ton	907-308-A001	Portland Cement
24,154	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
10,390	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
17,217	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
6,280	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,032	Cubic Yard	907-601-A001	Class "B" Structural Concrete

CALL No. 01

74	Cubic Yard	907-601-B002	Class "B" Structural Concrete, Minor Structures, Black Pigmented
38	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
247	Each	907-617-A001	Right-of-Way Marker
102	Linear Feet	907-630-PP007	Weathering Steel Post, 2" x 2"
3,721	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Bridge Items

10,704	Square Yard	501-K001	Transverse Grooving
103	Cubic Yard	631-A001	Flowable Fill
748	Cubic Yard	801-A001	Foundation Excavation for Bridges
19	Each	803-A001	Test Pile
11	Each	803-B001	Conventional Static Loading Test
11,660	Linear Feet	803-D001	HP 10 x 42 Steel Piling
958	Linear Feet	803-D002	HP 12 x 53 Steel Piling
2,000	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,562	Linear Feet	803-F005	18" Pre-Formed Pile Hole
1,032	Linear Feet	803-O008	Temporary Casing, 48" Diameter
1,218,685	Pounds	805-A001	Reinforcement
277,965	Pounds	805-B001	Reinforcement, Epoxy Coated
7,189	Linear Feet	813-A001	Concrete Railing
17	Ton	815-A006	Loose Riprap, Size 100
620	Ton	815-A009	Loose Riprap, Size 300
1,227	Cubic Yard	815-D001	Concrete Slope Paving
862	Square Yard	815-E001	Geotextile under Riprap
1,878	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
213	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
4,720	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,360	Cubic Yard	907-804-A010	Bridge Concrete, Class F
417	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
372	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
2,410	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
5,244	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III
894	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
381	Linear Feet	907-804-C162	64' Prestressed Concrete Beam, Type III
774	Linear Feet	907-804-C163	65' Prestressed Concrete Beam, Type III
322	Linear Feet	907-804-C164	65' Prestressed Concrete Beam, Type IV
405	Linear Feet	907-804-C165	68' Prestressed Concrete Beam, Type III
2,301	Linear Feet	907-804-C166	77' Prestressed Concrete Beam, Type III
2,504	Linear Feet	907-804-C167	105' Prestressed Concrete Beam, Type IV
	Lump Sum	907-804-PP001	Post Tensioning System
4	Each	907-811-A002	Floating (Pot Type) Bearing Assembly

Construction necessary to build a new Administration Building, Inspection Barn, install a new Static / Weigh-In-Motion Scale System, and make other improvements to the Weigh-In-Motion Truck Scale Facilities on I-10 (Eastbound) Near NASA, known as Federal Aid Project No. IM-0010-01(122)N / 104808301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
19,605 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,154 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,865 Linear Feet	202-B038	Removal of Curb, All Types
654 Linear Feet	202-B041	Removal of Fence, All Types
6 Each	202-B042	Removal of Flared End Section, All Sizes
9 Each	202-B057	Removal of Inlets, All Sizes
1,388 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11,250 Linear Feet	202-B076	Removal of Traffic Stripe
3 Each	202-B079	Removal of Headwall
696 Linear Feet	202-B102	Removal of Guard Rail
16 Each	202-B107	Removal of Sign, Ground Mounted with Posts
2 Each	202-B142	Removal of Junction Box
12,538 Cubic Yard	203-A002	Unclassified Excavation, LVM
500 Cubic Yard	203-D002	Muck Excavation, LVM
55,086 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
15,888 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
1,341 Cubic Yard	206-A001	Structure Excavation
1,000 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
68,320 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
95,826 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
3,866 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
3,866 Square Yard	216-B001	Solid Sodding, Centipede
2 Thousand Gallon	219-A001	Watering
20 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
19 Acre	223-A001	Mowing
10,964 Linear Feet	234-A001	Temporary Silt Fence
553 Bale	235-A001	Temporary Erosion Checks
1 Mile	423-A001	Rumble Strips, Ground In
54,856 Pounds	602-A001	Reinforcing Steel
120 Linear Feet	603-A033	6" Steel Pipe, Wall Thickness 0.250"
50 Linear Feet	603-A034	8" Steel Pipe, Wall Thickness 0.250"
1,381 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
955 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
3 Each	603-CB001	18" Reinforced Concrete End Section
4 Each	603-CB002	24" Reinforced Concrete End Section
252 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III

CALL No. 02

128	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
6	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
5,990	Pounds	604-B001	Gratings
164	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
204	Linear Feet	605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
16	Linear Feet	605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
20	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
60	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E001	Guard Rail, Terminal End Section
764	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
45	Each	607-P1002	Line Post, 10' x 4" Timber
14	Each	607-P2002	Brace Post, 10' x 6" Timber
14	Each	607-Z001	Concrete Anchors
365	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
4,004	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
958	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
48	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
4,820	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4,820	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4,820	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
184	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
124	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
43	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
250	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,720	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,750	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
22	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
6,255	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
1,435	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
680	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
19,260	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
9,742	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
16,889	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
67	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
48	Square Feet	628-P001	High Performance Cold Plastic Legend, White
196	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
531	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
516	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground

CALL No. 02

Mounted

126	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
33	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
101	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
42	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
40	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
45	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
51	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
135	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
134	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
66	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
710	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
24	Each	630-F001	Delineators, Guard Rail, White
257	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
310	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
12,285	Linear Feet	682-A021	Underground Branch Circuit, AWG 3, 3 Conductor
4,605	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
40	Linear Feet	682-B022	Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor
40	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
7	Each	682-D001	Underground Pull Box
1	Each	683-A114	Lighting Assembly, High Mast, Type 60-4-S
2	Each	683-A116	Lighting Assembly, High Mast, Type 60-2-A
61	Each	683-B050	Lighting Assembly, Low Mast, Type 40-1-10-250
1	Each	683-D001	Portable Electric Power Units
67	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
17	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B004	Slip Casing, 36" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
60	Ton	907-213-A001	Agricultural Limestone
19	Acre	907-225-A001	Grassing
25	Each	907-230-B066	Tree Planting, Magnolia, From Right-Of-Way
	Lump Sum	907-242-A006	Construction of Adiministration Building
	Lump Sum	907-242-B006	Construction of Inspection Barn
	Lump Sum	907-242-C001	Construction of Static/Weigh-In-Motion Scale System
	Lump Sum	907-242-PP003	Construction of Water and Sewer Systems
2	Each	907-258-E001	Trash Receptacle
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
2	Each	907-290-A001	Flagpole
23,866	Ton	907-304-F001	Size 825 Crushed Stone Base
30,940	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
490	Ton	907-307-D001	Lime
10,965	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
57,576	Square Yard	907-501-B004	14" Plain Cement Concrete Pavement, Tine Finish
446	Cubic Yard	907-601-A001	Class "B" Structural Concrete
31	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans

CALL No. 02

1	Each	907-622-A001	Engineer's Field Office Building, Type 2
2,520	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,000	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
100	Linear Feet	907-628-G001	6" Cold Plastic Detail Stripe, Blue-ADA
1	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol
262	Ton	907-308-A001	Portland Cement
30,940	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
30,940	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
245	Ton	907-311-B001	Lime
978	Ton	907-311-C001	Fly Ash, Class C

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR