

[Proposal & Plan Sales Will Begin on February 4, 2008](#)



**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 26, 2008

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 26, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 04, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
01	APD-0070-06(008) N / 100078304	Lee
02	IM-0010-01(122)N / 104808301	Hancock
* 03	NH-0009-02(075)N / 105181301	Warren
* 04	NH-0059-02(096)N / 105206301	Jones
05	IM-0220-03(029) N / 103684301 & IM-0020-01(184) N / 103684302	Hinds
* 06	STP-0002-03(069) / 104955301 & STP-0079-01(028) / 104955302	Noxubee
07	STP-0002-06(019) / 105145301	Lee
08	STP-0006-01(081) / 105146301	Union
* 09	NH-0008-01(110) / 105218301	Forrest
10	STP-0008-05(025) MP / 104938301	Tallahatchie
11	STP-0008-05(026) / 105211301	Coahoma
12	HSIP-0014-03(061) / 104892301	Perry
* 13	STP-0022-01(071) / 105217301	Jones
14	STP-0026-01(075) MP / 104937301	Attala
15	STP-0058-01(033) / 105212301	Lowndes
16	MP-2149-14(001) / 303347301	Coahoma
* 17	MP-6013-37(008) / 303254301	Lamar
* 18	MP-6969-18(001) / 303281301 & MP-6049-18(019) / 303282301	Forrest

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, March 25, 2008; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, March 25, 2008, and shortly thereafter publicly opened for

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	SDP-0002-01(037)PH3 , SDP-0002-02(063)PH3 , & SDP-0002-02(061)PH3 / 102065302, 102066302, & 102917302	George & Greene

Construction necessary to relocate SR 6 from the Natchez Trace Parkway to SR 145, known as Federal Aid Project No. APD-0070-06(008) N / 100078304, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: 387 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
4 Acre	201-B001	Clearing and Grubbing
46,823 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4 Each	202-B008	Removal of Box Culvert
1,801 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,500 Linear Feet	202-B076	Removal of Traffic Stripe
6 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
80 Each	202-B105	Removal of Pipe Headwall, All Sizes
3 Each	202-B142	Removal of Junction Box
493,388 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,037,257 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
41,214 Cubic Yard	203-F001	Channel Excavation, FM
192,113 Cubic Yard	203-G003	Excess Excavation, FM, AH
10,712 Cubic Yard	206-A001	Structure Excavation
1,093 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
48,406 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
58 Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
530,906 Square Yard	212-A001	Light Ground Preparation
1,083,186 Square Yard	212-B001	Standard Ground Preparation
133 Ton	213-B001	Combination Fertilizer, 13-13-13
112 Ton	213-C001	Superphosphate
6,100 Pounds	214-A001	Seeding, Bahiagrass
4,924 Pounds	214-A002	Seeding, Bermudagrass
6,188 Pounds	214-A003	Seeding, Tall Fescue
2,440 Pounds	214-A004	Seeding, Crimson Clover
3,050 Pounds	214-A005	Seeding, Sericea Lespedeza
1,730 Pounds	214-A014	Seeding, Browntop Millet
7,785 Pounds	214-A015	Seeding, Oats
2,163 Pounds	214-A017	Seeding, Rye Grass
584 Ton	215-A001	Vegetative Materials for Mulch
654 Square Yard	216-A001	Solid Sodding
12,705 Square Yard	217-A001	Ditch Liner
13 Thousand Gallon	219-A001	Watering
87 Acre	220-A001	Insect Pest Control
1,526 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,764 Square Yard	224-A001	Soil Reinforcing Mat
140 Cubic Yard	233-A001	Tree Bark Mulch, Type I
140 Cubic Yard	233-A003	Tree Bark Mulch, Type III
56,171 Linear Feet	234-A001	Temporary Silt Fence

Call No. 01 for the February 26, 2008 Letting

3,820	Bale	235-A001	Temporary Erosion Checks
11	Each	236-A004	Silt Basin, Type D
1,000	Linear Feet	239-A001	Temporary Slope Drains
1,705	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
9,607	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
43,039	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
32,400	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3,160	Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
73	Cubic Yard	410-B009	Coarse Aggregate Cover Material, Size 56, Slag
42	Cubic Yard	410-C004	Seal Aggregate Cover Material, Size 89, Slag
2	Mile	423-A001	Rumble Strips, Ground In
312	Linear Feet	501-E001	Expansion Joints, Without Dowels
694	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
659,040	Pounds	602-A001	Reinforcing Steel
1,050	Linear Feet	603-ALT001	18" Type A Alternate Pipe
70	Linear Feet	603-ALT023	54" Type A Alternate Pipe
2,411	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
436	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
648	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
622	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
524	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
460	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
400	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
176	Linear Feet	603-CA018	42" Reinforced Concrete Pipe, Class IV
432	Linear Feet	603-CA019	48" Reinforced Concrete Pipe, Class IV
178	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
208	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class V
304	Linear Feet	603-CA029	36" Reinforced Concrete Pipe, Class V
18	Each	603-CB001	18" Reinforced Concrete End Section
12	Each	603-CB002	24" Reinforced Concrete End Section
10	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
8	Each	603-CB005	42" Reinforced Concrete End Section
8	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
6	Each	603-CB008	60" Reinforced Concrete End Section
10,322	Pounds	604-B001	Gratings
912	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
1,000	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
77	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
84	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,325	Linear Feet	606-B001	Guard Rail, Class A, Type 1

Call No. 01 for the February 26, 2008 Letting

16	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section
784	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
547	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
95	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
196	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
567	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
312	Linear Feet	619-G4001	Barricades, Type III, Single Faced
324	Linear Feet	619-G4005	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
4	Mile	625-C002	Traffic Stripe, Continuous White
4	Mile	625-D002	Traffic Stripe, Continuous Yellow
9	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
42,397	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,315	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
580	Linear Feet	626-H002	Thermoplastic Legend, White
285	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
39	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
78	Each	630-F001	Delineators, Guard Rail, White
	Lump Sum	699-A001	Roadway Construction Stakes
10,895	Ton	815-A009	Loose Riprap, Size 300
18,628	Square Yard	815-E001	Geotextile under Riprap
154	Ton	815-F002	Sediment Control Stone
672	Ton	907-213-A001	Agricultural Limestone
72	Each	907-230-B023	Tree Planting, Eastern Red Cedar
106	Each	907-230-B029	Tree Planting, Redbud
16	Each	907-230-B035	Tree Planting, Water Oak
36	Each	907-230-B046	Tree Planting, Southern Red Oak
16	Each	907-230-B067	Tree Planting, Dogwood
48	Each	907-230-B068	Tree Planting, Green Ash
50	Each	907-230-B069	Tree Planting, Red Maple
110	Each	907-230-B070	Tree Planting, Shortleaf Pine
48	Each	907-230-B071	Tree Planting, Sycamore
62	Each	907-230-B072	Tree Planting, Yellow Poplar
1,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
281	Ton	907-308-A001	Portland Cement
24,154	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
10,390	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
17,217	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
6,280	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,032	Cubic Yard	907-601-A001	Class "B" Structural Concrete

Call No. 01 for the February 26, 2008 Letting

74	Cubic Yard	907-601-B002	Class "B" Structural Concrete, Minor Structures, Black Pigmented
38	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
247	Each	907-617-A001	Right-of-Way Marker
102	Linear Feet	907-630-PP007	Weathering Steel Post, 2" x 2"
3,721	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Bridge Items

10,704	Square Yard	501-K001	Transverse Grooving
103	Cubic Yard	631-A001	Flowable Fill
748	Cubic Yard	801-A001	Foundation Excavation for Bridges
19	Each	803-A001	Test Pile
11	Each	803-B001	Conventional Static Loading Test
11,660	Linear Feet	803-D001	HP 10 x 42 Steel Piling
958	Linear Feet	803-D002	HP 12 x 53 Steel Piling
2,000	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,562	Linear Feet	803-F005	18" Pre-Formed Pile Hole
1,032	Linear Feet	803-O008	Temporary Casing, 48" Diameter
1,218,685	Pounds	805-A001	Reinforcement
277,965	Pounds	805-B001	Reinforcement, Epoxy Coated
7,189	Linear Feet	813-A001	Concrete Railing
17	Ton	815-A006	Loose Riprap, Size 100
620	Ton	815-A009	Loose Riprap, Size 300
1,227	Cubic Yard	815-D001	Concrete Slope Paving
862	Square Yard	815-E001	Geotextile under Riprap
1,878	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
213	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
4,720	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,360	Cubic Yard	907-804-A010	Bridge Concrete, Class F
417	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
372	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
2,410	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
5,244	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III
894	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
381	Linear Feet	907-804-C162	64' Prestressed Concrete Beam, Type III
774	Linear Feet	907-804-C163	65' Prestressed Concrete Beam, Type III
322	Linear Feet	907-804-C164	65' Prestressed Concrete Beam, Type IV
405	Linear Feet	907-804-C165	68' Prestressed Concrete Beam, Type III
2,301	Linear Feet	907-804-C166	77' Prestressed Concrete Beam, Type III
2,504	Linear Feet	907-804-C167	105' Prestressed Concrete Beam, Type IV
	Lump Sum	907-804-PP001	Post Tensioning System
4	Each	907-811-A002	Floating (Pot Type) Bearing Assembly

Construction necessary to build a new Administration Building, Inspection Barn, install a new Static / Weigh-In-Motion Scale System, and make other improvements to the Weigh-In-Motion Truck Scale Facilities on I-10 (Eastbound) Near NASA, known as Federal Aid Project No. IM-0010-01(122)N / 104808301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
19,605 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,154 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,865 Linear Feet	202-B038	Removal of Curb, All Types
654 Linear Feet	202-B041	Removal of Fence, All Types
6 Each	202-B042	Removal of Flared End Section, All Sizes
9 Each	202-B057	Removal of Inlets, All Sizes
1,388 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11,250 Linear Feet	202-B076	Removal of Traffic Stripe
3 Each	202-B079	Removal of Headwall
696 Linear Feet	202-B102	Removal of Guard Rail
16 Each	202-B107	Removal of Sign, Ground Mounted with Posts
2 Each	202-B142	Removal of Junction Box
12,538 Cubic Yard	203-A002	Unclassified Excavation, LVM
500 Cubic Yard	203-D002	Muck Excavation, LVM
55,086 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
15,888 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
1,341 Cubic Yard	206-A001	Structure Excavation
1,000 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
68,320 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
95,826 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
3,866 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
3,866 Square Yard	216-B001	Solid Sodding, Centipede
2 Thousand Gallon	219-A001	Watering
20 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
19 Acre	223-A001	Mowing
10,964 Linear Feet	234-A001	Temporary Silt Fence
553 Bale	235-A001	Temporary Erosion Checks
1 Mile	423-A001	Rumble Strips, Ground In
54,856 Pounds	602-A001	Reinforcing Steel
120 Linear Feet	603-A033	6" Steel Pipe, Wall Thickness 0.250"
50 Linear Feet	603-A034	8" Steel Pipe, Wall Thickness 0.250"
1,381 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
955 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
3 Each	603-CB001	18" Reinforced Concrete End Section
4 Each	603-CB002	24" Reinforced Concrete End Section
252 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III

Call No. 02 for the February 26, 2008 Letting

128	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
6	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
5,990	Pounds	604-B001	Gratings
164	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
204	Linear Feet	605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
16	Linear Feet	605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
20	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
60	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E001	Guard Rail, Terminal End Section
764	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
45	Each	607-P1002	Line Post, 10' x 4" Timber
14	Each	607-P2002	Brace Post, 10' x 6" Timber
14	Each	607-Z001	Concrete Anchors
365	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
4,004	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
958	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
48	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
4,820	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4,820	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4,820	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
184	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
124	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
43	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
250	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,720	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,750	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
22	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
6,255	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
1,435	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
680	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
19,260	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
9,742	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
16,889	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
67	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
48	Square Feet	628-P001	High Performance Cold Plastic Legend, White
196	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
531	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
516	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground

Call No. 02 for the February 26, 2008 Letting

Mounted

126	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
33	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
101	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
42	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
40	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
45	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
51	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
135	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
134	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
66	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
710	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
24	Each	630-F001	Delineators, Guard Rail, White
257	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
310	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
12,285	Linear Feet	682-A021	Underground Branch Circuit, AWG 3, 3 Conductor
4,605	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
40	Linear Feet	682-B022	Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor
40	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
7	Each	682-D001	Underground Pull Box
1	Each	683-A114	Lighting Assembly, High Mast, Type 60-4-S
2	Each	683-A116	Lighting Assembly, High Mast, Type 60-2-A
61	Each	683-B050	Lighting Assembly, Low Mast, Type 40-1-10-250
1	Each	683-D001	Portable Electric Power Units
67	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
17	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B004	Slip Casing, 36" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
60	Ton	907-213-A001	Agricultural Limestone
19	Acre	907-225-A001	Grassing
25	Each	907-230-B066	Tree Planting, Magnolia, From Right-Of-Way
	Lump Sum	907-242-A006	Construction of Adiministration Building
	Lump Sum	907-242-B006	Construction of Inspection Barn
	Lump Sum	907-242-C001	Construction of Static/Weigh-In-Motion Scale System
	Lump Sum	907-242-PP003	Construction of Water and Sewer Systems
2	Each	907-258-E001	Trash Receptacle
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
2	Each	907-290-A001	Flagpole
23,866	Ton	907-304-F001	Size 825 Crushed Stone Base
30,940	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
490	Ton	907-307-D001	Lime
10,965	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
57,576	Square Yard	907-501-B004	14" Plain Cement Concrete Pavement, Tine Finish
446	Cubic Yard	907-601-A001	Class "B" Structural Concrete
31	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans

Call No. 02 for the February 26, 2008 Letting

1	Each	907-622-A001	Engineer's Field Office Building, Type 2
2,520	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,000	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
100	Linear Feet	907-628-G001	6" Cold Plastic Detail Stripe, Blue-ADA
1	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol

ALTERNATE GROUP OP NO. 1

262	Ton	907-308-A001	Portland Cement
30,940	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

ALTERNATE GROUP OP NO. 2

30,940	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
245	Ton	907-311-B001	Lime
978	Ton	907-311-C001	Fly Ash, Class C

Overlaying US 61N from Interstate 20 to Redwood, known as Federal Aid Project No. NH-0009-02(075)N / 105181, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: 111 Time Units

Advance Information Only - Items and Quantities Subject to Change

Highway Items

120	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
120	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
3,750	Linear Feet	202-B076	Removal of Traffic Stripe
695	Linear Feet	202-B102	Removal of Guard Rail
200	Cubic Yard	203-G002	Excess Excavation, LVM
13,800	Ton	304-B025	Granular Material, Class 5, Group E
2,630	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
400	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
490	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
34	Mile	423-A001	Rumble Strips, Ground In
695	Linear Feet	606-B001	Guard Rail, Class A, Type 1
5	Each	606-D008	Guard Rail, Bridge End Section, Type H
6	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
39	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3,560	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,180	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
9	Unit	619-F4001	Snap-Back Delineator
20	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
20	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2,040	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
14	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
30,460	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
46,770	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
845	Square Feet	626-H001	Thermoplastic Legend, White
4,288	Linear Feet	626-H002	Thermoplastic Legend, White
3,450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,642	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,668	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,935	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
66	Square Feet	628-P001	High Performance Cold Plastic Legend, White
55	Each	630-F001	Delineators, Guard Rail, White
11	Each	630-F002	Delineators, Guard Rail, Yellow
600	Linear Feet	635-A001	Vehicle Loop Assemblies
150	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
11,400	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture

Call No. 03 for the February 26, 2008 Letting

28,600 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
17,900 Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
240 Linear Feet	907-414-C001	High Density Self Adhesive Joint Sealing Tape, 24"

Clearing Interstate 59, from the Forrest County Line to Rocky Creek, known as Federal Aid Project No. NH-0059-02(096)N / 105206301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 134 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

178	Acre	201-B001	Clearing and Grubbing
89	Ton	213-C001	Superphosphate
178	Acre	220-A001	Insect Pest Control
178	Acre	223-A001	Mowing
126,720	Linear Feet	234-A001	Temporary Silt Fence
600	Bale	235-A001	Temporary Erosion Checks
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
100	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
178	Acre	907-225-A001	Grassing
534	Ton	907-225-B001	Agricultural Limestone

Milling and overlaying of I-220 from I-20 to US 49 and on I-20 from SR 18 to Ellis Avenue, known as Federal Aid Project Nos. IM-0220-03(029) N / 103684301 and IM-0020-01(184) N / 103684302, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2,500 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
186 Square Yard	202-B010	Removal of Bridge End Pavement
2,000 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,400 Linear Feet	202-B041	Removal of Fence, All Types
6,000 Linear Feet	202-B076	Removal of Traffic Stripe
2,000 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
9,913 Linear Feet	202-B102	Removal of Guard Rail
2,845 Square Yard	202-B104	Removal of Asphalt Pavement, All Depths, Including Soil Cement Base
3 Each	202-B189	Removal of Impact Attenuator
8,680 Cubic Yard	203-E091	Borrow Excavation, LVM, Class B15, AH
3,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,000 Square Yard	203-I001	Site Grading
222,208 Square Yard	212-B001	Standard Ground Preparation
23 Ton	213-B001	Combination Fertilizer, 13-13-13
23 Ton	213-C001	Superphosphate
918 Pounds	214-A002	Seeding, Bermudagrass
918 Pounds	214-A003	Seeding, Tall Fescue
918 Pounds	214-A004	Seeding, Crimson Clover
92 Ton	215-A001	Vegetative Materials for Mulch
1,776 Square Yard	216-A001	Solid Sodding
36 Thousand Gallon	219-A001	Watering
172 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4,000 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
26,391 Ton	304-B023	Granular Material, Class 5, Group C
41,050 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
1,730 Linear Feet	413-B001	Cleaning and Sealing Joints
1,730 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
23 Mile	423-A001	Rumble Strips, Ground In
116 Linear Feet	501-E001	Expansion Joints, Without Dowels
190 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
40 Linear Feet	503-C007	Saw Cut, Full Depth
248 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
506 Linear Feet	508-A001	Silicone Sealed Joints
4,562 Pounds	602-A001	Reinforcing Steel
1,200 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
4,800 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2,328 Linear Feet	606-B001	Guard Rail, Class A, Type 18-FOOT POST
8 Each	606-C003	Guard Rail, Cable Anchor, Type 1

Call No. 05 for the February 26, 2008 Letting

3	Each	606-D002	Guard Rail, Bridge End Section, Type C
12	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
3	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
25	Each	606-D008	Guard Rail, Bridge End Section, Type H
3	Each	606-D012	Guard Rail, Bridge End Section, Type I
15	Each	606-E002	Guard Rail, Terminal End Section, Flared
30	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,200	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
80	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
18	Each	607-P2009	Brace Post, 8' x 2 1/2" Galvanized Steel
2,000	Linear Feet	609-B001	Concrete Curb, Header
1,249	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,190	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
1,165	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
2,365	Linear Feet	615-B001	Precast Concrete Median Barrier
1,988	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
314	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3006	Temporary Traffic Stripe, Skip White
78,821	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,438	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
293	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
282	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
256	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,832	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
40	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
21	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
18	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
40,880	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,988	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
293	Square Feet	626-H001	Thermoplastic Legend, White
1,438	Linear Feet	626-H002	Thermoplastic Legend, White
5,909	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,649	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11,026	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
11,026	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
11,026	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
2	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
1	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
130	Each	630-F001	Delineators, Guard Rail, White

Call No. 05 for the February 26, 2008 Letting

108	Each	630-F002	Delineators, Guard Rail, Yellow
16	Each	630-F008	Delineators, Post Mounted, Double White
47	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
7,158	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
3,520	Ton	815-A009	Loose Riprap, Size 300
137	Ton	907-213-A001	Agricultural Limestone
3,577	Ton	907-304-F003	3/4" and Down Crushed Stone Base
2,083	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,609	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
8,819	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
563	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
5,925	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
73,136	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
748	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
42	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
4	Each	907-619-E3001	Changeable Message Sign
1	Each	907-687-A015	Loop, Sensor, Loop ATR Station, Site 29
4	Each	907-687-B001	Loop, Sensor, Loop Temporary Traffic Station, Sites 3, 4, 5 and 27
122	Each	907-692-A001	Linear Guidance System, 6-inch, Yellow
258	Each	907-692-A002	Linear Guidance System, 6-inch, White

Milling and overlaying approximately 9 miles of Highway Nos. 45, 45 ALT and 388 near Brooksville, known as Federal Aid Project Nos. STP-0002-03(069) & STP-0079-01(028) / 104955301 & 302, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: 70 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

600 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,460 Linear Feet	202-B076	Removal of Traffic Stripe
4,150 Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
300 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
112,300 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
23,190 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
26 Mile	423-A001	Rumble Strips, Ground In
2 Each	606-E002	Guard Rail, Terminal End Section, Flared
Lump Sum	618-A001	Maintenance of Traffic
30 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24 Mile	619-A3006	Temporary Traffic Stripe, Skip White
2 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
50,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
156 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
256 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4001	Barricades, Type III, Single Faced
14 Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
2 Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
15 Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
14 Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
24,500 Linear Feet	626-G001	Thermoplastic Detail Stripe, White
28,000 Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
80 Square Feet	626-H001	Thermoplastic Legend, White
1,300 Linear Feet	626-H002	Thermoplastic Legend, White
1,703 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
550 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
635 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
635 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
100 Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
7 Each	630-F001	Delineators, Guard Rail, White
7 Each	630-F002	Delineators, Guard Rail, Yellow
13 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
13 Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
35,330 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
5,400 Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
600 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling

Widening and overlaying of US 45 from the interchange at McCullough Blvd. to the interchange at SR 145, known as Federal Aid Project STP-0002-06(019) / 105145301, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: 89 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,400	Linear Feet	202-B076	Removal of Traffic Stripe
800	Linear Feet	202-B102	Removal of Guard Rail
150	Cubic Yard	203-G001	Excess Excavation, FM
13,100	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
87,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,350	Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
400	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
28	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3006	Temporary Traffic Stripe, Skip White
23,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15	Each	619-G5001	Free Standing Plastic Drums
16	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
16,400	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
2,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,750	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,750	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
940	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
33	Each	630-F001	Delineators, Guard Rail, White
45	Each	630-F002	Delineators, Guard Rail, Yellow
2,650	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
33,300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
373	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

Milling and overlaying of US 78 for 2 miles west of New Albany City Limits to SR 30, known as Federal Aid Project No. STP-0006-01(081) / 105146301, in the County of Union, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,170	Linear Feet	202-B076	Removal of Traffic Stripe
1,273	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
813	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
106,400	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
750	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
100	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
225	Linear Feet	606-B012	Guard Rail, Class A, Type 1, Double Faced, Metal Post
4	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
2	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
16,532	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
8,266	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,214	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
520	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
520	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
520	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
3	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
22	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
22,420	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Widening & Overlaying US 49, from the Stone County Line to Carnes Road, known as Federal Aid Project No. NH-0008-01(110) / 105218301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 80 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

850	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
3,345	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
1,334	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
100,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
40	Mile	423-A001	Rumble Strips, Ground In
625	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,067	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
20	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
7,200	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
16,500	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
6,100	Linear Feet	626-H002	Thermoplastic Legend, White
168	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-F002	Delineators, Guard Rail, Yellow
50	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
50	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
3,700	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,375	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
23,350	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Milling and overlaying of US 49 E from the Leflore County Line to SR 32, known as Federal Aid Project No. STP-0008-05(025) MP / 104938301, in the County of Tallahatchie, State of Mississippi.

PROJECT COMPLETION: 66 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2	Each	202-B045	Removal of Guard Rail Bridge End Section, Type A
2	Each	202-B046	Removal of Guard Rail Bridge End Section, Type C
1,900	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Linear Feet	202-B102	Removal of Guard Rail
12	Each	202-B150	Removal of Object Markers
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,820	Ton	304-B014	Granular Material, Class 3, Group D
135,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-F001	Special Sections, Bridge Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1,850	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
920	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
500	Linear Feet	626-H002	Thermoplastic Legend, White
950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,700	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
850	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
100	Each	630-F001	Delineators, Guard Rail, White
100	Each	630-F002	Delineators, Guard Rail, Yellow
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,200	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,550	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
16,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
180	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

Milling and overlaying of US 49 at Clarksdale Bypass, known as Federal Aid Project No. STP-0008-05(026) / 105211301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: 55 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,500	Linear Feet	202-B076	Removal of Traffic Stripe
1,100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
600	Linear Feet	202-B102	Removal of Guard Rail
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
12,000	Ton	304-B014	Granular Material, Class 3, Group D
1,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
360	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
12	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
2,000	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
5,300	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
5,300	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
360	Linear Feet	626-H002	Thermoplastic Legend, White
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
600	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
24	Each	630-F001	Delineators, Guard Rail, White
24	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,000	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
300	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
22,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
3,100	Ton	907-403-D003	Hot Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified
100	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts

Installing a Traffic Signal on US 98 at SR 29 in New Augusta, known as Federal Aid Project No. HSIP-0014-03(061) / 104892301, in the County of Perry, State of Mississippi.

PROJECT COMPLETION: November 28, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B042	Removal of Flared End Section, All Sizes
36	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4	Each	202-B069	Removal of Sign
1	Each	202-B140	Removal of Box Bridge Headwall
8,460	Cubic Yard	203-E099	Borrow Excavation, LVM, Class B7, AH
41	Cubic Yard	206-A001	Structure Excavation
20	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
380	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10,433	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
55	Pounds	214-A001	Seeding, Bahiagrass
44	Pounds	214-A002	Seeding, Bermudagrass
33	Pounds	214-A003	Seeding, Tall Fescue
44	Pounds	214-A004	Seeding, Crimson Clover
4	Ton	215-A001	Vegetative Materials for Mulch
760	Square Yard	217-A001	Ditch Liner
2	Acre	220-A001	Insect Pest Control
3,400	Linear Feet	234-A001	Temporary Silt Fence
80	Bale	235-A001	Temporary Erosion Checks
826	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
560	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,730	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5,400	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
664	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
629	Pounds	604-A001	Castings
500	Pounds	604-B001	Gratings
425	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
	Lump Sum	618-A001	Maintenance of Traffic
1,600	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,000	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
60	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
536	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
90	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1,190	Linear Feet	626-A001	6" Thermoplastic Traffic Stripe, Skip White
810	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,208	Linear Feet	626-G001	Thermoplastic Detail Stripe, White

Call No. 12 for the February 26, 2008 Letting

425	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
154	Square Feet	626-H001	Thermoplastic Legend, White
3,457	Linear Feet	626-H002	Thermoplastic Legend, White
70	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
35	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
128	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
35	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
130	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
190	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
38	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,392	Linear Feet	635-A001	Vehicle Loop Assemblies
2,480	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	639-A013	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	639-A125	Traffic Signal Equipment Pole, Type I, 35 Foot
2	Each	639-A175	Traffic Signal Equipment Pole, Type III, 17' Shaft, 40' & 20' Arms
2	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
2	Each	645-A001	Flasher Assembly
8	Each	647-A001	Pullbox, Type 1
5	Each	647-A005	Pullbox, Type 2
2,070	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
330	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
900	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
2,117	Linear Feet	666-E001	Electric Cable, Underground in Conduit, Tracer Cable
1,618	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
41	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
447	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
7	Ton	907-213-A001	Agricultural Limestone
1,370	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
520	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
400	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
26	Cubic Yard	907-601-A001	Class "B" Structural Concrete
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign

Milling and Overlaying Hwy. 15, from Queen Street to 15th Street, known as Federal Aid Project No. STP-0022-01(071) / 105217301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 35 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Linear Feet	202-B038	Removal of Curb, All Types
500	Linear Feet	202-B076	Removal of Traffic Stripe
175	Square Yard	202-B078	Removal of Pavement, All Types and Depths
25,176	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
150	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D002	Guard Rail, Bridge End Section, Type C
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-F001	Special Sections, Bridge Connector
50	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
2	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,034	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	626-B002	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
3,965	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
1,513	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
1,176	Square Feet	626-H001	Thermoplastic Legend, White
2,774	Linear Feet	626-H002	Thermoplastic Legend, White
1,020	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,221	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
407	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
407	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16	Each	630-F001	Delineators, Guard Rail, White
5,948	Linear Feet	635-A001	Vehicle Loop Assemblies
75	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
10,400	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22
4	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White

Widening and overlaying of SR 19 from the Winston County Line to SR 14, known as Federal Aid Project No. STP-0026-01(075) MP / 104937301, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: 61 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

35	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,350	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,530	Ton	304-B014	Granular Material, Class 3, Group D
23	Mile	423-A001	Rumble Strips, Ground In
140	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
46	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
112,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
16,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
23	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
55,800	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,200	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,200	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
2,100	Linear Feet	626-H002	Thermoplastic Legend, White
1,150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,200	Ton	907-403-A014	Hot Mix Asphalt, ST, 4.75-mm mixture
19,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,320	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

Milling and overlaying of SR 50 from Lowndes County Line to SR 373, known as Federal Aid Project No. STP-0058-01(033) / 105212301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 37 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

150	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,978	Linear Feet	202-B076	Removal of Traffic Stripe
1,485	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,500	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
3,600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6	Mile	423-A001	Rumble Strips, Ground In
825	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D004	Guard Rail, Bridge End Section, Type E
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
10	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
328	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
519	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
5	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,427	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
328	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
459	Linear Feet	626-H002	Thermoplastic Legend, White
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,758	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
220	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
53	Each	630-F001	Delineators, Guard Rail, White
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5,700	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture

Milling and overlaying of approximately 2 miles of SR 149 from US 61 to SR 161, known as State Project No. MP-2149-14(001) / 303347301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: 29 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

130	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,100	Ton	304-B014	Granular Material, Class 3, Group D
28,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3	Mile	423-A001	Rumble Strips, Ground In
580	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
63,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
22,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,920	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
21,500	Linear Feet	626-E001	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
4,050	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
7,300	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
180	Square Feet	626-H001	Thermoplastic Legend, White
960	Linear Feet	626-H002	Thermoplastic Legend, White
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
750	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
4,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Milling and Overlaying SR 13 from the Pearl River/Lamar County Line to the Boulevard section in Lumberton, known as State Project No. MP-6013-37(008) / 303254301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

800	Linear Feet	202-B076	Removal of Traffic Stripe
550	Square Yard	202-B078	Removal of Pavement, All Types and Depths
740	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
26,510	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,240	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,250	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	626-D002	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,710	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
3,890	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
938	Square Feet	626-H001	Thermoplastic Legend, White
3,250	Linear Feet	626-H002	Thermoplastic Legend, White
360	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
115	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
200	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
285	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
5,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min

Overlaying SR 969 from US 49 to Edwards Street and Widening & Overlaying US 49 from US 98 to Edwards Street, known as State Project Nos. MP-6969-18(001) / 303281301 & MP-6049-18(019) / 303282301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 29 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,275	Linear Feet	202-B076	Removal of Traffic Stripe
575	Square Yard	202-B078	Removal of Pavement, All Types and Depths
400	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
1,000	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
2,715	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12,202	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
9	Mile	423-A001	Rumble Strips, Ground In
250	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
18	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
22	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,360	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,550	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
5	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	626-E002	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,400	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
4,260	Linear Feet	626-G002	Thermoplastic Detail Stripe, Yellow
636	Square Feet	626-H001	Thermoplastic Legend, White
1,550	Linear Feet	626-H002	Thermoplastic Legend, White
625	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
175	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
430	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
430	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
430	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,500	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,293	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
100	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,375	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,190	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2,570	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Paving New SR 63 from US 98 to SR 57 and New SR 57 from Leakesville to Turkey Creek known as State Project Nos. SDP-0002-02(061)PH3 / 102917302, SDP-0002-01(037)PH3 / 102065302 & SDP-0002-02(063)PH3 / 102066302, in the Counties of Greene and George, State of Mississippi.

PROJECT COMPLETION: 588 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Hectare	201-B001	Clearing and Grubbing
27,365 Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
1 Each	202-B007	Removal of Box Bridge
242 Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
70 Square Meter	202-B025	Removal of Concrete Paved Ditch
126 Meter	202-B039	Removal of Curb (All Types)
17 Each	202-B043	Removal of Flared End Section (All Sizes)
4 Each	202-B044	Removal of Guard Rail Bridge End Section
6 Each	202-B059	Removal of Inlets (All Sizes)
147 Meter	202-B076	Removal of Traffic Stripe
20 Meter	202-B082	Removal of Box Culvert
128 Meter	202-B088	Removal of Guard Rail (Including Rails, Posts and Terminal Ends)
529 Meter	202-B107	Removal of Pipe (All Sizes)
7 Each	202-B109	Removal of Sign, Ground Mounted with Posts
2 Each	202-B116	Removal of Box Culvert Wingwall (All Sizes)
1,000 Square Meter	202-B144	Removal of Riprap
2 Each	202-B146	Removal of Box Bridge Headwall
37 Each	202-B220	Removal of Barrier Gates
103,143 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
1,958 Cubic Meter	206-A001	Structure Excavation
223 Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
267,425 Square Meter	212-A001	Light Ground Preparation
1,005,488 Square Meter	212-B001	Standard Ground Preparation
116 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
101 Metric Ton	213-C001	Superphosphate
2,816 Kilogram	214-A001	Seeding (Bahagrass)
2,315 Kilogram	214-A002	Seeding (Bermudagrass)
855 Kilogram	214-A003	Seeding (Tall Fescue)
1,157 Kilogram	214-A004	Seeding (Crimson Clover)
608 Kilogram	214-A015	Seeding, Browntop Millet
2,733 Kilogram	214-A016	Seeding, Oats
757 Kilogram	214-A018	Seeding, Rye Grass
514 Metric Ton	215-A001	Vegetative Materials for Mulch
1,566 Square Meter	216-A001	Solid Sodding
96 thousand liter	219-A001	Watering
51 Hectare	220-A001	Insect Pest Control
577 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
3,122 Bale	235-A001	Temporary Erosion Checks
83,840 Cubic Meter	304-C029	Granular Material (AEA) (Class 6, Group D)

Call No. 01 for the March 25, 2008 Letting

262,811	Cubic Meter	304-C043	Granular Material (AEA) (Class 9, Group C)
25,654	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
47,226	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
412	Meter	501-E001	Expansion Joints (Without Dowels)
2,524	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
78,733	Kilogram	602-A001	Reinforcing Steel
277	Meter	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
7	Each	603-C-B001	450-mm Reinforced Concrete End Section
7	Meter	603-C-E038	1650-mm x 1015-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
82	Meter	603-C-E041	1300-mm x 795-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
115	Meter	603-C-E044	1485-mm x 915-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
8	Each	603-C-F005	1300-mm x 795-mm Concrete Arch Pipe End Section
10	Each	603-C-F006	1485-mm x 915-mm Concrete Arch Pipe End Section
3	Each	603-C-F007	1650-mm x 1015-mm Concrete Arch Pipe End Section
1	Each	603-S-B034	450-mm Branch Connections (Stub into 1500-mm Concrete Pipe)
1,035	Kilogram	604-B001	Gratings
1,585	Meter	606-B003	Guard Rail (Class A, Type 1), Metal Post
2	Each	606-D010	Guard Rail (Bridge End Section, Type H), Metal Post
30	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
158	Each	607-P1003	Line Posts 3600-mm x 100-mm Timber
23	Each	607-P2016	Brace Posts 1800-mm x DN 50 Galvanized Steel
4	Each	607-P3018	Gate Posts 1800-mm x DN 50 Galvanized Steel
126	Meter	609-D002	Combination Concrete Curb and Gutter Type 2
623	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
958	Meter	609-D015	Combination Concrete Curb and Gutter Type 2 Modified (165-mm Thickness)
1,455	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
174	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
115	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
274	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
6	Each	619-F3004	Delineators (Guard Rail) (White)
583	Meter	619-G4001	Barricades (Type III) (Single Faced)
14	Meter	619-G4005	Barricades (Type III) (Double Faced)
275	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights (Type "B")
15	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
	Lump Sum	620-A001	Mobilization
22	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
125	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
174	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
12	Meter	630-C001	Steel U-Section Posts (2.97 kg/m)
515	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
132	Meter	630-D004	Structural Steel Beams (W150 x 14)
165	Meter	630-D005	Structural Steel Beams (W150 x 22)
376	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)

Call No. 01 for the March 25, 2008 Letting

193	Kilogram	630-E007	Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angles)
218	Kilogram	630-E008	Structural Steel Angles & Bars (89 mm x 89 mm x 6.4 mm Angles)
128	Each	630-F001	Delineators (Guard Rail)(White)
128	Each	630-F002	Delineators (Guard Rail)(Yellow)
124	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
124	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
56	Each	630-F006	Delineators (Post Mounted)(Single White)
17	Each	630-F007	Delineators (Post Mounted)(Single Yellow)
94	Each	630-F008	Delineators (Post Mounted)(Double White)
29	Each	630-F009	Delineators (Post Mounted)(Double Yellow)
26	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
43	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
145	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
58,051	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
91,024	Cubic Meter	907-203-EX027	Borrow Excavation (AH)(FME) (Class B7-6)
673	Metric Ton	907-213-A001	Agricultural Limestone
2,788	Square Meter	907-217-A001	Ditch Liner
473	Hectare	907-223-A001	Mowing
9,253	Meter	907-234-A002	Temporary Silt Fence
52	Each	907-236-B004	Maintenance and Removal of Existing Silt Basins (Type D)
12	Each	907-241-A001	Floc Blocks
269,978	Square Meter	907-306-A002	Asphalt Drainage Course
208,423	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
3,006	Metric Ton	907-307-D001	Lime
327,486	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,980	Square Meter	907-311-A013	Processing of Red Hills Fly Ash Stabilized Course, 150-mm Thickness
2,009	Square Meter	907-311-A014	Processing of Lime-Red Hills Fly Ash Stabilized Course, 150-mm Thickness
3,340	Metric Ton	907-311-B001	Lime
9,444	Metric Ton	907-311-C003	Fly Ash, Class C or F
87	Metric Ton	907-311-C005	Fly Ash, Red Hills Source
81	Kilometer	907-321-A001	150-mm In-Grade Preparation
1,134	Metric Ton	907-403-A001	Hot Mix Asphalt, ST, 9.5-mm mixture
1,418	Metric Ton	907-403-A002	Hot Mix Asphalt, ST, 12.5-mm mixture
1,495	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture
75,816	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
91,325	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
129,114	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,328	Metric Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
158	Kilometer	907-423-A001	Rumble Strips (Ground In)
2,524	Square Meter	907-501-K001	Transverse Grooving
45	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
29	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
112,492	Meter	907-605-FF001	Edge Drain, Complete-in-Place
13,593	Meter	907-605-GG001	Edge Drain Outlets/Vents, Complete-in-Place
56,246	Meter	907-605-HH001	Edge Drain & Edge Drain Outlet/Vent Inspection
32	Each	907-606-E001	Guard Rail, Terminal End Section

Call No. 01 for the March 25, 2008 Letting

545	Meter	907-607-B003	Barrier Fence, Chain Link Wire (per Plans)
22	Each	907-607-G006	Gate, Barrier Fence (Per Plans)
3,482	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
6,124	Meter	907-619-A1009	Temporary Traffic Stripe (Continuous White)
21	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
6,190	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
7,306	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
13	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
9	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
1,312	Meter	907-619-A3006	Temporary Traffic Stripe, Skip White
4	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
2,935	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
86	Meter	907-619-A6009	Temporary Traffic Stripe (Legend)
4	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)
248	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
837	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
1	Each	907-622-A002	Engineer's Field Office Building (Type 2)
82	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
84	Kilometer	907-626-CC006	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
630	Meter	907-626-EE003	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
76	Kilometer	907-626-FF007	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (150-mm min.)
13,801	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
14,875	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
527	Meter	907-626-HH001	Thermoplastic Legend (White)(3.00-mm min.)
5,259	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
832	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,854	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
1,854	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
1,854	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
1,199	Cubic Meter	907-804-B002	Box Bridge Concrete, Class B
9,423	Metric Ton	907-308-A001	Portland Cement
793,002	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
793,002	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
6,389	Metric Ton	907-311-B001	Lime
25,556	Metric Ton	907-311-C003	Fly Ash, Class C or F

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR