

[Proposal & Plan Sales Will Begin on March 3, 2008](#)



**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for March – March 25, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MARCH - Tuesday, March 25, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 03, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	SDP-0002-01(037)PH3 / 102065, SDP-0002-02(063)PH3 / 102066, & SDP-0002-02(061)PH3 / 102917	George & Greene
02	IM-0020-02(072) / 103927301	Newton
* 03	HSIP-0220-03(031)N / 105204301 & HSIP-0220-03(031)N / 105204302	Hinds & Madison
04	HSIP-0250-00(029)N / 104908301	Hinds, Madison, & Rankin
05	MP-2315-36(003) / 303342301	Lafayette

Paving New SR 63 from US 98 to SR 57 and New SR 57 from Leakesville to Turkey Creek known as State Project Nos. SDP-0002-02(061)PH3 / 102917302, SDP-0002-01(037)PH3 / 102065302 & SDP-0002-02(063)PH3 / 102066302, in the Counties of Greene and George, State of Mississippi.

PROJECT COMPLETION: 588 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Hectare	201-B001	Clearing and Grubbing
27,365 Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
1 Each	202-B007	Removal of Box Bridge
242 Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
70 Square Meter	202-B025	Removal of Concrete Paved Ditch
126 Meter	202-B039	Removal of Curb (All Types)
17 Each	202-B043	Removal of Flared End Section (All Sizes)
4 Each	202-B044	Removal of Guard Rail Bridge End Section
6 Each	202-B059	Removal of Inlets (All Sizes)
147 Meter	202-B076	Removal of Traffic Stripe
20 Meter	202-B082	Removal of Box Culvert
128 Meter	202-B088	Removal of Guard Rail (Including Rails, Posts and Terminal Ends)
529 Meter	202-B107	Removal of Pipe (All Sizes)
7 Each	202-B109	Removal of Sign, Ground Mounted with Posts
2 Each	202-B116	Removal of Box Culvert Wingwall (All Sizes)
1,000 Square Meter	202-B144	Removal of Riprap
2 Each	202-B146	Removal of Box Bridge Headwall
37 Each	202-B220	Removal of Barrier Gates
103,143 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
1,958 Cubic Meter	206-A001	Structure Excavation
223 Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
267,425 Square Meter	212-A001	Light Ground Preparation
1,005,488 Square Meter	212-B001	Standard Ground Preparation
116 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
101 Metric Ton	213-C001	Superphosphate
2,816 Kilogram	214-A001	Seeding (Bahagrass)
2,315 Kilogram	214-A002	Seeding (Bermudagrass)
855 Kilogram	214-A003	Seeding (Tall Fescue)
1,157 Kilogram	214-A004	Seeding (Crimson Clover)
608 Kilogram	214-A015	Seeding, Browntop Millet
2,733 Kilogram	214-A016	Seeding, Oats
757 Kilogram	214-A018	Seeding, Rye Grass
514 Metric Ton	215-A001	Vegetative Materials for Mulch
1,566 Square Meter	216-A001	Solid Sodding
96 thousand liter	219-A001	Watering
51 Hectare	220-A001	Insect Pest Control
577 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
3,122 Bale	235-A001	Temporary Erosion Checks
83,840 Cubic Meter	304-C029	Granular Material (AEA) (Class 6, Group D)

Call No. 01 for the March 25, 2008 Letting

262,811	Cubic Meter	304-C043	Granular Material (AEA) (Class 9, Group C)
25,654	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
47,226	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
412	Meter	501-E001	Expansion Joints (Without Dowels)
2,524	Square Meter	502-A001	Reinforced Cement Concrete Bridge End Pavement
78,733	Kilogram	602-A001	Reinforcing Steel
277	Meter	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
7	Each	603-C-B001	450-mm Reinforced Concrete End Section
7	Meter	603-C-E038	1650-mm x 1015-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
82	Meter	603-C-E041	1300-mm x 795-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
115	Meter	603-C-E044	1485-mm x 915-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
8	Each	603-C-F005	1300-mm x 795-mm Concrete Arch Pipe End Section
10	Each	603-C-F006	1485-mm x 915-mm Concrete Arch Pipe End Section
3	Each	603-C-F007	1650-mm x 1015-mm Concrete Arch Pipe End Section
1	Each	603-S-B034	450-mm Branch Connections (Stub into 1500-mm Concrete Pipe)
1,035	Kilogram	604-B001	Gratings
1,585	Meter	606-B003	Guard Rail (Class A, Type 1), Metal Post
2	Each	606-D010	Guard Rail (Bridge End Section, Type H), Metal Post
30	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
158	Each	607-P1003	Line Posts 3600-mm x 100-mm Timber
23	Each	607-P2016	Brace Posts 1800-mm x DN 50 Galvanized Steel
4	Each	607-P3018	Gate Posts 1800-mm x DN 50 Galvanized Steel
126	Meter	609-D002	Combination Concrete Curb and Gutter Type 2
623	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
958	Meter	609-D015	Combination Concrete Curb and Gutter Type 2 Modified (165-mm Thickness)
1,455	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
174	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
115	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
274	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
6	Each	619-F3004	Delineators (Guard Rail) (White)
583	Meter	619-G4001	Barricades (Type III) (Single Faced)
14	Meter	619-G4005	Barricades (Type III) (Double Faced)
275	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights (Type "B")
15	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
	Lump Sum	620-A001	Mobilization
22	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
125	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
174	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
12	Meter	630-C001	Steel U-Section Posts (2.97 kg/m)
515	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
132	Meter	630-D004	Structural Steel Beams (W150 x 14)
165	Meter	630-D005	Structural Steel Beams (W150 x 22)
376	Kilogram	630-E004	Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)

Call No. 01 for the March 25, 2008 Letting

193	Kilogram	630-E007	Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angles)
218	Kilogram	630-E008	Structural Steel Angles & Bars (89 mm x 89 mm x 6.4 mm Angles)
128	Each	630-F001	Delineators (Guard Rail)(White)
128	Each	630-F002	Delineators (Guard Rail)(Yellow)
124	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
124	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
56	Each	630-F006	Delineators (Post Mounted)(Single White)
17	Each	630-F007	Delineators (Post Mounted)(Single Yellow)
94	Each	630-F008	Delineators (Post Mounted)(Double White)
29	Each	630-F009	Delineators (Post Mounted)(Double Yellow)
26	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
43	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
145	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
58,051	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
91,024	Cubic Meter	907-203-EX027	Borrow Excavation (AH)(FME) (Class B7-6)
673	Metric Ton	907-213-A001	Agricultural Limestone
2,788	Square Meter	907-217-A001	Ditch Liner
473	Hectare	907-223-A001	Mowing
9,253	Meter	907-234-A002	Temporary Silt Fence
52	Each	907-236-B004	Maintenance and Removal of Existing Silt Basins (Type D)
12	Each	907-241-A001	Floc Blocks
269,978	Square Meter	907-306-A002	Asphalt Drainage Course
208,423	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
3,006	Metric Ton	907-307-D001	Lime
327,486	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,980	Square Meter	907-311-A013	Processing of Red Hills Fly Ash Stabilized Course, 150-mm Thickness
2,009	Square Meter	907-311-A014	Processing of Lime-Red Hills Fly Ash Stabilized Course, 150-mm Thickness
3,340	Metric Ton	907-311-B001	Lime
9,444	Metric Ton	907-311-C003	Fly Ash, Class C or F
87	Metric Ton	907-311-C005	Fly Ash, Red Hills Source
81	Kilometer	907-321-A001	150-mm In-Grade Preparation
1,134	Metric Ton	907-403-A001	Hot Mix Asphalt, ST, 9.5-mm mixture
1,418	Metric Ton	907-403-A002	Hot Mix Asphalt, ST, 12.5-mm mixture
1,495	Metric Ton	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture
75,816	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
91,325	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
129,114	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,328	Metric Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
158	Kilometer	907-423-A001	Rumble Strips (Ground In)
2,524	Square Meter	907-501-K001	Transverse Grooving
45	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
29	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
112,492	Meter	907-605-FF001	Edge Drain, Complete-in-Place
13,593	Meter	907-605-GG001	Edge Drain Outlets/Vents, Complete-in-Place
56,246	Meter	907-605-HH001	Edge Drain & Edge Drain Outlet/Vent Inspection
32	Each	907-606-E001	Guard Rail, Terminal End Section

Call No. 01 for the March 25, 2008 Letting

545	Meter	907-607-B003	Barrier Fence, Chain Link Wire (per Plans)
22	Each	907-607-G006	Gate, Barrier Fence (Per Plans)
3,482	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
6,124	Meter	907-619-A1009	Temporary Traffic Stripe (Continuous White)
21	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
6,190	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
7,306	Meter	907-619-A2009	Temporary Traffic Stripe (Continuous Yellow)
13	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
9	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
1,312	Meter	907-619-A3006	Temporary Traffic Stripe, Skip White
4	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
2,935	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
86	Meter	907-619-A6009	Temporary Traffic Stripe (Legend)
4	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)
248	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
837	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
1	Each	907-622-A002	Engineer's Field Office Building (Type 2)
82	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
84	Kilometer	907-626-CC006	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
630	Meter	907-626-EE003	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
76	Kilometer	907-626-FF007	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (150-mm min.)
13,801	Meter	907-626-GG001	Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
14,875	Meter	907-626-GG002	Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
527	Meter	907-626-HH001	Thermoplastic Legend (White)(3.00-mm min.)
5,259	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
832	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,854	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
1,854	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
1,854	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
1,199	Cubic Meter	907-804-B002	Box Bridge Concrete, Class B
ALTERNATE GROUP OP NO. 1			
9,423	Metric Ton	907-308-A001	Portland Cement
793,002	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
ALTERNATE GROUP OP NO. 2			
793,002	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
6,389	Metric Ton	907-311-B001	Lime
25,556	Metric Ton	907-311-C003	Fly Ash, Class C or F

Milling and overlaying of I-20 from the Scott/Newton County Line to Chunky, known as Federal Aid Project No. IM-0020-02(072) / 103927301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: 264 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

170	Acre	201-B001	Clearing and Grubbing
930	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
355	Square Yard	202-B025	Removal of Concrete Paved Ditch
339	Each	202-B039	Removal of Delineator, All Types
5,500	Linear Feet	202-B041	Removal of Fence, All Types
4	Each	202-B042	Removal of Flared End Section, All Sizes
36	Linear Feet	202-B064	Removal of Pipe, 8" And Above
115	Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
36,608	Linear Feet	202-B076	Removal of Traffic Stripe
230	Each	202-B086	Removal of Guard Post
815	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
3,050	Linear Feet	202-B102	Removal of Guard Rail
5	Each	202-B105	Removal of Pipe Headwall, All Sizes
1,620	Linear Feet	202-B141	Removal of Edge Drain
4,750	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
10,000	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
1,000	Cubic Yard	203-G002	Excess Excavation, LVM
62,500	Square Yard	203-I001	Site Grading
50	Cubic Yard	206-A001	Structure Excavation
50	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,250	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
447,000	Square Yard	212-A001	Light Ground Preparation
894,000	Square Yard	212-B001	Standard Ground Preparation
115	Ton	213-B001	Combination Fertilizer, 13-13-13
92	Ton	213-C001	Superphosphate
3,694	Pounds	214-A002	Seeding, Bermudagrass
3,694	Pounds	214-A003	Seeding, Tall Fescue
3,694	Pounds	214-A004	Seeding, Crimson Clover
4,618	Pounds	214-A011	Seeding, Annual Rye Grass
3,694	Pounds	214-A014	Seeding, Browntop Millet
16,624	Pounds	214-A015	Seeding, Oats
462	Ton	215-A001	Vegetative Materials for Mulch
250	Square Yard	216-A001	Solid Sodding
1,000	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
185	Acre	220-A001	Insect Pest Control
55	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
15,000	Linear Feet	234-A001	Temporary Silt Fence
2,500	Bale	235-A001	Temporary Erosion Checks
3,750	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C

Call No. 02 for the March 25, 2008 Letting

672,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
214	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
5,330	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3	Mile	423-A001	Rumble Strips, Ground In
36	Linear Feet	501-D001	Expansion Joints, With Dowels
12	Linear Feet	501-E001	Expansion Joints, Without Dowels
36	Each	501-G001	Dowels, Drilled and Installed
36	Linear Feet	501-I001	Joint Filler, Wooden Board
815	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
632	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
888	Linear Feet	503-C002	Saw Cut, 3-inch
888	Linear Feet	503-C005	Saw Cut, 8-inch
155	Cubic Yard	503-D001	Concrete for Base Repair
316	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
200	Square Yard	511-A001	Prerolling
70	Each	512-A001	Holes
100	Hundred Weight	512-C001	Calcium Chloride
175	Pounds	602-A001	Reinforcing Steel
12	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
3	Each	603-CB008	60" Reinforced Concrete End Section
80	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
230	Each	606-A001	Guard Posts
1,960	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
7	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-D020	Guard Rail, Bridge End Section, Type C Modified
89	Each	606-E001	Guard Rail, Terminal End Section
1,825	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
5	Each	607-G001	Gate, 12' x 52" Aluminum
63	Each	607-P1020	Line Post, 7' x 4" Timber
79	Each	607-P2001	Brace Post, 8' x 6" Timber
14	Each	607-P3001	Gate Post, 8' x 6" Timber
210	Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
47	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
55	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
47	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8,711	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
512	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend

Call No. 02 for the March 25, 2008 Letting

4,800	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,472	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
47	Mile	626-A002	6" Thermoplastic Traffic Stripe, Skip White
49	Mile	626-C002	6" Thermoplastic Edge Stripe, Continuous White
47	Mile	626-F002	6" Thermoplastic Edge Stripe, Continuous Yellow
13,198	Linear Feet	626-G001	Thermoplastic Detail Stripe, White
775	Linear Feet	626-H002	Thermoplastic Legend, White
4,800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
85	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300	Linear Feet	628-G001	6" Cold Plastic Detail Stripe, White
2	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
432	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
231	Each	630-F001	Delineators, Guard Rail, White
123	Each	630-F002	Delineators, Guard Rail, Yellow
99	Each	630-F006	Delineators, Post Mounted, Single White
36	Each	630-F007	Delineators, Post Mounted, Single Yellow
150	Each	630-F008	Delineators, Post Mounted, Double White
54	Each	630-F009	Delineators, Post Mounted, Double Yellow
54	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
11,981	Linear Feet	808-A001	Joint Preparation
400	Ton	815-A009	Loose Riprap, Size 300
369	Ton	907-213-A001	Agricultural Limestone
2,100	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
850	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
11,500	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
1,750	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
77,500	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
8,655	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
115	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
3,500	Pounds	907-512-B004	Portland Cement Pressure Grout Slurry, Type 4
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,400	Linear Feet	907-605-H001	Edge Drain
220	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
1,004	Linear Feet	907-824-PP097	Bridge Repair, Removal of Joint Armor, Per Plans
3,104	Linear Feet	907-824-PP097	Bridge Repair, Silicone Sealed Joints, Per Plans

Call No. 03 for the March 25, 2008 Letting

Installing cable barrier on I-220 between I-20 and I-55, known as Federal-Aid Project No. HSIP-0220-03(031)N / 105204301 & 302, in the Counties of Hinds and Madison, State of Mississippi.

PROJECT COMPLETION: August 29, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,725	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
46,285	Linear Feet	907-606-G001	Cable Barrier
32	Each	907-606-H001	Cable Barrier Terminal Section
1,390	Each	907-606-I	Cable Barrier Post Repair

Metro area guardrail upgrade at various locations on I-20, I-55, & I-220, known as Federal Aid Project Nos. HSIP-0250-00(029)N / 104908301, 302, & 303, in the Counties of Hinds, Madison, & Rankin, State of Mississippi.

PROJECT COMPLETION: September 30, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

115	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2	Each	202-B048	Removal of Guard Rail Cable Anchor, Texas Twist Including Post & Rail
18,844	Linear Feet	202-B102	Removal of Guard Rail
4	Each	202-B189	Removal of Impact Attenuator
9,875	Cubic Yard	203-E042	Borrow Excavation, LVM, Class B14
7,500	Linear Feet	234-A001	Temporary Silt Fence
750	Linear Feet	239-A001	Temporary Slope Drains
500	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
200	Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe
11,531	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1,519	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post ⁸
63	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
2	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
22	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
3	Each	606-D001	Guard Rail, Bridge End Section, Type A
11	Each	606-D002	Guard Rail, Bridge End Section, Type C
38	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
20	Each	606-D008	Guard Rail, Bridge End Section, Type H
1	Each	606-D012	Guard Rail, Bridge End Section, Type I
47	Each	606-E002	Guard Rail, Terminal End Section, Flared
56	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
169	Linear Feet	615-A002	Concrete Type III Cast-in-Place Median Barrier
80	Linear Feet	615-A007	Concrete Type IV Modified Cast-in-Place Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
4	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
2	Each	629-A004	Vehicular Impact Attenuator, 40 MPH
2	Each	629-B001	Median Barrier End Section
1	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
311	Each	630-F001	Delineators, Guard Rail, White
236	Each	630-F002	Delineators, Guard Rail, Yellow
85	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone

Call No. 05 for the March 25, 2008 Letting

Bridge truss maintenance painting on SR 315 over the Yocona River, known as State Project No. MP-2315-36(003) / 303342301, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: June 30, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization

Bridge Items

Lump Sum	816-A001	Maintenance Painting of Metal Structures
----------	----------	--

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR