

Proposal & Plan Sales Will Begin on May 5, 2008



**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 27, 2008

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MAY - Tuesday, May 27, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 05, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	HSIP-0008-01(109) / 105209301	Harrison
02	MP-1023-29(005) / 303381301	Itawamba
03	MP-1045-44(013) / 303380301	Lowndes
04	MP-1341-58(005) / 303384301	Pontotoc
05	MP-1342-58(001) / 303394301	Pontotoc
06	MP-1366-71(004) / 303385301 & MP-1760-71(001) / 303385302	Tishomingo
07	MP-1407-10(003) / 303383301 & MP-1413-10(012) / 303383302	Choctaw
* 08	MP-2000-00(037) / 303423301	District 2
09	MP-2001-14(006) / 301780301	Coahoma
10	MP-2082-42(015) / 303424301	Leflore
* 11	MP-3003-67(007) / 303402301	Sunflower
* 12	MP-3012-26(012) / 303370301	Holmes
* 13	MP-5492-51(009) / 303414301	Newton & Scott
* 14	MP-6042-56(013) / 303431301	Perry
* 15	MP-6043-55(026) / 303432301	Pearl River
* 16	MP-6053-23(007) / 303430301	Hancock
* 17	MP-6511-12(007) / 303434301, MP-6018-12(011) / 303435301, & MP-6512-12(008) / 303436301	Clarke
* 18	MP-6613-30(023) / 303433301	Jackson

CALL	CONTRACT	COUNTY
* 19	MP-7024-03(009) / 303408301	Amite
* 20	MP-7587-46(010) / 303407301	Marion
21	BWO-5002-51(007) / 501779301	Newton
22	BWO-5182-25(001) / 501964301	Hinds

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, June 24, 2008; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, June 24, 2008, and shortly thereafter publicly opened for

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	STP-0026-01(071) / 101648301	Lauderdale

Installing a traffic signal at the intersection of US Highway 49 and SR 67 in Saucier, known as Federal Aid Project No. HSIP-0008-01(109) / 105209301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: March 10, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
71 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B057	Removal of Inlets, All Sizes
16 Linear Feet	202-B106	Removal of Pipe, All Sizes
25 Each	202-B161	Removal of Existing Sign
259 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
478 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
333 Cubic Yard	206-A001	Structure Excavation
20 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,200 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1 Ton	213-C001	Superphosphate
6 Pounds	214-A001	Seeding, Bahiagrass
5 Pounds	214-A002	Seeding, Bermudagrass
2 Pounds	214-A003	Seeding, Tall Fescue
3 Pounds	214-A004	Seeding, Crimson Clover
1 Ton	215-A001	Vegetative Materials for Mulch
1 Acre	220-A001	Insect Pest Control
1,067 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
628 Pounds	602-A001	Reinforcing Steel
400 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
24 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
2 Each	603-CB003	30" Reinforced Concrete End Section
1,000 Pounds	604-B001	Gratings
1,064 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
305 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
326 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
2 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
930 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,850 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,420 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
19,890 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
618 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
75 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
128 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
127 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
153 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
83 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground

Call No. 01 for the May 27, 2008 Letting

Mounted

9	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
128	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
101	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
101	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
240	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
32	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
176	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,068	Linear Feet	635-A001	Vehicle Loop Assemblies
1,950	Linear Feet	636-A003	Shielded Cable, 4 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	639-A015	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2	Each	639-A124	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	640-A039	Traffic Signal Heads, Type 8Y
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8	Each	647-A001	Pullbox, Type 1
4	Each	647-A005	Pullbox, Type 2
2,200	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
600	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
150	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
250	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
2,150	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
165	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
220	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
150	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Ton	907-213-A001	Agricultural Limestone
625	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
310	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,384	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
1,050	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
11	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,710	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
465	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,180	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
745	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
7,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,445	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
309	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying SR 23 in Treemont at SR 178, known as State Project No. MP-1023-29(005) / 303381301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: 52 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

840	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
450	Linear Feet	202-B038	Removal of Curb, All Types
640	Linear Feet	202-B076	Removal of Traffic Stripe
194	Linear Feet	202-B102	Removal of Guard Rail
110	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,450	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
50,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
44	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
733	Linear Feet	609-B001	Concrete Curb, Header
151	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
91,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
15	Each	619-G5001	Free Standing Plastic Drums
370	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
320	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
320	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
12	Each	630-F001	Delineators, Guard Rail, White
14,700	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
56	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,350	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,700	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying US Hwy. 45 from the Noxubee County Line to near SR 182, known as State Project No. MP-1045-44(013) / 303380301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 64 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

675	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
8,500	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
45,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
114	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
260	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,034	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
27	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
57	Square Feet	907-626-H005	Thermoplastic Legend, White

Preliminary leveling on SR 341 from Calhoun Cty. Line to SR 9, known as State Project No. MP-1341-58(005) / 303384301, in the County of Pontotoc, State of Mississippi.

PROJECT COMPLETION: 52 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
14	Mile	625-B002	Traffic Stripe, Skip Yellow
37	Mile	625-C002	Traffic Stripe, Continuous White
17	Mile	625-D002	Traffic Stripe, Continuous Yellow
10,345	Linear Feet	625-E001	Detail Traffic Stripe
3,420	Linear Feet	625-F002	Legend
1,883	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17,234	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Preliminary leveling on SR 342 from SR 41 to SR 6, known as State Project No. MP-1342-58(001) / 303394301, in the County of Pontotoc, State of Mississippi.

PROJECT COMPLETION: 30 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4	Mile	625-B002	Traffic Stripe, Skip Yellow
15	Mile	625-C002	Traffic Stripe, Continuous White
11	Mile	625-D002	Traffic Stripe, Continuous Yellow
1,232	Linear Feet	625-E001	Detail Traffic Stripe
522	Linear Feet	625-F002	Legend
591	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,158	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Mill & Overlay SR 366 from SR 25 to the Alabama Line & SR 760 from SR 25 to SR 366, known as State Project Nos. MP-1366-71(004) & MP-1760-71(001) / 303385301 & 302, in the County of Tishomingo, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,400	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
1,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,162	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
252	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
766	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,400	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,250	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,162	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White

Mill & Overlay SR 407 & SR 413 from SR 12 to the Natchez Trace, known as State Project Nos. MP-1407-10(003) & MP-1413-10(012) / 303383301 & 302, in the County of Choctaw, State of Mississippi.

PROJECT COMPLETION: 48 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
3,500	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
8,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,216	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17,450	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,078	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
948	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,972	Linear Feet	907-626-H004	Thermoplastic Legend, White

Installing pavement markings on various routes throughout District 2, known as State Project No. MP-2000-00(037) / 303423301, in Desoto, Grenada, Panola, Tate and Yalobusha Counties, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

9,000	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
30	Mile	625-C002	Traffic Stripe, Continuous White
30	Mile	625-D002	Traffic Stripe, Continuous Yellow
8,740	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
8,760	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
8,020	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
200	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
68	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
38	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
82	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
14	Mile	907-626-W002	4" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
21	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
82	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
7,000	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
9,300	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
6,800	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min.
2,420	Linear Feet	907-626-Z001	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
80	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
650	Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
350	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Widening and overlaying of SR 1 from Sherard to Southern Fresh Inc., known as State Project No. MP-2001-14(006) / 301780301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

210	Linear Feet	202-B076	Removal of Traffic Stripe
500	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G001	Excess Excavation, FM
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
10,000	Ton	304-B014	Granular Material, Class 3, Group D
4,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
180	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
90	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,200	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
10,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2,500	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
16	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,400	Linear Feet	907-626-H004	Thermoplastic Legend, White
100	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 10 for the May 27, 2008 Letting

Bridge truss maintenance painting on US 82 over Yazoo River, known as State Project No. MP-2082-42(015) / 303424301, in the County of Leflore, State of Mississippi.

PROJECT COMPLETION: November 21, 2008

Advance Information Only - Items and Quantities Subject to Change

Bridge Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	816-A001	Maintenance Painting of Metal Structures

Widening and overlaying approximately 5 miles of SR 3 from US 82 to US 49W, known as State Project No. MP-3003-67(007) / 303402301, in the County of Sunflower, State of Mississippi.

PROJECT COMPLETION: 51 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,178	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
847	Cubic Yard	203-G001	Excess Excavation, FM
2,376	Ton	304-B024	Granular Material, Class 5, Group D
1,956	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
140	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
552	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
380	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
880	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
440	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,601	Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,180	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,918	Ton	907-403-C006	Hot Mix Asphalt, ST, 25-mm mixture, Trench Widening
11	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
577	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
140	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
552	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying of SR 12 from Tchula to one mile west of Lexington, known as State Project No. MP-3012-26(012) / 303370301, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: 70 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
550 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
9,770 Ton	304-B024	Granular Material, Class 5, Group D
350 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
20 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
32 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
12 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
4,800 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,200 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
Lump Sum	620-A001	Mobilization
700 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
100 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
200 Ton	907-304-F003	3/4" and Down Crushed Stone Base
15,000 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
17,750 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
20 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,650 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,100 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,600 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of approximately 13 miles of SR 492 from Newton/Scott County Line to Union, known as State Project Nos. MP-5492-51(009) / 303414301 & MP-5492-62(006) / 303414302, in the Counties of Newton and Scott, State of Mississippi.

PROJECT COMPLETION: 70 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

160	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,200	Linear Feet	202-B038	Removal of Curb, All Types
2,225	Linear Feet	202-B076	Removal of Traffic Stripe
95	Square Yard	202-B244	Removal of Bituminous Island Pavement, All Depths
15	Cubic Yard	203-G004	Excess Excavation, LVM, AH
11,500	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
93,050	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,850	Linear Feet	609-E001	Bituminous Curb
4	Each	613-D007	Adjustment of Utility Appurtenance
95	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
50	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
810	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
557	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
675	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
150	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
23,100	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
9,850	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
27	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,250	Linear Feet	907-626-H004	Thermoplastic Legend, White
300	Square Feet	907-626-H005	Thermoplastic Legend, White

Widen & Overlay SR 42 from Bogua Homa Creek to Hwy. 15, known as State Project No. MP-6042-56(013) / 303431301, in the County of Perry, State of Mississippi.

PROJECT COMPLETION: 35 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

75	Linear Feet	202-B102	Removal of Guard Rail
685	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
689	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
2	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,760	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,808	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
368	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
462	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	630-F001	Delineators, Guard Rail, White
162	Linear Feet	635-A001	Vehicle Loop Assemblies
6,235	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
7,200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,760	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,232	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,808	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widen & Overlay SR 43 from I-59 to Wheats Curve, known as State Project No. MP-6043-55(026) / 303432301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 32 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
200	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
62,773	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18,806	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,388	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
586	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
586	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
632	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,888	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
782	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
324	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
420	Linear Feet	635-A001	Vehicle Loop Assemblies
12,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,500	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
729	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,635	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,171	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,081	Linear Feet	907-626-H004	Thermoplastic Legend, White
653	Square Feet	907-626-H005	Thermoplastic Legend, White

Widening and overlaying approximately 7 miles of SR 53 through Hancock County, known as State Project No. MP-6053-23(007) / 303430301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

550	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,500	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
8,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
325	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
28	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
9	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
225	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
980	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
550	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
8,900	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
10,800	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,375	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,825	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying approximately 9 miles of SR 511, SR 18 and SR 512 near Quitman, known as State Project Nos. MP-6511-12(007) / 303434301, MP-6018-12(011) / 303435301, and MP-6512-12(008) / 303436301, in the County of Clarke, State of Mississippi,

PROJECT COMPLETION: 50 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,232	Linear Feet	202-B076	Removal of Traffic Stripe
8,500	Square Yard	202-B078	Removal of Pavement, All Types and Depths
5,450	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
11,911	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,362	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
620	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,215	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,120	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
160	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
840	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,850	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
725	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
8,670	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,230	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
5,200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
19	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
18	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,468	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,132	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,340	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widen & Overlay SR 613 from SR 614 to R/R track at Big Point, known as State Project No. MP-6613-30(023) / 303433301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: 32 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200 Square Yard	202-B078	Removal of Pavement, All Types and Depths
850 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
2,600 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
19 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
170 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
650 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
7,500 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
5,500 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
10 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,480 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500 Linear Feet	907-626-H004	Thermoplastic Legend, White
70 Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 10 miles of SR 24 from the Wilkinson County Line to Gloster, known as State Project No. MP-7024-03(009) / 303408301, in the County of Amite, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,500	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
2,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,230	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,460	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
920	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
19	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,330	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,290	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,780	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying of approximately 10 miles of SR 587 near Columbia, known as State Project No. MP-7587-46(010) / 303407301, in the County of Marion, State of Mississippi.

PROJECT COMPLETION: 50 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

514	Linear Feet	202-B076	Removal of Traffic Stripe
260	Linear Feet	202-B102	Removal of Guard Rail
1,262	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
3,656	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
972	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
22	Mile	423-A001	Rumble Strips, Ground In
275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,021	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,906	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
378	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
260	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
130	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
130	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
18	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
20,689	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
839	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
23	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,735	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,286	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,494	Linear Feet	907-626-H004	Thermoplastic Legend, White
378	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 21 for the May 27, 2008 Letting

Work necessary for renovations to District 5 Maintenance Shop at Newton, known as State Project No. BWO-5002-51(007) / 501779301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: March 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1510-A001	Renovate District 5 Maintenance Shop
----------	-----------	--------------------------------------

Call No. 22 for the May 27, 2008 Letting

Work necessary for construction of a Central Commissioner's office building at Jackson, known as State Project No. BWO-5182-25(001) / 501964301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: April 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Central Commissioner's Office Building
----------	-----------	--

Grading, Bridge, & Paving on SR 19 from Collinsville to the Newton County Line, known as Federal Aid Project No. STP-0026-01(071) / 101648301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 467 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8 Acre	201-B001	Clearing and Grubbing
81,925 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
326 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
5 Square Yard	202-B025	Removal of Concrete Paved Ditch
124 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,688 Linear Feet	202-B038	Removal of Curb, All Types
3,112 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,050 Linear Feet	202-B076	Removal of Traffic Stripe
799 Linear Feet	202-B080	Removal of Box Culvert
29 Each	202-B105	Removal of Pipe Headwall, All Sizes
732,920 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
8,800 Cubic Yard	203-D002	Muck Excavation, LVM
119,150 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
401,128 Cubic Yard	203-G003	Excess Excavation, FM, AH
18,158 Cubic Yard	206-A001	Structure Excavation
483 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,000 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
488,580 Square Yard	212-A001	Light Ground Preparation
977,160 Square Yard	212-B001	Standard Ground Preparation
126 Ton	213-B001	Combination Fertilizer, 13-13-13
101 Ton	213-C001	Superphosphate
5,047 Pounds	214-A001	Seeding, Bahiagrass
4,038 Pounds	214-A002	Seeding, Bermudagrass
2,019 Pounds	214-A003	Seeding, Tall Fescue
2,019 Pounds	214-A004	Seeding, Crimson Clover
2,019 Pounds	214-A005	Seeding, Sericea Lespedeza
2,019 Pounds	214-A014	Seeding, Browntop Millet
9,085 Pounds	214-A015	Seeding, Oats
2,524 Pounds	214-A017	Seeding, Rye Grass
505 Ton	215-A001	Vegetative Materials for Mulch
2,524 Square Yard	216-A001	Solid Sodding
9,676 Square Yard	217-A001	Ditch Liner
51 Thousand Gallon	219-A001	Watering
101 Acre	220-A001	Insect Pest Control
634 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,464 Square Yard	224-A001	Soil Reinforcing Mat
43,706 Linear Feet	234-A001	Temporary Silt Fence
1,751 Bale	235-A001	Temporary Erosion Checks

Call No. 01 for the June 24, 2008 Letting

20	Each	236-A004	Silt Basin, Type D
20	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
5,600	Linear Feet	239-A001	Temporary Slope Drains
31,368	Cubic Yard	304-C023	Granular Material, AEA, Class 5, Group C
84,799	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
589	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
6,208	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
20	Mile	423-A001	Rumble Strips, Ground In
500	Linear Feet	503-C007	Saw Cut, Full Depth
334,834	Pounds	602-A001	Reinforcing Steel
6,640	Linear Feet	603-ALT001	18" Type A Alternate Pipe
416	Linear Feet	603-ALT005	24" Type A Alternate Pipe
204	Linear Feet	603-ALT009	30" Type A Alternate Pipe
160	Linear Feet	603-ALT010	30" Type B Alternate Pipe
68	Linear Feet	603-ALT013	36" Type A Alternate Pipe
48	Linear Feet	603-ALT014	36" Type B Alternate Pipe
1,596	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,516	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
316	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
752	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
544	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
248	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
168	Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV
336	Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
692	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class IV, Class B Bedding
500	Linear Feet	603-CA053	36" Reinforced Concrete Pipe, Class V, Class B Bedding
380	Linear Feet	603-CA055	48" Reinforced Concrete Pipe, Class V, Class B Bedding
20	Each	603-CB001	18" Reinforced Concrete End Section
28	Each	603-CB002	24" Reinforced Concrete End Section
6	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
288	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
192	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
156	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
196	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
5,250	Pounds	604-B001	Gratings

Call No. 01 for the June 24, 2008 Letting

3,000	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
47,152	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
1,600	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
45	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
700	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
5	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
5	Each	605-Z004	Underdrain Appurtenances, Sign
101	Linear Feet	609-B001	Concrete Curb, Header
3,175	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,254	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
168	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
634	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
53	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
21,671	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,057	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
168	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
344	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
752	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
109	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,750	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,808	Linear Feet	619-G4005	Barricades, Type III, Double Faced
473	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,433	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
326	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,149	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,038	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
36	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
37	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
44	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
502	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
26	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
26	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
155	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
265	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
73	Cubic Yard	631-A001	Flowable Fill

Call No. 01 for the June 24, 2008 Letting

4,054 Pounds	690-A001	Grouting Abandoned Water Wells
2,358 Ton	815-A009	Loose Riprap, Size 300
151 Ton	815-F002	Sediment Control Stone
606 Ton	907-213-A001	Agricultural Limestone
202,636 Square Yard	907-306-A001	Asphalt Drainage Course
97,260 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
1,313 Ton	907-307-D001	Lime
7,356 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
17,667 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,465 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
73,372 Ton	907-403-F001	Maintained Hot Mix Asphalt
881 Cubic Yard	907-601-A001	Class "B" Structural Concrete
37 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
94,303 Linear Feet	907-605-H001	Edge Drain
8,493 Linear Feet	907-605-I001	Edge Drain Outlets/Vents
11 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,058 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
11 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,120 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
16,254 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
28,117 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,244 Linear Feet	907-626-H004	Thermoplastic Legend, White
92 Square Feet	907-626-H005	Thermoplastic Legend, White
1,136 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
3,071 Ton	907-308-A001	Portland Cement
284,176 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
4,647 Square Yard	907-311-A001	Processing Lime and Fly Ash Treated Course, 10" Thick
279,529 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,144 Ton	907-311-B001	Lime
8,574 Ton	907-311-C002	Fly Ash, Class C or F

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR