

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 6/13/2008 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Table of Content, replaces same; NTB 1981, replaces NTB 1925; Revised NTB 1958, replaces same; Add NTB Nos. 2037 & 2039; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: STP-0026-01(071) / 101648301 - Lauderdale County

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Final Cleanup - # 3
- Procedure for Converting from TLTW to Divided 4-Lane - # 5
- Federal Bridge Formula - # 12
- Storm Water Discharge Associated W/Construction Activities (>5 Acres) - # 586
- Fiber Reinforced Concrete - # 640
- Disadvantage Business Enterprise W/Supplement - # 696
- On-The-Job Training Program - # 777
- Cost Adjustment Factors for Maintained HMA - # 778
- Payroll Requirements - # 883
- Rumble Stripe - # 1312
- Use of Precast Drainage Units - # 1321
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Minimum Wage Rate - # 1868
- Status of ROW, Utility Adjustments and Underground Storage Tanks, W/Attachments - # 1903
- DBE Forms, Participation and Payment - # 1918
- Non-Quality Control / Quality Assurance Concrete - # 1922
- Contract Time - # 1941
- Specialty Items - # 1942
- Placement of Fill Material in Federally Regulated Areas - # 1958
- Petroleum Products Base Price - # 1981
- Current Traffic & Estimated Accumulated ESALs - # 2037
- Final Lift on North Lanes - # 2039

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors, W/Supplement

907-107-1: Liability Insurance, W/Supplement

907-107-3: Contractor's Protection Plan

907-107-6: Legal Relations & Responsibility to Public, W/Supplement

907-108-11: Prosecution and Progress, W/Supplement

907-109-3: Partial Payment, W/Supplement

907-213-1: Agricultural Limestone

907-306-1: Asphalt Drainage Course, W/Supplement

907-307-3: Lime Treated Courses

907-308-3: Cement Treated Courses

907-311-2: Lime-Fly Ash Treated Courses

-CONTINUED ON NEXT PAGE-

PAGE 2 - PROJECT NO. STP-0026-01(071) / 101648301 - Lauderdale County

907-401-2: Hot Mix Asphalt (HMA), W/Supplement
907-403-4: Hot Mix Asphalt (HMA), W/Supplement
907-403-6: Maintained Hot Mix Asphalt (HMA), W/Appendix
907-601-1: Structural Concrete
907-605-2: Edge Drains
907-618-4: Placement of Temporary Traffic Signs
907-626-15: Thermoplastic Traffic Markings
907-701-3: Hydraulic Cement
907-703-5: Aggregate for Crushed Stone Courses
907-708-4: Non Metal Drainage Structures
907-711-3: Synthetic Structural Fiber Reinforcement
907-713-1: Admixtures For Concrete
907-714-4: Miscellaneous Materials
907-715-3: Agricultural Limestone
907-720-1: Pavement Marking Material
907-804-8: Concrete Bridges and Structures
906-3: MDOT On-the-Job Training Program
906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,
PROPOSAL SHEET NOS. 2-1 THRU 2-16,
COMBINATION BID PROPOSAL,
CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
NON-COLLUSION CERTIFICATE,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,
ASPHALT MAINTENANCE BOND FORM,
OCR-485,
PROGRESS SCHEDULE,
HAUL PERMIT FOR BRIDGES WITH POSTED WEIGHT LIMITS.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 – NOTICE TO BIDDERS NO. 1981

CODE: (SP)

DATE: 5/9/2008

SUBJECT: Petroleum Products Base Prices For Contracts Let in June, 2008

REFERENCE: Subsection 109.07

The following base prices are to be used for adjustment in compensation due to changes in costs of petroleum products:

FUELS

	<u>Per Gallon</u>	<u>Per Liter</u>
Gasoline	\$3.3860	\$0.8945
Diesel	\$3.9691	\$1.0485

MATERIALS OF CONSTRUCTION

<u>ASPHALT CEMENT</u>	<u>Per Gallon</u>	<u>Per Ton</u>	<u>Per Liter</u>	<u>Per Metric Ton</u>
Viscosity Grade AC-5	\$1.6986	\$403.00	\$0.4487	\$444.22
Viscosity Grade AC-10	\$1.7211	\$408.33	\$0.4547	\$450.10
Viscosity Grade AC-20	\$1.6965	\$402.50	\$0.4482	\$443.67
Viscosity Grade AC-30	\$1.6755	\$397.50	\$0.4426	\$438.16
Grade PG 64-22	\$1.6679	\$395.71	\$0.4406	\$436.19
Grade PG 67-22	\$1.6565	\$393.00	\$0.4376	\$433.20
Grade PG 76-22	\$2.1918	\$520.00	\$0.5790	\$573.19
Grade PG 82-22	\$2.4236	\$575.00	\$0.6403	\$633.82

EMULSIFIED ASPHALTS

Grade EA-4 (SS-1)	\$1.5623	\$0.4127
Grade RS-2C (CRS-2)	\$1.5015	\$0.3967
Grade CRS-2P	\$1.7562	\$0.4639

PRIMES

Grade EA-1 & MC-70	\$2.2713	\$0.6000
--------------------	----------	----------

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 1958

CODE (SP)

DATE: 05/15/2008

SUBJECT: Placement of Fill Material in Federally Regulated Areas

PROJECT: STP-0026-01(071) / 101648301 - Lauderdale County

A Permit (404, General, Nationwide, etc.) for placing fill material federally regulated sites is required.

The Department has acquired the following permit for permanently filling at regulated sites that are identified during project development:

Nationwide Permit No. 14 (Waters of U.S.) -- All sites with area less than 0.10 acre.

**General Permit No. MSGHW05-03584-V (Wetlands & Waters of U.S.) –
Site Nos. 1,2, 3, 4, 5, 6, 7, 8, & 9**

Copies of said permit(s) are on file with the Department.

Securing a permit(s) for the filling of any other regulated site, the purpose of which is temporary construction for the convenience of the Contractor, shall be the responsibility of the Contractor.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2037

CODE: (SP)

DATE: June 12, 2008

SUBJECT: Current Traffic & Estimated Accumulated ESALs

PROJECT: STP-0026-01(071)/101648301 - Lauderdale County

Bidders are hereby advised of the current traffic and estimated accumulated ESALs. See page 6 of Special Provision 907-403, entitled Maintained Hot Mix Asphalt (HMA), for further reference.

Hwy. 19 from Collinsville to the Newton County Line			
Year	Projected ADT	Average 18 kip Axle Loads per 1,000 Vehicles	Cumulative Thousands Of 18 k ESALs From Base Year
2011	8,300	935	0
2018	10,000	935	2564

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2039

CODE: (SP)

DATE: June 13, 2008

SUBJECT: Final Lift on North Lanes

PROJECT: STP-0026-01(071)/101648301 - Lauderdale County

Bidders are hereby advised that the note associated by asterisk with 8.5" Maintained Hot Mix Asphalt as shown in the plans on TS-2 shall be deleted and replaced with the following:

“ The final lift of asphalt on the north lanes may be placed after opening to four-lane traffic. If the contractor elects to place full depth asphalt on the north lanes prior to opening to four-lane traffic, the removal of stripe will not be measured for separate payment and shall be done as to not damage the existing pavement.”