


[Proposal & Plan Sales Will Begin on June 2, 2008](#)



**MISSISSIPPI DEPARTMENT
OF TRANSPORTATION**

Notice to Contractors

Letting Date for June – June 24, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JUNE - Tuesday, June 24, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 02, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Administration Building, Room 1100
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	STP-0026-01(071) / 101648301	Lauderdale
02	IM-9999-05(008) / 105072301 & IM-9999-05(008) / 105072302	Hinds & Scott
* 03	STP-0000-01(004) / 104753302	District 1
* 04	STP-0000-02(002) / 104754302	District 2
05	BR-0003-01(087) / 102437301	Hancock
06	STP-9371-00(010) / 103517301	Harrison
07	SP-0017-00(001) / 104589301	Desoto
08	MP-2006-36(006) / 303438301	Lafayette
09	MP-2007-47(004) / 303439301	Marshall
* 10	MP-6011-18(007) / 303437301	Forrest
11	BWO-5180-40(001) / 501917301	Leake
12	BWO-5182-25(001) / 501964301	Hinds

Grading, Bridge, & Paving on SR 19 from Collinsville to the Newton County Line, known as Federal Aid Project No. STP-0026-01(071) / 101648301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 467 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8 Acre	201-B001	Clearing and Grubbing
81,925 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
326 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
5 Square Yard	202-B025	Removal of Concrete Paved Ditch
124 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,688 Linear Feet	202-B038	Removal of Curb, All Types
3,112 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,050 Linear Feet	202-B076	Removal of Traffic Stripe
799 Linear Feet	202-B080	Removal of Box Culvert
29 Each	202-B105	Removal of Pipe Headwall, All Sizes
732,920 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
8,800 Cubic Yard	203-D002	Muck Excavation, LVM
119,150 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
401,128 Cubic Yard	203-G003	Excess Excavation, FM, AH
18,158 Cubic Yard	206-A001	Structure Excavation
483 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
30,000 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
488,580 Square Yard	212-A001	Light Ground Preparation
977,160 Square Yard	212-B001	Standard Ground Preparation
126 Ton	213-B001	Combination Fertilizer, 13-13-13
101 Ton	213-C001	Superphosphate
5,047 Pounds	214-A001	Seeding, Bahiagrass
4,038 Pounds	214-A002	Seeding, Bermudagrass
2,019 Pounds	214-A003	Seeding, Tall Fescue
2,019 Pounds	214-A004	Seeding, Crimson Clover
2,019 Pounds	214-A005	Seeding, Sericea Lespedeza
2,019 Pounds	214-A014	Seeding, Browntop Millet
9,085 Pounds	214-A015	Seeding, Oats
2,524 Pounds	214-A017	Seeding, Rye Grass
505 Ton	215-A001	Vegetative Materials for Mulch
2,524 Square Yard	216-A001	Solid Sodding
9,676 Square Yard	217-A001	Ditch Liner
51 Thousand Gallon	219-A001	Watering
101 Acre	220-A001	Insect Pest Control
634 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,464 Square Yard	224-A001	Soil Reinforcing Mat
43,706 Linear Feet	234-A001	Temporary Silt Fence
1,751 Bale	235-A001	Temporary Erosion Checks

Call No. 01 for the June 24, 2008 Letting

20	Each	236-A004	Silt Basin, Type D
20	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
5,600	Linear Feet	239-A001	Temporary Slope Drains
31,368	Cubic Yard	304-C023	Granular Material, AEA, Class 5, Group C
84,799	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
589	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
6,208	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
20	Mile	423-A001	Rumble Strips, Ground In
500	Linear Feet	503-C007	Saw Cut, Full Depth
334,834	Pounds	602-A001	Reinforcing Steel
6,640	Linear Feet	603-ALT001	18" Type A Alternate Pipe
416	Linear Feet	603-ALT005	24" Type A Alternate Pipe
204	Linear Feet	603-ALT009	30" Type A Alternate Pipe
160	Linear Feet	603-ALT010	30" Type B Alternate Pipe
68	Linear Feet	603-ALT013	36" Type A Alternate Pipe
48	Linear Feet	603-ALT014	36" Type B Alternate Pipe
1,596	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,516	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
316	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
752	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
544	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
248	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
168	Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV
336	Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
692	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class IV, Class B Bedding
500	Linear Feet	603-CA053	36" Reinforced Concrete Pipe, Class V, Class B Bedding
380	Linear Feet	603-CA055	48" Reinforced Concrete Pipe, Class V, Class B Bedding
20	Each	603-CB001	18" Reinforced Concrete End Section
28	Each	603-CB002	24" Reinforced Concrete End Section
6	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
288	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
192	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
156	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
196	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
5,250	Pounds	604-B001	Gratings

Call No. 01 for the June 24, 2008 Letting

3,000	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
47,152	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
1,600	Linear Feet	605-O003	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	605-P003	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
45	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
700	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
5	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
5	Each	605-Z004	Underdrain Appurtenances, Sign
101	Linear Feet	609-B001	Concrete Curb, Header
3,175	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
1,254	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
168	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
634	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
53	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
21,671	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,057	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
168	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
344	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
752	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
109	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,750	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,808	Linear Feet	619-G4005	Barricades, Type III, Double Faced
473	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,433	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
326	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,149	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,038	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
36	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
37	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
44	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
502	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
26	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
26	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
155	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
265	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
73	Cubic Yard	631-A001	Flowable Fill

Call No. 01 for the June 24, 2008 Letting

4,054 Pounds	690-A001	Grouting Abandoned Water Wells
2,358 Ton	815-A009	Loose Riprap, Size 300
151 Ton	815-F002	Sediment Control Stone
606 Ton	907-213-A001	Agricultural Limestone
202,636 Square Yard	907-306-A001	Asphalt Drainage Course
97,260 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
1,313 Ton	907-307-D001	Lime
7,356 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
17,667 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,465 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
73,372 Ton	907-403-F001	Maintained Hot Mix Asphalt
881 Cubic Yard	907-601-A001	Class "B" Structural Concrete
37 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
94,303 Linear Feet	907-605-H001	Edge Drain
8,493 Linear Feet	907-605-I001	Edge Drain Outlets/Vents
11 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,058 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
11 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,120 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
16,254 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
28,117 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,244 Linear Feet	907-626-H004	Thermoplastic Legend, White
92 Square Feet	907-626-H005	Thermoplastic Legend, White
1,136 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP OP NO. 1		
3,071 Ton	907-308-A001	Portland Cement
284,176 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP OP NO. 2		
4,647 Square Yard	907-311-A001	Processing Lime and Fly Ash Treated Course, 10" Thick
279,529 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,144 Ton	907-311-B001	Lime
8,574 Ton	907-311-C002	Fly Ash, Class C or F

Construction necessary to repair interstate slides at various locations in District 5, known as Federal Aid Project No. IM-9999-05(008) / 105072301 & 302, in the Counties of Hinds and Scott, State of Mississippi.

PROJECT COMPLETION: December 12, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
196 Linear Feet	202-B041	Removal of Fence, All Types
409 Linear Feet	202-B106	Removal of Pipe, All Sizes
1,215 Cubic Yard	203-A002	Unclassified Excavation, LVM
14,470 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,380 Cubic Yard	203-G002	Excess Excavation, LVM
2,000 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
16,114 Square Yard	212-A001	Light Ground Preparation
32,230 Square Yard	212-B001	Standard Ground Preparation
5 Ton	213-B001	Combination Fertilizer, 13-13-13
4 Ton	213-C001	Superphosphate
135 Pounds	214-A002	Seeding, Bermudagrass
67 Pounds	214-A003	Seeding, Tall Fescue
67 Pounds	214-A004	Seeding, Crimson Clover
84 Pounds	214-A017	Seeding, Rye Grass
17 Ton	215-A001	Vegetative Materials for Mulch
645 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
1,400 Linear Feet	234-A001	Temporary Silt Fence
8 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
8 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	30" Reinforced Concrete End Section
1 Each	603-CB005	42" Reinforced Concrete End Section
4,390 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
69 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
865 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
196 Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
17 Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
2 Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
2 Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
Lump Sum	618-A001	Maintenance of Traffic
87 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,034 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
204 Linear Feet	619-G4001	Barricades, Type III, Single Faced
84 Linear Feet	619-G4005	Barricades, Type III, Double Faced
85 Each	619-G5001	Free Standing Plastic Drums
2 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
5,845 Linear Feet	803-D003	HP 14 x 73 Steel Piling

Call No. 02 for the June 24, 2008 Letting

46,993 Pounds	805-A001 Reinforcement
1,850 Ton	815-A009 Loose Riprap, Size 300
3,930 Square Yard	815-E001 Geotextile under Riprap
14 Ton	907-213-A001 Agricultural Limestone
875 Linear Feet	907-605-O001 6" Perforated Sewer Pipe for Underdrains, SDR 23.5
215 Linear Feet	907-605-P001 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2 Each	907-619-E3001 Changeable Message Sign
370 Cubic Yard	907-804-B001 Box Bridge Concrete, Class B

Call No. 03 for the June 24, 2008 Letting

Installing raised pavement markers throughout the District, known as Federal Aid Project No. STP-0000-01(004) / 104753302, in District 1, State of Mississippi.

PROJECT COMPLETION: 51 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
21,119 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
24,794 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Installing raised pavement markers on various routes in District 2, known as Federal Aid Project No. STP-0000-02(002) / 104754302, in District 2, State of Mississippi.

PROJECT COMPLETION: 103 Time Units

Advance Information Only - Items and Quantities Subject to Change

Participating Items

Lump Sum		618-A001	Maintenance of Traffic
40,076	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40,401	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Non Participating Items

2,385	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12,847	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Replacement on US Highway 90 at Cowan and Whites Bayous, known as Federal Aid Project No. BR-0003-01(087) / 102437301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: July 01, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
1 Each	202-B008	Removal of Box Culvert
170 Linear Feet	202-B038	Removal of Curb, All Types
1,200 Linear Feet	202-B076	Removal of Traffic Stripe
19,350 Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,087 Linear Feet	202-B102	Removal of Guard Rail
1,187 Linear Feet	202-B106	Removal of Pipe, All Sizes
6,562 Cubic Yard	203-A001	Unclassified Excavation, FM
37,189 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
500 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,017 Cubic Yard	206-A001	Structure Excavation
18,550 Square Yard	209-A001	Geotextile Stabilization, Type V
71,924 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
35,962 Square Yard	212-A001	Light Ground Preparation
71,924 Square Yard	212-B001	Standard Ground Preparation
9 Ton	213-B001	Combination Fertilizer, 13-13-13
7 Ton	213-C001	Superphosphate
372 Pounds	214-A001	Seeding, Bahiagrass
297 Pounds	214-A002	Seeding, Bermudagrass
111 Pounds	214-A003	Seeding, Tall Fescue
149 Pounds	214-A004	Seeding, Crimson Clover
149 Pounds	214-A014	Seeding, Browntop Millet
669 Pounds	214-A015	Seeding, Oats
186 Pounds	214-A017	Seeding, Rye Grass
37 Ton	215-A001	Vegetative Materials for Mulch
107 Square Yard	216-A001	Solid Sodding
198 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
15 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
9,035 Linear Feet	234-A001	Temporary Silt Fence
2,036 Bale	235-A001	Temporary Erosion Checks
2 Each	236-A004	Silt Basin, Type D
468 Linear Feet	239-A001	Temporary Slope Drains
8,892 Cubic Yard	304-A044	Granular Material, LVM, Class 9, Group D
2,400 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4,283 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1

Call No. 05 for the June 24, 2008 Letting

3 Mile	423-A001	Rumble Strips, Ground In
180 Linear Feet	501-E001	Expansion Joints, Without Dowels
400 Square Yard	501-K001	Transverse Grooving
400 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
858 Pounds	602-A001	Reinforcing Steel
252 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
6 Each	603-CB002	24" Reinforced Concrete End Section
168 Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
6 Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1,260 Pounds	604-B001	Gratings
759 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
64 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
69 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
738 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
8 Each	606-E001	Guard Rail, Terminal End Section
874 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
201 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
47 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
297 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
463 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
16 Each	619-D3001	Remove and Reset Signs, All Sizes
84 Linear Feet	619-G4001	Barricades, Type III, Single Faced
48 Linear Feet	619-G4005	Barricades, Type III, Double Faced
4 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
221 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,506 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,283 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
54 Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
40 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
124 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
33 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
340 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
86 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
79 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
41 Each	630-F001	Delineators, Guard Rail, White
8 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
Lump Sum	699-A001	Roadway Construction Stakes
23 Ton	815-A009	Loose Riprap, Size 300
124 Square Yard	815-E001	Geotextile under Riprap
3 Ton	815-F002	Sediment Control Stone
45 Ton	907-213-A001	Agricultural Limestone
4 Acre	907-227-A001	Hydroseeding

Call No. 05 for the June 24, 2008 Letting

6,559	Ton	907-304-F001	Size 825 Crushed Stone Base
3,528	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,414	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,231	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
14	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
724	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
768	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
72	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
44	Each	907-617-A001	Right-of-Way Marker
1	Each	907-619-E3001	Changeable Message Sign
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
3	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,644	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
468	Linear Feet	907-626-H004	Thermoplastic Legend, White

Bridge Items

11	Each	803-B001	Conventional Static Loading Test
11,000	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
11	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
60,132	Pounds	805-A001	Reinforcement
2,400	Linear Feet	813-A001	Concrete Railing
450	Ton	815-A009	Loose Riprap, Size 300
474	Square Yard	815-E001	Geotextile under Riprap
332	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
300	Each	907-804-E001	40' Prestressed Concrete Voided Slab, 4'-0" Interior
60	Each	907-804-F001	40' Prestressed Concrete Voided Slab, 3'-5" Exterior

Installation of roadway lighting on SR 605 between US 90 and I 10, known as Federal Aid Project No. STP-9371-00(010) / 103517301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: June 05, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2,427	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
5,070	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
10,968	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
3,577	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
516	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
2,291	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
3,280	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
983	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
10	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
5	Each	683-A015	Lighting Assembly, High Mast, Type 100-6-S
4	Each	683-A054	Lighting Assembly, High Mast, Type 120-8-S
9	Each	683-B082	Lighting Assembly, Low Mast, Type 45-1-0-400
2	Each	683-B095	Lighting Assembly, Low Mast, Type 45-2-0-400
79	Each	683-B159	Lighting Assembly, Low Mast, Type 38-1-4-400
4	Each	683-B160	Lighting Assembly, Low Mast, Type 38-2-4-400
9	Each	683-B161	Lighting Assembly, Low Mast, Type 20-2-4-400
1	Each	683-D001	Portable Electric Power Units
120	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
40	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
56	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
350	Linear Feet	684-B003	Slip Casing, 24" Diameter
24	Linear Feet	684-B004	Slip Casing, 36" Diameter
30	Linear Feet	684-B006	Slip Casing, 48" Diameter
12	Each	907-682-F002	Secondary Power Controllers, Per Plans

Installation of a Traffic Management System, known as State Project No. SP-0017-00(001) / 104589301, in the County of Desoto, State of Mississippi and County of Shelby, State of Tennessee.

PROJECT COMPLETION: December 29, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
8	Each	647-A003	Pullbox, Type 4
10	Each	647-A004	Pullbox, Type 5
7	Each	647-A005	Pullbox, Type 2
1,000	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
12,235	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,360	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
2	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
2	Each	907-641-A001	Radar Detection System
3	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
2	Each	907-650-A001	On Street Video Equipment
1	Each	907-656-A001	Dynamic Message Sign, Type 1
	Lump Sum	907-656-B001	Dynamic Message Sign Training
12,110	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,220	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
2	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
2	Each	907-662-A001	Video Encoder, Type A

Overlay of SR 6 from Panola County Line to Wellsgate, known as State Project No. MP-2006-36(006) / 303438301, in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: October 24, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G001	Excess Excavation, FM
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
12,000	Ton	304-B014	Granular Material, Class 3, Group D
130,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
30	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3006	Temporary Traffic Stripe, Skip White
17,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,000	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
22,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,500	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
15	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6,300	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of SR 7 between Wall Doxey State Park and SR 4, known as State Project No. MP-2007-47(004) / 303439301, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: October 24, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G001	Excess Excavation, FM
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
5,100	Ton	304-B014	Granular Material, Class 3, Group D
9,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
44,100	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
31,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
80	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,350	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,350	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
2,000	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14,700	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,400	Linear Feet	907-626-H004	Thermoplastic Legend, White
40	Square Feet	907-626-H005	Thermoplastic Legend, White

Mill and Overlay US 11 at Hattiesburg, known as State Project No. MP-6011-18(007) / 303437301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: October 24, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
52,610	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
13,080	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
12,347	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13,708	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5,175	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
8,275	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,765	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
320	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,284	Linear Feet	635-A001	Vehicle Loop Assemblies
4,100	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
18,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13,708	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
13,080	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,175	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
7,572	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,775	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,540	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,735	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,648	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,732	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 11 for the June 24, 2008 Letting

Construction of a New Project Office Building at Carthage, known as State Project No. BWO-5180-40(001) / 501917301, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: June 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

	Lump Sum	1500-A001	Construction of Project Office Building at Carthage
517	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
2	Each	607-G118	Gate, 13' x 6' Double Chain Link with Top Guard
47	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
6	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
4	Each	607-P3009	Gate Post, 10' x 3 1/2" Galvanized Steel

Call No. 12 for the June 24, 2008 Letting

Work necessary for construction of a Central Commissioner's office building at Jackson, known as State Project No. BWO-5182-25(001) / 501964301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: April 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Central Commissioner's Office Building
----------	-----------	--

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR