


[Proposal & Plan Sales Will Begin on June 30, 2008](#)



**MISSISSIPPI DEPARTMENT  
OF TRANSPORTATION**

***Notice to Contractors***

**Letting Date for July – July 22, 2008**



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JULY - Tuesday, July 22, 2008**

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 30, 2008**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Administration Building, Room 1100  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JULY**

CALL	CONTRACT	COUNTY
01	BRO-0055-02(188)N / 104630301	Hinds
* 02	STP-0000-06(003) / 104757303	District 6
03	HSIP-0002-02(043) / 101614301	Clarke
04	STP-7338-00(004) / 104818301	Rankin
05	MP-1015-70(013) / 303473301	Tippah
* 06	MP-3003-82(009) / 303476301	Yazoo
* 07	MP-5014-52(011) / 303456301	Noxubee
* 08	MP-7000-00(067) / 303406301	District 7
09	SP-0017-00(001) / 104589301	Desoto
10	BWO-7099-03(001) / 500240301 & BWO-7117-03(001) / 500240302	Amite

Bridge Raising on Wynndale Road over I-55, known as Federal Aid Project No. BRO-0055-02(188) / 104630301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 14, 2008

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1	Each	202-B042	Removal of Flared End Section, All Sizes
1	Each	202-B057	Removal of Inlets, All Sizes
2,438	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
12	Cubic Yard	206-A001	Structure Excavation
3,830	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
16	Pounds	214-A002	Seeding, Bermudagrass
8	Pounds	214-A003	Seeding, Tall Fescue
8	Pounds	214-A004	Seeding, Crimson Clover
2	Ton	215-A001	Vegetative Materials for Mulch
106	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
12	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
680	Linear Feet	234-A001	Temporary Silt Fence
44	Bale	235-A001	Temporary Erosion Checks
375	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
275	Pounds	602-A001	Reinforcing Steel
36	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
250	Pounds	604-B001	Gratings
	Lump Sum	618-A001	Maintenance of Traffic
450	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
450	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,904	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
742	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
665	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
20	Each	619-D3001	Remove and Reset Signs, All Sizes
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
15	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
434	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
434	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Call No. 01 for the July 22, 2008 Letting

12	Each	630-F008	Delineators, Post Mounted, Double White
12	Each	630-F009	Delineators, Post Mounted, Double Yellow
	Lump Sum	699-A001	Roadway Construction Stakes
104	Linear Feet	808-A001	Joint Preparation
2	Ton	907-213-A001	Agricultural Limestone
1,051	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
1,258	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
646	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
742	Linear Feet	907-626-H004	Thermoplastic Legend, White
104	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
104	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
52	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
52	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
	Lump Sum	907-824-PP096	Bridge Raising

Call No. 02 for the July 22, 2008 Letting

Installing Raised Pavement markers throughout the District, known as Federal Aid Project No. STP-0000-06(003) / 104757303, in District 6, State of Mississippi.

PROJECT COMPLETION: 62 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
22,000 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
22,470 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
26,440 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Reconstruction of SR 513 at the junction of SR 513 and SR 145 in Quitman, known as Federal Aid Project No. HSIP-0002-02(043) / 101614301, in the County of Clarke, State of Mississippi.

PROJECT COMPLETION: March 27, 2009

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1,416 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
188 Linear Feet	202-B064	Removal of Pipe, 8" And Above
6,872 Linear Feet	202-B076	Removal of Traffic Stripe
9,314 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
4,800 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
6,912 Cubic Yard	203-G003	Excess Excavation, FM, AH
39 Cubic Yard	206-A001	Structure Excavation
5,078 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
34,145 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
17,073 Square Yard	212-A001	Light Ground Preparation
34,145 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
4 Ton	213-C001	Superphosphate
167 Pounds	214-A001	Seeding, Bahiagrass
134 Pounds	214-A002	Seeding, Bermudagrass
50 Pounds	214-A003	Seeding, Tall Fescue
67 Pounds	214-A004	Seeding, Crimson Clover
67 Pounds	214-A014	Seeding, Browntop Millet
300 Pounds	214-A015	Seeding, Oats
83 Pounds	214-A017	Seeding, Rye Grass
17 Ton	215-A001	Vegetative Materials for Mulch
5,000 Square Yard	216-A001	Solid Sodding
353 Square Yard	217-A001	Ditch Liner
100 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
20 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
3,297 Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
397 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
372 Pounds	602-A001	Reinforcing Steel
96 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
168 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB001	18" Reinforced Concrete End Section
4 Each	603-CB002	24" Reinforced Concrete End Section
79 Pounds	604-A001	Castings
2,056 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
222 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
25 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic

Call No. 03 for the July 22, 2008 Letting

5,106	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5,106	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,400	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
224	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
268	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
368	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
288	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
16	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
233	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
182	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
64	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
90	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
333	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
95	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
106	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
61	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
1,188	Ton	815-A009	Loose Riprap, Size 300
1,467	Square Yard	815-E001	Geotextile under Riprap
20	Ton	907-213-A001	Agricultural Limestone
1,727	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
1,405	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,447	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
702	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
7	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
156	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
25	Each	907-617-A001	Right-of-Way Marker
322	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
3,279	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,416	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,993	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,908	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
303	Linear Feet	907-626-H004	Thermoplastic Legend, White
116	Square Feet	907-626-H005	Thermoplastic Legend, White



Installing a traffic signal at Country Place Drive on SR 475, known as Federal Aid Project No. STP-7338-00(004) / 104818301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: March 05, 2009

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

300	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B057	Removal of Inlets, All Sizes
95	Linear Feet	202-B106	Removal of Pipe, All Sizes
335	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
234	Cubic Yard	203-G001	Excess Excavation, FM
110	Cubic Yard	206-A001	Structure Excavation
150	Square Yard	216-A001	Solid Sodding
44	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
52	Bale	235-A001	Temporary Erosion Checks
1,884	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
509	Pounds	602-A001	Reinforcing Steel
244	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
158	Pounds	604-A001	Castings
127	Pounds	604-B001	Gratings
1,044	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
	Lump Sum	618-A001	Maintenance of Traffic
1,306	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
523	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
822	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
2,867	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
875	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
34	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
344	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
600	Linear Feet	619-F1005	Portable Median Barrier, Less Than or Equal to 45 MPH
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
100	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
124	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
26	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
73	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
28	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
59	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
906	Linear Feet	635-A001	Vehicle Loop Assemblies
1,635	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
1	Each	637-A001	Equipment Cabinet

Call No. 04 for the July 22, 2008 Letting

3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	639-A013	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	639-A123	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A009	Solid State Traffic Actuated Controller Modification, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
4	Each	644-A001	Optical Detector
764	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
2	Each	647-A001	Pullbox, Type 1
4	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
3	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
850	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
136	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
975	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
84	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
322	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
1	Acre	907-225-A001	Grassing
1	Ton	907-225-B001	Agricultural Limestone
606	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
590	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
7	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
822	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,306	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
523	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,482	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
596	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
825	Linear Feet	907-626-H004	Thermoplastic Legend, White
258	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay of SR 15 from Phyfer Creek to Ripley City Limits, known as State Project No. MP-1015-70(013) / 303473301, in the County of Tippah, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
604	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
25	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,449	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
31,707	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,779	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,768	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
62	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,388	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
276	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
138	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
138	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
9,416	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,251	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,579	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,310	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,800	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlay of approximately 10 miles of SR 3 from the Warren County Line to Pear Tree Slide, known as State Project No. MP-3003-82(009) / 303476301, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
6,400 Ton	304-B024	Granular Material, Class 5, Group D
300 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
21 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
21 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
11 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,600 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
625 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
900 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150 Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,200 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
21 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,325 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
250 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
420 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of approximately 5 miles of SR 14 beginning 8.5 miles east of the Winston County Line, known as State Project No. MP-5014-52(011) / 303456301, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: October 31, 2008

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

986	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400	Linear Feet	202-B144	Removal of Bituminous Curb
900	Cubic Yard	203-G001	Excess Excavation, FM
726	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
600	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
400	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,505	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
382	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
108	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,153	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
3,638	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,505	Linear Feet	907-626-H004	Thermoplastic Legend, White

Chip seal of approximately 56 miles of roadway in District 7, known as State Project No. MP-7000-00(067) / 303406301, Districtwide in District 7, State of Mississippi.

PROJECT COMPLETION: October 24, 2008

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

7,165	Linear Feet	202-B076	Removal of Traffic Stripe
331,801	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
8,193	Cubic Yard	410-C002	Seal Aggregate Cover Material, Size 89, Stone
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
19	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18	Mile	625-A002	Traffic Stripe, Skip White
19	Mile	625-B002	Traffic Stripe, Skip Yellow
90	Mile	625-C002	Traffic Stripe, Continuous White
64	Mile	625-D002	Traffic Stripe, Continuous Yellow
65,014	Linear Feet	625-E001	Detail Traffic Stripe
13,368	Linear Feet	625-F002	Legend
1,960	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,487	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,171	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
349	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,653	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
383	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,780	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Installation of a Traffic Management System, known as State Project No. SP-0017-00(001) / 104589301, in the County of Desoto, State of Mississippi and County of Shelby, State of Tennessee.

PROJECT COMPLETION: January 29, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
8	Each	647-A003	Pullbox, Type 4
10	Each	647-A004	Pullbox, Type 5
7	Each	647-A005	Pullbox, Type 2
1,000	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
12,235	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,360	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
2	Each	907-637-A001	Equipment Cabinet, Type B
2	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-639-F001	Detector Pole with Foundation, 35' Pole
2	Each	907-641-A001	Radar Detection System
3	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
2	Each	907-650-A001	On Street Video Equipment
1	Each	907-656-A001	Dynamic Message Sign, Type 1
	Lump Sum	907-656-B001	Dynamic Message Sign Training
12,110	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,220	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
2	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
2	Each	907-662-A001	Video Encoder, Type A

Call No. 10 for the July 22, 2008 Letting

Construction necessary to build a Maintenance Area Headquarters and an Equipment Shed at Liberty, known as State Project Nos. BWO-7099-03(001) / 500240301 & BWO-7117-03(001) / 500240302, in the County of Amite, State of Mississippi.

PROJECT COMPLETION: June 30, 2009

**Advance Information Only - Items and Quantities Subject to Change**

**Building Items**

Lump Sum	1500-A001	Construction of Equipment Shed
Lump Sum	1500-A001	Construction of Maintenance Area Headquarters



For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, Room 1100, Administration Building, 401 North West Street, Jackson, Mississippi 39201, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR