

Proposal & Plan Sales Will Begin on September 1, 2008



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 23, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 23, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 01, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
* 01	HSIP-0020-01(183)N / 104897301	Warren
* 02	ER-9186-00(002) N / 105050301	Jackson
* 03	SPR-0000-09(001) / 105062301	STATEWIDE
04	BR-0921-00(016) / 103317301	Marshall
05	SP-0006-01(087) / 104969304 & SP-0006-01(087) / 104969305	Pontotoc & Union
06	BWO-3132-26(002) / 501920301	Holmes
07	BWO-6197-55(002) / 501116301	Pearl River

Installing guardrail on I-20 in the City Limits of Vicksburg, known as Federal Aid Project No. HSIP-0020-01(183)N / 104897301, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: March 27, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

950	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
70	Linear Feet	615-A013	Concrete Type III Cast-in-Place Median Barrier, 42" High
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
2	Each	629-A004	Vehicular Impact Attenuator, 40 MPH
4	Each	629-B001	Median Barrier End Section
400	Ton	907-304-D001	Granular Material, Crushed Stone
22,000	Linear Feet	907-606-G001	Cable Barrier
44	Each	907-606-H001	Cable Barrier Terminal Section
600	Each	907-606-I001	Cable Barrier Post Repair

Overlay of Lemoyne Blvd. from the Harrison County Line to SR 609, known as Federal Aid Project No. ER-9186-00(002) N / 105050301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: December 15, 2008

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

144	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
35,888	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,084	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
780	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,073	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
24	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
108	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
125	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
12,900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
150	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,000	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,203	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,040	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,975	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 03 for the September 23, 2008 Letting

Installation of Automatic Traffic Recorders at various locations throughout the State, known as Federal Aid Project No. SPR-0000-09(001) / 105062301, in the State of Mississippi.

PROJECT COMPLETION: July 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
39 Each	907-687-B003	Loop, Sensor, Loop Short Term Permanent Station

Replacing bridges on SR 349 from Macedonia Rd. to US 78, known as Federal Aid Project No. BR-0921-00(016) / 103317301, in the County of Marshall, State of Mississippi.

PROJECT COMPLETION: 221 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
17,749 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B019	Removal of Concrete Headwall
405 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,938 Linear Feet	202-B076	Removal of Traffic Stripe
9,215 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
45,954 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
12,779 Cubic Yard	203-G003	Excess Excavation, FM, AH
160 Cubic Yard	206-A001	Structure Excavation
15,896 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
30 Pounds	214-A002	Seeding, Bermudagrass
59 Pounds	214-A003	Seeding, Tall Fescue
6 Ton	215-A001	Vegetative Materials for Mulch
740 Square Yard	216-A001	Solid Sodding
2,526 Square Yard	217-A001	Ditch Liner
17 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
106 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
486 Square Yard	224-A001	Soil Reinforcing Mat
4,637 Linear Feet	234-A001	Temporary Silt Fence
1,048 Bale	235-A001	Temporary Erosion Checks
4 Each	236-A004	Silt Basin, Type D
13,365 Ton	304-B014	Granular Material, Class 3, Group D
5,054 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
241 Linear Feet	501-E001	Expansion Joints, Without Dowels
480 Square Yard	501-K001	Transverse Grooving
499 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
178 Pounds	602-A001	Reinforcing Steel
228 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
76 Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
3 Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
760 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
64 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
67 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,275 Linear Feet	606-B001	Guard Rail, Class A, Type 1

Call No. 04 for the September 23, 2008 Letting

12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E001	Guard Rail, Terminal End Section
120	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
840	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
3,900	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1	Mile	619-A4009	Temporary Traffic Stripe, Skip Yellow, Type 1 Tape
5,930	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
130	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
255	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,002	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8	Each	619-F3004	Delineators, Guard Rail, White
168	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
79	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
1	Unit	619-J1001	Impact Attenuator, 40 MPH
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
2	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
174	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
66	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,156	Ton	815-A009	Loose Riprap, Size 300
1,668	Square Yard	815-E001	Geotextile under Riprap
8	Acre	907-225-A001	Grassing
15	Ton	907-225-B001	Agricultural Limestone
3	Acre	907-226-A001	Temporary Grassing
7,000	Ton	907-304-F002	Size 610 Crushed Stone Base
3,084	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,687	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,312	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
952	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
236	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
88	Linear Feet	907-603-ALT10	30" Type B Alternate Pipe
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5

Call No. 04 for the September23, 2008 Letting

200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
49	Each	907-617-A001	Right-of-Way Marker
12,566	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
6,283	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

Bridge Items

1,920	Square Yard	501-K001	Transverse Grooving
6	Each	803-B001	Conventional Static Loading Test
5,720	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,705	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
7	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
129,915	Pounds	805-A001	Reinforcement
965	Linear Feet	813-A001	Concrete Railing
1,494	Ton	815-A009	Loose Riprap, Size 300
1,090	Square Yard	815-E001	Geotextile under Riprap
848	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,146	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

Construction of a Collector/Distributor Road and Frontage Road on US 78 between Blue Springs and Sherman Interchanges, known as State Project No. SP-0006-01(087) / 104969304 & 305, in the Counties of Union and Pontotoc, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
8,375	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
112	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
11	Each	202-B019	Removal of Concrete Headwall
1,080	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
336	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,157	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,123	Square Yard	202-B036	Removal of Concrete Slope Paving
9,512	Linear Feet	202-B041	Removal of Fence, All Types
1	Each	202-B057	Removal of Inlets, All Sizes
264	Linear Feet	202-B064	Removal of Pipe, 8" And Above
346	Each	202-B066	Removal of Raised Reflective Pavement Marker
3	Each	202-B069	Removal of Sign
12	Each	202-B070	Removal of Sign Including Post & Footing
2,329	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
752	Linear Feet	202-B102	Removal of Guard Rail
7	Each	202-B107	Removal of Sign, Ground Mounted with Posts
2	Each	202-B142	Removal of Junction Box
2	Mile	202-B149	Removal of Traffic Stripe
1	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
793,478	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
194,843	Cubic Yard	203-G001	Excess Excavation, FM
1,316	Cubic Yard	206-A001	Structure Excavation
36	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,852	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
166,406	Square Yard	212-A001	Light Ground Preparation
332,812	Square Yard	212-B001	Standard Ground Preparation
43	Ton	213-B001	Combination Fertilizer, 13-13-13
34	Ton	213-C001	Superphosphate
1,719	Pounds	214-A001	Seeding, Bahiagrass
1,375	Pounds	214-A002	Seeding, Bermudagrass
1,719	Pounds	214-A003	Seeding, Tall Fescue
690	Pounds	214-A004	Seeding, Crimson Clover
860	Pounds	214-A005	Seeding, Sericea Lespedeza
688	Pounds	214-A014	Seeding, Browntop Millet
3,094	Pounds	214-A015	Seeding, Oats
860	Pounds	214-A017	Seeding, Rye Grass
172	Ton	215-A001	Vegetative Materials for Mulch
5,852	Square Yard	216-A001	Solid Sodding
2,490	Square Yard	217-A001	Ditch Liner
117	Thousand	219-A001	Watering

Call No. 05 for the September 23, 2008 Letting

Gallon		
35	Acre	220-A001 Insect Pest Control
998	Cubic Yard	221-A001 Portland Cement Concrete Paved Ditch
1	Acre	223-A001 Mowing
2,288	Square Yard	224-A001 Soil Reinforcing Mat
3,482	Linear Feet	234-A001 Temporary Silt Fence
2,736	Bale	235-A001 Temporary Erosion Checks
10	Each	236-A004 Silt Basin, Type D
446	Linear Feet	239-A001 Temporary Slope Drains
1,140	Cubic Yard	304-A013 Granular Material, LVM, Class 3, Group C
27,743	Cubic Yard	304-C013 Granular Material, AEA, Class 3, Group C
4	Mile	321-A001 6" In-Grade Preparation
5,681	Square Yard	406-A001 Cold Milling of Bituminous Pavement, All Depths
1,600	Square Yard	406-B001 Cold Milling of Concrete Pavement, All Depths
33,310	Gallon	408-A003 Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5	Mile	423-A001 Rumble Strips, Ground In
90	Linear Feet	501-E001 Expansion Joints, Without Dowels
200	Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
112	Square Yard	503-A003 8" and Variable Continuously Reinforced Concrete Pavement
72	Linear Feet	503-B001 Saw Cut, Longitudinal Joints
204	Linear Feet	503-C002 Saw Cut, 3-inch
228	Linear Feet	503-C007 Saw Cut, Full Depth
25	Cubic Yard	503-D001 Concrete for Base Repair
58	Each	503-E002 Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
36,288	Pounds	602-A001 Reinforcing Steel
200	Linear Feet	603-A028 24" Steel Pipe, Wall Thickness 0.375"
204	Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
1,192	Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA004 30" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA005 36" Reinforced Concrete Pipe, Class III
108	Linear Feet	603-CA055 48" Reinforced Concrete Pipe, Class V, Class B Bedding
164	Linear Feet	603-CA085 30" Reinforced Concrete Pipe, Class IV, Class C Bedding
180	Linear Feet	603-CA086 36" Reinforced Concrete Pipe, Class IV, Class C Bedding
68	Linear Feet	603-CA121 36" Reinforced Concrete Pipe, Class V, Jacked or Bored
4	Each	603-CB001 18" Reinforced Concrete End Section
15	Each	603-CB002 24" Reinforced Concrete End Section
4	Each	603-CB003 30" Reinforced Concrete End Section
4	Each	603-CB004 36" Reinforced Concrete End Section
1	Each	603-CB006 48" Reinforced Concrete End Section
344	Linear Feet	603-CE001 22" x 13" Concrete Arch Pipe, Class A III
76	Linear Feet	603-CE003 36" x 23" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE005 51" x 31" Concrete Arch Pipe, Class A III
5	Each	603-CF001 22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003 36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF005 51" x 31" Concrete Arch Pipe End Section
3,158	Pounds	604-A001 Castings

Call No. 05 for the September 23, 2008 Letting

4,700 Pounds	604-B001 Gratings
1,063 Square Yard	605-AA004 Geotextile for Subsurface Drainage, Type V
90 Cubic Yard	605-W001 Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
98 Cubic Yard	605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,075 Linear Feet	606-B001 Guard Rail, Class A, Type 1
2 Each	606-C003 Guard Rail, Cable Anchor, Type 1
8 Each	606-D012 Guard Rail, Bridge End Section, Type I
6 Each	606-E002 Guard Rail, Terminal End Section, Flared
33,480 Linear Feet	607-A002 60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
2,300 Linear Feet	607-E001 Barbed Wire Fence, Single Strand
2 Each	607-G001 Gate, 12' x 52" Aluminum
94 Each	607-P1002 Line Post, 10' x 4" Timber
155 Each	607-P1005 Line Post, 10' x 4" x 4" Concrete
12 Each	607-P1012 Line Post, 14' x 2" Galvanized Steel
1,160 Each	607-P1016 Line Post, 7' x 4" x 4" Concrete
231 Each	607-P1017 Line Post, 9' x 4" x 4" Concrete
717 Each	607-P1020 Line Post, 7' x 4" Timber
144 Each	607-P1021 Line Post, 9' x 4" Timber
64 Each	607-P2001 Brace Post, 8' x 6" Timber
13 Each	607-P2002 Brace Post, 10' x 6" Timber
9 Each	607-P2003 Brace Post, 12' x 6" Timber
152 Each	607-P2004 Brace Post, 8' x 6" x 6" Concrete
30 Each	607-P2005 Brace Post, 10' x 6" x 6" Concrete
20 Each	607-P2006 Brace Post, 12' x 6" x 6" Concrete
4,238 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
2,495 Linear Feet	609-D004 Combination Concrete Curb and Gutter Type 3A Modified
278 Linear Feet	615-A003 Concrete Type IV Cast-in-Place Median Barrier
1,745 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
84 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
60,082 Linear Feet	619-A1001 Temporary Traffic Stripe, Continuous White
62,655 Linear Feet	619-A2001 Temporary Traffic Stripe, Continuous Yellow
2,907 Linear Feet	619-A5002 Temporary Traffic Stripe, Detail, Paint
64 Linear Feet	619-A6003 Temporary Traffic Stripe, Legend, Paint
100 Each	619-C6001 Red-Clear Reflective High Performance Raised Marker
234 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
1,041 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
520 Linear Feet	619-F1001 Concrete Median Barrier, Precast
148 Linear Feet	619-G4001 Barricades, Type III, Single Faced
90 Linear Feet	619-G4005 Barricades, Type III, Double Faced
169 Each	619-G5001 Free Standing Plastic Drums
Lump Sum	620-A001 Mobilization
1 Each	621-A001 Field Laboratory
984 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
332 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
456 Linear Feet	628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

Call No. 05 for the September 23, 2008 Letting

684	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
684	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
32	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
144	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
396	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
746	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
359	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
26	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
462	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
96	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
47	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
49	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
49	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
174	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
253	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
551	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
22	Each	630-F002	Delineators, Guard Rail, Yellow
82	Each	630-F006	Delineators, Post Mounted, Single White
47	Each	630-F007	Delineators, Post Mounted, Single Yellow
122	Each	630-F008	Delineators, Post Mounted, Double White
11	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
72	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
293	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
277	Cubic Yard	631-A001	Flowable Fill
277	Linear Feet	635-A001	Vehicle Loop Assemblies
1,978	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	639-A122	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
10	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A016	Traffic Signal Heads, Type 1 LED OPTICAL PROGRAM
4	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
14	Each	647-A001	Pullbox, Type 1
9	Each	647-A005	Pullbox, Type 2
5	Each	649-A002	Video Vehicle Detection, New Installation, 1 Camera
1,548	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
1,904	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor

Call No. 05 for the September 23, 2008 Letting

3,430	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
189	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
258	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
353	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
2,580	Ton	815-A009	Loose Riprap, Size 300
704	Square Yard	815-E001	Geotextile under Riprap
410	Ton	815-F002	Sediment Control Stone
206	Ton	907-213-A001	Agricultural Limestone
30	Each	907-234-D001	Inlet Siltation Guard
30	Each	907-234-E001	Reset Inlet Siltation Guard
27,093	Ton	907-304-F003	3/4" and Down Crushed Stone Base
84	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
69,304	Square Yard	907-307-C005	8" Soil-Lime-Water Mixing, Class C
1,247	Ton	907-307-D001	Lime
1,731	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
6,856	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,477	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,464	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
8,643	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,092	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,499	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
11,851	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
11,695	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,939	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
172	Cubic Yard	907-601-A001	Class "B" Structural Concrete
75	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2	Each	907-619-E3001	Changeable Message Sign
20,808	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,056	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
30,640	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,531	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
30,525	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
22,270	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,638	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
892	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,340	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
41	Each	907-630-O003	Remove and Reset Sign, All Sizes

Bridge Items

1,014	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test
1,530	Linear Feet	803-D002	HP 12 x 53 Steel Piling

Call No. 05 for the September23, 2008 Letting

1,360	Linear Feet	803-F005	18" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
95	Linear Feet	803-O008	Temporary Casing, 48" Diameter
95,749	Pounds	805-A001	Reinforcement
456	Linear Feet	813-A001	Concrete Railing
525	Cubic Yard	815-D001	Concrete Slope Paving
190	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
46	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
475	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
494	Linear Feet	907-804-C168	71' Prestressed Concrete Beam, Type IV
653	Linear Feet	907-804-C169	94' Prestressed Concrete Beam, Type IV
438	Linear Feet	907-804-C170	63' Prestressed Concrete Beam, Type IV

Call No. 06 for the September 23, 2008 Letting

Construction necessary to renovate the Rest Area Building on I-55 Northbound near West, known as State Project No. BWO-3132-26(002) / 501920301, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1510-A001	Renovate the Rest Area on I-55 Northbound at West
----------	-----------	---

Call No. 07 for the September 23, 2008 Letting

Construction necessary to renovate the Welcome Center on I-59 Northbound, known as State Project No. BWO-6197-55(002) / 501116301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: October 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1510-A001	Renovate the Welcome Center on I-59 Northbound
----------	-----------	--

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR