

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 10/6/2008 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

| Number | Description |
|--------|---|
| 1 | Bidsheets, replace same; Amendment EBS Download Required. |

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | |
|--------------------|------------------|
| _____ President | _____ Address |
| _____ Secretary | _____ Address |
| _____ Treasurer | _____ Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

NH-0015-03(008)NPH3 / 102668302

Wayne County(ies)

Paving US Highway 84 from Waynesboro to the Alabama State Line, known as Federal Aid Project No. NH-0015-03(008)NPH3 / 102668302, in the County of Wayne, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Item Amount | |
|----------------------|-----------|----------|----------|--------------|---|------------|-----|-------------|----|
| | | | | | | Dollar | Ct | Dollar | Ct |
| Roadway Items | | | | | | | | | |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing | XXXXXXXX | XXX | | |
| 0020 | 201-B001 | | 1 | Hectare | Clearing and Grubbing | | | | |
| 0030 | 202-A001 | | 1 | Lump Sum | Removal of Obstructions | XXXXXXXX | XXX | | |
| 0040 | 202-B005 | | 65,255 | Square Meter | Removal of Asphalt Pavement (All Depths) | | | | |
| 0050 | 202-B066 | | 310 | Meter | Removal of Pipe (200-mm and above) | | | | |
| 0060 | 202-B099 | | 5 | Each | Removal of Inlet and Junction Box (All Types & Sizes) | | | | |
| 0070 | 202-B103 | | 236 | Meter | Removal of Guard Rail | | | | |
| 0080 | 202-B106 | | 10 | Each | Removal of Pipe Headwall (All Sizes) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------------------------|----------|----------|----------------|--|------------|----|------------|----|
| 0090 | 202-B164 | | 296 | Square Meter | Removal of Bridge End Pavement, Overlaid With Variable Depth Asphalt | | | | |
| 0100 | 203-G003 Changed 10/06/2008 | (E) | 398,214 | Cubic Meter | Excess Excavation (FM) (AH) | | | | |
| 0110 | 206-A001 Changed 10/06/2008 | (S) | 2,386 | Cubic Meter | Structure Excavation | | | | |
| 0120 | 206-B001 | (E) | 20 | Cubic Meter | Select Material for Undercuts (Contractor Furnished) (FM) | | | | |
| 0130 | 211-A001 | | 137,043 | Square Meter | Topsoil for Slope Treatment (From Right-of-Way) | | | | |
| 0140 | 213-C001 | | 28 | Metric Ton | Superphosphate | | | | |
| 0150 | 216-A001 | | 3,123 | Square Meter | Solid Sodding | | | | |
| 0160 | 219-A001 | | 197 | thousand liter | Watering | 6. | 00 | 1,182. | 00 |
| 0170 | 220-A001 | | 14 | Hectare | Insect Pest Control | 75. | 00 | 1,050. | 00 |
| 0180 | 221-A001 | (S) | 723 | Cubic Meter | Portland Cement Concrete Paved Ditch | | | | |
| 0190 | 235-A001 | | 200 | Bale | Temporary Erosion Checks | | | | |
| 0200 | 236-A001 | | 35 | Each | Silt Basin (Type A) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|------------|----------|----------|--------------|--|------------|------------|--|
| 0210 | 236-A004 | | 4 | Each | Silt Basin (Type D) | | | |
| 0220 | 239-A001 | | 4,000 | Meter | Temporary Slope Drains | | | |
| 0230 | 304-C029 | (GM) | 34,367 | Cubic Meter | Granular Material (AEA) (Class 6, Group D) | | | |
| 0240 | 304-C043 | (GM) | 86,834 | Cubic Meter | Granular Material (AEA) (Class 9, Group C) | | | |
| 0250 | 406-A001 | | 4,540 | Square Meter | Cold Milling of Bituminous Pavement (All Depths) | | | |
| 0260 | 501-E001 | | 50 | Meter | Expansion Joints (Without Dowels) | | | |
| 0270 | 502-A002 | (C) | 296 | Square Meter | Reinforced Cement Concrete Bridge End Pavement (225 mm) | | | |
| 0280 | 602-A001 | (S) | 7,136 | Kilogram | Reinforcing Steel | | | |
| 0290 | 603-C-A090 | (S) | 94 | Meter | 450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) | | | |
| 0300 | 603-C-A091 | (S) | 302 | Meter | 600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) | | | |
| 0310 | 603-C-A092 | (S) | 65 | Meter | 750-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) Changed 10/06/2008 | | | |
| 0320 | 603-C-A093 | (S) | 50 | Meter | 900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|------------|----------|----------|-------|--|------------|------------|--|
| 0330 | 603-C-A096 | (S) | 33 | Meter | 1350-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets) | | | |
| 0340 | 603-C-A099 | (S) | 28 | Meter | 900-mm Reinforced Concrete Pipe, Class IV (Rubber Type Gaskets) | | | |
| 0350 | 603-C-A113 | (S) | 27 | Meter | 600-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets) | | | |
| 0360 | 603-C-A114 | (S) | 38 | Meter | 750-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets) | | | |
| 0370 | 603-C-A115 | (S) | 39 | Meter | 1500-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets) | | | |
| 0380 | 603-C-A117 | (S) | 28 | Meter | 1350-mm Reinforced Concrete Pipe, Class V, Rubber Type Gaskets | | | |
| 0390 | 603-C-A118 | (S) | 39 | Meter | 1500-mm Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets | | | |
| 0400 | 603-C-A127 | (S) | 30 | Meter | 750-mm Reinforced Concrete Pipe, Class V, Class B Bedding, Imperfect Trench, Rubber Type Gaskets | | | |
| 0410 | 603-C-B001 | (S) | 1 | Each | 450-mm Reinforced Concrete End Section | | | |
| 0420 | 603-C-B002 | (S) | 13 | Each | 600-mm Reinforced Concrete End Section | | | |
| 0430 | 603-C-B003 | (S) | 6 | Each | 750-mm Reinforced Concrete End Section | | | |
| 0440 | 603-C-B004 | (S) | 2 | Each | 900-mm Reinforced Concrete End Section | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|------------|----------|----------|--------------|---|------------|------------|--|
| 0450 | 603-C-B007 | (S) | 2 | Each | 1350-mm Reinforced Concrete End Section | | | |
| 0460 | 603-C-B008 | (S) | 2 | Each | 1500-mm Reinforced Concrete End Section | | | |
| 0470 | 604-B001 | | 805 | Kilogram | Gratings | | | |
| 0480 | 605-O003 | (S) | 500 | Meter | 150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5) | | | |
| 0490 | 605-P003 | (S) | 200 | Meter | 150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5) | | | |
| 0500 | 605-W001 | (GM) | 900 | Cubic Meter | Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM) | | | |
| 0510 | 605-W002 | (GM) | 900 | Cubic Meter | Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM) | | | |
| 0520 | 606-B003 | | 214 | Meter | Guard Rail (Class A, Type 1), Metal Post | | | |
| 0530 | 606-D014 | | 4 | Each | Guard Rail, Bridge End Section, Type I, Metal Post | | | |
| 0540 | 609-D002 | (S) | 945 | Meter | Combination Concrete Curb and Gutter Type 2 | | | |
| 0550 | 616-A001 | (S) | 149 | Square Meter | Concrete Median and/or Island Pavement (100-mm) | | | |
| 0560 | 616-A003 | (S) | 28 | Square Meter | Concrete Median and/or Island Pavement (250-mm) | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|--------------|--|------------|-----|------------|--|
| 0570 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | XXXXXXXX | XXX | | |
| 0580 | 619-D1001 | | 41 | Square Meter | Standard Roadside Construction Signs (less than 0.9 square meter) | | | | |
| 0590 | 619-D2001 | | 259 | Square Meter | Standard Roadside Construction Signs (0.9 square meter or more) | | | | |
| 0600 | 619-E1001 | | 2 | Each | Flashing Arrow Panel (Type C) | | | | |
| 0610 | 619-F3004 | | 4 | Each | Delineators (Guard Rail) (White) | | | | |
| 0620 | 619-G4005 | | 738 | Meter | Barricades (Type III) (Double Faced) | | | | |
| 0630 | 619-G5001 | | 901 | Each | Free Standing Plastic Drums | | | | |
| 0640 | 619-G7001 | | 74 | Each | Warning Lights (Type "B") | | | | |
| 0650 | 619-K1001 | | 23 | Meter | Installation and Removal of Guard Rail (Type I)(Class A) | | | | |
| 0660 | 619-K2002 | | 2 | Each | Installation and Removal of Guard Rail (Type I Bridge End Section) | | | | |
| 0670 | 620-A001 | | 1 | Lump Sum | Mobilization | XXXXXXXX | XXX | | |
| 0680 | 630-A001 | | 24 | Square Meter | Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|--------------|--|------------|--|------------|--|
| 0690 | 630-A002 | | 75 | Square Meter | Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness) | | | | |
| 0700 | 630-B001 | | 14 | Square Meter | Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted) | | | | |
| 0710 | 630-C004 | | 461 | Meter | Steel U-Section Posts (4.46 to 5.20 kg/m) | | | | |
| 0720 | 630-D004 | | 19 | Meter | Structural Steel Beams (W150 x 14) | | | | |
| 0730 | 630-E001 | | 33 | Kilogram | Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles) | | | | |
| 0740 | 630-E006 | | 219 | Kilogram | Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars) | | | | |
| 0750 | 630-F001 | | 14 | Each | Delineators (Guard Rail)(White) | | | | |
| 0760 | 630-F002 | | 14 | Each | Delineators (Guard Rail)(Yellow) | | | | |
| 0770 | 630-F003 | | 26 | Each | Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green) | | | | |
| 0780 | 630-F004 | | 26 | Each | Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow) | | | | |
| 0790 | 630-K001 | | 40 | Meter | Welded & Seamless Steel Pipe Posts (DN 75) | | | | |
| 0800 | 630-K002 | | 4 | Meter | Welded & Seamless Steel Pipe Posts (DN 90) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|---------------|----------|----------|--------------|--|------------|----|------------|----|
| 0810 | 630-K003 | | 66 | Meter | Welded & Seamless Steel Pipe Posts (DN 100) | | | | |
| 0820 | 815-A007 | (S) | 1,240 | Metric Ton | Loose Riprap, (Size 136 kg) | | | | |
| 0830 | 907-203-A002 | (E) | 163,414 | Cubic Meter | Unclassified Excavation (FM) (AH) Changed 10/06/2008 | | | | |
| 0840 | 907-203-EX004 | (E) | 319,423 | Cubic Meter | Borrow Excavation (AH)(FME) (Class B9) Changed 10/06/2008 | | | | |
| 0850 | 907-203-EX005 | (E) | 79,002 | Cubic Meter | Borrow Excavation (AH)(FME) (Class B9-6) | | | | |
| 0860 | 907-203-EX012 | (E) | 5,000 | Cubic Meter | Borrow Excavation (AH)(LVM) (Class B9) | | | | |
| 0870 | 907-217-A001 | | 784 | Square Meter | Ditch Liner | | | | |
| 0880 | 907-223-A001 | | 28 | Hectare | Mowing | 100. | 00 | 2,800. | 00 |
| 0890 | 907-225-A001 | | 28 | Hectare | Grassing | | | | |
| 0900 | 907-225-B001 | | 184 | Metric Ton | Agricultural Limestone | | | | |
| 0910 | 907-226-A002 | | 3 | Hectare | Temporary Grassing | | | | |
| 0920 | 907-230-B063 | | 85 | Each | Tree Planting (Southern Magnolia) (Claudia Wannamaker) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|--------------|--|------------|--|------------|--|
| 0930 | 907-234-A002 | | 20,000 | Meter | Temporary Silt Fence | | | | |
| 0940 | 907-234-D001 | | 35 | Each | Inlet Siltation Guard | | | | |
| 0950 | 907-236-B001 | | 71 | Each | Maintenance and Removal of Existing Silt Basins (Type A) | | | | |
| 0960 | 907-236-B004 | | 17 | Each | Maintenance and Removal of Existing Silt Basins (Type D) | | | | |
| 0970 | 907-237-A001 | | 13,950 | Meter | Wattles | | | | |
| 0980 | 907-304-I010 | (GM) | 700 | Cubic Meter | Granular Material (LVM) (RAP) | | | | |
| 0990 | 907-307-C001 | (M) | 213,017 | Square Meter | 150-mm Soil-Lime-Water Mixing (Class C) | | | | |
| 1000 | 907-307-D001 | | 3,072 | Metric Ton | Lime | | | | |
| 1010 | 907-321-A001 | | 22 | Kilometer | 150-mm In-Grade Preparation | | | | |
| 1020 | 907-403-A005 | (BA1) | 32,701 | Metric Ton | Hot Mix Asphalt, MT, 9.5-mm mixture | | | | |
| 1030 | 907-403-A006 | (BA1) | 38,264 | Metric Ton | Hot Mix Asphalt, MT, 12.5-mm mixture | | | | |
| 1040 | 907-403-A007 | (BA1) | 53,269 | Metric Ton | Hot Mix Asphalt, MT, 19-mm mixture | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|---------------|----------|----------|--------------|--|------------|------------|--|
| 1050 | 907-423-A001 | | 64 | Kilometer | Rumble Strips (Ground In) | | | |
| 1060 | 907-501-K001 | | 296 | Square Meter | Transverse Grooving | | | |
| 1070 | 907-601-A001 | (S) | 70 | Cubic Meter | Class "B" Structural Concrete | | | |
| 1080 | 907-601-B001 | (S) | 18 | Cubic Meter | Class "B" Structural Concrete, Minor Structures | | | |
| 1090 | 907-603-ALT05 | (S) | 146 | Meter | 600-mm Type A Alternate Pipe | | | |
| 1100 | 907-603-ALT06 | (S) | 74 | Meter | 600-mm Type B Alternate Pipe | | | |
| 1110 | 907-603-ALT10 | (S) | 12 | Meter | 750-mm Type B Alternate Pipe | | | |
| 1120 | 907-605-AA001 | (S) | 1,000 | Square Meter | Geotextile Fabric for Subsurface Drainage (Type V) | | | |
| 1130 | 907-606-E003 | | 4 | Each | Guard Rail, Terminal End Section, Flared | | | |
| 1140 | 907-619-A1010 | | 71 | Kilometer | Temporary Traffic Stripe (Continuous White) | | | |
| 1150 | 907-619-A2010 | | 56 | Kilometer | Temporary Traffic Stripe (Continuous Yellow) | | | |
| 1160 | 907-619-A3005 | | 30 | Kilometer | Temporary Traffic Stripe (Skip White) | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|---------------|----------|----------|--------------|--|------------|------------|
| 1170 | 907-619-A4005 | | 9 | Kilometer | Temporary Traffic Stripe (Skip Yellow) | | |
| 1180 | 907-619-A6009 | | 428 | Meter | Temporary Traffic Stripe (Legend) | | |
| 1190 | 907-619-C7001 | | 973 | Each | Two-Way Yellow Reflective High Performance Raised Marker | | |
| 1200 | 907-619-K4001 | | 2 | Each | Installation and Removal of Guardrail (Terminal End Section) | | |
| 1210 | 907-619-L001 | | 1,200 | Meter | Construction Safety Fence | | |
| 1220 | 907-626-AA003 | | 30 | Kilometer | 150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min) | | |
| 1230 | 907-626-CC006 | | 36 | Kilometer | 150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min) | | |
| 1240 | 907-626-EE004 | | 7 | Kilometer | 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min) | | |
| 1250 | 907-626-FF007 | | 23 | Kilometer | 150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (150-mm min.) | | |
| 1260 | 907-626-GG005 | | 5,786 | Meter | 150-mm Thermoplastic Detail Stripe (White) (3.00-mm min) | | |
| 1270 | 907-626-GG006 | | 10,841 | Meter | 150-mm Thermoplastic Detail Stripe (Yellow) (3.00-mm min) | | |
| 1280 | 907-626-H001 | | 3 | Square Meter | Thermoplastic Legend (White)(3.00-mm min.) | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|------------------------------------|---------------|----------|----------|--------------|--|------------|-----|------------|--|
| 1290 | 907-626-H002 | | 428 | Meter | Thermoplastic Legend (White)(3.00-mm min.) | | | | |
| 1300 | 907-627-J001 | | 100 | Each | Two-Way Clear Reflective High Performance Raised Markers | | | | |
| 1310 | 907-627-K001 | | 2,106 | Each | Red-Clear Reflective High Performance Raised Markers | | | | |
| 1320 | 907-627-L001 | | 190 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | | | |
| 1330 | 907-628-II001 | | 494 | Meter | 150-mm High Performance Cold Plastic Traffic Stripe (Skip White) | | | | |
| 1340 | 907-628-KK001 | | 494 | Meter | 150-mm High Performance Cold Plastic Edge Stripe (Continuous White) | | | | |
| 1350 | 907-628-NN001 | | 494 | Meter | 150-mm High Performance Cold Plastic Edge Stripe (Continuous Yellow) | | | | |
| 1360 | 907-699-A001 | | 1 | Lump Sum | Roadway Construction Stakes | XXXXXXXX | XXX | | |
| 1370 | 907-815-F002 | (S) | 210 | Metric Ton | Sediment Control Stone | | | | |
| ALTERNATE GROUP AA NUMBER 1 | | | | | | | | | |
| 1380 | 907-308-A001 | | 1,925 | Metric Ton | Portland Cement | | | | |
| 1390 | 907-308-B003 | (M) | 213,017 | Square Meter | Soil-Cement-Water Mixing, (Optional Mixers) | | | | |
| ALTERNATE GROUP AA NUMBER 2 | | | | | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|------------------------------------|--------------|----------|----------|--------------|--|------------|--|------------|--|
| 1400 | 907-311-A008 | (M) | 213,017 | Square Meter | Processing Lime and Fly Ash Treated Course, 150 mm Thick | | | | |
| 1410 | 907-311-B001 | | 1,536 | Metric Ton | Lime | | | | |
| 1420 | 907-311-C003 | | 6,143 | Metric Ton | Fly Ash, Class C or F | | | | |
| ALTERNATE GROUP BB NUMBER 1 | | | | | | | | | |
| 1430 | 907-308-A001 | | 3,924 | Metric Ton | Portland Cement | | | | |
| 1440 | 907-308-B002 | (M) | 315,822 | Square Meter | Soil-Cement-Water Mixing, (Optional Mixers) (Base) | | | | |
| ALTERNATE GROUP BB NUMBER 2 | | | | | | | | | |
| 1450 | 907-311-A008 | (M) | 315,822 | Square Meter | Processing Lime and Fly Ash Treated Course, 150 mm Thick | | | | |
| 1460 | 907-311-B001 | | 2,277 | Metric Ton | Lime | | | | |
| 1470 | 907-311-C003 | | 9,108 | Metric Ton | Fly Ash, Class C or F | | | | |
| Bridge Items | | | | | | | | | |
| 1480 | 805-A001 | (S) | 130,734 | Kilogram | Reinforcement | | | | |
| 1490 | 813-A001 | (S) | 468 | Meter | Concrete Railing | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|--------------|---|------------|----|------------|----|
| 1500 | 815-A007 | (S) | 911 | Metric Ton | Loose Riprap, (Size 136 kg) | | | | |
| 1510 | 907-501-K001 | | 5,054 | Square Meter | Transverse Grooving | | | | |
| 1520 | 907-803-A001 | (S) | 2 | Each | Test Pile | | | | |
| 1530 | 907-803-B002 | (S) | 1 | Each | Conventional Static Pile Load Test | 5,000. | 00 | 5,000. | 00 |
| 1540 | 907-803-D001 | (S) | 401 | Meter | HP 310 x 79 Steel Piling | | | | |
| 1550 | 907-803-D002 | (S) | 618 | Meter | HP 360 x 108 Steel Piling | | | | |
| 1560 | 907-803-M006 | (S) | 71 | Meter | Drilled Shaft (1800-mm Diameter) | | | | |
| 1570 | 907-803-O008 | (S) | 22 | Meter | Trial Shaft, 1800-mm Diameter | | | | |
| 1580 | 907-803-R009 | (S) | 71 | Meter | Temporary Casing (1800-mm Diameter) | | | | |
| 1590 | 907-804-A001 | (S) | 1,149 | Cubic Meter | Bridge Concrete (Class AA) | | | | |
| 1600 | 907-804-C077 | (S) | 713 | Meter | 24-m Prestressed Concrete Beams, Type III | | | | |
| 1610 | 907-804-C128 | (S) | 566 | Meter | 38-m Prestressed Concrete Beam (Type BT-1830) | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|--------------|--------------------------------|------------|--|------------|--|
| 1620 | 907-810-A001 | (S) | 8,785 | Kilogram | Structural Steel | | | | |
| 1630 | 907-815-E001 | (S) | 402 | Square Meter | Geotextile Fabric under Riprap | | | | |

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER