


Proposal & Plan Sales Will Begin on October 6, 2008



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for October – October 26, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR OCTOBER - Tuesday, October 28, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 06, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	NH-0015-03(008)NPH3 /102668302	Wayne
02	IM-0055-02(195) N / 104153301 & IM-0020-01(185) N / 104153302	Hinds
03	IM-0059-02(093) N / 104437301	Jones
04	STP-0000-05(003) MP/ 104756303	District 5
05	BR-0008-01(084) / 100677302	Forrest
06	HSIP-1164-00(013) / 104654301	Lamar
07	SP-0006-01(087) / 104969304 & SP-0006-01(087) / 104969305	Pontotoc & Union

Paving US Highway 84 from Waynesboro to the Alabama State Line, known as Federal Aid Project No. NH-0015-03(008)NPH3 / 102668302, in the County of Wayne, State of Mississippi.

PROJECT COMPLETION: 402 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Hectare	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
65,255	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
310	Meter	202-B066	Removal of Pipe (200-mm and above)
5	Each	202-B099	Removal of Inlet and Junction Box (All Types & Sizes)
236	Meter	202-B103	Removal of Guard Rail
10	Each	202-B106	Removal of Pipe Headwall (All Sizes)
296	Square Meter	202-B164	Removal of Bridge End Pavement, Overlaid With Variable Depth Asphalt
92,926	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
2,365	Cubic Meter	206-A001	Structure Excavation
20	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
137,043	Square Meter	211-A001	Topsoil for Slope Treatment (From Right-of-Way)
28	Metric Ton	213-C001	Superphosphate
3,123	Square Meter	216-A001	Solid Sodding
197	thousand liter	219-A001	Watering
14	Hectare	220-A001	Insect Pest Control
723	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
200	Bale	235-A001	Temporary Erosion Checks
35	Each	236-A001	Silt Basin (Type A)
4	Each	236-A004	Silt Basin (Type D)
4,000	Meter	239-A001	Temporary Slope Drains
34,367	Cubic Meter	304-C029	Granular Material (AEA) (Class 6, Group D)
86,834	Cubic Meter	304-C043	Granular Material (AEA) (Class 9, Group C)
4,540	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
50	Meter	501-E001	Expansion Joints (Without Dowels)
296	Square Meter	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)
7,136	Kilogram	602-A001	Reinforcing Steel
94	Meter	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
302	Meter	603-C-A091	600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
53	Meter	603-C-A092	750-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
50	Meter	603-C-A093	900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
33	Meter	603-C-A096	1350-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
28	Meter	603-C-A099	900-mm Reinforced Concrete Pipe, Class IV (Rubber Type Gaskets)
27	Meter	603-C-A113	600-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets)
38	Meter	603-C-A114	750-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets)
39	Meter	603-C-A115	1500-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets)
28	Meter	603-C-A117	1350-mm Reinforced Concrete Pipe, Class V, Rubber Type Gaskets
39	Meter	603-C-A118	1500-mm Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
30	Meter	603-C-A127	750-mm Reinforced Concrete Pipe, Class V, Class B Bedding, Imperfect Trench, Rubber Type Gaskets

Call No. 01 for the October 28, 2008 Letting

1	Each	603-C-B001	450-mm Reinforced Concrete End Section
13	Each	603-C-B002	600-mm Reinforced Concrete End Section
6	Each	603-C-B003	750-mm Reinforced Concrete End Section
2	Each	603-C-B004	900-mm Reinforced Concrete End Section
2	Each	603-C-B007	1350-mm Reinforced Concrete End Section
2	Each	603-C-B008	1500-mm Reinforced Concrete End Section
805	Kilogram	604-B001	Gratings
500	Meter	605-O003	150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
200	Meter	605-P003	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5)
900	Cubic Meter	605-W001	Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)
900	Cubic Meter	605-W002	Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)
214	Meter	606-B003	Guard Rail (Class A, Type 1), Metal Post
4	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
945	Meter	609-D002	Combination Concrete Curb and Gutter Type 2
149	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
28	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
41	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
259	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
2	Each	619-E1001	Flashing Arrow Panel (Type C)
4	Each	619-F3004	Delineators (Guard Rail) (White)
738	Meter	619-G4005	Barricades (Type III) (Double Faced)
901	Each	619-G5001	Free Standing Plastic Drums
74	Each	619-G7001	Warning Lights (Type "B")
23	Meter	619-K1001	Installation and Removal of Guard Rail (Type I)(Class A)
2	Each	619-K2002	Installation and Removal of Guard Rail (Type I Bridge End Section)
	Lump Sum	620-A001	Mobilization
24	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
75	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
14	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
461	Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
19	Meter	630-D004	Structural Steel Beams (W150 x 14)
33	Kilogram	630-E001	Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
219	Kilogram	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)
14	Each	630-F001	Delineators (Guard Rail)(White)
14	Each	630-F002	Delineators (Guard Rail)(Yellow)
26	Each	630-F003	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Green)
26	Each	630-F004	Delineators (Flexible Post Mounted)(Crossover)(Type I)(Yellow)
40	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
4	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
66	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
1,240	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
476,499	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
68,955	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
79,002	Cubic Meter	907-203-EX005	Borrow Excavation (AH)(FME) (Class B9-6)

Call No. 01 for the October 28, 2008 Letting

5,000	Cubic Meter	907-203-EX012	Borrow Excavation (AH)(LVM) (Class B9)
784	Square Meter	907-217-A001	Ditch Liner
28	Hectare	907-223-A001	Mowing
28	Hectare	907-225-A001	Grassing
184	Metric Ton	907-225-B001	Agricultural Limestone
3	Hectare	907-226-A002	Temporary Grassing
85	Each	907-230-B063	Tree Planting (Southern Magnolia) (Claudia Wannamaker)
20,000	Meter	907-234-A002	Temporary Silt Fence
35	Each	907-234-D001	Inlet Siltation Guard
71	Each	907-236-B001	Maintenance and Removal of Existing Silt Basins (Type A)
17	Each	907-236-B004	Maintenance and Removal of Existing Silt Basins (Type D)
13,950	Meter	907-237-A001	Wattles
700	Cubic Meter	907-304-I010	Granular Material (LVM) (RAP)
213,017	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
3,072	Metric Ton	907-307-D001	Lime
22	Kilometer	907-321-A001	150-mm In-Grade Preparation
32,701	Metric Ton	907-403-A005	Hot Mix Asphalt, MT, 9.5-mm mixture
38,264	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
53,269	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
64	Kilometer	907-423-A001	Rumble Strips (Ground In)
296	Square Meter	907-501-K001	Transverse Grooving
70	Cubic Meter	907-601-A001	Class "B" Structural Concrete
18	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
146	Meter	907-603-ALT05	600-mm Type A Alternate Pipe
74	Meter	907-603-ALT06	600-mm Type B Alternate Pipe
12	Meter	907-603-ALT10	750-mm Type B Alternate Pipe
1,000	Square Meter	907-605-AA001	Geotextile Fabric for Subsurface Drainage (Type V)
4	Each	907-606-E003	Guard Rail, Terminal End Section, Flared
71	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
56	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
30	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
9	Kilometer	907-619-A4005	Temporary Traffic Stripe (Skip Yellow)
428	Meter	907-619-A6009	Temporary Traffic Stripe (Legend)
973	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	907-619-K4001	Installation and Removal of Guardrail (Terminal End Section)
1,200	Meter	907-619-L001	Construction Safety Fence
30	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
36	Kilometer	907-626-CC006	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (1.50-mm min)
7	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
23	Kilometer	907-626-FF007	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (150-mm min.)
5,786	Meter	907-626-GG005	150-mm Thermoplastic Detail Stripe (White) (3.00-mm min)
10,841	Meter	907-626-GG006	150-mm Thermoplastic Detail Stripe (Yellow) (3.00-mm min)
3	Square Meter	907-626-H001	Thermoplastic Legend (White)(3.00-mm min.)
428	Meter	907-626-H002	Thermoplastic Legend (White)(3.00-mm min.)
100	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers

Call No. 01 for the October 28, 2008 Letting

2,106	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
190	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
494	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
494	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
494	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
210	Metric Ton	907-815-F002	Sediment Control Stone
ALTERNATE GROUP AA NO. 1			
1,925	Metric Ton	907-308-A001	Portland Cement
213,017	Square Meter	907-308-B003	Soil-Cement-Water Mixing, (Optional Mixers)
ALTERNATE GROUP AA NO. 2			
213,017	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
1,536	Metric Ton	907-311-B001	Lime
6,143	Metric Ton	907-311-C003	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
3,924	Metric Ton	907-308-A001	Portland Cement
315,822	Square Meter	907-308-B002	Soil-Cement-Water Mixing, (Optional Mixers) (Base)
ALTERNATE GROUP BB NO. 2			
315,822	Square Meter	907-311-A008	Processing Lime and Fly Ash Treated Course, 150 mm Thick
2,277	Metric Ton	907-311-B001	Lime
9,108	Metric Ton	907-311-C003	Fly Ash, Class C or F
Bridge Items			
130,734	Kilogram	805-A001	Reinforcement
468	Meter	813-A001	Concrete Railing
911	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
5,054	Square Meter	907-501-K001	Transverse Grooving
2	Each	907-803-A001	Test Pile
1	Each	907-803-B002	Conventional Static Pile Load Test
401	Meter	907-803-D001	HP 310 x 79 Steel Piling
618	Meter	907-803-D002	HP 360 x 108 Steel Piling
71	Meter	907-803-M006	Drilled Shaft (1800-mm Diameter)
22	Meter	907-803-O008	Trial Shaft, 1800-mm Diameter
71	Meter	907-803-R009	Temporary Casing (1800-mm Diameter)
1,149	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
713	Meter	907-804-C077	24-m Prestressed Concrete Beams, Type III
566	Meter	907-804-C128	38-m Prestressed Concrete Beam (Type BT-1830)
8,785	Kilogram	907-810-A001	Structural Steel
402	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Milling and overlaying of I-55 from McDowell Road to I-20 and I-20 from Gibraltar St. to the Rankin County Line, known as Federal Aid Project Nos. IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: October 22, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

12 Acre	201-B001	Clearing and Grubbing
345 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
180 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
650 Square Yard	202-B025	Removal of Concrete Paved Ditch(ALL DEPTHS) (ALL TYPES)
655 Square Yard	202-B036	Removal of Concrete Slope Paving
18,700 Linear Feet	202-B041	Removal of Fence, All Types
60,334 Linear Feet	202-B076	Removal of Traffic Stripe(ALL TYPES)
123 Square Yard	202-B084	Removal of Base (ALL DEPTHS)
1,200 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
5,725 Linear Feet	202-B102	Removal of Guard Rail(ALL TYPES) (INCLUDE ANCHOR, POSTAND RAIL)
1,310 Square Yard	202-B119	Removal of Concrete Pavement, Continuous Reinforcement, AllDepths
162 Square Yard	202-B120	Removal of Concrete Pavement, Conventional Reinforcement, All Depths
2 Each	202-B189	Removal of Impact Attenuator(ALL TYPES)
9,000 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
400 Cubic Yard	203-G004	Excess Excavation, LVM, AH
325 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
53,240 Square Yard	212-B001	Standard Ground Preparation
7 Ton	213-B001	Combination Fertilizer, 13-13-13
7 Ton	213-C001	Superphosphate
220 Pounds	214-A002	Seeding, Bermudagrass
220 Pounds	214-A003	Seeding, Tall Fescue
220 Pounds	214-A004	Seeding, Crimson Clover
22 Ton	215-A001	Vegetative Materials for Mulch
350 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
75 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4,400 Linear Feet	234-A001	Temporary Silt Fence
75 Bale	235-A001	Temporary Erosion Checks
400 Linear Feet	239-A001	Temporary Slope Drains
7,829 Ton	304-B023	Granular Material, Class 5, Group C
30,003 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
17,325 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
76,000 Linear Feet	413-B001	Cleaning and Sealing Joints
10 Mile	423-A001	Rumble Strips, Ground In
120 Linear Feet	501-D001	Expansion Joints, With Dowels
162 Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
1,310 Square Yard	503-A007	9" and Variable Continuously Reinforced Concrete Pavement, Broom Finish

Call No. 02 for the October 28, 2008 Letting

1,155	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,252	Linear Feet	503-C002	Saw Cut, 3-inch
2,292	Linear Feet	503-C007	Saw Cut, Full Depth
126	Cubic Yard	503-D001	Concrete for Base Repair
540	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
84	Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
3,650	Linear Feet	508-A001	Silicone Sealed Joints
1,250	Each	512-A001	Holes
76	Pounds	512-C002	Calcium Chloride
4	Mile	512-D001	Preliminary Testing
2,280	Pounds	602-A001	Reinforcing Steel
4,075	Linear Feet	606-B001	Guard Rail, Class A, Type 1
825	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post(EIGHT FOOT)
119	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
4	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
5	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
5	Each	606-D001	Guard Rail, Bridge End Section, Type A
5	Each	606-D002	Guard Rail, Bridge End Section, Type C
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
3	Each	606-E002	Guard Rail, Terminal End Section, Flared
13	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4,000	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
300	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
100	Each	607-P2009	Brace Post, 8' x 2 1/2" Galvanized Steel
325	Linear Feet	609-B001	Concrete Curb, Header
235	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
750	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
162	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
22	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
82	Mile	619-A3006	Temporary Traffic Stripe, Skip White
195,672	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,912	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,808	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Linear Feet	619-F1009	Portable Median Barrier, 60 MPH
8,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
106	Each	619-F3003	Delineators, Guard Rail, Yellow
83	Each	619-F3004	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
6,129	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
56	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 02 for the October 28, 2008 Letting

9,788	Linear Feet	628-G001	6" Cold Plastic Detail Stripe, White
6	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
7	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
7	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
2	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
50	Each	630-F008	Delineators, Post Mounted, Double White
50	Each	630-F009	Delineators, Post Mounted, Double Yellow
41	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,048	Linear Feet	808-A001	Joint Preparation
5,400	Ton	815-A009	Loose Riprap, Size 300
81	Cubic Yard	815-D001	Concrete Slope Paving
	Lump Sum	816-A001	Maintenance Painting of Metal Structures
34	Ton	907-213-A001	Agricultural Limestone
91	Ton	907-304-F003	3/4" and Down Crushed Stone Base
5,316	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,440	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
5,856	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
31,235	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
9,760	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
42,994	Square Yard	907-410-D001	High Friction Surface Treatment
4,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
680	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
20	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
16	Each	907-619-E3001	Changeable Message Sign
27	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
63,375	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,849	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,304	Linear Feet	907-626-H004	Thermoplastic Legend, White
936	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-687-A014	Loop, Sensor, Loop ATR Station
13	Each	907-687-B004	Loop, Sensor, Loop Short Term Permanent Station,
334	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
334	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
422	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans

Overlay of I-59 from Moselle to Rocky Creek, known as Federal Aid Project No. IM-0059-02(093) N / 104437301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 113 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

620	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
124	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
2	Each	202-B042	Removal of Flared End Section, All Sizes
5	Each	202-B057	Removal of Inlets, All Sizes
960	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B079	Removal of Headwall
620	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
14,694	Linear Feet	202-B102	Removal of Guard Rail
4	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
1,000	Cubic Yard	203-A002	Unclassified Excavation, LVM
57,385	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
164	Cubic Yard	206-A001	Structure Excavation
83	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10	Ton	213-C001	Superphosphate
20	Acre	220-A001	Insect Pest Control
95	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,000	Linear Feet	234-A001	Temporary Silt Fence
27,059	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
9,051	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
27	Mile	423-A001	Rumble Strips, Ground In
620	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
465	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
744	Linear Feet	503-C002	Saw Cut, 3-inch
744	Linear Feet	503-C005	Saw Cut, 8-inch
52	Cubic Yard	503-D001	Concrete for Base Repair
310	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
27,464	Pounds	602-A001	Reinforcing Steel
40	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
4,478	Pounds	604-B001	Gratings
8,613	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
250	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
4	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
8	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
21	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
25	Each	606-E002	Guard Rail, Terminal End Section, Flared

Call No. 03 for the October 28, 2008 Letting

50	Each	607-P1024	Line Post, 5.5' Tee Post Steel
6	Each	613-D004	Adjustment of Inlet
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,300	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
80	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
80	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,120	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
480	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
480	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
231	Each	630-F001	Delineators, Guard Rail, White
27	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
20	Acre	907-225-A001	Grassing
60	Ton	907-225-B001	Agricultural Limestone
940	Each	907-230-A086	Shrub Planting, Wax Leaf Privet
40	Each	907-230-B011	Tree Planting, Southern Magnolia
20	Each	907-230-B015	Tree Planting, American Holly
40	Each	907-230-B034	Tree Planting, Tulip Poplar
40	Each	907-230-B047	Tree Planting, Live Oak
20	Each	907-230-B061	Tree Planting, Leyland Cypress
40	Each	907-230-B068	Tree Planting, Green Ash
40	Each	907-230-B073	Tree Planting, Sugar Maple
40	Each	907-230-B074	Tree Planting, Red Hickory
20	Each	907-230-B076	Tree Planting, Savannah Holly
40	Each	907-230-B077	Tree Planting, Sawtooth Oak
40	Each	907-230-B078	Tree Planting, Flowering Dogwood
40	Each	907-230-B079	Tree Planting, Shagbark Hickory
9,000	Linear Feet	907-237-A001	Wattles
12,655	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
9,708	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
13,627	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
24,850	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
18,637	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
167	Cubic Yard	907-601-A001	Class "B" Structural Concrete
14	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
30	Linear Feet	907-605-I001	Edge Drain Outlets/Vents

Call No. 03 for the October 28, 2008 Letting

17 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
675 Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
12,130 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,624 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
303 Linear Feet	907-626-H004	Thermoplastic Legend, White

Installation of raised pavement markers in various locations of District 5, known as Federal Aid Project No. STP-0000-05(003) MP / 104756303, in District 5, State of Mississippi.

PROJECT COMPLETION: June 12, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
6,418 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,930 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
24,680 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge replacement on US Hwy. 49 across Myers Creek, known as Federal Aid Project No. BR-0008-01(084) / 100677302, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 200 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
6,338 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B009	Removal of Bridge
92 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,420 Linear Feet	202-B076	Removal of Traffic Stripe
5,354 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
432 Linear Feet	202-B102	Removal of Guard Rail
6,937 Cubic Yard	203-A001	Unclassified Excavation, FM
23,110 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
2,132 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
11,089 Cubic Yard	203-G003	Excess Excavation, FM, AH
7,483 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
445 Square Yard	216-A001	Solid Sodding
667 Square Yard	217-A001	Ditch Liner
9 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
86 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,228 Linear Feet	234-A001	Temporary Silt Fence
1,502 Bale	235-A001	Temporary Erosion Checks
4,557 Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
1,094 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,187 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
1 Mile	423-A001	Rumble Strips, Ground In
190 Linear Feet	501-E001	Expansion Joints, Without Dowels
387 Square Yard	501-K001	Transverse Grooving
400 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
318 Pounds	602-A001	Reinforcing Steel
152 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
40 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	618-C001	Construction & Removal of Detour Bridge
2,268 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,420 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,202 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
921 Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape

Call No. 05 for the October 28, 2008 Letting

1,214	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
84	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
92	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
400	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
120	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
64	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
364	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
362	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
362	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
56	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
228	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
50	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
31	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
54	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
32	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
59	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
74	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
30	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
11	Acre	907-225-A001	Grassing
21	Ton	907-225-B001	Agricultural Limestone
2,184	Ton	907-304-F001	Size 825 Crushed Stone Base
641	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,411	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
478	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,206	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
448	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
9	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

Bridge Items

1,227	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test

Call No. 05 for the October 28, 2008 Letting

1,560	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,290	Linear Feet	803-D003	HP 14 x 73 Steel Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
95,209	Pounds	805-A001	Reinforcement
559	Linear Feet	813-A001	Concrete Railing
836	Ton	815-A009	Loose Riprap, Size 300
518	Square Yard	815-E001	Geotextile under Riprap
548	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,652	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Installing a traffic signal on MS 589 at Old Hwy. 24, known as Federal Aid Project No. HSIP-1164-00(013) / 104654301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: July 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
153 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
248 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
528 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
20 Each	202-B069	Removal of Sign
10,615 Linear Feet	202-B076	Removal of Traffic Stripe
1,997 Square Yard	202-B078	Removal of Pavement, All Types and Depths
172 Linear Feet	202-B106	Removal of Pipe, All Sizes
7 Each	202-B152	Removal of Right-Of-Way Marker
16,231 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
290 Cubic Yard	203-G003	Excess Excavation, FM, AH
567 Cubic Yard	206-A001	Structure Excavation
8,346 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
25,168 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
25,168 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
130 Pounds	214-A001	Seeding, Bahiagrass
52 Pounds	214-A002	Seeding, Bermudagrass
39 Pounds	214-A003	Seeding, Tall Fescue
104 Pounds	214-A004	Seeding, Crimson Clover
104 Pounds	214-A005	Seeding, Sericea Lespedeza
13 Ton	215-A001	Vegetative Materials for Mulch
158 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
22 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
2,827 Linear Feet	234-A001	Temporary Silt Fence
186 Bale	235-A001	Temporary Erosion Checks
500 Linear Feet	239-A001	Temporary Slope Drains
1,271 Ton	304-B043	Granular Material, Class 9, Group C
1,048 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
2,926 Pounds	602-A001	Reinforcing Steel
664 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
4 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB003	30" Reinforced Concrete End Section

Call No. 06 for the October 28, 2008 Letting

1	Each	603-CB006	48" Reinforced Concrete End Section
40	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
553	Pounds	604-A001	Castings
621	Linear Feet	609-B003	Concrete Curb, Special Design
665	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,145	Linear Feet	609-D016	Combination Concrete Curb and Gutter Type 3 Modified
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
430	Square Yard	614-B001	Concrete Driveway, With Reinforcement
100	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
14	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
7,628	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,814	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
6,071	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
12,430	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,520	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
20,668	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
3,058	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
1,227	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
527	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
831	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
42	Square Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 Tape
42	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
159	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
96	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
460	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
95	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
86	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
211	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
102	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
31	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
42	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
1,020	Linear Feet	635-A001	Vehicle Loop Assemblies
1,450	Linear Feet	636-A003	Shielded Cable, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	647-A001	Pullbox, Type 1
4	Each	647-A005	Pullbox, Type 2
735	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
130	Linear Feet	666-B031	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
935	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"

Call No. 06 for the October 28, 2008 Letting

90	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
75	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
205	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
105	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
10	Ton	907-213-A001	Agricultural Limestone
400	Linear Feet	907-237-A001	Wattles
2,817	Ton	907-304-F001	Size 825 Crushed Stone Base
2,689	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,156	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,683	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
430	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
32	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
204	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
9	Each	907-617-A001	Right-of-Way Marker
1,521	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
4,731	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
720	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3,329	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,689	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,289	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
697	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,006	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
15	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
60	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A

Construction of a Collector/Distributor Road and Frontage Road on US 78 between Blue Springs and Sherman Interchanges, known as State Project No. SP-0006-01(087) / 104969304 & 305, in the Counties of Union and Pontotoc, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8,375 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
112 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
11 Each	202-B019	Removal of Concrete Headwall
1,080 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
336 Square Yard	202-B025	Removal of Concrete Paved Ditch
1,157 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,123 Square Yard	202-B036	Removal of Concrete Slope Paving
9,512 Linear Feet	202-B041	Removal of Fence, All Types
1 Each	202-B057	Removal of Inlets, All Sizes
264 Linear Feet	202-B064	Removal of Pipe, 8" And Above
346 Each	202-B066	Removal of Raised Reflective Pavement Marker
3 Each	202-B069	Removal of Sign
12 Each	202-B070	Removal of Sign Including Post & Footing
2,329 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
752 Linear Feet	202-B102	Removal of Guard Rail
7 Each	202-B107	Removal of Sign, Ground Mounted with Posts
2 Each	202-B142	Removal of Junction Box
2 Mile	202-B149	Removal of Traffic Stripe
1 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
793,478 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
194,843 Cubic Yard	203-G001	Excess Excavation, FM
1,316 Cubic Yard	206-A001	Structure Excavation
36 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,852 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
166,406 Square Yard	212-A001	Light Ground Preparation
332,812 Square Yard	212-B001	Standard Ground Preparation
43 Ton	213-B001	Combination Fertilizer, 13-13-13
34 Ton	213-C001	Superphosphate
1,719 Pounds	214-A001	Seeding, Bahiagrass
1,375 Pounds	214-A002	Seeding, Bermudagrass
1,719 Pounds	214-A003	Seeding, Tall Fescue
690 Pounds	214-A004	Seeding, Crimson Clover
860 Pounds	214-A005	Seeding, Sericea Lespedeza
688 Pounds	214-A014	Seeding, Browntop Millet
3,094 Pounds	214-A015	Seeding, Oats
860 Pounds	214-A017	Seeding, Rye Grass
172 Ton	215-A001	Vegetative Materials for Mulch
5,852 Square Yard	216-A001	Solid Sodding
2,490 Square Yard	217-A001	Ditch Liner
117 Thousand	219-A001	Watering

Call No. 07 for the October 28, 2008 Letting

	Gallon		
35	Acre	220-A001	Insect Pest Control
998	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,288	Square Yard	224-A001	Soil Reinforcing Mat
3,482	Linear Feet	234-A001	Temporary Silt Fence
2,736	Bale	235-A001	Temporary Erosion Checks
10	Each	236-A004	Silt Basin, Type D
446	Linear Feet	239-A001	Temporary Slope Drains
1,140	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
27,743	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
4	Mile	321-A001	6" In-Grade Preparation
5,681	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,600	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
33,310	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5	Mile	423-A001	Rumble Strips, Ground In
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
200	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
112	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
72	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
204	Linear Feet	503-C002	Saw Cut, 3-inch
228	Linear Feet	503-C007	Saw Cut, Full Depth
25	Cubic Yard	503-D001	Concrete for Base Repair
58	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
36,288	Pounds	602-A001	Reinforcing Steel
200	Linear Feet	603-A028	24" Steel Pipe, Wall Thickness 0.375"
204	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,192	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
108	Linear Feet	603-CA055	48" Reinforced Concrete Pipe, Class V, Class B Bedding
164	Linear Feet	603-CA085	30" Reinforced Concrete Pipe, Class IV, Class C Bedding
180	Linear Feet	603-CA086	36" Reinforced Concrete Pipe, Class IV, Class C Bedding
68	Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
4	Each	603-CB001	18" Reinforced Concrete End Section
15	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
344	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
76	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
5	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
3,158	Pounds	604-A001	Castings

Call No. 07 for the October 28, 2008 Letting

4,700 Pounds	604-B001	Gratings
1,063 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
90 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
98 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,075 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
6 Each	606-E002	Guard Rail, Terminal End Section, Flared
33,480 Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
2,300 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
2 Each	607-G001	Gate, 12' x 52" Aluminum
94 Each	607-P1002	Line Post, 10' x 4" Timber
155 Each	607-P1005	Line Post, 10' x 4" x 4" Concrete
12 Each	607-P1012	Line Post, 14' x 2" Galvanized Steel
1,160 Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
231 Each	607-P1017	Line Post, 9' x 4" x 4" Concrete
717 Each	607-P1020	Line Post, 7' x 4" Timber
144 Each	607-P1021	Line Post, 9' x 4" Timber
64 Each	607-P2001	Brace Post, 8' x 6" Timber
13 Each	607-P2002	Brace Post, 10' x 6" Timber
9 Each	607-P2003	Brace Post, 12' x 6" Timber
152 Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
30 Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete
20 Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete
4,238 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
2,495 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
278 Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
1,745 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
84 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
60,082 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
62,655 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,907 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
64 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
100 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
234 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,041 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
520 Linear Feet	619-F1001	Concrete Median Barrier, Precast
148 Linear Feet	619-G4001	Barricades, Type III, Single Faced
90 Linear Feet	619-G4005	Barricades, Type III, Double Faced
169 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
984 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
332 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
456 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White

Call No. 07 for the October 28, 2008 Letting

684	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
684	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
32	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
144	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
396	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
746	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
359	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
26	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
462	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
96	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
47	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
49	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
49	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
174	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
253	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
551	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
22	Each	630-F002	Delineators, Guard Rail, Yellow
82	Each	630-F006	Delineators, Post Mounted, Single White
47	Each	630-F007	Delineators, Post Mounted, Single Yellow
122	Each	630-F008	Delineators, Post Mounted, Double White
11	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
72	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
293	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
277	Cubic Yard	631-A001	Flowable Fill
277	Linear Feet	635-A001	Vehicle Loop Assemblies
1,978	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	639-A122	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
10	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A016	Traffic Signal Heads, Type 1 LEDOPTICAL PROGRAM
4	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
14	Each	647-A001	Pullbox, Type 1
9	Each	647-A005	Pullbox, Type 2
5	Each	649-A002	Video Vehicle Detection, New Installation, 1 Camera
1,548	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,904	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor

Call No. 07 for the October 28, 2008 Letting

3,430	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
189	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
258	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
353	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
2,580	Ton	815-A009	Loose Riprap, Size 300
704	Square Yard	815-E001	Geotextile under Riprap
410	Ton	815-F002	Sediment Control Stone
206	Ton	907-213-A001	Agricultural Limestone
30	Each	907-234-D001	Inlet Siltation Guard
30	Each	907-234-E001	Reset Inlet Siltation Guard
27,093	Ton	907-304-F003	3/4" and Down Crushed Stone Base
84	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
69,304	Square Yard	907-307-C005	8" Soil-Lime-Water Mixing, Class C
1,247	Ton	907-307-D001	Lime
1,731	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
6,856	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,477	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,464	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
8,643	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,092	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,499	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
11,851	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
11,695	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,939	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
172	Cubic Yard	907-601-A001	Class "B" Structural Concrete
75	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2	Each	907-619-E3001	Changeable Message Sign
20,808	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,056	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
30,640	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,531	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
30,525	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
22,270	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,638	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
892	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,340	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
41	Each	907-630-O003	Remove and Reset Sign, All Sizes

Bridge Items

1,014	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test
1,530	Linear Feet	803-D002	HP 12 x 53 Steel Piling

Call No. 07 for the October 28, 2008 Letting

1,360	Linear Feet	803-F005	18" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
95	Linear Feet	803-O008	Temporary Casing, 48" Diameter
95,749	Pounds	805-A001	Reinforcement
456	Linear Feet	813-A001	Concrete Railing
525	Cubic Yard	815-D001	Concrete Slope Paving
190	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
46	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
475	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
494	Linear Feet	907-804-C168	71' Prestressed Concrete Beam, Type IV
653	Linear Feet	907-804-C169	94' Prestressed Concrete Beam, Type IV
438	Linear Feet	907-804-C170	63' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR