
Proposal & Plan Sales Will Begin on November 3, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date for November – November 25, 2008



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR NOVEMBER - Tuesday, November 25, 2008

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 03, 2008

Proposals must be purchased from:

Contract Administration Engineer MDOT Administration Building 401 North West Street Jackson, MS 39201 (or) P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 Plans may be purchased from:

MDOT Plans Print Shop MDOT Shop Complex, Building C, Room 114 2567 North West Street Jackson, MS 39216 (or) P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461 or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	IM-0020-01(182)N / 104875301	Hinds
02	STP-0055-01(092) N / 105226301	Lincoln
03	STP-0063-02(025) / 105263301	Forrest
04	STP-0672-00(005) / 105361301	Lowndes
05	SP-0006-01(087) / 104969304 & SP-0006-01(087) / 104969305	Pontotoc & Union
06	BWO-9018-25(005) / 501918301 & BWO-9021-25(006) / 501919301	Hinds
07	BWO-9039-25(001) / 501963301 & BWO-9040-25(001) / 501977301	Hinds
08	HSIP-1164-00(013) / 104654301	Lamar

 $Construction \ necessary \ to \ build \ an \ exit \ ramp \ and \ bridge \ repair \ on \ I-20 \ at \ Gallatin \ Street, \ known \ as \ Federal \ Aid \ Project \ No. \ IM-0020-01(182)N / 104875301, \ in \ the \ County \ of \ Hinds, \ State \ of \ Mississippi.$

PROJECT COMPLETION: August 03, 2009

Advance Information Only - Items and Quantities Subject to Change

5	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
4,405	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
133	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
452	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,490	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,957	Linear Feet	202-B041	Removal of Fence, All Types
9	Each	202-B057	Removal of Inlets, All Sizes
1	Each	202-B061	Removal of Low Mast Lighting Foundation
1,052	Linear Feet	202-B064	Removal of Pipe, 8" And Above
8,500	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B127	Removal of Signs
4,381	Linear Feet	202-B188	Removal of Concrete Curb
1	Each	202-B246	Removal of Bridge End Section Post
5	Each	202-B247	Removal of Pull Box
9,036	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
8,028	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
2,758	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
15,914	Cubic Yard	203-G004	Excess Excavation, LVM, AH
971	Cubic Yard	206-A001	Structure Excavation
2,519	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
12,092	Square Yard	212-A001	Light Ground Preparation
24,184	Square Yard	212-B001	Standard Ground Preparation
3	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-C001	Superphosphate
100	Pounds	214-A002	Seeding, Bermudagrass
100	Pounds	214-A003	Seeding, Tall Fescue
100	Pounds	214-A004	Seeding, Crimson Clover
50	Pounds	214-A014	Seeding, Browntop Millet
225	Pounds	214-A015	Seeding, Oats
62	Pounds	214-A017	Seeding, Rye Grass
12	Ton	215-A001	Vegetative Materials for Mulch
790	Square Yard	216-A001	Solid Sodding
16	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
133	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
1,051	Linear Feet	234-A001	Temporary Silt Fence
120	Bale	235-A001	Temporary Erosion Checks
5,860	Ton	304-B023	Granular Material, Class 5, Group C

4761	T	204 0042	
4,761			Granular Material, Class 9, Group C
	Square Yard		Cold Milling of Bituminous Pavement, All Depths
	Square Yard		Cold Milling of Concrete Pavement, All Depths
ŕ	Pounds		Reinforcing Steel
	Linear Feet		18" Reinforced Concrete Pipe, Class III
	Linear Feet		24" Reinforced Concrete Pipe, Class III
	Linear Feet		30" Reinforced Concrete Pipe, Class III
	Linear Feet		42" Reinforced Concrete Pipe, Class III
	Each		18" Reinforced Concrete End Section
	Each		24" Reinforced Concrete End Section
	Linear Feet		29" x 18" Concrete Arch Pipe, Class A III
	Each		29" x 18" Concrete Arch Pipe End Section
	Pounds	604-A001	-
	Pounds	604-B001	-
	Square Yard		Geotextile for Subsurface Drainage, Type V, Non-Woven
	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
	Linear Feet		Guard Rail, Class A, Type 1
	Each		Guard Rail, Bridge End Section, Type I, Wood Post
	Square Yard		Concrete Sidewalk, Without Reinforcement
	Linear Feet		Concrete Curb, Doweled
	Linear Feet		Combination Concrete Curb and Gutter Type 3B
	Each		Adjustment of Manhole
	Each		Adjustment of Water Valve
	Linear Feet		Precast Concrete Median Barrier
5,911	Square Yard		Concrete Median and/or Island Pavement, 4-inch
10	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum		Maintenance of Traffic
2,931	Linear Feet		Temporary Traffic Stripe, Continuous White
16,271	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2,836	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,628	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
13,165	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
902	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11,440	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
364	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
33	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
477	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
625	Square Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 Tape
156	Each	619-C1001	Red-Clear Reflective Raised Pavement Markers
97	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
862	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
19	Each	619-D3001	Remove and Reset Signs, All Sizes
1,846	Linear Feet	619-F1001	Concrete Median Barrier, Precast
980	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast

0.4	Lincon Foot	(10 C 4001	Demicedes True III Simela Freed
	Linear Feet		Barricades, Type III, Single Faced
	Linear Feet		Barricades, Type III, Single Faced, Permanent
	Linear Feet		Barricades, Type III, Double Faced
	Each		Free Standing Plastic Drums
4	Unit		Impact Attenuator, 50 MPH, Replacement Package
254	Lump Sum		Mobilization
	Each		Red-Clear Reflective High Performance Raised Markers
	Each		Two-Way Yellow Reflective High Performance Raised Markers
	Each		One-Way Clear Reflective High Performance Raised Markers
	Each		One-Way Yellow Reflective High Performance Raised Markers
	Each		Vehicular Impact Attenuator, 50 MPH
183	Square Feet		Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
331	Square Feet		Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
18	Square Feet	630-A003	Mounted
27	Square Feet	630-A004	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness, Overhead Mounted
993	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
761	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
669	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
10	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F007	Delineators, Post Mounted, Single Yellow
4	Each	630-F008	Delineators, Post Mounted, Double White
23	Each	630-F009	Delineators, Post Mounted, Double Yellow
4	Each	630-F013	Delineators, Surface Mounted, White
128	Each	630-F014	Delineators, Surface Mounted, Yellow
44	Each	630-H001	Treated Timber Posts
1,728	Linear Feet	635-A001	Vehicle Loop Assemblies
550	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	640-A003	Traffic Signal Heads, Type 1A
3	Each	640-A016	Traffic Signal Heads, Type 1 LED
3	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	640-A020	Traffic Signal Heads, Type 5R LED
1	Each	640-A041	Traffic Signal Heads, Type 3L A, LED
2	Each	640-A042	Traffic Signal Heads, Type 3R LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
930	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
6	Each	647-A005	Pullbox, Type 2
1,390	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
150	Linear Feet	666-B031	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
240	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
280	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
30	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"

95	Linear Feet		Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
	Linear Feet		Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Linear Feet		Underground Branch Circuit, AWG 1/0, 3 Conductor
	Linear Feet		Underground Branch Circuit, AWG 2, 3 Conductor
	Linear Feet	682-A020	Underground Branch Circuit, AWG 2/0, 3 Conductor
	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
	Linear Feet		Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
	Linear Feet		Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
	Linear Feet	682-B021	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor
	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
15	Each	682-D001	Underground Pull Box
2	Each		Lighting Assembly, Low Mast, Type 40-1-15-250
4	Cubic Yard		Pole Foundation, 24" Diameter
	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Linear Feet	685-A003	Underground Electric Cable, XHHW-2, AWG #2, 3 Conductor
1	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
15	Ton	907-213-A001	Agricultural Limestone
12,928	Square Yard		6" Soil-Lime-Water Mixing, Class C
175	Ton	907-307-D001	Lime
2,457	Ton		Hot Mix Asphalt, HT, 19-mm mixture
305	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
64	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
896	Ton		Hot Mix Asphalt, ST, 19-mm mixture
130	Ton		Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
	Ton		Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
2,022	Ton		Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,237	Ton		Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
	Ton		Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
	Cubic Yard		Class "B" Structural Concrete, Minor Structures
	Linear Feet		6" Perforated Sewer Pipe for Underdrains, SDR 35
	Linear Feet		6" Non-perforated Sewer Pipe for Underdrains, SDR 35
	Linear Feet		6" Thermoplastic Traffic Stripe, Skip White
	Linear Feet		6" Thermoplastic Traffic Stripe, Continuous White
	Linear Feet		6" Thermoplastic Edge Stripe, Continuous White
<i>,</i>	Linear Feet		6" Thermoplastic Traffic Stripe, Continuous Yellow
	Linear Feet		6" Thermoplastic Edge Stripe, Continuous Yellow
	Linear Feet		Thermoplastic Detail Stripe, White
	Linear Feet		Thermoplastic Detail Stripe, Yellow
	Linear Feet	907-626-H004	Thermoplastic Legend, White
591	Square Feet		Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1,195	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
563	Square Feet	907-630-PP009	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Overhead Mounted
178	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground

			Mounted
1	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A045	Traffic Signal Equipment Pole, Type III, 17' Shaft, 30' & 40' Arms
1	Each	907-639-A046	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 45' Arms
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
60	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-653-A001	Traffic Sign, Internally Illuminated Sign
		AL	FERNATE GROUP AA NO. 1
180	Ton	907-308-A001	Portland Cement
15,468	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
		AL	FERNATE GROUP AA NO. 2
15,468	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
119	Ton	907-311-B001	Lime
476	Ton	907-311-C002	Fly Ash, Class C or F
		AL	FERNATE GROUP BB NO. 1
27	Ton	907-308-A001	Portland Cement
3,232	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
		AL	TERNATE GROUP BB NO. 2
3,232	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
22	Ton	907-311-B001	Lime
87	Ton	907-311-C002	Fly Ash, Class C or F
			Bridge Items
5,343	Square Feet	802-A001	Permanent Steel Sheet PilingPZ 27
7,025	Square Feet	802-A001	Permanent Steel Sheet PilingPZ 40
10,268	Pounds	805-A001	Reinforcement
77,320	Pounds	810-A002	Structural Steel, A 709
661	Pounds	810-A005	Structural Steel, A 709, Grade 36
10	Linear Feet	813-D001	Concrete Median Barrier Railing
2,870	Linear Feet	907-803-K002	Drilled Shaft, 30" Diameter
	Linear Feet	907-803-M002	Trial Shaft, 30" Diameter
120	Cubic Yard		Bridge Concrete, Class A
28	Each	907-824-PP095	Bridge Repair, Neoprene Bearing Pads

Installation of roadway lighting on I-55 at Exit 40 in Brookhaven, known as Federal Aid Project No. STP-0055-01(092) N / 105226301, in the County of Lincoln, State of Mississippi.

PROJECT COMPLETION: November 13, 2009

Advance Information Only - Items and Quantities Subject to Change

	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
120	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
6	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
3,320	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
1,967	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
1,335	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
172	Linear Feet	682-A043	Underground Branch Circuit, AWG 3/0, 3 Conductor
268	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
246	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
143	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
28	Linear Feet	682-B041	Underground Branch Circuit, Jacked or Bored, AWG 3/0, 3 Conductor
8	Each	682-D001	Underground Pull Box
1	Each	682-E001	Underground Junction Box
1	Each	682-F001	Secondary Power Controllers
2	Each	683-A062	Lighting Assembly, High Mast, Type 130-4-A
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
9	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
4	Each	683-B069	Lighting Assembly, Low Mast, Type 40-2-12-400
1	Each	683-D001	Portable Electric Power Units
16	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
54	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
26	Linear Feet	684-B006	Slip Casing, 48" Diameter

Construction necessary to put in a traffic signal on SR 42 at Leeville Rd. in Petal, known as Federal Aid Project No. STP-0063-02(025) / 105263301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: March 31, 2009

Advance Information Only - Items and Quantities Subject to Change

			Roadway Items
200	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
874	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
786	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1	Each	202-B057	Removal of Inlets, All Sizes
1,840	Linear Feet	202-B076	Removal of Traffic Stripe
14	Linear Feet	202-B106	Removal of Pipe, All Sizes
518	Cubic Yard	203-A001	Unclassified Excavation, FM
130	Cubic Yard 20	03-EX013	Borrow Excavation, AH, FME, Class B7
4	Cubic Yard	206-A001	Structure Excavation
2,772	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
142	Square Yard	216-A001	Solid Sodding
340	Square Yard	217-A001	Ditch Liner
125	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
72	Bale	235-A001	Temporary Erosion Checks
500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
50	Pounds	602-A001	Reinforcing Steel
500	Pounds	604-B001	Gratings
1,224	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
438	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
176	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,757	Linear Feet 6	19-A2001	Temporary Traffic Stripe, Continuous Yellow
2,638	Linear Feet 6	19-A5001	Temporary Traffic Stripe, Detail
144	Linear Feet 6	19-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
124	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
96	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
80	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Each	639-A177	Traffic Signal Equipment Pole, Type III, 17' Shaft, 65' & 45' Arms
1	Each	639-A178	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' & 45'Arms
2	Each	639-A179	Traffic Signal Equipment Pole, Type VI, 18' Shaft
3	Each	639-B003	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Radio Interconnect Antenna Mount
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A

1	Each	643-A001	Closed Loop On-Street Master System
4	Each	644-A001	Optical Detector
998	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
1	Each	647-A003	Pullbox, Type 4
2	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
2	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
1,082	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
160	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
160	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
84	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
342	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
673	Ton	907-304-F001	Size 825 Crushed Stone Base
252	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
378	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
189	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
44	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
136	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1,255	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,597	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,067	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
751	Linear Feet	907-626-H004	Thermoplastic Legend, White
255	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-651-A001	Magnetometer Advance Detection System

Overlay of SR 792 from US 45 to the Noxubee County Line, known as Federal Aid Project No. STP-0672-00(005) / 105361301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 81 Time Units

Advance Information Only - Items and Quantities Subject to Change

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
922	Linear Feet	202-B076	Removal of Traffic Stripe
300	Linear Feet	202-B102	Removal of Guard Rail
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,500	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
91,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
22	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
40,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,194	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
344	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
225	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
742	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
90	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
90	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
32	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
20,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
3,900	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
224	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,550	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,050	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
640	Linear Feet	907-626-H004	Thermoplastic Legend, White
538	Square Feet	907-626-H005	Thermoplastic Legend, White

Construction of a Collector/Distributor Road and Frontage Road on US 78 between Blue Springs and Sherman Interchanges, known as State Project No. SP-0006-01(087) / 104969304 & 305, in the Counties of Union and Pontotoc, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

	Lump Sum	201-A001	Clearing and Grubbing
8,375	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
112	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
11	Each	202-B019	Removal of Concrete Headwall
495	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
336	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,157	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,123	Square Yard	202-B036	Removal of Concrete Slope Paving
9,512	Linear Feet	202-B041	Removal of Fence, All Types
1	Each	202-B057	Removal of Inlets, All Sizes
264	Linear Feet	202-B064	Removal of Pipe, 8" And Above
346	Each	202-B066	Removal of Raised Reflective Pavement Marker
3	Each	202-B069	Removal of Sign
12	Each	202-B070	Removal of Sign Including Post & Footing
1,924	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
752	Linear Feet	202-B102	Removal of Guard Rail
7	Each	202-B107	Removal of Sign, Ground Mounted with Posts
2	Each	202-B142	Removal of Junction Box
2	Mile	202-B149	Removal of Traffic Stripe
1	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
794,698	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
194,501	Cubic Yard	203-G001	Excess Excavation, FM
1,316	Cubic Yard	206-A001	Structure Excavation
36	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,852	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
166,406	Square Yard	212-A001	Light Ground Preparation
332,812	Square Yard	212-B001	Standard Ground Preparation
43	Ton	213-B001	Combination Fertilizer, 13-13-13
34	Ton	213-C001	Superphosphate
1,719	Pounds	214-A001	Seeding, Bahiagrass
1,375	Pounds	214-A002	Seeding, Bermudagrass
1,719	Pounds	214-A003	Seeding, Tall Fescue
690	Pounds	214-A004	Seeding, Crimson Clover
860	Pounds	214-A005	Seeding, Sericea Lespedeza
688	Pounds	214-A014	Seeding, Browntop Millet
3,094	Pounds	214-A015	Seeding, Oats
860	Pounds	214-A017	Seeding, Rye Grass
172	Ton	215-A001	Vegetative Materials for Mulch
	Square Yard	216-A001	Solid Sodding
2,490	Square Yard	217-A001	Ditch Liner
117	Thousand	219-A001	Watering

	Gallon		
35	Acre	220-A001	Insect Pest Control
1,010	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,288	Square Yard	224-A001	Soil Reinforcing Mat
3,482	Linear Feet	234-A001	Temporary Silt Fence
2,736	Bale	235-A001	Temporary Erosion Checks
10	Each	236-A004	Silt Basin, Type D
446	Linear Feet	239-A001	Temporary Slope Drains
1,162	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
27,743	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
4	Mile	321-A001	6" In-Grade Preparation
5,681	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,600	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
33,369	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5	Mile	423-A001	Rumble Strips, Ground In
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
200	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
112	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
72	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
204	Linear Feet	503-C002	Saw Cut, 3-inch
228	Linear Feet	503-C007	Saw Cut, Full Depth
25	Cubic Yard	503-D001	Concrete for Base Repair
58	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
36,288	Pounds	602-A001	Reinforcing Steel
200	Linear Feet	603-A028	24" Steel Pipe, Wall Thickness 0.375"
204	Linear Feet 6	503-CA002	18" Reinforced Concrete Pipe, Class III
1,196	Linear Feet 6	503-CA003	24" Reinforced Concrete Pipe, Class III
136	Linear Feet 6	503-CA004	30" Reinforced Concrete Pipe, Class III
24	Linear Feet 6	503-CA005	36" Reinforced Concrete Pipe, Class III
108	Linear Feet 6	503-CA055	48" Reinforced Concrete Pipe, Class V, Class B Bedding
164	Linear Feet 6	503-CA085	30" Reinforced Concrete Pipe, Class IV, Class C Bedding
180	Linear Feet 6	603-CA086	36" Reinforced Concrete Pipe, Class IV, Class C Bedding
68	Linear Feet 6	503-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
4	Each 6	503-CB001	18" Reinforced Concrete End Section
15	Each 6	503-CB002	24" Reinforced Concrete End Section
4	Each 6	503-CB003	30" Reinforced Concrete End Section
4	Each 6	503-CB004	36" Reinforced Concrete End Section
1	Each 6	503-CB006	48" Reinforced Concrete End Section
344	Linear Feet 6	503-CE001	22" x 13" Concrete Arch Pipe, Class A III
76	Linear Feet 6	503-CE003	36" x 23" Concrete Arch Pipe, Class A III
96	Linear Feet 6	503-CE005	51" x 31" Concrete Arch Pipe, Class A III
5	Each 6	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each 6	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each 6	603-CF005	51" x 31" Concrete Arch Pipe End Section
3,158	Pounds	604-A001	Castings

4 700	Pounds	604-B001	Gratings	
	Square Yard		Geotextile for Subsurface Drainage, Type V	
	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM	
98	Cubic Yard		Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM	
	Linear Feet		Guard Rail, Class A, Type 1	
	Each		Guard Rail, Cable Anchor, Type 1	
	Each		Guard Rail, Bridge End Section, Type I	
	Each		Guard Rail, Terminal End Section, Flared	
33,480	Linear Feet		60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown	
	Linear Feet		Barbed Wire Fence, Single Strand	
2	Each		Gate, 12' x 52" Aluminum	
94	Each		Line Post, 10' x 4" Timber	
155	Each	607-P1005	Line Post, 10' x 4" x 4" Concrete	
12	Each	607-P1012	Line Post, 14' x 2" Galvanized Steel	
1,160	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete	
231	Each	607-P1017	Line Post, 9' x 4" x 4" Concrete	
717	Each	607-P1020	Line Post, 7' x 4" Timber	
144	Each	607-P1021	Line Post, 9' x 4" Timber	
64	Each	607-P2001	Brace Post, 8' x 6" Timber	
13	Each	607-P2002	Brace Post, 10' x 6" Timber	
9	Each	607-P2003	Brace Post, 12' x 6" Timber	
152	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete	
30	Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete	
20	Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete	
3,628	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2	
2,072	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified	
278	Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier	
1,102	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch	
56	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch	
	Lump Sum	618-A001	Maintenance of Traffic	
60,079	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White	
61,208	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow	
1,960	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint	
72	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint	
100	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker	
234	Square Feet		Standard Roadside Construction Signs, Less than 10 Square Feet	
1,041	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
	Linear Feet		Concrete Median Barrier, Precast	
	Linear Feet		Barricades, Type III, Single Faced	
	Linear Feet		Barricades, Type III, Double Faced	
182	Each		Free Standing Plastic Drums	
	Lump Sum		Mobilization	
	Each		Field Laboratory	
1,157			Red-Clear Reflective High Performance Raised Markers	
	Each		Two-Way Yellow Reflective High Performance Raised Markers	
456	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White	

684	Linear Feet		6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
684	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
32	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
144	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
396	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
746	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
359	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
26	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
462	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
96	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
47	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
49	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
49	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
174	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
253	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
551	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
22	Each	630-F002	Delineators, Guard Rail, Yellow
82	Each	630-F006	Delineators, Post Mounted, Single White
47	Each	630-F007	Delineators, Post Mounted, Single Yellow
122	Each	630-F008	Delineators, Post Mounted, Double White
11	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
72	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
293	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
277	Cubic Yard	631-A001	Flowable Fill
277	Linear Feet	635-A001	Vehicle Loop Assemblies
1,978	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	639-A122	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
10	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A016	Traffic Signal Heads, Type 1 LEDOPTICAL PROGRAM
4	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
14	Each	647-A001	Pullbox, Type 1
9	Each	647-A005	Pullbox, Type 2
5	Each	649-A002	Video Vehicle Detection, New Installation, 1 Camera
1,548	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,904	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor

	Linear Feet		Traffic Signal Conduit, Underground, Type 4, 1"		
	Linear Feet		Traffic Signal Conduit, Underground, Type 4, 2"		
			Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"		
353	Linear Feet 668-B025		Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"		
	Lump Sum	699-A001	Roadway Construction Stakes		
	Ton		Loose Riprap, Size 300		
704	Square Yard		Geotextile under Riprap		
410	Ton		Sediment Control Stone		
206	Ton		Agricultural Limestone		
30	Each		Inlet Siltation Guard		
30	Each	907-234-E001	Reset Inlet Siltation Guard		
27,178	Ton	907-304-F003	3/4" and Down Crushed Stone Base		
86	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM		
69,471	Square Yard	907-307-C005	8" Soil-Lime-Water Mixing, Class C		
1,250	Ton	907-307-D001	Lime		
1,731	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture		
6,879	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture		
1,477	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture		
1,464	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture		
8,666	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture		
1,092	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture		
2,499	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening		
11,870	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified		
11,709	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified		
4,939	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling		
172	Cubic Yard	907-601-A001	Class "B" Structural Concrete		
75	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures		
1,400	Linear Feet	907-605-0001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5		
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5		
33	Each	907-617-A001	Right-of-Way Marker		
2	Each	907-619-E3001	Changeable Message Sign		
26,778	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White		
2,056	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White		
34,930	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White		
3,650	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow		
36,462	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow		
21,911	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White		
7,534	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow		
1,379	Linear Feet	907-626-H004	Thermoplastic Legend, White		
1,048	Square Feet	907-626-H005	Thermoplastic Legend, White		
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed		
	Lump Sum	907-630-1002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed		
41	Each	907-630-0003	Remove and Reset Sign, All Sizes		
	Bridge Items				
1,014	Square Yard	501-K001	Transverse Grooving		
2	Each	803-B001	Conventional Static Loading Test		

1,530	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,360	Linear Feet	803-F005	18" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
95	Linear Feet	803-0008	Temporary Casing, 48" Diameter
95,749	Pounds	805-A001	Reinforcement
456	Linear Feet	813-A001	Concrete Railing
525	Cubic Yard	815-D001	Concrete Slope Paving
190	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
46	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
475	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
494	Linear Feet	907-804-C168	71' Prestressed Concrete Beam, Type IV
653	Linear Feet	907-804-C169	94' Prestressed Concrete Beam, Type IV
438	Linear Feet	907-804-C170	63' Prestressed Concrete Beam, Type IV

Construction necessary for HVAC System upgrades at the Jackson Shop Complex and the MDOT Administration Building, known as State Project Nos. BWO-9018-25(005) / 501918301 & BWO-9021-25(006) / 501919301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items			
Lump Sum	1520-A001	Installation of HVAC System UpgradesJackson Shop Complex	
		Building Items	
Lump Sum	1520-A001	Installation of HVAC System UpgradesMDOT Administration Building	

Work necessary to construct an equipment shed and warehouse building at the shop complex, known as State Project Nos. BWO-9039-25(001) / 501963301 & BWO-9040-25(001) / 501977301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: July 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Equipment Shed, Shop Complex
		Building Items
Lump Sum	1500-A001	Construction of Warehouse Building, Shop Complex

Installing a traffic signal on MS 589 at Old Hwy. 24, known as Federal Aid Project No. HSIP-1164-00(013) / 104654301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: July 31, 2009

Advance Information Only - Items and Quantities Subject to Change

			Roauway fieliis
	Lump Sum	201-A001	Clearing and Grubbing
153	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
248	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
528	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
20	Each	202-B069	Removal of Sign
10,615	Linear Feet	202-B076	Removal of Traffic Stripe
1,997	Square Yard	202-B078	Removal of Pavement, All Types and Depths
172	Linear Feet	202-B106	Removal of Pipe, All Sizes
7	Each	202-B152	Removal of Right-Of-Way Marker
16,231	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
290	Cubic Yard	203-G003	Excess Excavation, FM, AH
567	Cubic Yard	206-A001	Structure Excavation
8,346	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
25,168	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
25,168	Square Yard	212-B001	Standard Ground Preparation
4	Ton	213-B001	Combination Fertilizer, 13-13-13
3	Ton	213-C001	Superphosphate
130	Pounds	214-A001	Seeding, Bahiagrass
52	Pounds	214-A002	Seeding, Bermudagrass
39	Pounds	214-A003	Seeding, Tall Fescue
104	Pounds	214-A004	Seeding, Crimson Clover
104	Pounds	214-A005	Seeding, Sericea Lespedeza
13	Ton	215-A001	Vegetative Materials for Mulch
158	Square Yard	216-A001	Solid Sodding
3	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
22	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,827	Linear Feet	234-A001	Temporary Silt Fence
186	Bale	235-A001	Temporary Erosion Checks
500	Linear Feet	239-A001	Temporary Slope Drains
1,032	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
1,048	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
2,926	Pounds	602-A001	Reinforcing Steel
664	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
4	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB003	30" Reinforced Concrete End Section

1	Each	603-CB006	48" Reinforced Concrete End Section	
40	Linear Feet		36" x 23" Concrete Arch Pipe, Class A III	
	Pounds	604-A001	-	
621	Linear Feet		Concrete Curb, Special Design	
	Linear Feet		Combination Concrete Curb and Gutter Type 2 Modified	
	Linear Feet		Combination Concrete Curb and Gutter Type 2 Modified	
1,110	Lump Sum		Adjustment of Castings, Gratings & Utility Appurtenances	
430	Square Yard		Concrete Driveway, With Reinforcement	
100	Square Yard		Concrete Median and/or Island Pavement, 4-inch	
	Square Yard		Concrete Median and/or Island Pavement, 10-inch	
	Lump Sum		Maintenance of Traffic	
7.628	Linear Feet		Temporary Traffic Stripe, Continuous White, Paint	
	Linear Feet		Temporary Traffic Stripe, Continuous White, Type 1 Tape	
	Linear Feet		Temporary Traffic Stripe, Continuous Yellow, Paint	
	Linear Feet	619-A2007		
	Linear Feet		Temporary Traffic Stripe, Skip Yellow, Paint	
	Linear Feet		Temporary Traffic Stripe, Detail, Paint	
,	Linear Feet		Temporary Traffic Stripe, Detail, Type 1 Tape	
,	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint	
527	Square Feet			
831	Linear Feet		Temporary Traffic Stripe, Legend, Type 1 Tape	
42	Square Feet		Temporary Traffic Stripe, Legend, Type 1 Tape	
42	-	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	
152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced	
159	Each	619-G5001	Free Standing Plastic Drums	
	Lump Sum	620-A001	Mobilization	
96	Each	627-K001	Red-Clear Reflective High Performance Raised Markers	
460	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	
95	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	
86	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft	
211	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	
102	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	
31	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"	
42	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"	
1,020	Linear Feet	635-A001	Vehicle Loop Assemblies	
1,450	Linear Feet	636-A003	Shielded Cable, 4 Conductor	
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel	
4	Each	640-A016	Traffic Signal Heads, Type 1 LED	
4	Each	640-A022	Traffic Signal Heads, Type 7 LED	
	Each		Pullbox, Type 1	
	Each		Pullbox, Type 2	
	Linear Feet		Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor	
	Linear Feet		Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor	
935	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"	

90	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
75	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
205	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
105	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
10	Ton	907-213-A001	Agricultural Limestone
400	Linear Feet	907-237-A001	Wattles
2,817	Ton	907-304-F001	Size 825 Crushed Stone Base
2,689	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,156	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,683	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
430	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
32	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
204	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
9	Each	907-617-A001	Right-of-Way Marker
1,521	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
4,731	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
720	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
3,329	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,689	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,289	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
697	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,006	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
7	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
40	Linear Feet	907-639-D002	Slip Casing, 30" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN EXECUTIVE DIRECTOR