


[Proposal & Plan Sales Will Begin on December 1, 2008](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

**“Two Month Advertisement”
Letting Date for January – January 27, 2009**



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 27, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON DECEMBER 01, 2008

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

* No plans except Standard Drawings

LIST OF CONTRACTS FOR DECEMBER

CALL CONTRACT	COUNTY
None	

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, January 27, 2009; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, January 27, 2009, and shortly thereafter publicly opened for

LIST OF CONTRACTS FOR JANUARY

CALL CONTRACT	COUNTY
01 BR-0022-02(049) / 104632301	Neshoba

Construction necessary to replace the bridge on SR 15, between SR 19 and the Winston County Line, known as Federal Aid Project No. BR-0022-02(049) / 104632301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 110 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
7,580 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
1 Each	202-B009	Removal of Bridge
1,675 Linear Feet	202-B076	Removal of Traffic Stripe
83 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
4,260 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,000 Cubic Yard	203-D001	Muck Excavation, FM
88,648 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
3,911 Cubic Yard	203-G003	Excess Excavation, FM, AH
72 Cubic Yard	206-A001	Structure Excavation
27,712 Square Yard	212-A001	Light Ground Preparation
55,424 Square Yard	212-B001	Standard Ground Preparation
7 Ton	213-B001	Combination Fertilizer, 13-13-13
6 Ton	213-C001	Superphosphate
229 Pounds	214-A002	Seeding, Bermudagrass
115 Pounds	214-A003	Seeding, Tall Fescue
115 Pounds	214-A004	Seeding, Crimson Clover
115 Pounds	214-A014	Seeding, Browntop Millet
515 Pounds	214-A015	Seeding, Oats
143 Pounds	214-A017	Seeding, Rye Grass
29 Ton	215-A001	Vegetative Materials for Mulch
45 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
5 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,044 Linear Feet	234-A001	Temporary Silt Fence
34 Bale	235-A001	Temporary Erosion Checks
1 Each	236-A004	Silt Basin, Type D
36 Linear Feet	239-A001	Temporary Slope Drains
4,257 Ton	304-B023	Granular Material, Class 5, Group C
4,430 Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
1,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
66 Linear Feet	501-E001	Expansion Joints, Without Dowels
99 Square Yard	501-K001	Transverse Grooving
105 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
188 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
4 Each	603-CB004	36" Reinforced Concrete End Section
500 Linear Feet	606-B001	Guard Rail, Class A, Type 1

Call No. 01 for the January 27, 2009 Letting

4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
599	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
125	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
5	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
12,925	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,540	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
330	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
34	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
200	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
172	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
31	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
858	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
230	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
230	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
230	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
48	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
79	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
41	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
1	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A009	Loose Riprap, Size 300
2	Ton	815-F002	Sediment Control Stone
23	Ton	907-213-A001	Agricultural Limestone
12,747	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
173	Ton	907-307-D001	Lime
1,910	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,765	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
44	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
15	Each	907-617-A001	Right-of-Way Marker
620	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7,620	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,560	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
24	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 01 for the January 27, 2009 Letting

ALTERNATE GROUP AA NO. 1

165	Ton	907-308-A001	Portland Cement
14,164	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

ALTERNATE GROUP AA NO. 2

15,580	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
119	Ton	907-311-B001	Lime
475	Ton	907-311-C002	Fly Ash, Class C or F

Bridge Items

1,022	Square Yard	501-K001	Transverse Grooving
1	Each	803-B001	Conventional Static Loading Test
1,320	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,625	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,180	Linear Feet	803-F009	20" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
79,032	Pounds	805-A001	Reinforcement
464	Linear Feet	813-A001	Concrete Railing
367	Ton	815-A009	Loose Riprap, Size 300
302	Square Yard	815-E001	Geotextile under Riprap
248	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
265	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR