


Proposal & Plan Sales Will Begin on January 5, 2009



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for January – January 27, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 27, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 05, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	BR-0022-02(049) / 104632301	Neshoba
* 02	IM-0020-01(189)N / 105379301 & IM-0020-01(189)N / 105379302	Hinds & Rankin
03	APD-0070-06(008) N / 100078304	Lee
04	STP-0000-05(003) MP/ 104756303	District 5
* 05	RSIP-0000-09(006) / 105386301	STATEWIDE
06	NH-0011-03(075) / 105399301	Lowndes
07	HSIP-0023-01(072) / 103891301	Smith
08	STP-0948-00(007) / 105362301	Prentiss
* 09	STP-7314-00(021) / 105330301	Rankin
10	MP-1172-71(001) / 303602301	Tishomingo
11	MP-1182-44(004) / 303601301	Lowndes
* 12	MP-3003-82(009) / 303476301	Yazoo
* 13	MP-3051-15(014) / 303598301	Copiah
* 14	MP-3822-75(001) / 303597301	Warren
15	MP-6010-23(011) / 303589301	Hancock
* 16	MP-6063-20(016) / 303590301	George
* 17	MP-6084-34(007) / 303594301	Jones
* 18	MP-7000-00(105) / 303592301	Amite, Lawrence, Marion, & Walthall
* 19	MP-7033-79(104) / 303591301	Wilkinson

Construction necessary to replace the bridge on SR 15, between SR 19 and the Winston County Line, known as Federal Aid Project No. BR-0022-02(049) / 104632301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 139 Time Units

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
Lump Sum	201-A001	Clearing and Grubbing	
7,580 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths	
1 Each	202-B008	Removal of Box Culvert	
1 Each	202-B009	Removal of Bridge	
1,675 Linear Feet	202-B076	Removal of Traffic Stripe	
83 Linear Feet	202-B093	Removal of Curb & Gutter, All Types	
4,260 Cubic Yard	203-A003	Unclassified Excavation, FM, AH	
1,000 Cubic Yard	203-D001	Muck Excavation, FM	
88,648 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6	
3,911 Cubic Yard	203-G003	Excess Excavation, FM, AH	
72 Cubic Yard	206-A001	Structure Excavation	
27,712 Square Yard	212-A001	Light Ground Preparation	
55,424 Square Yard	212-B001	Standard Ground Preparation	
7 Ton	213-B001	Combination Fertilizer, 13-13-13	
6 Ton	213-C001	Superphosphate	
229 Pounds	214-A002	Seeding, Bermudagrass	
115 Pounds	214-A003	Seeding, Tall Fescue	
115 Pounds	214-A004	Seeding, Crimson Clover	
115 Pounds	214-A014	Seeding, Browntop Millet	
515 Pounds	214-A015	Seeding, Oats	
143 Pounds	214-A017	Seeding, Rye Grass	
29 Ton	215-A001	Vegetative Materials for Mulch	
45 Square Yard	216-A001	Solid Sodding	
1 Thousand Gallon	219-A001	Watering	
6 Acre	220-A001	Insect Pest Control	
5 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch	
1 Acre	223-A001	Mowing	
6,144 Linear Feet	234-A001	Temporary Silt Fence	
34 Bale	235-A001	Temporary Erosion Checks	
1 Each	236-A004	Silt Basin, Type D	
36 Linear Feet	239-A001	Temporary Slope Drains	
4,257 Ton	304-B023	Granular Material, Class 5, Group C	
4,430 Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C	
1,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths	
66 Linear Feet	501-E001	Expansion Joints, Without Dowels	
99 Square Yard	501-K001	Transverse Grooving	
105 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement	
188 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III	
4 Each	603-CB004	36" Reinforced Concrete End Section	
500 Linear Feet	606-B001	Guard Rail, Class A, Type 1	

Call No. 01 for the January 27, 2009 Letting

4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
599	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
125	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
5	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
12,925	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,540	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
330	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
34	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
200	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
172	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
31	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
858	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
230	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
230	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
230	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
48	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
79	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
41	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A009	Loose Riprap, Size 300
2	Ton	815-F002	Sediment Control Stone
23	Ton	907-213-A001	Agricultural Limestone
12,747	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
173	Ton	907-307-D001	Lime
1,910	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,765	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
44	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
15	Each	907-617-A001	Right-of-Way Marker
620	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7,620	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,560	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
24	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 01 for the January 27, 2009 Letting

ALTERNATE GROUP AA NO. 1

165	Ton	907-308-A001	Portland Cement
14,164	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

ALTERNATE GROUP AA NO. 2

14,164	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
119	Ton	907-311-B001	Lime
475	Ton	907-311-C002	Fly Ash, Class C or F

Bridge Items

1,022	Square Yard	501-K001	Transverse Grooving
1	Each	803-B001	Conventional Static Loading Test
1,320	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,625	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,180	Linear Feet	803-F009	20" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
79,032	Pounds	805-A001	Reinforcement
464	Linear Feet	813-A001	Concrete Railing
367	Ton	815-A009	Loose Riprap, Size 300
302	Square Yard	815-E001	Geotextile under Riprap
248	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
265	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Striping on I-20/I-55 from Pearl Street in Jackson to SR 469 in Pearl, known as Federal Aid Project Nos. IM-0020-01(189)N / 105379301 and IM-0020-01(189)N / 105379302, in the Counties of Hinds and Rankin, State of Mississippi.

PROJECT COMPLETION: 40 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

51	Mile	202-B149	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
244	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
40	Each	630-F010	Delineators, Median Barrier Mounted, Type I, White

ALTERNATE GROUP AA NO. 1

14	Mile	907-626-I002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
21	Mile	907-626-J002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
16	Mile	907-626-L002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 2

14	Mile	907-626-N001	6" Polyurea Traffic Stripe, Skip White
21	Mile	907-626-O001	6" Polyurea Traffic Stripe, Continuous White
16	Mile	907-626-O002	6" Polyurea Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 3

14	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
21	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
16	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Construction necessary to relocate SR 6 from the Natchez Trace Parkway to SR 145, known as Federal Aid Project No. APD-0070-06(008) N / 100078304, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: 463 Time Units

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
4	Acre	201-B001	Clearing and Grubbing
46,823	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4	Each	202-B008	Removal of Box Culvert
1,801	Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,500	Linear Feet	202-B076	Removal of Traffic Stripe
6	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
80	Each	202-B105	Removal of Pipe Headwall, All Sizes
3	Each	202-B142	Removal of Junction Box
493,388	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,701,177	Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
336,080	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
41,214	Cubic Yard	203-F001	Channel Excavation, FM
257,207	Cubic Yard	203-G003	Excess Excavation, FM, AH
10,712	Cubic Yard	206-A001	Structure Excavation
1,093	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
48,406	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
58	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
530,906	Square Yard	212-A001	Light Ground Preparation
1,083,186	Square Yard	212-B001	Standard Ground Preparation
133	Ton	213-B001	Combination Fertilizer, 13-13-13
112	Ton	213-C001	Superphosphate
6,100	Pounds	214-A001	Seeding, Bahiagrass
4,924	Pounds	214-A002	Seeding, Bermudagrass
6,188	Pounds	214-A003	Seeding, Tall Fescue
2,440	Pounds	214-A004	Seeding, Crimson Clover
3,050	Pounds	214-A005	Seeding, Sericea Lespedeza
1,730	Pounds	214-A014	Seeding, Browntop Millet
7,785	Pounds	214-A015	Seeding, Oats
2,163	Pounds	214-A017	Seeding, Rye Grass
584	Ton	215-A001	Vegetative Materials for Mulch
654	Square Yard	216-A001	Solid Sodding
12,705	Square Yard	217-A001	Ditch Liner
13	Thousand Gallon	219-A001	Watering
87	Acre	220-A001	Insect Pest Control
1,526	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
9,764	Square Yard	224-A001	Soil Reinforcing Mat
140	Cubic Yard	233-A001	Tree Bark Mulch, Type I
140	Cubic Yard	233-A003	Tree Bark Mulch, Type III

Call No. 03 for the January 27, 2009 Letting

56,171	Linear Feet	234-A001	Temporary Silt Fence
3,820	Bale	235-A001	Temporary Erosion Checks
11	Each	236-A004	Silt Basin, Type D
1,000	Linear Feet	239-A001	Temporary Slope Drains
1,705	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
9,607	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
43,039	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
32,400	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3,160	Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
73	Cubic Yard	410-B009	Coarse Aggregate Cover Material, Size 56, Slag
42	Cubic Yard	410-C004	Seal Aggregate Cover Material, Size 89, Slag
2	Mile	423-A001	Rumble Strips, Ground In
312	Linear Feet	501-E001	Expansion Joints, Without Dowels
694	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
659,040	Pounds	602-A001	Reinforcing Steel
2,411	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
436	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
648	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
622	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
524	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
460	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
400	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
284	Linear Feet	603-CA017	36" Reinforced Concrete Pipe, Class IV
176	Linear Feet	603-CA018	42" Reinforced Concrete Pipe, Class IV
432	Linear Feet	603-CA019	48" Reinforced Concrete Pipe, Class IV
178	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
208	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class V
304	Linear Feet	603-CA029	36" Reinforced Concrete Pipe, Class V
18	Each	603-CB001	18" Reinforced Concrete End Section
12	Each	603-CB002	24" Reinforced Concrete End Section
10	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
8	Each	603-CB005	42" Reinforced Concrete End Section
8	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
6	Each	603-CB008	60" Reinforced Concrete End Section
10,322	Pounds	604-B001	Gratings
912	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
77	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
84	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,325	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section
784	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2

Call No. 03 for the January 27, 2009 Letting

547	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
95	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
196	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
567	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
312	Linear Feet	619-G4001	Barricades, Type III, Single Faced
324	Linear Feet	619-G4005	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
4	Mile	625-C002	Traffic Stripe, Continuous White
4	Mile	625-D002	Traffic Stripe, Continuous Yellow
285	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
39	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
78	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
	Lump Sum	699-A001	Roadway Construction Stakes
10,895	Ton	815-A009	Loose Riprap, Size 300
18,628	Square Yard	815-E001	Geotextile under Riprap
154	Ton	815-F002	Sediment Control Stone
672	Ton	907-213-A001	Agricultural Limestone
72	Each	907-230-B023	Tree Planting, Eastern Red Cedar
106	Each	907-230-B029	Tree Planting, Redbud
16	Each	907-230-B035	Tree Planting, Water Oak
36	Each	907-230-B046	Tree Planting, Southern Red Oak
16	Each	907-230-B067	Tree Planting, Dogwood
48	Each	907-230-B068	Tree Planting, Green Ash
50	Each	907-230-B069	Tree Planting, Red Maple
110	Each	907-230-B070	Tree Planting, Shortleaf Pine
48	Each	907-230-B071	Tree Planting, Sycamore
62	Each	907-230-B072	Tree Planting, Yellow Poplar
1,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
281	Ton	907-308-A001	Portland Cement
24,154	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
10,390	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
17,217	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
6,280	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,032	Cubic Yard	907-601-A001	Class "B" Structural Concrete
74	Cubic Yard	907-601-B002	Class "B" Structural Concrete, Minor Structures, Black Pigmented
38	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,050	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
70	Linear Feet	907-603-ALT07	54" Type A Alternate Pipe
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
247	Each	907-617-A001	Right-of-Way Marker

Call No. 03 for the January 27, 2009 Letting

9 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
42,397 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,315 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
580 Linear Feet	907-626-H004	Thermoplastic Legend, White
102 Linear Feet	907-630-PP007	Weathering Steel Post, 2" x 2"
3,721 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Bridge Items		
10,704 Square Yard	501-K001	Transverse Grooving
103 Cubic Yard	631-A001	Flowable Fill
748 Cubic Yard	801-A001	Foundation Excavation for Bridges
19 Each	803-A001	Test Pile
11 Each	803-B001	Conventional Static Loading Test
11,660 Linear Feet	803-D001	HP 10 x 42 Steel Piling
958 Linear Feet	803-D002	HP 12 x 53 Steel Piling
2,000 Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,562 Linear Feet	803-F005	18" Pre-Formed Pile Hole
1,032 Linear Feet	803-O008	Temporary Casing, 48" Diameter
1,218,685 Pounds	805-A001	Reinforcement
277,965 Pounds	805-B001	Reinforcement, Epoxy Coated
7,189 Linear Feet	813-A001	Concrete Railing
17 Ton	815-A006	Loose Riprap, Size 100
620 Ton	815-A009	Loose Riprap, Size 300
1,227 Cubic Yard	815-D001	Concrete Slope Paving
862 Square Yard	815-E001	Geotextile under Riprap
1,878 Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
213 Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
4,720 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,360 Cubic Yard	907-804-A010	Bridge Concrete, Class F
417 Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
372 Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
2,410 Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
5,244 Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III
894 Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
381 Linear Feet	907-804-C162	64' Prestressed Concrete Beam, Type III
774 Linear Feet	907-804-C163	65' Prestressed Concrete Beam, Type III
322 Linear Feet	907-804-C164	65' Prestressed Concrete Beam, Type IV
405 Linear Feet	907-804-C165	68' Prestressed Concrete Beam, Type III
2,301 Linear Feet	907-804-C166	77' Prestressed Concrete Beam, Type III
2,504 Linear Feet	907-804-C167	105' Prestressed Concrete Beam, Type IV
2 Each	907-804-PP002	Post Tensioning System
4 Each	907-811-A002	Floating (Pot Type) Bearing Assembly

Installation of raised pavement markers in various locations of District 5, known as Federal Aid Project No. STP-0000-05(003) MP / 104756303, in District 5, State of Mississippi.

PROJECT COMPLETION: June 12, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
6,418 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,930 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
24,680 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Installing centerline rumble stripe on various routes throughout the State, known as Federal Aid Project No. RSIP-0000-09(006) / 105386301, in the Counties of Bolivar, Carroll, Copiah, Grenada, Hinds, Holmes, Humphreys, Issaquena, Lafayette, Leflore, Marion, Marshall, Rankin, Sharkey, Warren, Washington, and Yalobusha, State of Mississippi.

PROJECT COMPLETION: October 15, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4,995	Linear Feet	202-B076	Removal of Traffic Stripe, Tape
349	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
32,706	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,430	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,010	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
64	Mile	907-626-D002	4" Thermoplastic Traffic Stripe, Skip Yellow
235	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
27	Mile	907-626-E002	4" Thermoplastic Traffic Stripe, Continuous Yellow
151	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,330	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
750	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Milling and overlaying of US 82 from Catalpa Creek to near Hwy 45 South, known as Federal Aid Project No. NH-0011-03(075) / 105399301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 49 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2	Each	202-B136	Removal of Guard Rail Terminal End Section
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
204,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,080	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,560	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
7	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-F002	Delineators, Guard Rail, Yellow
23,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
58	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
15	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
6,080	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Construction necessary to re-align SR 35 at SR 28 near Mize, known as Federal Aid Project No. HSIP-0023-01(072) / 103891301, in the County of Smith, State of Mississippi.

PROJECT COMPLETION: 91 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
13,688	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
328	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
7,567	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
341	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
15,961	Cubic Yard	203-G003	Excess Excavation, FM, AH
4	Acre	203-I002	Site Grading
1,171	Cubic Yard	206-A001	Structure Excavation
82	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
51,686	Square Yard	212-A001	Light Ground Preparation
103,371	Square Yard	212-B001	Standard Ground Preparation
14	Ton	213-B001	Combination Fertilizer, 13-13-13
11	Ton	213-C001	Superphosphate
534	Pounds	214-A001	Seeding, Bahiagrass
427	Pounds	214-A002	Seeding, Bermudagrass
160	Pounds	214-A003	Seeding, Tall Fescue
214	Pounds	214-A004	Seeding, Crimson Clover
214	Pounds	214-A014	Seeding, Browntop Millet
961	Pounds	214-A015	Seeding, Oats
267	Pounds	214-A017	Seeding, Rye Grass
54	Ton	215-A001	Vegetative Materials for Mulch
726	Square Yard	216-A001	Solid Sodding
2,806	Square Yard	217-A001	Ditch Liner
15	Thousand Gallon	219-A001	Watering
11	Acre	220-A001	Insect Pest Control
124	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
4,221	Linear Feet	234-A001	Temporary Silt Fence
375	Bale	235-A001	Temporary Erosion Checks
60	Linear Feet	239-A001	Temporary Slope Drains
1,486	Cubic Yard	304-A028	Granular Material, LVM, Class 6, Group C
6,646	Cubic Yard	304-A043	Granular Material, LVM, Class 9, Group C
2,599	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
467	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
772	Gallon	408-A002	Asphalt for Prime Coat, Emulsified Asphalt EA-1
1	Mile	423-A001	Rumble Strips, Ground In
38,221	Pounds	602-A001	Reinforcing Steel

Call No. 07 for the January 27, 2009 Letting

8	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB003	30" Reinforced Concrete End Section
60	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
1,298	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
310	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
57	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
3	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11,920	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
144	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
269	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
347	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
665	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
584	Linear Feet	619-F1001	Concrete Median Barrier, Precast
288	Linear Feet	619-G4001	Barricades, Type III, Single Faced
120	Linear Feet	619-G4005	Barricades, Type III, Double Faced
140	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
35	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
362	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
165	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
96	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
119	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
41	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
206	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
127	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
108	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
155	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
15	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
45	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
61	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
280	Ton	815-A006	Loose Riprap, Size 100
407	Square Yard	815-E001	Geotextile under Riprap
64	Ton	907-213-A001	Agricultural Limestone
2,250	Linear Feet	907-237-A001	Wattles
1,551	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
21	Ton	907-307-D001	Lime
1,738	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture

Call No. 07 for the January 27, 2009 Letting

415	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
137	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,821	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
1,578	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
236	Cubic Yard	907-601-A001	Class "B" Structural Concrete
7	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
80	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
136	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
12	Each	907-617-A001	Right-of-Way Marker
623	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,901	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,139	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
96	Linear Feet	907-626-H004	Thermoplastic Legend, White
153	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

290	Ton	907-308-A001	Portland Cement
14,779	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
13,957	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil

ALTERNATE GROUP AA NO. 2

28,736	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
208	Ton	907-311-B001	Lime
832	Ton	907-311-C002	Fly Ash, Class C or F

Widen and overlay of SR 365 from SR 30 to the Prentiss/Tishomingo County Line, known as Federal Aid Project No. STP-0948-00(007) / 105362301, in the County of Prentiss, State of Mississippi.

PROJECT COMPLETION: 55 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

173	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
5,030	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
3,185	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,208	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,230	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
717	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
7,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,585	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,208	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,230	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling & overlaying approximately 2 miles of U.S. Hwy 80 in Brandon, known as Federal Aid Project No. STP-7314-00(021) / 105330301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

850	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
20	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
208	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
950	Linear Feet	202-B102	Removal of Guard Rail
25	Cubic Yard	203-G004	Excess Excavation, LVM, AH
525	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
51,625	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,040	Linear Feet	413-D001	Cleaning and Filling Joints
210	Linear Feet	501-D001	Expansion Joints, With Dowels
208	Square Yard	503-A012	8" and Variable Plain Concrete Pavement, Broom Finish
117	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
460	Linear Feet	503-C007	Saw Cut, Full Depth
5	Cubic Yard	503-D001	Concrete for Base Repair
477	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
575	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
25	Linear Feet	606-B012	Guard Rail, Class A, Type 1, Double Faced, Metal Post
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D002	Guard Rail, Bridge End Section, Type C
6	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
2	Each	606-E008	Guard Rail, Terminal End Section, Bi-Directional
	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
23,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,650	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
288	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
37	Each	630-F001	Delineators, Guard Rail, White
9	Each	630-F002	Delineators, Guard Rail, Yellow
4,584	Linear Feet	635-A001	Vehicle Loop Assemblies
200	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
10,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5,040	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

Call No. 09 for the January 27, 2009 Letting

5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
7,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,650	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 10 for the January 27, 2009 Letting

Leveling approximately 12 miles of SR 172 from near Burnsville to the Alabama State Line, known as State Project No. MP-1172-71(001) / 303602301, in the County of Tishomingo, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
2,000 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,000 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5 Mile	625-B002	Traffic Stripe, Skip Yellow
21 Mile	625-C002	Traffic Stripe, Continuous White
15 Mile	625-D002	Traffic Stripe, Continuous Yellow
23,232 Linear Feet	625-E001	Detail Traffic Stripe
5,280 Linear Feet	625-F002	Legend
9,140 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Overlaying approximately 3 miles of SR 182 near Mayhew, known as State Project No. MP-1182-44(004) / 303601301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 32 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

820	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,545	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
500	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
950	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
50	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
250	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
950	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
120	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
475	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
20	Each	630-F001	Delineators, Guard Rail, White
600	Ton	907-403-A013	Hot Mix Asphalt, ST, 25-mm mixture
5,850	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
84	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
90	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
50	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of approximately 10 miles of SR 3 from the Warren County Line to Pear Tree Slide, known as State Project No. MP-3003-82(009) / 303476301, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: 44 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
5,000	Ton	304-B024	Granular Material, Class 5, Group D
4,400	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
21	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
14	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,600	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
625	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,200	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,325	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
420	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying US Hwy. 51 from the Lincoln County Line to SR. 28, known as State Project No. MP-3051-15(014) / 303598301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
6,500	Ton	304-B025	Granular Material, Class 5, Group E
6	Each	613-C001	Adjustment of Grating
17	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
600	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
12	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
41,600	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
11,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
60	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
25,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
600	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
28	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
330	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
25,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
11,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying SR 822 from SR 27 to Bovina, known as State Project No. MP-3822-75(001) / 303597301, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: 26 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,050	Ton	304-B025	Granular Material, Class 5, Group E
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
6	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
4,560	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
684	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
730	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
6,425	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,660	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
684	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 15 for the January 27, 2009 Letting

Maintenance necessary to replace jaw plates on the I-10 Bascule Bridge over the Pearl River, known as State Project No. MP-6010-23(011) / 303589301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: June 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	907-829-A001	Jaw Plates
----------	--------------	------------

Widen and Overlay SR 63 from US 98 to the Greene County Line, known as State Project No. MP-6063-20(016) / 303590301, in the County of George, State of Mississippi.

PROJECT COMPLETION: 19 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
500	Cubic Yard	203-EX008	Borrow Excavation, AH, LVM, Class B4
700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
125	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,800	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,160	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
385	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
325	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widen and overlay approximately 5.7 miles of US Highway 84, from US Highway 11 to the end of Bogue Homa Creek Bridge, known as State Project No. MP-6084-34(007) / 303594301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 39 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B047	Removal of Guard Rail Bridge End Section, Type H
225	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
12,126	Linear Feet	202-B076	Removal of Traffic Stripe
620	Square Yard	202-B078	Removal of Pavement, All Types and Depths
21	Each	202-B136	Removal of Guard Rail Terminal End Section
3,500	Cubic Yard	304-A028	Granular Material, LVM, Class 6, Group C
20,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
225	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D010	Guard Rail, Bridge End Section, Type H, Metal Post
21	Each	606-E002	Guard Rail, Terminal End Section, Flared
7	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
27	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
45,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,875	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,181	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,181	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,181	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
724	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
86	Each	630-F001	Delineators, Guard Rail, White
30	Each	630-F002	Delineators, Guard Rail, Yellow
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1,046	Linear Feet	635-A001	Vehicle Loop Assemblies
200	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
18,100	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
11,000	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
700	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

Call No. 17 for the January 27, 2009 Letting

6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
25,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,685	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,065	Square Feet	907-626-H005	Thermoplastic Legend, White

Chip sealing approximately 50 miles of roadway on various routes in District 7, known as State Project No. MP-7000-00(105) / 303592301, in the Counties of Amite, Lawrence, Marion and Walthall, State of Mississippi.

PROJECT COMPLETION: 39 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

6,424	Linear Feet	202-B076	Removal of Traffic Stripe
310,256	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
7,661	Cubic Yard	410-C002	Seal Aggregate Cover Material, Size 89, Stone
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
34	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1	Mile	625-A002	Traffic Stripe, Skip White
34	Mile	625-B002	Traffic Stripe, Skip Yellow
100	Mile	625-C002	Traffic Stripe, Continuous White
49	Mile	625-D002	Traffic Stripe, Continuous Yellow
27,395	Linear Feet	625-E001	Detail Traffic Stripe
107	Square Feet	625-F001	Legend
10,060	Linear Feet	625-F002	Legend
42	Each	627-H002	Chip Seal Reflective Raised MarkersRed-Clear
4,470	Each	627-H002	Chip Seal Reflective Raised MarkersTwo-Way Yellow
2,484	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
42	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,470	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,730	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,278	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
416	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Widening and overlaying approximately 5 miles of SR 33 from the Amite County Line to the Franklin County Line, known as State Project No. MP-7033-79(104) / 303591301, in the County of Wilkinson, State of Mississippi.

PROJECT COMPLETION: 32 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

7,280	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
508	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
10	Each	202-B192	Removal of Guard Rail End Section, All Types
250	Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
2,000	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
6,023	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
775	Linear Feet	606-B001	Guard Rail, Class A, Type 1
10	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
14	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,520	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,908	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
50	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,020	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,578	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,864	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
95	Each	630-F001	Delineators, Guard Rail, White
9,100	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
9	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,760	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,272	Linear Feet	907-626-H004	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR