

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   2/13/2009   ADDENDUM NO.            DATED             
 ADDENDUM NO.            DATED            ADDENDUM NO.            DATED           

Number	Description
1	Revised Table of Contents; Removed Notice to Bidders #1312; Revised Notice to Bidders #2230; Removed Notice to Bidders #2257; Added Notice to Bidders #2408; Revised Supplement to Special Provision #907-401-2; Revised Bid Sheets; Removed Pavement Maintenance Bond; Revised Plan Sheets #2, 4, 5 and 9; Amendment EBS Download Required.

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0055-04(080) / 104412301

Desoto County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

### PROJECT: IM-0055-04(080) / 104412301 – Desoto County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1  
Final Cleanup - #3  
Fiber Reinforced Concrete - #640  
Disadvantage Business Enterprise, W/Supplement - # 696  
On-The-Job Training Program - # 777  
Payroll Requirements - # 883  
Use of Precast Drainage Units - #1321  
Errata & Modifications to 2004 Standard Specifications - #1405  
Safety Apparel - #1808  
Minimum Wage Rate - #1869  
Status of ROW, Utility Adjustments and Potentially Contaminated  
Sites, W/Attachments - #1903  
DBE Forms, Participation and Payment - #1918  
Non-Quality Control/Quality Assurance Concrete - #1922  
Federal Bridge Formula - #1928  
Contract Time - #2230  
Specialty Items - #2231  
Petroleum Products Base Price - #2238  
Department of Labor Ruling - #2239  
Lane Closure Restrictions - #2240  
Storm Water Discharge Associated W/Construction Activities  
(≥ 5 Acres) - #2348  
Mississippi Resident Agent Requirement - #2361  
Current Traffic & Estimated Accumulated ESALs - #2364  
Project Number Change - #2365  
HMA Roadway Density - #2408

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors, W/Supplement

907-107-1: Liability Insurance, W/Supplement

907-107-3: Contractor's Protection Plan

907-107-6: Legal Relations & Responsibility to Public, W/Supplement

907-108-15: Cessation of Contract Time

907-108-17: Prosecution and Progress

907-109-3: Partial Payment, W/Supplement

907-213-2: Agricultural Limestone

**CONTINUED ON NEXT PAGE**

**PAGE 2      PROJECT:   IM-0055-04(080) / 104412301 – Desoto County**

- 907-225-1:    Grassing
- 907-237-2:    Wattles
- 907-401-2:    Hot Mix Asphalt (HMA) W/Supplement
- 907-403-4:    Hot Mix Asphalt (HMA) W/Supplement
- 907-407-1:    Tack Coat
- 907-601-1:    Structural Concrete
- 907-618-4:    Placement of Temporary Traffic Stripe
- 907-619-1:    Changeable Message Sign
- 907-626-15:   Thermoplastic Traffic Markings
- 907-628-2:    Cold Plastic Blue-ADA Pavement Markings
- 907-687-13:   Traffic Recorder
- 907-701-3:    Hydraulic Cement, W/Supplement
- 907-711-3:    Synthetic Structural Fiber Reinforcement
- 907-713-1:    Admixtures for Concrete
- 907-714-5:    Miscellaneous Materials, W/Supplement
- 907-715-3:    Roadside Development Materials
- 907-720-1:    Pavement Marking Materials
- 907-804-8:    Concrete Bridges and Structures, W/Supplement
  
- 906-3:        MDOT On-the-Job Training Program
- 906-6:        MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,  
PROPOSAL SHEET NOS. 2-1 THRU 2-8,  
COMBINATION BID PROPOSAL,  
CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,  
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,  
OCR-485,

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904- NOTICE TO BIDDERS NO. 2230**

**CODE: (SP)**

**DATE: February 10, 2009**

**SUBJECT: Contract Time**

**PROJECT: IM-0055-04(080) / 104412301 -- Desoto County**

The calendar date for completion of work to be performed by the Contractor for this project shall be **October 30, 2010** which date or extended date as provided in Subsection 108.06 shall be the end of contract time. The Notice of Award will be issued **March 10, 2009**. The date for the Notice to Proceed / Beginning of Contract Time will be **August 6, 2009**.

A progress schedule as referenced to in Subsection 108.03 will not be required for this contract.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 2408**

**CODE: (SP)**

**DATE: 02/09/2009**

**SUBJECT: HMA Roadway Density**

**PROJECT: IM-0055-04(080) / 104412301 -- Desoto County**

Bidders are advised that for this project only, all mainline hot mix asphalt between Station 861+00 and 1204+00 will require a lot density of 94.0%. All other hot mix asphalt, regardless of the lift or location, will require a lot density of 93.0%. Bidders are advised to review the details in the Supplement to Special Provision 907-401-2 regarding this change.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## SUPPLEMENT TO SPECIAL PROVISION NO. 907-401-2

**DATE:** 02/09/2009

**SUBJECT:** Hot Mix Asphalt (HMA)

**PROJECT:** IM-0055-04(080) / 104412301 -- Desoto County

After Subsection 907-401-02.6.2 on page 2, add the following:

**907-401.02.6.4.1--Roadway Density.** Before the last paragraph of Subsection 401.02.6.4.1 on page 252, add the following:

### **PAYMENT SCHEDULE FOR COMPACTION OF 94.0 PERCENT OF MAXIMUM DENSITY**

Lot Density \*\*\*\*\*

<u>Pay Factor</u>	<u>% of Maximum Density</u>
1.00	94.0 and above
0.90	93.0 - 93.9
0.70	92.0 - 92.9

\*\*\*\*\* Any lot or portion thereof with a density of less than 92.0 percent of maximum density shall be removed and replaced at no additional cost to the State.

For this project only, all mainline hot mix asphalt between station 861+00 and 1204+00 will require a lot density of **94.0%**. All other hot mix asphalt, regardless of the lift or location, will require a lot density of **93.0%**.

**907-401.03.1.2--Tack Coat.** Delete the three sentences of Subsection 401.03.1.2 on page 259, and substitute the following:

Tack coat shall be applied to previously placed HMA and between lifts, unless otherwise directed by the Engineer. Tack coat shall be applied with a distributor spray bar. A hand wand will only be allowed for applying tack coat on ramp pads, irregular shoulder areas, median crossovers, turnouts, or other irregular areas. Bituminous materials and application rates for tack coat shall be as specified in Table 410-A on page 293. Construction requirements shall be in accordance with Subsection 407.03 of the Standard Specifications.

**907-401.03.9--Material Transfer Equipment.** Delete the paragraph in Subsection 401.03.9 on page 264 and substitute the following:

Excluding the areas mentioned below, the material transferred from the hauling unit when placing the top lift, or the top two (2) lifts of a multi-lift HMA pavement with density requirements, shall be remixed prior to being placed in the paver hopper or insert by using an approved Materials Transfer Device. Information on approved devices can be obtained from the

State Construction Engineer. Areas excluded from this requirement include: leveling courses, temporary work of short duration, detours, bridge replacement projects having less than 1,000 feet of pavement on each side of the structure, acceleration and deceleration lanes less than 1,000 feet in length, tapered sections, transition sections for width, shoulders less than 10 feet in width, crossovers, ramps, side street returns and other areas designated by the Engineer.

**907-401.03.12--Joints.** Delete the third paragraph of Subsection 401.03.12 on page 265 and substitute the following:

The contact surface of transverse joints and longitudinal joints in the surface lift, except hot joints, shall be sealed by spraying a thin, uniform coat of Pavon™, Crafcoc™ Pavement Joint Adhesive No. 34524, or approved equal, prior to placement of additional HMA against the previously placed material. Manufacturer's recommendations shall be followed if the material needs to be re-heated, and when placing the thin, uniform coat.

Prior to application of the sealant, the face of the joint shall be thoroughly dry and free from dust or any other material that would prevent proper sealing. All joints shall be swept or blown free of loose material, dirt, vegetation, and other debris by means of compressed air or a power sweeper.

Truck and vehicle traffic shall not drive across a sealed joint until it has dried sufficient to prevent damage from tracking.

The Contractor shall furnish the Engineer three copies of the manufacturer's certification stating that the material used meets the requirement of the specifications.

Milling and overlaying on I-55 from 2.3 miles north of the Tate/Desoto County Line to just south of Goodman Road, known as Federal Aid Project No. IM-0055-04(080) / 104412301, in the County of Desoto, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

**\*\*\* SPECIAL NOTICE TO BIDDERS \*\*\***

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.  
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

**\*\*\*BID SCHEDULE\*\*\***

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
<b>Roadway Items</b>									
0010	202-B039		150	Each	Removal of Delineator, All Types				
0020	202-B043		6	Each	Removal of Guard Rail Bridge End Section				
0030	202-B076		15,000	Linear Feet	Removal of Traffic Stripe				
0040	202-B078		150	Square Yard	Removal of Pavement, All Types and Depths				
0050	202-B102		2,063	Linear Feet	Removal of Guard Rail				
0060	202-B106		60	Linear Feet	Removal of Pipe, All Sizes				
0070	203-EX018	(E)	10,000	Cubic Yard	Borrow Excavation, AH, LVM, Class B9				
0080	213-C001		3	Ton	Superphosphate				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	217-A001		300	Square Yard	Ditch Liner				
0100	220-A001		3	Acre	Insect Pest Control	30.	00	90.	00
0110	223-A001		1	Acre	Mowing	40.	00	40.	00
0120	234-A001		2,000	Linear Feet	Temporary Silt Fence				
0130	304-B014	(GT)	10,000	Ton	Granular Material, Class 3, Group D				
0140	406-A001		461,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0150	423-A001		40	Mile	Rumble Strips, Ground In				
0160	606-A002		230	Each	Guard Post, Type II Modified				
0170	606-B001		6,100	Linear Feet	Guard Rail, Class A, Type 1				
0180	606-C003		7	Each	Guard Rail, Cable Anchor, Type 1				
0190	606-D001		6	Each	Guard Rail, Bridge End Section, Type A				
0200	606-E002		46	Each	Guard Rail, Terminal End Section, Flared				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	606-E003		1	Each	Guard Rail, Terminal End Section, Non-Flared				
0220	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		
0230	619-A1002		75	Mile	Temporary Traffic Stripe, Continuous White				
0240	619-A2002		75	Mile	Temporary Traffic Stripe, Continuous Yellow				
0250	619-A3006		75	Mile	Temporary Traffic Stripe, Skip White				
0260	619-A5001		7,500	Linear Feet	Temporary Traffic Stripe, Detail				
0270	619-A6001		1,860	Linear Feet	Temporary Traffic Stripe, Legend				
0280	619-C6001		3,400	Each	Red-Clear Reflective High Performance Raised Marker				
0290	619-C7001		200	Each	Two-Way Yellow Reflective High Performance Raised Marker				
0300	619-D1001		72	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0310	619-D2001		248	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0320	619-D3001		6	Each	Remove and Reset Signs, All Sizes				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	619-G4001		54	Linear Feet	Barricades, Type III, Single Faced				
0340	619-G4005		72	Linear Feet	Barricades, Type III, Double Faced				
0350	619-G5001		25	Each	Free Standing Plastic Drums				
0360	620-A001		1	Lump Sum	Mobilization	XXXXXXXXXX	XXX		
0370	627-K001		3,400	Each	Red-Clear Reflective High Performance Raised Markers				
0380	627-L001		200	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0390	628-I002		2,700	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White				
0400	628-J002		3,700	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0410	628-M002		2,700	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
0420	630-F001		511	Each	Delineators, Guard Rail, White				
0430	630-F002		93	Each	Delineators, Guard Rail, Yellow				
0440	630-F006		135	Each	Delineators, Post Mounted, Single White				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	630-F007		60	Each	Delineators, Post Mounted, Single Yellow				
0460	630-F008		150	Each	Delineators, Post Mounted, Double White				
0470	630-F009		40	Each	Delineators, Post Mounted, Double Yellow				
0480	630-G002		28	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				
0490	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX		
0500	907-225-A001		5	Acre	Grassing				
0510	907-225-B001		10	Ton	Agricultural Limestone				
0520	907-237-A001		1,000	Linear Feet	Wattles				
0530	907-403-A005 (BA1 ) Deleted 02/13/2009					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0535	907-403-A015 (BA1 ) Added 02/13/2009		11,566	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture				
0536	907-403-D002 (BA1 ) Added 02/13/2009		26,201	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified				
0540	907-403-D004 (BA1 ) Changed 02/13/2009		40,130	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0550	907-403-F001	(BA1 )				XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 02/13/2009								
0560	907-403-S001		122,336	Linear Feet	Joint Sealant for HMA				
0570	907-601-B003	(S )	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures				
0580	907-606-PP001		2,004	Each	Remove and Replace Guard Rail Blockouts				
0590	907-619-E3001		2	Each	Changeable Message Sign				
0600	907-626-A003		25	Mile	6" Thermoplastic Traffic Stripe, Skip White				
0610	907-626-C004		25	Mile	6" Thermoplastic Edge Stripe, Continuous White				
0620	907-626-E003		3,000	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow				
0630	907-626-F004		25	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow				
0640	907-626-G001		600	Linear Feet	Thermoplastic Detail Stripe, Blue-ADA				
0650	907-626-G004		2,400	Linear Feet	Thermoplastic Detail Stripe, White				
0660	907-626-G005		20,000	Linear Feet	Thermoplastic Detail Stripe, Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0670	907-626-H002		4	Each	Thermoplastic Legend, Blue-ADA Handicap Symbol				
0680	907-626-H004		560	Linear Feet	Thermoplastic Legend, White				
0690	907-687-A016		1	Each	Sensor, Loop, Sensor Automatic Traffic Recorder Station				

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID.....\$\_\_\_\_\_

\*\*\* DBE/WBE SECTION \*\*\*

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than \_\_\_\_\_ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)\_\_\_\_\_ Small Business (WBE)\_\_\_\_\_
3. A joint venture with a Small Business (DBE/WBE): \_\_\_\_\_

\*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

\_\_\_\_\_  
BIDDER'S SIGNATURE

\_\_\_\_\_  
BIDDER'S COMPANY

\_\_\_\_\_  
BIDDER'S FEDERAL TAX ID NUMBER