

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 2/13/2009 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

| Number | Description |
|--------|---|
| 1 | Revised Notice to Bidders # 1887; Revised Notice to Bidders #2092; Revised Bid Sheets; Amendment EBS Download Required. |

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | |
|--------------------|------------------|
| _____ President | _____ Address |
| _____ Secretary | _____ Address |
| _____ Treasurer | _____ Address |

The following is my (our) itemized proposal.

SP-0006-01(087) / 104969304 SP-0006-01(087) / 104969305 Pontotoc & Union County(ies)

Revised 09/21/2005

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 1887

CODE: (SP)

DATE: February 4, 2009

SUBJECT: Contract Time

PROJECT: SP-0006-01(087) / 104969304 & 305 – Union & Pontotoc Counties

The calendar date for completion of work to be performed by the Contractor for this project shall be **November 15, 2010** which date or extended date as provided in Subsection 108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued by not later than **March 10, 2009** and the date for issuing the Notice to Proceed/Beginning of Contract Time will be simultaneous with the execution of the contract.

A progress schedule as referenced to in Subsection 108.03 will not be required for this contract.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 2092

CODE: (SP)

DATE: 8-13-2008

SUBJECT: Restricted Area

PROJECT: SP-0006-01(087) / 104969304 & 305 – Union and Pontotoc Counties

The wording in the third paragraph of Notice to Bidders No. 1903 (Status of Right-of-Way, Utility Adjustments and Potentially Contaminated Sites) does not apply to the restrictions contained in this Notice to Bidders. The Notice to Proceed will be issued with the following restrictions:

The area of Right of Way between Station 812+85 to Station 818+00 for Railroad Bridge construction by others.

The Contractor shall not access the areas listed above until **August 31, 2009**. Upon written notification by the Engineer, the Contractor will be allowed earlier access without a penalty in the contract time.

No extension of time will be considered for this non-access unless restrictions extend beyond the above mentioned date.

Construction of a Collector/Distributor Road and Frontage Road on US 78 between Blue Springs and Sherman Interchanges, known as State Project No. SP-0006-01(087) / 104969304 & 305, in the Counties of Union and Pontotoc, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Item Amount | |
|----------------------|-----------|----------|----------|-------------|--|------------|-----|-------------|----|
| | | | | | | Dollar | Ct | Dollar | Ct |
| Roadway Items | | | | | | | | | |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing | XXXXXXXX | XXX | | |
| 0020 | 202-B005 | | 8,375 | Square Yard | Removal of Asphalt Pavement, All Depths | | | | |
| 0030 | 202-B013 | | 112 | Square Yard | Removal of Cement Treated Base, All Depths | | | | |
| 0040 | 202-B019 | | 11 | Each | Removal of Concrete Headwall | | | | |
| 0050 | 202-B024 | | 495 | Square Yard | Removal of Concrete Median & Island Pavement, All Depths | | | | |
| 0060 | 202-B025 | | 336 | Square Yard | Removal of Concrete Paved Ditch | | | | |
| 0070 | 202-B033 | | 1,157 | Square Yard | Removal of Concrete Pavement w/ Variable Depth Overlay | | | | |
| 0080 | 202-B036 | | 2,123 | Square Yard | Removal of Concrete Slope Paving | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 0090 | 202-B041 | | 9,512 | Linear Feet | Removal of Fence, All Types | | | | |
| 0100 | 202-B057 | | 1 | Each | Removal of Inlets, All Sizes | | | | |
| 0110 | 202-B064 | | 264 | Linear Feet | Removal of Pipe, 8" And Above | | | | |
| 0120 | 202-B066 | | 346 | Each | Removal of Raised Reflective Pavement Marker | | | | |
| 0130 | 202-B069 | | 3 | Each | Removal of Sign | | | | |
| 0140 | 202-B070 | | 12 | Each | Removal of Sign Including Post & Footing | | | | |
| 0150 | 202-B093 | | 1,924 | Linear Feet | Removal of Curb & Gutter, All Types | | | | |
| 0160 | 202-B102 | | 752 | Linear Feet | Removal of Guard Rail | | | | |
| 0170 | 202-B107 | | 7 | Each | Removal of Sign, Ground Mounted with Posts | | | | |
| 0180 | 202-B142 | | 2 | Each | Removal of Junction Box | | | | |
| 0190 | 202-B149 | | 2 | Mile | Removal of Traffic Stripe | | | | |
| 0200 | 202-B155 | | 1 | Each | Removal of Box Culvert Wings and Headwall, All Sizes | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0210 | 203-A003 | (E) | 794,698 | Cubic Yard | Unclassified Excavation, FM, AH | | | | |
| 0220 | 203-G001 | (E) | 194,501 | Cubic Yard | Excess Excavation, FM | | | | |
| 0230 | 206-A001 | (S) | 1,316 | Cubic Yard | Structure Excavation | | | | |
| 0240 | 206-B001 | (E) | 36 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM | | | | |
| 0250 | 211-B001 | (E) | 19,852 | Cubic Yard | Topsoil for Slope Treatment, Contractor Furnished | | | | |
| 0260 | 212-A001 | | 166,406 | Square Yard | Light Ground Preparation | | | | |
| 0270 | 212-B001 | | 332,812 | Square Yard | Standard Ground Preparation | | | | |
| 0280 | 213-B001 | | 43 | Ton | Combination Fertilizer, 13-13-13 | | | | |
| 0290 | 213-C001 | | 34 | Ton | Superphosphate | | | | |
| 0300 | 214-A001 | | 1,719 | Pounds | Seeding, Bahiagrass | | | | |
| 0310 | 214-A002 | | 1,375 | Pounds | Seeding, Bermudagrass | | | | |
| 0320 | 214-A003 | | 1,719 | Pounds | Seeding, Tall Fescue | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-----------------|--------------------------------------|------------|----|------------|----|
| 0330 | 214-A004 | | 690 | Pounds | Seeding, Crimson Clover | | | | |
| 0340 | 214-A005 | | 860 | Pounds | Seeding, Sericea Lespedeza | | | | |
| 0350 | 214-A014 | | 688 | Pounds | Seeding, Browntop Millet | | | | |
| 0360 | 214-A015 | | 3,094 | Pounds | Seeding, Oats | | | | |
| 0370 | 214-A017 | | 860 | Pounds | Seeding, Rye Grass | | | | |
| 0380 | 215-A001 | | 172 | Ton | Vegetative Materials for Mulch | | | | |
| 0390 | 216-A001 | | 5,852 | Square Yard | Solid Sodding | | | | |
| 0400 | 217-A001 | | 2,490 | Square Yard | Ditch Liner | | | | |
| 0410 | 219-A001 | | 117 | Thousand Gallon | Watering | 20. | 00 | 2,340. | 00 |
| 0420 | 220-A001 | | 35 | Acre | Insect Pest Control | 30. | 00 | 1,050. | 00 |
| 0430 | 221-A001 | (S) | 1,010 | Cubic Yard | Portland Cement Concrete Paved Ditch | | | | |
| 0440 | 223-A001 | | 1 | Acre | Mowing | 40. | 00 | 40. | 00 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 0450 | 224-A001 | | 2,288 | Square Yard | Soil Reinforcing Mat | | | | |
| 0460 | 234-A001 | | 3,482 | Linear Feet | Temporary Silt Fence | | | | |
| 0470 | 235-A001 | | 2,736 | Bale | Temporary Erosion Checks | | | | |
| 0480 | 236-A004 | | 10 | Each | Silt Basin, Type D | | | | |
| 0490 | 239-A001 | | 446 | Linear Feet | Temporary Slope Drains | | | | |
| 0500 | 304-A013 | (GY) | 1,262 | Cubic Yard | Granular Material, LVM, Class 3, Group C Changed 02/13/2009 | | | | |
| 0510 | 304-C013 | (GY) | 27,743 | Cubic Yard | Granular Material, AEA, Class 3, Group C | | | | |
| 0520 | 321-A001 | | 4 | Mile | 6" In-Grade Preparation | | | | |
| 0530 | 406-A001 | | 5,681 | Square Yard | Cold Milling of Bituminous Pavement, All Depths | | | | |
| 0540 | 406-B001 | | 1,600 | Square Yard | Cold Milling of Concrete Pavement, All Depths | | | | |
| 0550 | 408-A003 | (A3) | 33,369 | Gallon | Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1 | | | | |
| 0560 | 423-A001 | | 5 | Mile | Rumble Strips, Ground In | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0570 | 501-E001 | | 90 | Linear Feet | Expansion Joints, Without Dowels | | | | |
| 0580 | 502-A001 | (C) | 200 | Square Yard | Reinforced Cement Concrete Bridge End Pavement | | | | |
| 0590 | 503-A003 | (C) | 112 | Square Yard | 8" and Variable Continuously Reinforced Concrete Pavement | | | | |
| 0600 | 503-B001 | | 72 | Linear Feet | Saw Cut, Longitudinal Joints | | | | |
| 0610 | 503-C002 | | 204 | Linear Feet | Saw Cut, 3-inch | | | | |
| 0620 | 503-C007 | | 228 | Linear Feet | Saw Cut, Full Depth | | | | |
| 0630 | 503-D001 | | 25 | Cubic Yard | Concrete for Base Repair | | | | |
| 0640 | 503-E002 | | 58 | Each | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted | | | | |
| 0650 | 602-A001 | (S) | 36,288 | Pounds | Reinforcing Steel | | | | |
| 0660 | 603-A028 | (S) | 200 | Linear Feet | 24" Steel Pipe, Wall Thickness 0.375" | | | | |
| 0670 | 603-CA002 | (S) | 204 | Linear Feet | 18" Reinforced Concrete Pipe, Class III | | | | |
| 0680 | 603-CA003 | (S) | 1,196 | Linear Feet | 24" Reinforced Concrete Pipe, Class III | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0690 | 603-CA004 | (S) | 136 | Linear Feet | 30" Reinforced Concrete Pipe, Class III | | | | |
| 0700 | 603-CA005 | (S) | 24 | Linear Feet | 36" Reinforced Concrete Pipe, Class III | | | | |
| 0710 | 603-CA055 | (S) | 108 | Linear Feet | 48" Reinforced Concrete Pipe, Class V, Class B Bedding | | | | |
| 0720 | 603-CA085 | (S) | 164 | Linear Feet | 30" Reinforced Concrete Pipe, Class IV, Class C Bedding | | | | |
| 0730 | 603-CA086 | (S) | 180 | Linear Feet | 36" Reinforced Concrete Pipe, Class IV, Class C Bedding | | | | |
| 0740 | 603-CA121 | (S) | 68 | Linear Feet | 36" Reinforced Concrete Pipe, Class V, Jacked or Bored | | | | |
| 0750 | 603-CB001 | (S) | 4 | Each | 18" Reinforced Concrete End Section | | | | |
| 0760 | 603-CB002 | (S) | 15 | Each | 24" Reinforced Concrete End Section | | | | |
| 0770 | 603-CB003 | (S) | 4 | Each | 30" Reinforced Concrete End Section | | | | |
| 0780 | 603-CB004 | (S) | 4 | Each | 36" Reinforced Concrete End Section | | | | |
| 0790 | 603-CB006 | (S) | 1 | Each | 48" Reinforced Concrete End Section | | | | |
| 0800 | 603-CE001 | (S) | 344 | Linear Feet | 22" x 13" Concrete Arch Pipe, Class A III | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 0810 | 603-CE003 | (S) | 76 | Linear Feet | 36" x 23" Concrete Arch Pipe, Class A III | | | | |
| 0820 | 603-CE005 | (S) | 96 | Linear Feet | 51" x 31" Concrete Arch Pipe, Class A III | | | | |
| 0830 | 603-CF001 | (S) | 5 | Each | 22" x 13" Concrete Arch Pipe End Section | | | | |
| 0840 | 603-CF003 | (S) | 2 | Each | 36" x 23" Concrete Arch Pipe End Section | | | | |
| 0850 | 603-CF005 | (S) | 2 | Each | 51" x 31" Concrete Arch Pipe End Section | | | | |
| 0860 | 604-A001 | | 3,158 | Pounds | Castings | | | | |
| 0870 | 604-B001 | | 4,700 | Pounds | Gratings | | | | |
| 0880 | 605-AA004 | (S) | 1,063 | Square Yard | Geotextile for Subsurface Drainage, Type V | | | | |
| 0890 | 605-W001 | (GY) | 90 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM | | | | |
| 0900 | 605-W002 | (GY) | 98 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM | | | | |
| 0910 | 606-B001 | | 1,075 | Linear Feet | Guard Rail, Class A, Type 1 | | | | |
| 0920 | 606-C003 | | 2 | Each | Guard Rail, Cable Anchor, Type 1 | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|------------|--|
| 0930 | 606-D012 | | 8 | Each | Guard Rail, Bridge End Section, Type I | | | |
| 0940 | 606-E002 | | 6 | Each | Guard Rail, Terminal End Section, Flared | | | |
| 0950 | 607-A002 | | 33,480 | Linear Feet | 60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown | | | |
| 0960 | 607-E001 | | 2,300 | Linear Feet | Barbed Wire Fence, Single Strand | | | |
| 0970 | 607-G001 | | 2 | Each | Gate, 12' x 52" Aluminum | | | |
| 0980 | 607-P1002 | | 94 | Each | Line Post, 10' x 4" Timber | | | |
| 0990 | 607-P1005 | | 155 | Each | Line Post, 10' x 4" x 4" Concrete | | | |
| 1000 | 607-P1012 | | 12 | Each | Line Post, 14' x 2" Galvanized Steel | | | |
| 1010 | 607-P1016 | | 1,160 | Each | Line Post, 7' x 4" x 4" Concrete | | | |
| 1020 | 607-P1017 | | 231 | Each | Line Post, 9' x 4" x 4" Concrete | | | |
| 1030 | 607-P1020 | | 717 | Each | Line Post, 7' x 4" Timber | | | |
| 1040 | 607-P1021 | | 144 | Each | Line Post, 9' x 4" Timber | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|-----|------------|--|
| 1050 | 607-P2001 | | 64 | Each | Brace Post, 8' x 6" Timber | | | | |
| 1060 | 607-P2002 | | 13 | Each | Brace Post, 10' x 6" Timber | | | | |
| 1070 | 607-P2003 | | 9 | Each | Brace Post, 12' x 6" Timber | | | | |
| 1080 | 607-P2004 | | 152 | Each | Brace Post, 8' x 6" x 6" Concrete | | | | |
| 1090 | 607-P2005 | | 30 | Each | Brace Post, 10' x 6" x 6" Concrete | | | | |
| 1100 | 607-P2006 | | 20 | Each | Brace Post, 12' x 6" x 6" Concrete | | | | |
| 1110 | 609-D002 | (S) | 3,628 | Linear Feet | Combination Concrete Curb and Gutter Type 2 | | | | |
| 1120 | 609-D004 | (S) | 2,072 | Linear Feet | Combination Concrete Curb and Gutter Type 3A Modified | | | | |
| 1130 | 615-A003 | (S) | 278 | Linear Feet | Concrete Type IV Cast-in-Place Median Barrier | | | | |
| 1140 | 616-A001 | (S) | 1,102 | Square Yard | Concrete Median and/or Island Pavement, 4-inch | | | | |
| 1150 | 616-A003 | (S) | 56 | Square Yard | Concrete Median and/or Island Pavement, 10-inch | | | | |
| 1160 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | XXXXXXXX | XXX | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|-----|------------|--|
| 1170 | 619-A1001 | | 60,079 | Linear Feet | Temporary Traffic Stripe, Continuous White | | | | |
| 1180 | 619-A2001 | | 61,208 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow | | | | |
| 1190 | 619-A5002 | | 1,960 | Linear Feet | Temporary Traffic Stripe, Detail, Paint | | | | |
| 1200 | 619-A6003 | | 72 | Linear Feet | Temporary Traffic Stripe, Legend, Paint | | | | |
| 1210 | 619-C6001 | | 100 | Each | Red-Clear Reflective High Performance Raised Marker | | | | |
| 1220 | 619-D1001 | | 234 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet | | | | |
| 1230 | 619-D2001 | | 1,041 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More | | | | |
| 1240 | 619-F1001 | | 520 | Linear Feet | Concrete Median Barrier, Precast | | | | |
| 1250 | 619-G4001 | | 148 | Linear Feet | Barricades, Type III, Single Faced | | | | |
| 1260 | 619-G4005 | | 90 | Linear Feet | Barricades, Type III, Double Faced | | | | |
| 1270 | 619-G5001 | | 182 | Each | Free Standing Plastic Drums | | | | |
| 1280 | 620-A001 | | 1 | Lump Sum | Mobilization | XXXXXXXXX | XXX | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|------------|--|
| 1290 | 621-A001 | | 1 | Each | Field Laboratory | | | |
| 1300 | 627-K001 | | 1,157 | Each | Red-Clear Reflective High Performance Raised Markers | | | |
| 1310 | 627-L001 | | 338 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | | |
| 1320 | 628-I002 | | 456 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Skip White | | | |
| 1330 | 628-J002 | | 684 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White | | | |
| 1340 | 628-M002 | | 684 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow | | | |
| 1350 | 628-O001 | | 32 | Linear Feet | High Performance Cold Plastic Detail Stripe, White | | | |
| 1360 | 629-A001 | | 1 | Each | Vehicular Impact Attenuator, 50 MPH | | | |
| 1370 | 630-A001 | | 144 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | | | |
| 1380 | 630-A002 | | 396 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | | | |
| 1390 | 630-B001 | | 746 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted | | | |
| 1400 | 630-B002 | | 359 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 1410 | 630-C001 | | 26 | Linear Feet | Steel U-Section Posts, 2.0 lb/ft | | | | |
| 1420 | 630-C003 | | 462 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft | | | | |
| 1430 | 630-D002 | | 97 | Linear Feet | Structural Steel Beams, S4 x 7.7 | | | | |
| 1440 | 630-D003 | | 96 | Linear Feet | Structural Steel Beams, W6 x 9 | | | | |
| 1450 | 630-D009 | | 47 | Linear Feet | Structural Steel Beams, W10 x 26 | | | | |
| 1460 | 630-D010 | | 49 | Linear Feet | Structural Steel Beams, W12 x 26 | | | | |
| 1470 | 630-E001 | | 49 | Pounds | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | | | | |
| 1480 | 630-E002 | | 174 | Pounds | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles | | | | |
| 1490 | 630-E003 | | 253 | Pounds | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles | | | | |
| 1500 | 630-E004 | | 551 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | | | | |
| 1510 | 630-F001 | | 22 | Each | Delineators, Guard Rail, White | | | | |
| 1520 | 630-F002 | | 22 | Each | Delineators, Guard Rail, Yellow | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 1530 | 630-F006 | | 82 | Each | Delineators, Post Mounted, Single White | | | | |
| 1540 | 630-F007 | | 47 | Each | Delineators, Post Mounted, Single Yellow | | | | |
| 1550 | 630-F008 | | 122 | Each | Delineators, Post Mounted, Double White | | | | |
| 1560 | 630-F009 | | 11 | Each | Delineators, Post Mounted, Double Yellow | | | | |
| 1570 | 630-G002 | | 6 | Each | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted | | | | |
| 1580 | 630-K001 | | 40 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3" | | | | |
| 1590 | 630-K002 | | 72 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3 1/2" | | | | |
| 1600 | 630-K003 | | 293 | Linear Feet | Welded & Seamless Steel Pipe Posts, 4" | | | | |
| 1610 | 631-A001 | | 277 | Cubic Yard | Flowable Fill | | | | |
| 1620 | 635-A001 | | 277 | Linear Feet | Vehicle Loop Assemblies | | | | |
| 1630 | 636-A001 | | 1,978 | Linear Feet | Shielded Cable, AWG #18, 4 Conductor | | | | |
| 1640 | 638-A005 | | 2 | Each | Loop Detector Amplifier, Card Rack Mounted, 4 Channel | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 1650 | 639-A096 | | 3 | Each | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | | | | |
| 1660 | 639-A098 | | 3 | Each | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm | | | | |
| 1670 | 639-A122 | | 1 | Each | Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm | | | | |
| 1680 | 640-A016 | | 10 | Each | Traffic Signal Heads, Type 1 LED | | | | |
| 1690 | 640-A016 | | 2 | Each | Traffic Signal Heads, Type 1 LED OPTICAL PROGRAM | | | | |
| 1700 | 640-A019 | | 4 | Each | Traffic Signal Heads, Type 5 LED | | | | |
| 1710 | 640-A022 | | 1 | Each | Traffic Signal Heads, Type 7 LED | | | | |
| 1720 | 642-A008 | | 2 | Each | Solid State Traffic Actuated Controllers, Type 8A | | | | |
| 1730 | 647-A001 | | 14 | Each | Pullbox, Type 1 | | | | |
| 1740 | 647-A005 | | 9 | Each | Pullbox, Type 2 | | | | |
| 1750 | 649-A002 | | 5 | Each | Video Vehicle Detection, New Installation, 1 Camera | | | | |
| 1760 | 666-B016 | | 1,548 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 1770 | 666-B022 | | 1,904 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor | | | | |
| 1780 | 668-A016 | | 3,430 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 1" | | | | |
| 1790 | 668-A018 | | 189 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 2" | | | | |
| 1800 | 668-B024 | | 258 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" | | | | |
| 1810 | 668-B025 | | 353 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" | | | | |
| 1820 | 682-A001 | | 73 | Linear Feet | Underground Branch Circuit, AWG 1, 3 Conductor | | | | |
| 1830 | 682-A015 | | 7,733 | Linear Feet | Underground Branch Circuit, AWG 2, 3 Conductor | | | | |
| 1840 | 682-A021 | | 8,528 | Linear Feet | Underground Branch Circuit, AWG 3, 3 Conductor | | | | |
| 1850 | 682-A025 | | 3,021 | Linear Feet | Underground Branch Circuit, AWG 4, 3 Conductor | | | | |
| 1860 | 682-A031 | | 7,626 | Linear Feet | Underground Branch Circuit, AWG 6, 3 Conductor | | | | |
| 1870 | 682-A036 | | 4,355 | Linear Feet | Underground Branch Circuit, AWG 8, 3 Conductor | | | | |
| 1880 | 682-B002 | | 49 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 1890 | 682-B016 | | 691 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor | | | | |
| 1900 | 682-B022 | | 737 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor | | | | |
| 1910 | 682-B025 | | 484 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor | | | | |
| 1920 | 682-B031 | | 969 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor | | | | |
| 1930 | 682-B036 | | 415 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor | | | | |
| 1940 | 682-D001 | | 28 | Each | Underground Pull Box | | | | |
| 1950 | 682-F001 | | 4 | Each | Secondary Power Controllers | | | | |
| 1960 | 683-A008 | | 10 | Each | Lighting Assembly, High Mast, Type 100-4-A | | | | |
| 1970 | 683-A009 | | 2 | Each | Lighting Assembly, High Mast, Type 100-4-S | | | | |
| 1980 | 683-A015 | | 3 | Each | Lighting Assembly, High Mast, Type 100-6-S | | | | |
| 1990 | 683-A018 | | 1 | Each | Lighting Assembly, High Mast, Type 100-8-S | | | | |
| 2000 | 683-A044 | | 1 | Each | Lighting Assembly, High Mast, Type 120-4-A | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|-----|------------|--|
| 2010 | 683-A069 | | 4 | Each | Lighting Assembly, High Mast, Type 130-6-S | | | | |
| 2020 | 683-A072 | | 2 | Each | Lighting Assembly, High Mast, Type 130-8-S | | | | |
| 2030 | 683-B049 | | 11 | Each | Lighting Assembly, Low Mast, Type 40-1-0-400 | | | | |
| 2040 | 683-B158 | | 16 | Each | Lighting Assembly, Low Mast, Type 40-1-8-400 | | | | |
| 2050 | 683-D001 | | 1 | Each | Portable Electric Power Units | | | | |
| 2060 | 684-A003 | | 48 | Cubic Yard | Pole Foundation, 24" Diameter | | | | |
| 2070 | 684-A004 | | 81 | Cubic Yard | Pole Foundation, 36" Diameter | | | | |
| 2080 | 684-A006 | | 98 | Cubic Yard | Pole Foundation, 48" Diameter | | | | |
| 2090 | 684-B003 | | 10 | Linear Feet | Slip Casing, 24" Diameter | | | | |
| 2100 | 684-B004 | | 20 | Linear Feet | Slip Casing, 36" Diameter | | | | |
| 2110 | 684-B006 | | 24 | Linear Feet | Slip Casing, 48" Diameter | | | | |
| 2120 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes | XXXXXXXXX | XXX | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|-------------|---------------------------------------|------------|--|------------|--|
| 2130 | 815-A009 | (S) | 2,580 | Ton | Loose Riprap, Size 300 | | | | |
| 2140 | 815-E001 | (S) | 704 | Square Yard | Geotextile under Riprap | | | | |
| 2150 | 815-F002 | (S) | 410 | Ton | Sediment Control Stone | | | | |
| 2160 | 907-213-A001 | | 206 | Ton | Agricultural Limestone | | | | |
| 2170 | 907-234-D001 | | 30 | Each | Inlet Siltation Guard | | | | |
| 2180 | 907-234-E001 | | 30 | Each | Reset Inlet Siltation Guard | | | | |
| 2190 | 907-304-F003 | (GT) | 27,178 | Ton | 3/4" and Down Crushed Stone Base | | | | |
| 2200 | 907-304-H002 | (GY) | 86 | Cubic Yard | 3/4" and Down Crushed Stone Base, LVM | | | | |
| 2210 | 907-307-C005 | (M) | 69,471 | Square Yard | 8" Soil-Lime-Water Mixing, Class C | | | | |
| 2220 | 907-307-D001 | | 1,250 | Ton | Lime | | | | |
| 2230 | 907-403-A001 | (BA1) | 1,731 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture | | | | |
| 2240 | 907-403-A002 | (BA1) | 6,879 | Ton | Hot Mix Asphalt, HT, 19-mm mixture | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount | |
|----------|--------------|----------|----------|-------------|--|------------|------------|--|
| 2250 | 907-403-A005 | (BA1) | 1,477 | Ton | Hot Mix Asphalt, HT, 9.5-mm mixture | | | |
| 2260 | 907-403-A011 | (BA1) | 1,464 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture | | | |
| 2270 | 907-403-A012 | (BA1) | 8,666 | Ton | Hot Mix Asphalt, ST, 19-mm mixture | | | |
| 2280 | 907-403-A015 | (BA1) | 1,092 | Ton | Hot Mix Asphalt, ST, 9.5-mm mixture | | | |
| 2290 | 907-403-C001 | (BA1) | 2,499 | Ton | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening | | | |
| 2300 | 907-403-D001 | (BA1) | 11,870 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | | | |
| 2310 | 907-403-D004 | (BA1) | 11,709 | Ton | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | | | |
| 2320 | 907-403-E001 | (BA1) | 4,939 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling | | | |
| 2330 | 907-601-A001 | (S) | 172 | Cubic Yard | Class "B" Structural Concrete | | | |
| 2340 | 907-601-B003 | (S) | 75 | Cubic Yard | Class "B" Structural Concrete, Minor Structures | | | |
| 2350 | 907-605-O001 | (S) | 1,400 | Linear Feet | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5 | | | |
| 2360 | 907-605-P001 | (S) | 200 | Linear Feet | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|---------------|----------|----------|-------------|---|------------|-----|------------|--|
| 2370 | 907-617-A001 | | 33 | Each | Right-of-Way Marker | | | | |
| 2380 | 907-619-E3001 | | 2 | Each | Changeable Message Sign | | | | |
| 2390 | 907-626-A004 | | 26,778 | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip White | | | | |
| 2400 | 907-626-B003 | | 2,056 | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous White | | | | |
| 2410 | 907-626-C008 | | 34,930 | Linear Feet | 6" Thermoplastic Edge Stripe, Continuous White | | | | |
| 2420 | 907-626-E003 | | 3,650 | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow | | | | |
| 2430 | 907-626-F008 | | 36,462 | Linear Feet | 6" Thermoplastic Edge Stripe, Continuous Yellow | | | | |
| 2440 | 907-626-G004 | | 21,911 | Linear Feet | Thermoplastic Detail Stripe, White | | | | |
| 2450 | 907-626-G005 | | 7,534 | Linear Feet | Thermoplastic Detail Stripe, Yellow | | | | |
| 2460 | 907-626-H004 | | 1,379 | Linear Feet | Thermoplastic Legend, White | | | | |
| 2470 | 907-626-H005 | | 1,048 | Square Feet | Thermoplastic Legend, White | | | | |
| 2480 | 907-630-I001 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed | XXXXXXXXX | XXX | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|---------------------|--------------|----------|----------|-------------|---|------------|-----|------------|----|
| 2490 | 907-630-I002 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed | XXXXXXXX | XXX | | |
| 2500 | 907-630-O003 | | 41 | Each | Remove and Reset Sign, All Sizes | | | | |
| Bridge Items | | | | | | | | | |
| 2510 | 501-K001 | | 1,014 | Square Yard | Transverse Grooving | | | | |
| 2520 | 803-B001 | (S) | 2 | Each | Conventional Static Loading Test | 5,000. | 00 | 10,000. | 00 |
| 2530 | 803-D002 | (S) | 1,530 | Linear Feet | HP 12 x 53 Steel Piling | | | | |
| 2540 | 803-F005 | (S) | 1,360 | Linear Feet | 18" Pre-Formed Pile Hole | | | | |
| 2550 | 803-I001 | (S) | 2 | Each | PDA Test Pile | | | | |
| 2560 | 803-J001 | (S) | 1 | Each | Pile Restrike | | | | |
| 2570 | 803-N001 | (S) | 10 | Linear Feet | Exploration | | | | |
| 2580 | 803-O008 | (S) | 95 | Linear Feet | Temporary Casing, 48" Diameter | | | | |
| 2590 | 805-A001 | (S) | 95,749 | Pounds | Reinforcement | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|-------------|--|------------|--|------------|--|
| 2600 | 813-A001 | (S) | 456 | Linear Feet | Concrete Railing | | | | |
| 2610 | 815-D001 | (S) | 525 | Cubic Yard | Concrete Slope Paving | | | | |
| 2620 | 907-803-K001 | (S) | 190 | Linear Feet | Drilled Shaft, 48" Diameter | | | | |
| 2630 | 907-803-M001 | (S) | 46 | Linear Feet | Trial Shaft, 48" Diameter | | | | |
| 2640 | 907-804-A001 | (S) | 475 | Cubic Yard | Bridge Concrete, Class AA | | | | |
| 2650 | 907-804-C168 | (S) | 494 | Linear Feet | 71' Prestressed Concrete Beam, Type IV | | | | |
| 2660 | 907-804-C169 | (S) | 653 | Linear Feet | 94' Prestressed Concrete Beam, Type IV | | | | |
| 2670 | 907-804-C170 | (S) | 438 | Linear Feet | 63' Prestressed Concrete Beam, Type IV | | | | |

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER