


Proposal & Plan Sales Will Begin on February 2, 2009



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 24, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR FEBRUARY - Tuesday, February 24, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 02, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
* 01	IM-0055-01(093) / 105074301	Copiah
02	IM-0055-04(080) / 104412301	Desoto
03	NH-9999-00(359) / 105176301 & NH-9999-00(359) / 105176302	Hinds & Rankin
04	STP-0008-05(027) / 105354301	Leflore
* 05	NH-0015-02(087) / 105407301	Covington
06	STP-0019-02(036) / 105353301	Yalobusha
07	STP-0020-02(076) / 105096301	Newton
* 08	STP-0023-01(074) / 104961301	Covington
* 09	STP-0054-01(048) / 104960301	Lawrence
* 10	STP-0054-01(049) / 105434301	Copiah
* 11	STP-0064-01(025) / 105412301	Harrison
12	STP-0064-01(026)/101208304,305	Harrison & Jackson
13	NH-0070-03(015) / 105352301	Panola
14	SP-0006-01(087) / 104969304 & SP-0006-01(087) / 104969305	Pontotoc & Union
15	MP-1015-80(011) / 303604301	Winston
16	MP-2007-42(007) / 303603301	Leflore
* 17	MP-3061-11(006) / 303610301	Claiborne
* 18	MP-5013-62(011) / 303596301	Scott
* 19	MP-7049-16(012) / 303618301	Covington

CALL CONTRACT

COUNTY

20 BWO-9039-25(001) / 501963301 & BWO-9040-25(001) / 501977301
21 LWO-3059-26(002) / 501920302

Hinds
Holmes

Overlaying on I-55 from Hazlehurst to Crystal Springs, known as Federal Aid Project No. IM-0055-01(093) / 105074301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 177 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

25,000	Ton	304-B024	Granular Material, Class 5, Group D
100,000	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
42	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
45	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
43	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
45	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
20,000	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
1,200	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
2,800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,000	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,000	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
280	Each	630-F001	Delineators, Guard Rail, White
195	Each	630-F002	Delineators, Guard Rail, Yellow
106	Each	630-F006	Delineators, Post Mounted, Single White
50	Each	630-F007	Delineators, Post Mounted, Single Yellow
216	Each	630-F008	Delineators, Post Mounted, Double White
75	Each	630-F009	Delineators, Post Mounted, Double Yellow
9,100	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
44,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
39,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
15	Each	907-606-R002	Repair of Terminal End Section
23	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
25	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
27	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
22,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying on I-55 from 2.3 miles north of the Tate/Desoto County Line to just south of Goodman Road, known as Federal Aid Project No. IM-0055-04(080) / 104412301, in the County of Desoto, State of Mississippi.

PROJECT COMPLETION: September 06, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

150 Each	202-B039	Removal of Delineator, All Types
6 Each	202-B043	Removal of Guard Rail Bridge End Section
15,000 Linear Feet	202-B076	Removal of Traffic Stripe
150 Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,063 Linear Feet	202-B102	Removal of Guard Rail
60 Linear Feet	202-B106	Removal of Pipe, All Sizes
10,000 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
3 Ton	213-C001	Superphosphate
300 Square Yard	217-A001	Ditch Liner
3 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
2,000 Linear Feet	234-A001	Temporary Silt Fence
10,000 Ton	304-B014	Granular Material, Class 3, Group D
461,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
40 Mile	423-A001	Rumble Strips, Ground In
230 Each	606-A002	Guard Post, Type II Modified
6,100 Linear Feet	606-B001	Guard Rail, Class A, Type 1
7 Each	606-C003	Guard Rail, Cable Anchor, Type 1
6 Each	606-D001	Guard Rail, Bridge End Section, Type A
46 Each	606-E002	Guard Rail, Terminal End Section, Flared
1 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
Lump Sum	618-A001	Maintenance of Traffic
75 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
75 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
75 Mile	619-A3006	Temporary Traffic Stripe, Skip White
7,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,860 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,400 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
200 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
72 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
248 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6 Each	619-D3001	Remove and Reset Signs, All Sizes
54 Linear Feet	619-G4001	Barricades, Type III, Single Faced
72 Linear Feet	619-G4005	Barricades, Type III, Double Faced
25 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
3,400 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,700 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,700 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,700 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Call No. 02 for the February 24, 2009 Letting

511	Each	630-F001	Delineators, Guard Rail, White
93	Each	630-F002	Delineators, Guard Rail, Yellow
135	Each	630-F006	Delineators, Post Mounted, Single White
60	Each	630-F007	Delineators, Post Mounted, Single Yellow
150	Each	630-F008	Delineators, Post Mounted, Double White
40	Each	630-F009	Delineators, Post Mounted, Double Yellow
28	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
5	Acre	907-225-A001	Grassing
10	Ton	907-225-B001	Agricultural Limestone
1,000	Linear Feet	907-237-A001	Wattles
7,800	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
20,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
50,126	Ton	907-403-F001	Maintained Hot Mix Asphalt
122,336	Linear Feet	907-403-S001	Joint Sealant for HMA
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,004	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
2	Each	907-619-E3001	Changeable Message Sign
25	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
25	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
25	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
600	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
2,400	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
560	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-687-A016	Sensor, Loop, Sensor Automatic Traffic Recorder Station

Installing or repairing lighting on I-20, I-55, US 49, & US 51, known as Federal Aid Project Nos. NH-9999-00(359) / 105176301 & NH-9999-00(359) / 105176302, in the Counties of Hinds & Rankin, State of Mississippi.

PROJECT COMPLETION: July 01, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	202-A001	Removal of ObstructionsElectrical Conductors
Lump Sum	202-A001	Removal of ObstructionsStructure Mounted Conduit
1 Each	202-B056	Removal of High Mast Lighting Foundation
1 Each	202-B060	Removal of Low Mast Lighting Assembly
3 Each	202-B061	Removal of Low Mast Lighting Foundation
36 Each	202-B162	Removal of Secondary Power Controller
53 Each	202-B251	Removal of Concrete Hand Holes
158 Each	202-B253	Removal of Underpass Luminaire
96 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
216 Linear Feet	234-A001	Temporary Silt Fence
72 Bale	235-A001	Temporary Erosion Checks
Lump Sum	618-A001	Maintenance of Traffic
88 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
816 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
138 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
Lump Sum	620-A001	Mobilization
11,660 Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
896 Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
11,080 Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
17,320 Linear Feet	682-A020	Underground Branch Circuit, AWG 2/0, 3 Conductor
8,320 Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
5,700 Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
14,771 Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
2,630 Linear Feet	682-A033	Underground Branch Circuit, AWG 6, 5 Conductor
470 Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1,000 Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
1,360 Linear Feet	682-B021	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor
675 Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
245 Linear Feet	682-B028	Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3 Conductor
1,385 Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
60 Linear Feet	682-B033	Underground Branch Circuit, Jacked or Bored, AWG 6, 5 Conductor
330 Linear Feet	682-C004	Structure Mounted Branch Circuit, AWG 1/0, 3 Conductor
8,140 Linear Feet	682-C010	Structure Mounted Branch Circuit, AWG 10, 3 Conductor
320 Linear Feet	682-C016	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
1,360 Linear Feet	682-C028	Structure Mounted Branch Circuit, AWG 6, 3 Conductor
3,490 Linear Feet	682-C030	Structure Mounted Branch Circuit, AWG 6, 5 Conductor
1,430 Linear Feet	682-C036	Structure Mounted Branch Circuit, AWG 2/0, 3 Conductor

Call No. 03 for the February 24, 2009 Letting

91	Each	682-D001	Underground Pull Box
62	Each	682-D003	Structure Mounted Pull Box
85	Each	682-E001	Underground Junction Box
36	Each	682-F001	Secondary Power Controllers
1	Each	683-B055	Lighting Assembly, Low Mast, Type 40-1-15-250
80	Each	683-C011	Lighting Assembly, Underpass, Type UPA
80	Each	683-C012	Lighting Assembly, Underpass, Type UPB
3	Each	683-D001	Portable Electric Power Units
4	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
8	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
9	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B005	Slip Casing, 42" Diameter
1	Each	686-A001	Relocation of Existing Lighting AssembliesHigh Mast
3	Each	686-A001	Relocation of Existing Lighting AssembliesLow Mast
16,345	Linear Feet	907-682-A1004	Branch Circuit Wire, AWG #2, 3 Conductor
20,665	Linear Feet	907-682-A1007	Branch Circuit Wire, AWG #4, 3 Conductor
15,230	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #6, 3 Conductor
3,560	Linear Feet	907-682-A1013	Branch Circuit Wire, AWG #8, 3 Conductor
1,550	Linear Feet	907-682-A1031	Branch Circuit Wire, AWG #2/0, 3 Conductor
1,100	Linear Feet	907-682-A1032	Branch Circuit Wire, AWG #2, 6 Conductor
1,720	Linear Feet	907-682-A1033	Branch Circuit Wire, AWG #6, 6 Conductor
36	Each	907-682-E001	Underground Junction Box With Concrete Pad
7	Each	907-683-G1002	Repair of High Mast Lighting Assembly, Type 100-4-S
6	Each	907-683-G1003	Repair of High Mast Lighting Assembly, Type 100-5-S
3	Each	907-683-G1004	Repair of High Mast Lighting Assembly, Type 130-4-S
14	Each	907-683-G1005	Repair of High Mast Lighting Assembly, Type 130-5-S
6	Each	907-683-G1009	Repair of High Mast Lighting Assembly, Type 120-10-S
4	Each	907-683-G1010	Repair of High Mast Lighting Assembly, Type 120-8-A
3	Each	907-683-G1011	Repair of High Mast Lighting Assembly, Type 130-6-A
1	Each	907-683-G1012	Repair of High Mast Lighting Assembly, Type 130-8-A
16	Each	907-683-G1013	Repair of High Mast Lighting Assembly, Type 110-6-A
2	Each	907-683-G1014	Repair of High Mast Lighting Assembly, Type 130-4-A
1	Each	907-683-G1015	Repair of High Mast Lighting Assembly, Type 110-8-S
14	Each	907-683-G1016	Repair of High Mast Lighting Assembly, Type 110-10-A
3	Each	907-683-G1017	Repair of High Mast Lighting Assembly, Type 120-4-A
2	Each	907-683-G1018	Repair of High Mast Lighting Assembly, Type 110-6-S
15	Each	907-683-G1019	Repair of High Mast Lighting Assembly, Type 120-10-A
3	Each	907-683-G1020	Repair of High Mast Lighting Assembly, Type 120-6-S
1	Each	907-683-G1021	Repair of High Mast Lighting Assembly, Type 120-8-S
5	Each	907-683-G1022	Repair of High Mast Lighting Assembly, Type 120-6-A
2	Each	907-683-G1023	Repair of High Mast Lighting Assembly, Type 150-6-A
3	Each	907-683-G1024	Repair of High Mast Lighting Assembly, Type 130-10-A
2	Each	907-683-G1025	Repair of High Mast Lighting Assembly, Type 110-8-A
1	Each	907-683-G1026	Repair of High Mast Lighting Assembly, Type 130-6-S
40	Each	907-683-G1027	Repair of High Mast Lighting Assembly, Type 100-3-S
2	Each	907-683-G1028	Repair of High Mast Lighting Assembly, Type 130-3-S

Call No. 03 for the February 24, 2009 Letting

1	Each	907-683-G2001	Repair of High Mast Lighting Assembly, Type 100-5-S
4	Each	907-683-G2002	Repair of High Mast Lighting Assembly, Type 110-8-A
6	Each	907-683-G2003	Repair of High Mast Lighting Assembly, Type 110-8-S
6	Each	907-683-G2004	Repair of High Mast Lighting Assembly, Type 120-10-S
6	Each	907-683-G2005	Repair of High Mast Lighting Assembly, Type 110-6-S
2	Each	907-683-G2006	Repair of High Mast Lighting Assembly, Type 120-8-S
4	Each	907-683-G2007	Repair of High Mast Lighting Assembly, Type 120-6-S
4	Each	907-683-G2008	Repair of High Mast Lighting Assembly, Type 110-10-A
8	Each	907-683-G2009	Repair of High Mast Lighting Assembly, Type 110-6-A
2	Each	907-683-G2010	Repair of High Mast Lighting Assembly, Type 130-10-A
3	Each	907-683-G2011	Repair of High Mast Lighting Assembly, Type 130-5-S
2	Each	907-683-G2012	Repair of High Mast Lighting Assembly, Type 130-8-S
1	Each	907-683-G2013	Repair of High Mast Lighting Assembly, Type 100-6-S
1	Each	907-683-G2014	Repair of High Mast Lighting Assembly, Type 100-4-S
38	Each	907-683-H1001	Repair of Low Mast Lighting Assembly, Type 50-1-0-250
8	Each	907-683-H1002	Repair of Low Mast Lighting Assembly, Type 50-1-0-400
4	Each	907-683-H1003	Repair of Low Mast Lighting Assembly, Type 50-2-0-400
15	Each	907-683-H1008	Repair of Low Mast Lighting Assembly, Type 40-1-12-250
106	Each	907-683-H1021	Repair of Low Mast Lighting Assembly, Type 40-1-15-250
32	Each	907-683-H1022	Repair of Low Mast Lighting Assembly, Type 40-1-4-250Bridge Mounted
2	Each	907-683-H1024	Repair of Low Mast Lighting Assembly, Type 50-2-0-250
9	Each	907-683-H1025	Repair of Low Mast Lighting Assembly, Type 40-1-4-150
7	Each	907-683-H1026	Repair of Low Mast Lighting Assembly, Type 40-2-12-250

Milling and overlaying of US 49 East from just north of SR 8 to the Leflore/Tallahatchie County Line, known as Federal Aid Project No. STP-0008-05(027) / 105354301, in the County of Leflore, State of Mississippi.

PROJECT COMPLETION: 44 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200 Square Yard	202-B078	Removal of Pavement, All Types and Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
300 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,600 Ton	304-B014	Granular Material, Class 3, Group D
77,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2,000 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,500 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
500 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
500 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
150 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
6,500 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1,000 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,500 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
750 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of approximately 8 miles of US 84 (eastbound lane only) from the intersection of US 84 and SR 588 to the Jones County Line, known as Federal Aid Project No. NH-0015-02(087) / 105407301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: 51 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,569	Linear Feet	202-B076	Removal of Traffic Stripe
2,355	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
8,629	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3006	Temporary Traffic Stripe, Skip White
46,267	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,375	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
548	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
891	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
205	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
523	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
523	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
523	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
7,489	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
14,564	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
7	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
22,818	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,847	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,375	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying of SR 7 from 1 mile south of Coffeeville to 4.5 miles north of Coffeeville, known as Federal Aid Project No. STP-0019-02(036) / 105353301, in the County of Yalobusha, State of Mississippi.

PROJECT COMPLETION: July 15, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,600	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,700	Ton	304-B014	Granular Material, Class 3, Group D
7,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
43,500	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
25,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
25	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
530	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
950	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
150	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
175	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
40	Each	630-F001	Delineators, Guard Rail, White
11,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,300	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
2,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
240	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
11	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,400	Linear Feet	907-626-H004	Thermoplastic Legend, White
900	Square Feet	907-626-H005	Thermoplastic Legend, White

Construction necessary for the installation of traffic signals at the intersection of I-20 WB exit ramp and SR 15, known at Federal Aid Project No. STP-0020-02(076) / 105096301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: 109 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3	Each	202-B069	Removal of Sign
	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
48	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
42	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
646	Linear Feet	635-A001	Vehicle Loop Assemblies
1,061	Linear Feet	636-A002	Shielded Cable
1	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	640-A031	Traffic Signal Heads, Type 1A LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
4	Each	647-A001	Pullbox, Type 1
2	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
230	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
185	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
165	Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
765	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
30	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
30	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
221	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
100	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
460	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	907-642-B001	Solid State Traffic Actuated Controller Modification

Widen and overlay of SR 35 from US 84 north 10 miles to US 49, known as Federal Aid Project No. STP-0023-01(074) / 104961301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: 46 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,917	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
2,443	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
122	Each	606-B025	Guard Rail, Replace Metal Blockout
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
655	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,030	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
515	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,013	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Each	630-F001	Delineators, Guard Rail, White
20,229	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,950	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
19	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,764	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
655	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
824	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of SR 27 beginning 4.3 miles south of US 84 and proceeding north to the south end of the US 84 interchange, known as Federal Aid Project No. STP-0054-01(048) / 104960301, in the County of Lawrence, State of Mississippi.

PROJECT COMPLETION: 40 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,816	Linear Feet	202-B076	Removal of Traffic Stripe
8	Each	202-B136	Removal of Guard Rail Terminal End Section
3,342	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
49,047	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
15,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,328	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
749	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
87	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1	Mile	628-L001	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
48	Each	630-F001	Delineators, Guard Rail, White
1,400	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
8,637	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
171	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1,600	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
380	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying SR 27 from the Lawrence County Line to SR 28, known as Federal Aid Project No. STP-0054-01(049) / 105434301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 39 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
7,500	Ton	304-B025	Granular Material, Class 5, Group E
1,500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
17,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
700	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
870	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,100	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
15,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
18	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
700	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widen and Overlay Hwy. 53 north and south bound lanes, from US 49 north 12 miles, known as Federal Aid Project No. STP-0064-01(025) / 105412301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,150	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
8	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,600	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
11	Cubic Yard	206-A001	Structure Excavation
10	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,110	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
24	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,025	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
109	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
42	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
224	Linear Feet	635-A001	Vehicle Loop Assemblies
1	Acre	907-227-A001	Hydroseeding
840	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
14,900	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
18,300	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
25	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
988	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,080	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,810	Linear Feet	907-626-H004	Thermoplastic Legend, White

Installing signs at the I-10/SR 67 Interchange, known as Federal Aid Project No. STP-0064-01(026) / 101208304 & 305, in the Counties of Harrison & Jackson, State of Mississippi.

PROJECT COMPLETION: August 31, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,139	Pounds	602-A001	Reinforcing Steel
1,000	Linear Feet	606-B001	Guard Rail, Class A, Type 1
300	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
6	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
2	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
868	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,198	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
115	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
163	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
83	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
97	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
247	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
127	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
40	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
11	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed

Milling and overlaying of SR 6 westbound only from the end of concrete section to the Lafayette County Line, known as Federal Aid Project No. NH-0070-03(015) / 105352301, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: 137 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

270	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,100	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
350	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
10,300	Ton	304-B014	Granular Material, Class 3, Group D
200,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	503-C007	Saw Cut, Full Depth
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
9	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
43	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
35	Mile	619-A3006	Temporary Traffic Stripe, Skip White
152,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
13,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,700	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
450	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
450	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
450	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
15	Each	630-F001	Delineators, Guard Rail, White
20	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,500	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
4,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
17,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,450	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
50	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
21,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
30,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 13 for the February 24, 2009 Letting

900 Square Feet

907-626-H005 Thermoplastic Legend, White

Construction of a Collector/Distributor Road and Frontage Road on US 78 between Blue Springs and Sherman Interchanges, known as State Project No. SP-0006-01(087) / 104969304 & 305, in the Counties of Union and Pontotoc, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
8,375	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
112	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
11	Each	202-B019	Removal of Concrete Headwall
495	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
336	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,157	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
2,123	Square Yard	202-B036	Removal of Concrete Slope Paving
9,512	Linear Feet	202-B041	Removal of Fence, All Types
1	Each	202-B057	Removal of Inlets, All Sizes
264	Linear Feet	202-B064	Removal of Pipe, 8" And Above
346	Each	202-B066	Removal of Raised Reflective Pavement Marker
3	Each	202-B069	Removal of Sign
12	Each	202-B070	Removal of Sign Including Post & Footing
1,924	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
752	Linear Feet	202-B102	Removal of Guard Rail
7	Each	202-B107	Removal of Sign, Ground Mounted with Posts
2	Each	202-B142	Removal of Junction Box
2	Mile	202-B149	Removal of Traffic Stripe
1	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
794,698	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
194,501	Cubic Yard	203-G001	Excess Excavation, FM
1,316	Cubic Yard	206-A001	Structure Excavation
36	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,852	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
166,406	Square Yard	212-A001	Light Ground Preparation
332,812	Square Yard	212-B001	Standard Ground Preparation
43	Ton	213-B001	Combination Fertilizer, 13-13-13
34	Ton	213-C001	Superphosphate
1,719	Pounds	214-A001	Seeding, Bahiagrass
1,375	Pounds	214-A002	Seeding, Bermudagrass
1,719	Pounds	214-A003	Seeding, Tall Fescue
690	Pounds	214-A004	Seeding, Crimson Clover
860	Pounds	214-A005	Seeding, Sericea Lespedeza
688	Pounds	214-A014	Seeding, Browntop Millet
3,094	Pounds	214-A015	Seeding, Oats
860	Pounds	214-A017	Seeding, Rye Grass
172	Ton	215-A001	Vegetative Materials for Mulch
5,852	Square Yard	216-A001	Solid Sodding
2,490	Square Yard	217-A001	Ditch Liner
117	Thousand	219-A001	Watering

Call No. 14 for the February 24, 2009 Letting

Gallon			
35	Acre	220-A001	Insect Pest Control
1,010	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,288	Square Yard	224-A001	Soil Reinforcing Mat
3,482	Linear Feet	234-A001	Temporary Silt Fence
2,736	Bale	235-A001	Temporary Erosion Checks
10	Each	236-A004	Silt Basin, Type D
446	Linear Feet	239-A001	Temporary Slope Drains
1,162	Cubic Yard	304-A013	Granular Material, LVM, Class 3, Group C
27,743	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
4	Mile	321-A001	6" In-Grade Preparation
5,681	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,600	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
33,369	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5	Mile	423-A001	Rumble Strips, Ground In
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
200	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
112	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
72	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
204	Linear Feet	503-C002	Saw Cut, 3-inch
228	Linear Feet	503-C007	Saw Cut, Full Depth
25	Cubic Yard	503-D001	Concrete for Base Repair
58	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
36,288	Pounds	602-A001	Reinforcing Steel
200	Linear Feet	603-A028	24" Steel Pipe, Wall Thickness 0.375"
204	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,196	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
108	Linear Feet	603-CA055	48" Reinforced Concrete Pipe, Class V, Class B Bedding
164	Linear Feet	603-CA085	30" Reinforced Concrete Pipe, Class IV, Class C Bedding
180	Linear Feet	603-CA086	36" Reinforced Concrete Pipe, Class IV, Class C Bedding
68	Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
4	Each	603-CB001	18" Reinforced Concrete End Section
15	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
344	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
76	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
5	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
3,158	Pounds	604-A001	Castings

Call No. 14 for the February 24, 2009 Letting

4,700 Pounds	604-B001 Gratings
1,063 Square Yard	605-AA004 Geotextile for Subsurface Drainage, Type V
90 Cubic Yard	605-W001 Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
98 Cubic Yard	605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,075 Linear Feet	606-B001 Guard Rail, Class A, Type 1
2 Each	606-C003 Guard Rail, Cable Anchor, Type 1
8 Each	606-D012 Guard Rail, Bridge End Section, Type I
6 Each	606-E002 Guard Rail, Terminal End Section, Flared
33,480 Linear Feet	607-A002 60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
2,300 Linear Feet	607-E001 Barbed Wire Fence, Single Strand
2 Each	607-G001 Gate, 12' x 52" Aluminum
94 Each	607-P1002 Line Post, 10' x 4" Timber
155 Each	607-P1005 Line Post, 10' x 4" x 4" Concrete
12 Each	607-P1012 Line Post, 14' x 2" Galvanized Steel
1,160 Each	607-P1016 Line Post, 7' x 4" x 4" Concrete
231 Each	607-P1017 Line Post, 9' x 4" x 4" Concrete
717 Each	607-P1020 Line Post, 7' x 4" Timber
144 Each	607-P1021 Line Post, 9' x 4" Timber
64 Each	607-P2001 Brace Post, 8' x 6" Timber
13 Each	607-P2002 Brace Post, 10' x 6" Timber
9 Each	607-P2003 Brace Post, 12' x 6" Timber
152 Each	607-P2004 Brace Post, 8' x 6" x 6" Concrete
30 Each	607-P2005 Brace Post, 10' x 6" x 6" Concrete
20 Each	607-P2006 Brace Post, 12' x 6" x 6" Concrete
3,628 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
2,072 Linear Feet	609-D004 Combination Concrete Curb and Gutter Type 3A Modified
278 Linear Feet	615-A003 Concrete Type IV Cast-in-Place Median Barrier
1,102 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
56 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
60,079 Linear Feet	619-A1001 Temporary Traffic Stripe, Continuous White
61,208 Linear Feet	619-A2001 Temporary Traffic Stripe, Continuous Yellow
1,960 Linear Feet	619-A5002 Temporary Traffic Stripe, Detail, Paint
72 Linear Feet	619-A6003 Temporary Traffic Stripe, Legend, Paint
100 Each	619-C6001 Red-Clear Reflective High Performance Raised Marker
234 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
1,041 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
520 Linear Feet	619-F1001 Concrete Median Barrier, Precast
148 Linear Feet	619-G4001 Barricades, Type III, Single Faced
90 Linear Feet	619-G4005 Barricades, Type III, Double Faced
182 Each	619-G5001 Free Standing Plastic Drums
Lump Sum	620-A001 Mobilization
1 Each	621-A001 Field Laboratory
1,157 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
338 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
456 Linear Feet	628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip White

Call No. 14 for the February 24, 2009 Letting

684	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
684	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
32	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
144	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
396	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
746	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
359	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
26	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
462	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
96	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
47	Linear Feet	630-D009	Structural Steel Beams, W10 x 26
49	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
49	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
174	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
253	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
551	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
22	Each	630-F002	Delineators, Guard Rail, Yellow
82	Each	630-F006	Delineators, Post Mounted, Single White
47	Each	630-F007	Delineators, Post Mounted, Single Yellow
122	Each	630-F008	Delineators, Post Mounted, Double White
11	Each	630-F009	Delineators, Post Mounted, Double Yellow
6	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
72	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
293	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
277	Cubic Yard	631-A001	Flowable Fill
277	Linear Feet	635-A001	Vehicle Loop Assemblies
1,978	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
3	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	639-A122	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
10	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A016	Traffic Signal Heads, Type 1 LEDOPTICAL PROGRAM
4	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
14	Each	647-A001	Pullbox, Type 1
9	Each	647-A005	Pullbox, Type 2
5	Each	649-A002	Video Vehicle Detection, New Installation, 1 Camera
1,548	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,904	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor

Call No. 14 for the February 24, 2009 Letting

3,430	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
189	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
258	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
353	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
73	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
7,733	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
8,528	Linear Feet	682-A021	Underground Branch Circuit, AWG 3, 3 Conductor
3,021	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
7,626	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
4,355	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
49	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
691	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
737	Linear Feet	682-B022	Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor
484	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
969	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
415	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
28	Each	682-D001	Underground Pull Box
4	Each	682-F001	Secondary Power Controllers
10	Each	683-A008	Lighting Assembly, High Mast, Type 100-4-A
2	Each	683-A009	Lighting Assembly, High Mast, Type 100-4-S
3	Each	683-A015	Lighting Assembly, High Mast, Type 100-6-S
1	Each	683-A018	Lighting Assembly, High Mast, Type 100-8-S
1	Each	683-A044	Lighting Assembly, High Mast, Type 120-4-A
4	Each	683-A069	Lighting Assembly, High Mast, Type 130-6-S
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
11	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
16	Each	683-B158	Lighting Assembly, Low Mast, Type 40-1-8-400
1	Each	683-D001	Portable Electric Power Units
48	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
81	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
98	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B004	Slip Casing, 36" Diameter
24	Linear Feet	684-B006	Slip Casing, 48" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
2,580	Ton	815-A009	Loose Riprap, Size 300
704	Square Yard	815-E001	Geotextile under Riprap
410	Ton	815-F002	Sediment Control Stone
206	Ton	907-213-A001	Agricultural Limestone
30	Each	907-234-D001	Inlet Siltation Guard
30	Each	907-234-E001	Reset Inlet Siltation Guard
27,178	Ton	907-304-F003	3/4" and Down Crushed Stone Base
86	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
69,471	Square Yard	907-307-C005	8" Soil-Lime-Water Mixing, Class C
1,250	Ton	907-307-D001	Lime
1,731	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture

Call No. 14 for the February 24, 2009 Letting

6,879	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,477	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,464	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
8,666	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,092	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,499	Ton	907-403-C001	Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening
11,870	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
11,709	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
4,939	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
172	Cubic Yard	907-601-A001	Class "B" Structural Concrete
75	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
33	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
26,778	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,056	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
34,930	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,650	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
36,462	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
21,911	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,534	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,379	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,048	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
41	Each	907-630-O003	Remove and Reset Sign, All Sizes

Bridge Items

1,014	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test
1,530	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,360	Linear Feet	803-F005	18" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
1	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
95	Linear Feet	803-O008	Temporary Casing, 48" Diameter
95,749	Pounds	805-A001	Reinforcement
456	Linear Feet	813-A001	Concrete Railing
525	Cubic Yard	815-D001	Concrete Slope Paving
190	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
46	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
475	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
494	Linear Feet	907-804-C168	71' Prestressed Concrete Beam, Type IV
653	Linear Feet	907-804-C169	94' Prestressed Concrete Beam, Type IV
438	Linear Feet	907-804-C170	63' Prestressed Concrete Beam, Type IV

Overlaying approximately 2 miles of State Route 15/25 at Louisville, known as State Project No. MP-1015-80(011) / 303604301, in the County of Winston, State of Mississippi.

PROJECT COMPLETION: 37 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,300	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
20,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
70	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
630	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
60	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,600	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
6,900	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
4	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
19,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,150	Linear Feet	907-626-H004	Thermoplastic Legend, White
460	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 7 miles of SR 7 between Morgan City and Itta Bena, known as State Project No. MP-2007-42(007) / 303603301, in the County of Leflore, State of Mississippi.

PROJECT COMPLETION: June 15, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200 Square Yard	202-B078	Removal of Pavement, All Types and Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
300 Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,500 Ton	304-B014	Granular Material, Class 3, Group D
15 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
32 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9,500 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
720 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,500 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,100 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
2,700 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
16 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3,200 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying US 61 from the 4-lane section to SR 547, known as State Project No. MP-3061-11(006) / 303610301, in the County of Claiborne, State of Mississippi.

PROJECT COMPLETION: 23 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,000	Ton	304-B025	Granular Material, Class 5, Group E
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
3,100	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
900	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
260	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
4,200	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
900	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying Hwy. 13 from I-20 to Hwy. 481, known as State Project No. MP-5013-62(011) / 303596301, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: 47 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,478	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
4,772	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
20,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
450	Linear Feet	609-E001	Bituminous Curb
125	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
17,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
280	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
462	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
640	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
130	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
700	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
536	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
70	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
268	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
10,450	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
200	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
300	Square Feet	907-626-H005	Thermoplastic Legend, White

Cleaning and sealing joints on US Highway 49 between the Forrest County Line and Seminary, known as State Project No. MP-7049-16(012) / 303618301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: May 25, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

21,160	Linear Feet	413-B001	Cleaning and Sealing Joints
58,482	Linear Feet	413-C001	Cleaning and Sealing Cracks
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
360	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,083	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
644	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
18,523	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,022	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,696	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 20 for the February 24, 2009 Letting

Work necessary to construct an equipment shed and warehouse building at the shop complex, known as State Project Nos. BWO-9039-25(001) / 501963301 & BWO-9040-25(001) / 501977301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: October 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Equipment Shed, Shop Complex
----------	-----------	--

Building Items

Lump Sum	1500-A001	Construction of Warehouse Building, Shop Complex
----------	-----------	--

Site Improvements to the Rest Area on I-55 Northbound north of Durant, known as State Project No. LWO-3059-26(002) / 501920302, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

707	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,624	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
2	Each	202-B019	Removal of Concrete Headwall
4	Square Yard	202-B025	Removal of Concrete Paved Ditch
2,034	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
470	Square Yard	202-B035	Removal of Concrete Sidewalk
260	Linear Feet	202-B064	Removal of Pipe, 8" And Above
5	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
28	Each	202-B099	Removal of Existing Light and Foundation
2	Each	202-B256	Removal of Monument
31	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
4,000	Square Yard	216-B004	Solid Sodding, Bermuda
100	Thousand Gallon	219-A001	Watering
6	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
138	Pounds	602-A001	Reinforcing Steel
88	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
79	Pounds	604-A001	Castings
234	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
2	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,197	Linear Feet	609-C002	Concrete Curb, Integral, Type 2
462	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
43	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
70	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
3,380	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
1	Each	682-D001	Underground Pull Box
1	Cubic Yard	684-A001	Pole Foundation, 12" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
18	Linear Feet	813-E010	Pedestrian Railing
4	Acre	907-225-A001	Grassing
100	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
4	Each	907-230-A087	Shrub Planting, Magnolia X Soulangeana
6	Each	907-230-A088	Shrub Planting, Lagerstroemia X
4	Each	907-230-A089	Shrub Planting, Prunus X Yedoensis
4	Each	907-230-A090	Shrub Planting, Cornus Kousa
35	Each	907-230-A091	Shrub Planting, Ilex Crenata
10	Each	907-230-A092	Shrub Planting, Nandina Domestica
93	Each	907-230-A093	Shrub Planting, Hemerocallis
100	Linear Feet	907-230-C001	Bed Edging
2,471	Square Feet	907-230-D001	Bed Preparation
1,140	Each	907-230-F004	Shrub and Groundcover Planting, Liriope Spicata

Call No. 21 for the February 24, 2009 Letting

31	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
8	Each	907-258-E001	Trash Receptacle , Standard
6	Each	907-258-E001	Trash Receptacle , Washed Rock
4	Each	907-258-J001	Metal Bench
3	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
8	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
1	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
20	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
17	Each	907-282-A045	Sprinkler Head, 1812-PRS-12Q
2	Each	907-282-A058	Sprinkler Head, 1804-PRS-15CST
334	Linear Feet	907-282-B002	Piping, 3/4" Diameter
682	Linear Feet	907-282-B003	Piping, 1" Diameter
78	Linear Feet	907-282-B006	Piping, 2" Diameter
100	Linear Feet	907-282-D001	Valve Control Wire
1	Each	907-282-G007	Electric Controller, 4 Station
3	Each	907-282-H001	Electric Control Valve, 1"
1	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-290-A001	Flagpole
1,700	Ton	907-403-A003	Hot Mix Asphalt, HT, 25-mm mixture
80	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,520	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
53	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
357	Square Yard	907-608-D002	Stamped and Colored Concrete Sidewalk, Per Plans
145	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
10,931	Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
3	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
300	Linear Feet	907-628-G002	Cold Plastic Detail Stripe, White, 4" Equivalent Length
4	Square Feet	907-628-H001	Cold Plastic Legend, Blue-ADA
2	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol
3	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
9	Each	907-630-O003	Remove and Reset Sign, All Sizes
8	Each	907-683-A001	Lighting Assembly, High Mast, 400 W, Type V
13	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W, Type III, Traditionaire Post Top
9	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W, Type V, Traditionaire Post Top

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR