

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 3/13/2009 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Add Section 00 91 13A; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

BWO-9018-25(005) / 501918301 BWO-9021-25(006) / 501919301 Hinds County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

ADDENDUM No. 1
SECTION 00 91 13A

DATE: 3-12-09

PROJECT: HVAC UPGRADES TO SHOP COMPLEX AND
ADMINISTRATION BUILDING AT JACKSON,
HINDS COUNTY, MISSISSIPPI

PROJECT NUMBERS: BWO-9018-25(005) 501918
BWO-9021-25(006) 501919

PART 1- GENERAL

1.01 DESCRIPTION: Bidders are hereby advised that the following changes are to be made to this Contract.

1.02 SPECIFICATIONS

A. Section 08 11 13-Hollow Metal Doors and Frames make the following changes:

1. Article 2.03 Paragraph A., add the following sentence: "Frames for exterior openings shall be made of commercial grade 14 gage minimum cold rolled steel conforming to ASTM A366-68 with a zinc coating conforming to ASTM A653, with a coating designation of A60 or G60 and a minimum coating thickness of 0.60 oz. per sq. ft. minimum".
2. Article 2.04 Paragraph A., add the following sentence: "Face sheets for exterior doors shall be 16-gage minimum with zinc coating conforming to ASTM A653, with a coating designation of A60 or G60 and a minimum coating thickness of 0.60 oz. per sq. ft. minimum".

B. Section 08 71 00 - Door Hardware add hardware set HW3 to Article 3.03 Schedule as follows:

HW3 (For Exterior Hollow Metal Door at Chiller Yard)

Each Opening Shall Have:

3 – Each Hinges	Hager	BB1279 4 1/2 X 4 1/2 X NRP X 652
1 – Lockset	Schlage	D50RD Rhodes X 626
1 – Kickplate	Rockwood	8 X 2 LDW 0.050 X 630 (Mounted push side)
1 – Threshold	Pemko	2005AV
1 – W/Strip	Pemko	303AV
1 – Door Bottom	Pemko	2211AV (for Hollow Metal Doors)
1 – Stop		(As Required)
3 – Silencers		

1.03 DRAWINGS

A. Make the following changes to Sheet Number 4, Working Number A1.2:

1. Revise the dimensions at the Chiller Yard Details 7/A1.2 as follows: Change 14'-0" to 20'-0" and 18'-0" to 24'-0".

PART 2 - PRODUCTS (Not Used)

PART 3 - EXECUTION (Not Used)

END OF SECTION