


[Proposal & Plan Sales Will Begin on March 2, 2009](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for March – March 24, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MARCH - Tuesday, March 24, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 02, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
* 01	RSIP-0000-09(006) / 105386301	STATEWIDE
* 02	NH-0003-01(141) / 105411301	Jackson
* 03	STP-2170-00(011) / 105466301	Forrest
* 04	MP-5019-38(010) / 303627301	Lauderdale
05	MP-6010-23(011) / 303589301	Hancock
06	BWO-9018-25(005) / 501918301 & BWO-9021-25(006) / 501919301	Hinds
* 07	NH-0002-03(071) / 105246301	Noxubee
08	NH-0002-04(032) / 102087301	Lowndes
09	NH-0006-03(036) / 104095309	Itawamba
10	STP-0026-01(076) / 101648302 & STP-0026-01(076) / 101648303	Neshoba & Newton
* 11	NH-0056-01(068) / 105244301	Rankin
* 12	NH-0008-04(061) / 105430301	Yazoo
* 13	NH-0008-02(093) / 105441301	Covington
* 14	NH-0009-01(123) / 105437301	Adams
* 15	NH-0014-02(060) / 105438301	Walthall
* 16	NH-0015-01(063) / 105439301	Franklin
* 17	STP-0022-01(072) / 105456301	Jones
* 18	STP-0054-01(050) / 105435301	Copiah

Installing centerline rumble stripe on various routes throughout the State, known as Federal Aid Project No. RSIP-0000-09(006) / 105386301, in the Counties of Bolivar, Carroll, Copiah, Grenada, Hinds, Holmes, Humphreys, Issaquena, Lafayette, Leflore, Marion, Marshall, Rankin, Sharkey, Warren, Washington, and Yalobusha, State of Mississippi.

PROJECT COMPLETION: December 15, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4,995	Linear Feet	202-B076	Removal of Traffic Stripe, Tape
349	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
32,706	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,430	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,010	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
64	Mile	907-626-D002	4" Thermoplastic Traffic Stripe, Skip Yellow
235	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
27	Mile	907-626-E002	4" Thermoplastic Traffic Stripe, Continuous Yellow
151	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,330	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
750	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Widen & overlay US 90 from 14th Street east 5.5 miles, known as Federal Aid Project No. NH-0003-01(141) / 105411301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: 57 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

600	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
680	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
7,200	Linear Feet	202-B076	Removal of Traffic Stripe
3,000	Cubic Yard	203-EX008	Borrow Excavation, AH, LVM, Class B4
6,400	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
605	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
25	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,760	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,716	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
480	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-F001	Delineators, Guard Rail, White
6,264	Linear Feet	635-A001	Vehicle Loop Assemblies
900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
22,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
11,110	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,355	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,800	Square Feet	907-626-H005	Thermoplastic Legend, White

Widen and Overlay US 11 from Green's Creek Bridge to the Jones County Line, known as Federal Aid Project No. STP-2170-00(011) / 105466301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 30 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

311	Square Yard	202-B078	Removal of Pavement, All Types and Depths
600	Linear Feet	202-B102	Removal of Guard Rail
650	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D004	Guard Rail, Bridge End Section, Type E
2	Each	606-D005	Guard Rail, Bridge End Section, Type F
4	Each	606-E001	Guard Rail, Terminal End Section
605	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
89	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
360	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
7,900	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5,900	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
21,200	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,225	Linear Feet	907-626-H004	Thermoplastic Legend, White
325	Square Feet	907-626-H005	Thermoplastic Legend, White

Construction necessary to rout, clean, and fill cracks on approximately 3 miles of SR 19 in Meridian, known as State Project No. MP-5019-38(010) / 303627301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 82 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,400	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
462	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1,501	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,319	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
800	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
800	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
800	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
10,087	Gallon	907-413-G001	Crack Filler Materials
65,985	Linear Feet	907-413-H001	Cleaning and Filling Cracks
95,403	Linear Feet	907-413-I001	Routing, Cleaning and Filling Cracks
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
32,698	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,886	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,359	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 05 for the March 24, 2009 Letting

Maintenance necessary to replace jaw plates on the I-10 Bascule Bridge over the Pearl River, known as State Project No. MP-6010-23(011) / 303589301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: August 28, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	907-829-A001	Jaw Plates
----------	--------------	------------

Call No. 06 for the March 24, 2009 Letting

Construction necessary for HVAC System upgrades at the Jackson Shop Complex and the MDOT Administration Building, known as State Project Nos. BWO-9018-25(005) / 501918301 & BWO-9021-25(006) / 501919301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: February 28, 2010

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum 1520-A001 Installation of HVAC System Upgrades--Jackson Shop Complex

Building Items

Lump Sum 1520-A001 Installation of HVAC System Upgrades--MDOT Administration Building

Overlaying US 45 from the Kemper County Line to Brooksville, known as Federal Aid Project No. NH-0002-03(071) / 105246301, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: July 06, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,064	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
11,648	Linear Feet	202-B076	Removal of Traffic Stripe
500	Square Yard	202-B084	Removal of Base
1,000	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
45,044	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
400	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
287,317	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
86	Mile	423-A001	Rumble Strips, Ground In
1,000	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
300	Linear Feet	503-C002	Saw Cut, 3-inch
1,100	Linear Feet	503-C003	Saw Cut, 6-inch
300	Linear Feet	503-C005	Saw Cut, 8-inch
450	Linear Feet	503-C010	Saw Cut, 4-inch
100	Cubic Yard	503-D001	Concrete for Base Repair
500	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
100	Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
26	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
85	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
77	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
86	Mile	619-A3006	Temporary Traffic Stripe, Skip White
85,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,610	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
548	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
4,614	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
440	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,241	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,406	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,906	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
154	Square Feet	628-P001	High Performance Cold Plastic Legend, White
308	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
70	Each	630-F001	Delineators, Guard Rail, White
70	Each	630-F002	Delineators, Guard Rail, Yellow
20	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
20	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
144	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
100	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture

Call No. 07 for the March 24, 2009 Letting

2,000	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
130,172	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
4,000	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
32,259	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,400	Square Yard	907-504-A001	6" Fiber Reinforced Concrete Pavement
750	Square Yard	907-504-A002	4" Fiber Reinforced Concrete Pavement
43	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
42	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
38	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
46,871	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
35,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,805	Linear Feet	907-626-H004	Thermoplastic Legend, White

Four lane grade, drain, bridge and pavement upgrade on US 45 from 4 miles south of US 82 to US 82, known as Federal Aid Project No. NH-0002-04(032) / 102087301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: November 07, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
8,788 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3 Each	202-B008	Removal of Box Culvert
1 Each	202-B009	Removal of Bridge
150 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,252 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B079	Removal of Headwall
981 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
30,111 Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
250 Linear Feet	202-B102	Removal of Guard Rail
228,492 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
145,365 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
822,865 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
2,836 Cubic Yard	206-A001	Structure Excavation
53 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
242,500 Square Yard	212-A001	Light Ground Preparation
485,000 Square Yard	212-B001	Standard Ground Preparation
63 Ton	213-B001	Combination Fertilizer, 13-13-13
50 Ton	213-C001	Superphosphate
2,505 Pounds	214-A001	Seeding, Bahiagrass
2,004 Pounds	214-A002	Seeding, Bermudagrass
2,505 Pounds	214-A003	Seeding, Tall Fescue
1,002 Pounds	214-A004	Seeding, Crimson Clover
1,002 Pounds	214-A014	Seeding, Browntop Millet
4,509 Pounds	214-A015	Seeding, Oats
1,253 Pounds	214-A017	Seeding, Rye Grass
250 Ton	215-A001	Vegetative Materials for Mulch
444 Square Yard	216-A001	Solid Sodding
3,663 Square Yard	217-A001	Ditch Liner
9 Thousand Gallon	219-A001	Watering
50 Acre	220-A001	Insect Pest Control
377 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
8,067 Square Yard	224-A001	Soil Reinforcing Mat
13,300 Linear Feet	234-A001	Temporary Silt Fence
2,708 Bale	235-A001	Temporary Erosion Checks
20 Each	236-A004	Silt Basin, Type D
2,800 Linear Feet	239-A001	Temporary Slope Drains

Call No. 08 for the March 24, 2009 Letting

24,055	Cubic Yard	304-C013	Granular Material, AEA, Class 3, Group C
43,920	Cubic Yard	304-C043	Granular Material, AEA, Class 9, Group C
800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,650	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
13	Mile	423-A001	Rumble Strips, Ground In
241	Linear Feet	501-E001	Expansion Joints, Without Dowels
568	Square Yard	501-K001	Transverse Grooving
578	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
136	Linear Feet	503-C007	Saw Cut, Full Depth
24,460	Pounds	602-A001	Reinforcing Steel
1,416	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
940	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
808	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
312	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
392	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
320	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
624	Linear Feet	603-CA052	30" Reinforced Concrete Pipe, Class V, Class B Bedding
15	Each	603-CB001	18" Reinforced Concrete End Section
19	Each	603-CB002	24" Reinforced Concrete End Section
11	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
400	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
48	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1,220	Pounds	604-A001	Castings
4,400	Pounds	604-B001	Gratings
21,683	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
700	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
5,173	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
656	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
60	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
1,107	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
163	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
400	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

Call No. 08 for the March 24, 2009 Letting

2,017	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-F3004	Delineators, Guard Rail, White
336	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
111	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
2	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
901	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
172	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
752	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
752	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
752	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
334	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
775	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
639	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
36	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
794	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
54	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
132	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
53	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
57	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
32	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
247	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
731	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
193	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
383	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
2,880	Ton	815-A009	Loose Riprap, Size 300
4,025	Square Yard	815-E001	Geotextile under Riprap
42	Ton	815-F002	Sediment Control Stone
300	Ton	907-213-A001	Agricultural Limestone
2,250	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
101,070	Square Yard	907-306-A001	Asphalt Drainage Course
94,753	Square Yard	907-307-B001	10" Soil-Lime-Water Mixing, Class B
2,132	Ton	907-307-D001	Lime
1,102	Ton	907-308-A001	Portland Cement

Call No. 08 for the March 24, 2009 Letting

94,753	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
14,057	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
24,000	Ton	907-403-A003	Hot Mix Asphalt, HT, 25-mm mixture
900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
14,630	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
13,399	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
186	Cubic Yard	907-601-A001	Class "B" Structural Concrete
50	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,784	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
96	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
56	Linear Feet	907-603-ALT07	54" Type A Alternate Pipe
39,423	Linear Feet	907-605-H001	Edge Drain
3,943	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
72	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,780	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,359	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,160	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White

Bridge Items

2,480	Square Yard	501-K001	Transverse Grooving
2	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test
3,195	Linear Feet	803-D002	HP 12 x 53 Steel Piling
2	Each	803-J001	Pile Restrike
20	Linear Feet	803-N001	Exploration
180	Linear Feet	803-O009	Temporary Casing, 54" Diameter
214,551	Pounds	805-A001	Reinforcement
1,236	Linear Feet	813-A001	Concrete Railing
1,823	Ton	815-A009	Loose Riprap, Size 300
2,619	Square Yard	815-E001	Geotextile under Riprap
360	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
30	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,414	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,317	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
2,394	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

US 78 upgrade to interstate standards from the east end of the Tenn-Tom Bridge to the Alabama State Line, known as Federal Aid Project No. NH-0006-03(036) / 104095309, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: August 28, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,900	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9,700	Linear Feet	202-B076	Removal of Traffic Stripe
1,313	Linear Feet	202-B102	Removal of Guard Rail
47,100	Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,400	Cubic Yard	304-A014	Granular Material, LVM, Class 3, Group D
26,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
50	Mile	423-A001	Rumble Strips, Ground In
35	Each	606-E001	Guard Rail, Terminal End Section
15,234	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
5,350	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
117	Each	607-P1005	Line Post, 10' x 4" x 4" Concrete
907	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
169	Each	607-P1017	Line Post, 9' x 4" x 4" Concrete
4	Each	607-P1018	Line Post, 12' x 2 1/2" Galvanized Steel
1	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
108	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
15	Each	607-P2005	Brace Post, 10' x 6" x 6" Concrete
13	Each	607-P2006	Brace Post, 12' x 6" x 6" Concrete
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
133	Each	630-F001	Delineators, Guard Rail, White
133	Each	630-F002	Delineators, Guard Rail, Yellow
10	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
38,500	Ton	907-403-C006	Hot Mix Asphalt, ST, 25-mm mixture, Trench Widening
4,150	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
55	Mile	907-403-S002	Joint Sealant for HMA
1,064	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow

Grade, Drain, Bridge, & Paving on SR 19 between Lauderdale County Line and SR 492, known as Federal Aid Project Nos. STP-0026-01(076) / 101648302 & STP-0026-01(076) / 101648303, in the Counties of Newton & Neshoba, State of Mississippi.

PROJECT COMPLETION: February 01, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
12	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
126,123	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3	Each	202-B007	Removal of Box Bridge
1,126	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2,017	Linear Feet	202-B038	Removal of Curb, All Types
4,829	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,550	Linear Feet	202-B076	Removal of Traffic Stripe
346	Linear Feet	202-B080	Removal of Box Culvert
896	Linear Feet	202-B102	Removal of Guard Rail
52	Each	202-B105	Removal of Pipe Headwall, All Sizes
1,449,622	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
12,150	Cubic Yard	203-D002	Muck Excavation, LVM
78,115	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
1,534	Cubic Yard	203-F002	Channel Excavation, LVM
379,082	Cubic Yard	203-G004	Excess Excavation, LVM, AH
27,423	Cubic Yard	206-A001	Structure Excavation
753	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
282,129	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
50,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
791,305	Square Yard	212-A001	Light Ground Preparation
1,591,171	Square Yard	212-B001	Standard Ground Preparation
206	Ton	213-B001	Combination Fertilizer, 13-13-13
164	Ton	213-C001	Superphosphate
8,175	Pounds	214-A001	Seeding, Bahiagrass
6,558	Pounds	214-A002	Seeding, Bermudagrass
3,305	Pounds	214-A003	Seeding, Tall Fescue
3,270	Pounds	214-A004	Seeding, Crimson Clover
4,113	Pounds	214-A005	Seeding, Sericea Lespedeza
3,270	Pounds	214-A014	Seeding, Browntop Millet
14,715	Pounds	214-A015	Seeding, Oats
4,088	Pounds	214-A017	Seeding, Rye Grass
821	Ton	215-A001	Vegetative Materials for Mulch
3,924	Square Yard	216-A001	Solid Sodding
12,130	Square Yard	217-A001	Ditch Liner
78	Thousand Gallon	219-A001	Watering
164	Acre	220-A001	Insect Pest Control
1,416	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing

Call No. 10 for the March 24, 2009 Letting

19,216	Square Yard	224-A001	Soil Reinforcing Mat
45,746	Linear Feet	234-A001	Temporary Silt Fence
2,372	Bale	235-A001	Temporary Erosion Checks
40	Each	236-A004	Silt Basin, Type D
40	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
8,200	Linear Feet	239-A001	Temporary Slope Drains
10,515	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
25	Mile	423-A001	Rumble Strips, Ground In
172	Linear Feet	501-E001	Expansion Joints, Without Dowels
360	Square Yard	501-K001	Transverse Grooving
373	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
500	Linear Feet	503-C007	Saw Cut, Full Depth
829,387	Pounds	602-A001	Reinforcing Steel
2,748	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,124	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
528	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
828	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
588	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
488	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
1,604	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
268	Linear Feet	603-CA010	66" Reinforced Concrete Pipe, Class III
976	Linear Feet	603-CA011	72" Reinforced Concrete Pipe, Class III
404	Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV
704	Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
736	Linear Feet	603-CA018	42" Reinforced Concrete Pipe, Class IV
372	Linear Feet	603-CA019	48" Reinforced Concrete Pipe, Class IV
304	Linear Feet	603-CA021	60" Reinforced Concrete Pipe, Class IV
316	Linear Feet	603-CA023	72" Reinforced Concrete Pipe, Class IV
35	Each	603-CB001	18" Reinforced Concrete End Section
22	Each	603-CB002	24" Reinforced Concrete End Section
8	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
10	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
12	Each	603-CB008	60" Reinforced Concrete End Section
2	Each	603-CB009	66" Reinforced Concrete End Section
8	Each	603-CB010	72" Reinforced Concrete End Section
260	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
60	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
1	Each	603-SB025	18" Branch Connections, Stub into 54" Concrete Pipe
1	Each	603-SB029	18" Branch Connections, Stub into 72" Concrete Pipe
2	Each	603-SB034	18" Branch Connections, Stub into 60" Concrete Pipe
3	Each	603-SB035	18" Branch Connections, Stub into Box Bridge

Call No. 10 for the March 24, 2009 Letting

1 Each	603-SB056	24" Branch Connections, Stub into Box Bridge
7,750 Pounds	604-B001	Gratings
900 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
69,507 Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
95 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,500 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
7 Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
7 Each	605-Z004	Underdrain Appurtenances, Sign
650 Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
6,677 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
329 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
80 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
2,013 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
83 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
12 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A3006	Temporary Traffic Stripe, Skip White
4 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
9,703 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,356 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
7 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
697 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
176 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,372 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
33 Square Feet	619-D4001	Directional Signs
4 Each	619-F3004	Delineators, Guard Rail, White
2,688 Linear Feet	619-G4005	Barricades, Type III, Double Faced
526 Each	619-G5001	Free Standing Plastic Drums
2 Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
2 Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
2,232 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
236 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
520 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
520 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
520 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
246 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,662 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
31 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
75 Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
1,961 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft

Call No. 10 for the March 24, 2009 Letting

64	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
74	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,056	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
12	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-F002	Delineators, Guard Rail, Yellow
46	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
46	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
124	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
380	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
185	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
73	Cubic Yard	631-A001	Flowable Fill
6,081	Pounds	690-A001	Grouting Abandoned Water Wells
	Lump Sum	699-A001	Roadway Construction Stakes
5,040	Ton	815-A009	Loose Riprap, Size 300
370	Ton	815-F002	Sediment Control Stone
981	Ton	907-213-A001	Agricultural Limestone
52,672	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
68,084	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
297,821	Square Yard	907-306-A001	Asphalt Drainage Course
141,064	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
1,904	Ton	907-307-D001	Lime
5,307	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
17,649	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,854	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
114,350	Ton	907-403-F001	Maintained Hot Mix Asphalt
59	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
5,864	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
220	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
64	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
100	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
84	Linear Feet	907-603-ALT11	36" Type B Alternate Pipe
139,013	Linear Feet	907-605-H001	Edge Drain
12,747	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
1,250	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
150	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,528	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
26,681	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
23,318	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,810	Linear Feet	907-626-H004	Thermoplastic Legend, White
36	Square Feet	907-626-H005	Thermoplastic Legend, White
4,459	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

ALTERNATE GROUP AA NO. 1

Call No. 10 for the March 24, 2009 Letting

4,306	Ton	907-308-A001	Portland Cement
406,483	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
406,483	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
3,012	Ton	907-311-B001	Lime
12,046	Ton	907-311-C002	Fly Ash, Class C or F

Bridge Items

1,920	Square Yard	501-K001	Transverse Grooving
6	Each	803-A001	Test Pile
6	Each	803-B001	Conventional Static Loading Test
1,610	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,530	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,100	Linear Feet	803-D003	HP 14 x 73 Steel Piling
4	Each	803-J001	Pile Restrike
121,898	Pounds	805-A001	Reinforcement
966	Linear Feet	813-A001	Concrete Railing
392	Ton	815-A009	Loose Riprap, Size 300
179	Square Yard	815-E001	Geotextile under Riprap
790	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,862	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Overlaying SR 25 from SR 471 to SR 43, known as Federal Aid Project No. NH-0056-01(068) / 105244301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: May 07, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

850	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9,378	Linear Feet	202-B076	Removal of Traffic Stripe
3,442	Linear Feet	202-B102	Removal of Guard Rail
700	Cubic Yard	203-G003	Excess Excavation, FM, AH
37,380	Cubic Yard	304-A023	Granular Material, LVM, Class 5, Group C
39,494	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
41	Mile	423-A001	Rumble Strips, Ground In
2,367	Linear Feet	606-B001	Guard Rail, Class A, Type 1
14	Each	606-D002	Guard Rail, Bridge End Section, Type C
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
16	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
46	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
39	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
43	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,504	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
447	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
932	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-D3001	Remove and Reset Signs, All Sizes
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
84	Linear Feet	619-G4005	Barricades, Type III, Double Faced
3,021	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
740	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,126	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,126	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,126	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
56	Each	630-F001	Delineators, Guard Rail, White
56	Each	630-F002	Delineators, Guard Rail, Yellow
48	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
700	Linear Feet	635-A001	Vehicle Loop Assemblies
20,038	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
14,905	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
9,762	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
50,173	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
24	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
25	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
57,898	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 11 for the March 24, 2009 Letting

68,167	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,504	Linear Feet	907-626-H004	Thermoplastic Legend, White
447	Square Feet	907-626-H005	Thermoplastic Legend, White

Widening and overlaying US Highway 49 between the Madison County Line and Bentonia, known as Federal Aid Project No. NH-0008-04(061) / 105430301, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: August 07, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
6,850 Ton	304-B024	Granular Material, Class 5, Group D
1,750 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
17 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
9 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
20 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
15,000 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,200 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
1,150 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
800 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
800 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
800 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
150 Ton	907-304-F003	3/4" and Down Crushed Stone Base
16,800 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
11,150 Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
10 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,500 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
600 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 18 miles of US Highway 49 northbound lanes from Seminary to the Simpson County Line, known as Federal Aid Project No. NH-0008-02(093) / 105441301, in the County of Covington, State of Mississippi.

PROJECT COMPLETION: September 29, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

680	Linear Feet	202-B076	Removal of Traffic Stripe
5,623	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
4,111	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
28	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3006	Temporary Traffic Stripe, Skip White
64,029	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,877	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
435	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
300	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
300	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
300	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
6,924	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
8,258	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
10,299	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
23,121	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
16	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
29,061	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
34,968	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
7,877	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying approximately 7 miles of U.S. Highway 61 in Natchez, known as Federal Aid Project No. NH-0009-01(123) / 105437301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: August 11, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Linear Feet	202-B041	Removal of Fence, All Types
4	Each	202-B043	Removal of Guard Rail Bridge End Section
244	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,648	Linear Feet	202-B076	Removal of Traffic Stripe
92	Linear Feet	202-B135	Removal of Guard Rail Double Faced Rail Including Rail & Posts
6	Each	202-B136	Removal of Guard Rail Terminal End Section
3	Each	202-B255	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
1,712	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
150,503	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
51,384	Linear Feet	413-B001	Cleaning and Sealing Joints
15	Mile	423-A001	Rumble Strips, Ground In
150	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
288	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
250	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
17	Each	607-P1029	Line Post, 5' x 2" Galvanized Steel
4	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,050	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
20,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
231	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,050	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
140	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,174	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,174	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,174	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
36	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F002	Delineators, Guard Rail, Yellow
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
32	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II

Call No. 14 for the March 24, 2009 Letting

1,716	Linear Feet	635-A001	Vehicle Loop Assemblies
25,300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
300	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
64	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1,050	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,300	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,000	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 6 miles of U.S. Highway 98 between the Pike County Line and Tylertown, known as Federal Aid Project No. NH-0014-02(060) / 105438301, in the County of Walthall, State of Mississippi.

PROJECT COMPLETION: August 12, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

5,886	Ton	304-B029	Granular Material, Class 6, Group D
10,988	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A3006	Temporary Traffic Stripe, Skip White
48,408	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,840	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
550	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
117	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
30	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
16,311	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
20,161	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
10	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
28,978	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,430	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,840	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 8 miles of U.S. Hwy 84 west the Bude/Meadville By-Pass, known as Federal Aid Project No. NH-0015-01(063) / 105439301, in the County of Franklin, State of Mississippi.

PROJECT COMPLETION: September 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

14,193	Cubic Yard	304-A029	Granular Material, LVM, Class 6, Group D
5,909	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
33	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
33	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,195	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
360	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,772	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
56	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
26	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
18	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
25,713	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
14,943	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
16	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
16	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
14,166	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,150	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,260	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 2 miles of SR 15 at Laurel, known as Federal Aid Project No. STP-0022-01(072) / 105456301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: June 04, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

25	Linear Feet	202-B038	Removal of Curb, All Types
250	Linear Feet	202-B076	Removal of Traffic Stripe
10	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
21,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
5	Each	613-D010	Adjustment of Manhole Cover and Water Valve
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3006	Temporary Traffic Stripe, Skip White
800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
780	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,780	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,118	Linear Feet	635-A001	Vehicle Loop Assemblies
10	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
9,042	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,650	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,950	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,215	Square Feet	907-626-H005	Thermoplastic Legend, White

Widening and overlaying approximately 10 miles of SR 27 north of Georgetown, known as Federal Aid Project No. STP-0054-01(050) / 105435301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: July 15, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
12,000 Ton	304-B025	Granular Material, Class 5, Group E
900 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
20 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
13 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
18 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
20,000 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,400 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
85 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
815 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
100 Ton	907-304-F003	3/4" and Down Crushed Stone Base
17,000 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
14,000 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
53,856 Linear Feet	907-403-S001	Joint Sealant for HMA
1 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
20 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
9 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800 Linear Feet	907-626-H004	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR