


[Proposal & Plan Sales Will Begin on April 6, 2009](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 28, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 28, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 06, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
01	NH-0006-03(037) / 104095310	Lee
* 02	STP-0080-01(015) / 105453301	Forrest
* 03	NH-0014-02(061) / 105472301	Walthall
04	STP-0016-01(029) / 102155301 & STP-0016-01(029) / 102155302	Bolivar & Sunflower
05	BR-0022-02(049) / 104632301	Neshoba
* 06	STP-0043-02(015) / 105436301	Bolivar
07	STP-0064-01(026)/101208304,305	Harrison & Jackson
08	BR-0224-00(034) / 100775301	Perry
* 09	STP-0447-00(018) / 105426301	Kemper
* 10	STP-0622-00(027) / 105485301	Washington
11	STP-7314-00(022) / 105380301	Hinds

Upgrading approximately 5 miles of US Highway 78 in Tupelo, known as Federal Aid Project No. NH-0006-03(037) / 104095310, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: September 16, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
5,640	Linear Feet	202-B076	Removal of Traffic Stripe
388	Linear Feet	202-B102	Removal of Guard Rail
16,150	Cubic Yard	203-G004	Excess Excavation, LVM, AH
8,050	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
125	Linear Feet	606-B001	Guard Rail, Class A, Type 1
7	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
14,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
116	Square Feet	619-D4001	Directional Signs
1,800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,500	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,500	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
2,050	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
4,600	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
16,500	Ton	907-403-C006	Hot Mix Asphalt, ST, 25-mm mixture, Trench Widening
15,400	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
14,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Mill and Overlay from Edwards St. to 31st. Avenue, known as Federal Aid Project No. STP-0080-01(015) / 105453301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: April 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,800	Linear Feet	202-B102	Removal of Guard Rail
700	Cubic Yard	203-E103	Borrow Excavation, LVM, Class B7-6
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
209,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200	Pounds	602-A001	Reinforcing Steel
1,325	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D004	Guard Rail, Bridge End Section, Type E
8	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
33	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
11,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
11,500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
1,450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,450	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	629-A005	Vehicular Impact Attenuator, 55 MPH
150	Each	630-F001	Delineators, Guard Rail, White
6,500	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
10,000	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
29,000	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
11,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
17,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
14,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
34,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,250	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 02 for the April 28, 2009 Letting

3,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,800	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-651-A001	Magnetometer Advance Detection SystemEddy Street
1	Each	907-651-A001	Magnetometer Advance Detection SystemHwy. 42 Bypass
1	Each	907-651-A001	Magnetometer Advance Detection SystemMamie Street
1	Each	907-651-A001	Magnetometer Advance Detection SystemNorth 31st Avenue
1	Each	907-651-A001	Magnetometer Advance Detection SystemWest Pine Street
1	Each	907-651-A001	Magnetometer Advance Detection SystemWisteria Drive
1	Each	907-651-A001	Magnetometer Advance Detection SystemWSF Tatum Drive

Overlaying approximately 5 miles of US Highway 98 at Tylertown, known as Federal Aid Project No. NH-0014-02(061) / 105472301, in the County of Walthall, State of Mississippi.

PROJECT COMPLETION: September 02, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
5,970	Linear Feet	202-B076	Removal of Traffic Stripe
12	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
21,847	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
48,377	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,559	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
586	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
744	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,259	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
137	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,990	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,990	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,990	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
42	Each	630-F001	Delineators, Guard Rail, White
42	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1,974	Linear Feet	635-A001	Vehicle Loop Assemblies
6,230	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
17,187	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
950	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
323	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
6	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
29,259	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,118	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,559	Linear Feet	907-626-H004	Thermoplastic Legend, White
586	Square Feet	907-626-H005	Thermoplastic Legend, White

Grading, draining and bridge work necessary to add 2 lanes to SR 8 between Cleveland and Ruleville, known as Federal Aid Project Nos. STP-0016-01(029) / 102155301 & 302, in the Counties of Bolivar & Sunflower, State of Mississippi.

PROJECT COMPLETION: July 09, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
1 Each	202-B007	Removal of Box Bridge
1 Each	202-B009	Removal of Bridge
1,139 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
9 Each	202-B105	Removal of Pipe Headwall, All Sizes
528,705 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
4,000 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,674 Cubic Yard	206-A001	Structure Excavation
567 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
379,569 Square Yard	212-A001	Light Ground Preparation
759,138 Square Yard	212-B001	Standard Ground Preparation
98 Ton	213-B001	Combination Fertilizer, 13-13-13
79 Ton	213-C001	Superphosphate
3,137 Pounds	214-A002	Seeding, Bermudagrass
1,960 Pounds	214-A003	Seeding, Tall Fescue
1,569 Pounds	214-A014	Seeding, Browntop Millet
7,058 Pounds	214-A015	Seeding, Oats
392 Ton	215-A001	Vegetative Materials for Mulch
273 Square Yard	216-A001	Solid Sodding
8,711 Square Yard	217-A001	Ditch Liner
6 Thousand Gallon	219-A001	Watering
79 Acre	220-A001	Insect Pest Control
20 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
100 Square Yard	224-A001	Soil Reinforcing Mat
4,100 Linear Feet	234-A001	Temporary Silt Fence
3,608 Bale	235-A001	Temporary Erosion Checks
17 Each	236-A001	Silt Basin, Type A
17 Each	236-A004	Silt Basin, Type D
86 Linear Feet	501-E001	Expansion Joints, Without Dowels
191 Square Yard	501-K001	Transverse Grooving
191 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
247,181 Pounds	602-A001	Reinforcing Steel
2,704 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
352 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
546 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
336 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
284 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III

Call No. 04 for the April 28, 2009 Letting

112	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
272	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
168	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
120	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
68	Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
68	Linear Feet	603-CA122	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
64	Each	603-CB001	18" Reinforced Concrete End Section
11	Each	603-CB002	24" Reinforced Concrete End Section
8	Each	603-CB003	30" Reinforced Concrete End Section
8	Each	603-CB004	36" Reinforced Concrete End Section
3	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
3	Each	603-CB007	54" Reinforced Concrete End Section
104	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
88	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
136	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
80	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
448	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
1	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
4	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
1,750	Pounds	604-B001	Gratings
760	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
64	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
70	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
930	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
681	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
681	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
835	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,664	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
380	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,268	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	622-B002	Engineer's Field Office Building, Type 3 LO
152	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,260	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White

Call No. 04 for the April 28, 2009 Letting

1,260	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
25	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2,000	Ton	815-A006	Loose Riprap, Size 100
631	Ton	815-A009	Loose Riprap, Size 300
3,704	Square Yard	815-E001	Geotextile under Riprap
73	Ton	815-F002	Sediment Control Stone
470	Ton	907-213-A001	Agricultural Limestone
6	Each	907-234-D001	Inlet Siltation Guard
6	Each	907-234-E001	Reset Inlet Siltation Guard
3,029	Ton	907-304-B007	Granular Material, Class 5, Group E
10,939	Ton	907-304-B008	Granular Material, Class 9, Group E
3,877	Ton	907-304-F003	3/4" and Down Crushed Stone Base
9,916	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
134	Ton	907-307-D001	Lime
7,744	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
53	Ton	907-311-B001	Lime
134	Ton	907-311-C002	Fly Ash, Class C or F
1,711	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,780	Ton	907-403-A008	Hot Mix Asphalt, MT, 25-mm mixture
1,283	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
335	Cubic Yard	907-601-A001	Class "B" Structural Concrete
31	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,984	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
229	Each	907-617-A001	Right-of-Way Marker
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,164	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP AA NO. 1			
394	Ton	907-308-A001	Portland Cement
17,483	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
17,483	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
134	Ton	907-311-B001	Lime
539	Ton	907-311-C002	Fly Ash, Class C or F
Bridge Items			
2,360	Square Yard	501-K001	Transverse Grooving
2	Each	803-B001	Conventional Static Loading Test
1,625	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,505	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
166,742	Pounds	805-A001	Reinforcement

Call No. 04 for the April 28, 2009 Letting

1,185	Linear Feet	813-A001	Concrete Railing
536	Ton	815-A009	Loose Riprap, Size 300
261	Square Yard	815-E001	Geotextile under Riprap
1,173	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,328	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
1,197	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Construction necessary to replace the bridge on SR 15, between SR 19 and the Winston County Line, known as Federal Aid Project No. BR-0022-02(049) / 104632301, in the County of Neshoba, State of Mississippi.

PROJECT COMPLETION: 139 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
7,580 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
1 Each	202-B009	Removal of Bridge
1,675 Linear Feet	202-B076	Removal of Traffic Stripe
83 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
4,260 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,000 Cubic Yard	203-D001	Muck Excavation, FM
88,648 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
3,911 Cubic Yard	203-G003	Excess Excavation, FM, AH
72 Cubic Yard	206-A001	Structure Excavation
27,712 Square Yard	212-A001	Light Ground Preparation
55,424 Square Yard	212-B001	Standard Ground Preparation
7 Ton	213-B001	Combination Fertilizer, 13-13-13
6 Ton	213-C001	Superphosphate
229 Pounds	214-A002	Seeding, Bermudagrass
115 Pounds	214-A003	Seeding, Tall Fescue
115 Pounds	214-A004	Seeding, Crimson Clover
115 Pounds	214-A014	Seeding, Browntop Millet
515 Pounds	214-A015	Seeding, Oats
143 Pounds	214-A017	Seeding, Rye Grass
29 Ton	215-A001	Vegetative Materials for Mulch
45 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
5 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,144 Linear Feet	234-A001	Temporary Silt Fence
34 Bale	235-A001	Temporary Erosion Checks
1 Each	236-A004	Silt Basin, Type D
36 Linear Feet	239-A001	Temporary Slope Drains
1,500 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
66 Linear Feet	501-E001	Expansion Joints, Without Dowels
99 Square Yard	501-K001	Transverse Grooving
105 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
188 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
4 Each	603-CB004	36" Reinforced Concrete End Section
500 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section

Call No. 05 for the April 28, 2009 Letting

599	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
125	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
5	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
12,925	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,540	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
330	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
34	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
200	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
172	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
31	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
858	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
230	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
230	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
230	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
48	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
79	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
41	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A009	Loose Riprap, Size 300
5	Ton	815-F002	Sediment Control Stone
23	Ton	907-213-A001	Agricultural Limestone
4,257	Ton	907-304-B001	Granular Material, Class 5, Group C
4,430	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
12,747	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
173	Ton	907-307-D001	Lime
1,910	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,765	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
44	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
15	Each	907-617-A001	Right-of-Way Marker
620	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7,620	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,560	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
24	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 05 for the April 28, 2009 Letting

ALTERNATE GROUP AA NO. 1

165	Ton	907-308-A001	Portland Cement
14,164	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

ALTERNATE GROUP AA NO. 2

14,164	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
119	Ton	907-311-B001	Lime
475	Ton	907-311-C002	Fly Ash, Class C or F

Bridge Items

1,022	Square Yard	501-K001	Transverse Grooving
1	Each	803-B001	Conventional Static Loading Test
1,320	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,625	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,180	Linear Feet	803-F009	20" Pre-Formed Pile Hole
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
79,032	Pounds	805-A001	Reinforcement
464	Linear Feet	813-A001	Concrete Railing
367	Ton	815-A009	Loose Riprap, Size 300
302	Square Yard	815-E001	Geotextile under Riprap
248	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
265	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Widening and overlaying approximately 11 miles of SR 1 north of Rosedale, known as Federal Aid Project No. STP-0043-02(015) / 105436301, in the County of Bolivar, State of Mississippi.

PROJECT COMPLETION: July 24, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,200 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
22 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
43 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
7 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
19 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
9,410 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,344 Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
116 Square Feet	619-D4001	Directional Signs
1,000 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,000 Ton	907-304-B002	Granular Material, Class 5, Group D
100 Ton	907-304-F003	3/4" and Down Crushed Stone Base
16,500 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
15,300 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
59,242 Linear Feet	907-403-S001	Joint Sealant for HMA
22 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,730 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,680 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,016 Square Feet	907-626-H005	Thermoplastic Legend, White

Installing signs at the I-10/SR 67 Interchange, known as Federal Aid Project No. STP-0064-01(026) / 101208304 & 305, in the Counties of Harrison & Jackson, State of Mississippi.

PROJECT COMPLETION: January 29, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,372 Pounds	602-A001	Reinforcing Steel
500 Linear Feet	606-B001	Guard Rail, Class A, Type 1
300 Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
2 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-E009	Guard Rail, Terminal End Section, Double Faced
1,074 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,198 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
115 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38 Linear Feet	630-D004	Structural Steel Beams, W6 x 12
243 Linear Feet	630-D005	Structural Steel Beams, W6 x 15
83 Linear Feet	630-D006	Structural Steel Beams, W8 x 18
97 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
370 Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
127 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
40 Each	630-F001	Delineators, Guard Rail, White
28 Each	630-F002	Delineators, Guard Rail, Yellow
13 Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed

Replacing a bridge on SR 29 at Black Creek, known as Federal Aid Project No. BR-0224-00(034) / 100775301, in the County of Perry, State of Mississippi.

PROJECT COMPLETION: July 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
1 Each	202-B042	Removal of Flared End Section, All Sizes
400 Linear Feet	202-B076	Removal of Traffic Stripe
5,517 Square Yard	202-B078	Removal of Pavement, All Types and Depths
200 Linear Feet	202-B102	Removal of Guard Rail
6,550 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
57,777 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
10,139 Cubic Yard	203-G004	Excess Excavation, LVM, AH
53 Cubic Yard	206-A001	Structure Excavation
6,390 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
40,147 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
20,074 Square Yard	212-A001	Light Ground Preparation
40,147 Square Yard	212-B001	Standard Ground Preparation
5 Ton	213-B001	Combination Fertilizer, 13-13-13
4 Ton	213-C001	Superphosphate
207 Pounds	214-A001	Seeding, Bahiagrass
166 Pounds	214-A002	Seeding, Bermudagrass
62 Pounds	214-A003	Seeding, Tall Fescue
83 Pounds	214-A004	Seeding, Crimson Clover
83 Pounds	214-A014	Seeding, Browntop Millet
373 Pounds	214-A015	Seeding, Oats
104 Pounds	214-A017	Seeding, Rye Grass
21 Ton	215-A001	Vegetative Materials for Mulch
106 Square Yard	216-A001	Solid Sodding
336 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
36 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
17,000 Square Yard	224-A001	Soil Reinforcing Mat
5,023 Linear Feet	234-A001	Temporary Silt Fence
313 Bale	235-A001	Temporary Erosion Checks
4 Each	236-A004	Silt Basin, Type D
110 Linear Feet	239-A001	Temporary Slope Drains
734 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
354 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
2 Mile	423-A001	Rumble Strips, Ground In
90 Linear Feet	501-E001	Expansion Joints, Without Dowels

Call No. 08 for the April 28, 2009 Letting

200	Square Yard	501-K001	Transverse Grooving
200	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
113	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
84	Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
36	Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
1	Each	603-CB008	60" Reinforced Concrete End Section
759	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
64	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
69	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
6,047	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
6,047	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
189	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
518	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-D3001	Remove and Reset Signs, All Sizes
116	Square Feet	619-D4001	Directional Signs
168	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
42	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
67	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,345	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,345	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
31	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
26	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
28	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
16	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
116	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
56	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
39	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,463	Ton	815-A009	Loose Riprap, Size 300
2,044	Square Yard	815-E001	Geotextile under Riprap
9	Ton	815-F002	Sediment Control Stone
25	Ton	907-213-A001	Agricultural Limestone

Call No. 08 for the April 28, 2009 Letting

2 Acre	907-227-A001	Hydroseeding
320 Linear Feet	907-234-F001	Turbidity Barrier
600 Linear Feet	907-237-A001	Wattles
1,596 Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
2,127 Ton	907-304-F001	Size 825 Crushed Stone Base
2,108 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
869 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
124 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,000 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200 Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
17 Each	907-617-A001	Right-of-Way Marker
6 Each	907-619-E3001	Changeable Message Sign
2 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
Bridge Items		
1,881 Square Yard	209-A001	Geotextile Stabilization, Type V
2,240 Square Yard	501-K001	Transverse Grooving
4 Each	803-A001	Test Pile
2 Each	803-B001	Conventional Static Loading Test
1,040 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,710 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2 Each	803-J001	Pile Restrike
10 Linear Feet	803-N001	Exploration
80 Linear Feet	803-O005	Permanent Casing, 66" Diameter
80 Linear Feet	803-O011	Temporary Casing, 66" Diameter
162,761 Pounds	805-A001	Reinforcement
419,592 Pounds	810-A002	Structural Steel, A 709
1,260 Linear Feet	813-A001	Concrete Railing
1,296 Ton	815-A008	Loose Riprap, Size 200
1,134 Ton	815-A009	Loose Riprap, Size 300
2,006 Ton	815-A010	Loose Riprap, Size 500
938 Square Yard	815-E001	Geotextile under Riprap
362 Linear Feet	907-803-K005	Drilled Shaft, 66" Diameter
1 Each	907-803-L001	Test Shaft, 66" Diameter
94 Linear Feet	907-803-M004	Trial Shaft, 66" Diameter
939 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,392 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1 Each	907-809-PP002	Steel Sheet Pile Bank Stabilization Wall System

Overlaying approximately 13 miles of SR 493 between the Lauderdale County Line and SR 16, known as Federal Aid Project No. STP-0447-00(018) / 105426301, in the County of Kemper, State of Mississippi.

PROJECT COMPLETION: 97 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
142 Linear Feet	202-B038	Removal of Curb, All Types
400 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
200 Linear Feet	609-E001	Bituminous Curb
Lump Sum	618-A001	Maintenance of Traffic
53 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
50 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,244 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,424 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
996 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,800 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
17,730 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
43,520 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
15,945 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
27 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
21 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
922 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,200 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
712 Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 9 miles of SR 438 between SR 1 and US 61, known as Federal Aid Project No. STP-0622-00(027) / 105485301, in the County of Washington, State of Mississippi.

PROJECT COMPLETION: September 04, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,000 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
18 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
38 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
18 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
8,000 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,300 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
116 Square Feet	619-D4001	Directional Signs
750 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,450 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,000 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,250 Ton	907-304-B007	Granular Material, Class 5, Group E
150 Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,500 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
10,000 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
19 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
300 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,100 Linear Feet	907-626-H004	Thermoplastic Legend, White

Traffic signal installation at the intersection of US Hwy 80 and Shaw Road, known as Federal Aid Project No. STP-7314-00(022) / 105380301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: September 25, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,332	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
34	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
20	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
6	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
970	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
4	Each	647-A005	Pullbox, Type 2
970	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
85	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
357	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
768	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,349	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
906	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
420	Linear Feet	907-626-H004	Thermoplastic Legend, White
77	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
1	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
2	Each	907-639-A047	Traffic Signal Equipment Pole, Type V, 14' Shaft
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
10	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
4	Each	907-649-A001	Video Detection System, 1 Sensor
1	Each	907-651-A001	Magnetometer Advance Detection System

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR