

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 5/18/2009 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Table of Content, replaces same; Revised Advertisement, replaces same; Add NTB 2603; Revised Supplements S.P. 907-401-2 & 907-403-4, replace same; Bidsheets, replace same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0020-01(187) / 105053301

Rankin County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: IM-0020-01(187) / 105053301 – Rankin County

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Final Cleanup - # 3
- Fiber Reinforced Concrete - # 640
- Disadvantage Business Enterprise W/Supplement - # 696
- On-The-Job Training Program - # 777
- Payroll Requirements - # 883
- Rumble Stripe - # 1312
- Use of Precast Drainage Units - # 1321
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Safety Apparel - # 1808
- Minimum Wage Rate - # 1869
- DBE Forms, Participation and Payment - # 1918
- Non-Quality Control/Assurance Concrete - # 1922
- Federal Bridge Formula - # 1928
- Portable Construction Lighting - # 2155
- Contract Time - # 2232
- Specialty Items - # 2233
- Lane Closure Restrictions - # 2234
- Department of Labor Ruling - # 2239
- Storm Water Discharge Associated W/Construction Activities (>5 Acres) - # 2348
- Mississippi Resident Agent Requirement - # 2361
- Status of ROW, W/Attachments - # 2382
- Removal of Haul Permit - # 2400
- Granular Courses - # 2416
- Petroleum Products Base Price - # 2496
- Vehicle Loop Assemblies - # 2573
- Hot Mix Asphalt Quantities - # 2603

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors, W/Supplement

907-107-1: Liability Insurance, W/Supplement

907-107-3: Contractor's Protection Plan

907-107-6: Legal Relations & Responsibility to Public, W/Supplement

907-108-17: Prosecution and Progress

907-109-3: Partial Payment, W/Supplement

907-213-2: Agricultural Limestone

907-226-1: Temporary Grassing

907-304-11: Granular Courses

-CONTINUED ON NEXT PAGE-

PAGE 2 - PROJECT NO. IM-0020-01(187) / 105053301 – Rankin County

907-401-2: Hot Mix Asphalt (HMA), W/Supplement
907-402-1: Open Graded Friction Course (OGFC)
907-403-4: Hot Mix Asphalt (HMA), W/Supplement
907-407-1: Tack Coat
907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement
907-512-1: Grout Mixture
907-601-1: Structural Concrete
907-605-3: Underdrains
907-618-4: Placement of Temporary Traffic Stripe
907-619-1: Changeable Message Signs
907-626-15: Thermoplastic Traffic Markings
907-630-2: Remove and Reset Ground Mounted Signs
907-681-2: Submittal Data
907-682-7: Underground Branch Circuit
907-701-3: Hydraulic Cement, W/Supplement
907-703-7: Aggregate
907-707-2: Joint Material
907-708-5: Non Metal Drainage Structures
907-709-1: Metal Pipe
907-711-3: Synthetic Structural Fiber Reinforcement
907-713-1: Admixtures for Concrete
907-714-5: Miscellaneous Materials, W/Supplement
907-715-3: Roadside Development Materials
907-720-1: Pavement Marking Material
907-804-8: Concrete Bridges and Structures, W/Supplement
906-3: MDOT On-the-Job Training Program
906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,
PROPOSAL SHEET NOS. 2-1 THRU 2-12,
COMBINATION BID PROPOSAL,
CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
NON-COLLUSION CERTIFICATE,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485,

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, May 26, 2009; thereafter, bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, May 26, 2009, and shortly thereafter publicly opened for:

Mill and overlay I-20 from SR 468 to Greenfield Road, known as Federal Aid Project No. IM-0020-01(187) / 105053301, in the County of Rankin, State of Mississippi.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates have been predetermined by the Secretary of Labor and are subject to Public Law 87-58 1, Work Hours Act of 1962, as set forth in the Contract Provisions.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

The award of this contract will be contingent upon the Contractor satisfying the DBE requirements.

Bid proposals must be acquired from the MDOT Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Specimen proposals are also available at the MDOT Contract Administration Division at a cost of Ten Dollars (\$10.00) per proposal, or can be viewed or downloaded at no cost at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone (601) 359-7460 or e-mail at plans@mdot.state.ms.us or FAX (601) 359-7461. Plans will be shipped upon receipt of payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2603

CODE: (SP)

DATE: 05/18/2009

SUBJECT: Hot Mix Asphalt Quantities

PROJECT: IM-0020-01(087) / 105053301 -- Lauderdale County

Bidders are advised that the Summary of Quantities sheet in the plans shows pay item 907-403-A, Hot Mix Asphalt, ST, 19-mm mixture with a quantity of 1,700 tons. This is in error. The correct pay item is 907-403-A, Hot Mix Asphalt, HT, 12.5-mm mixture with a quantity of 8,250 tons. Bidders are advised that the Hot Mix Asphalt pay items listed on the bid sheets are the correct pay items for this project.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-401-2

DATE: 05/09/2008

SUBJECT: Hot Mix Asphalt (HMA)

After Subsection 907-401-02.6.2 on page 2, add the following:

907-401.02.6.4.1--Roadway Density. Delete subparagraphs 1., 2., & 3. on page 251 and substitute the following:

1. For all leveling lifts, when full lane width and with a thickness as specified in the table in Subsection 401.02.4, the required lot density shall be 92.0 percent of maximum density.
2. For all single lift overlays, with or without leveling and/or milling, the required lot density shall be 92.0 percent of maximum density.
3. For all multiple lift overlays of two (2) or more lifts excluding leveling lifts, the required lot density of the bottom lift shall be 92.0 percent of maximum density. The required lot density for all subsequent lifts shall be 93.0 percent of maximum density.
4. For all pavements on new construction, the required lot density for all lifts shall be 93.0 percent of maximum density.

907-401.03.1.2--Tack Coat. Delete the three sentences of Subsection 401.03.1.2 on page 259, and substitute the following:

Tack coat shall be applied to previously placed HMA and between lifts, unless otherwise directed by the Engineer. Tack coat shall be applied with a distributor spray bar. A hand wand will only be allowed for applying tack coat on ramp pads, irregular shoulder areas, median crossovers, turnouts, or other irregular areas. Bituminous materials and application rates for tack coat shall be as specified in Table 410-A on page 293. Construction requirements shall be in accordance with Subsection 407.03 of the Standard Specifications.

907-401.03.1.4--Density. Delete the first sentence of the first paragraph of Subsection 401.03.1.4 on page 259 and substitute the following:

The lot density for all dense graded pavement lifts, except as provided below for preleveling, wedging [less than fifty percent (50%) of width greater than minimum lift thickness], ramp pads, irregular shoulder areas, median crossovers, turnouts, or other areas where the established rolling pattern cannot be performed, shall not be less than the specified percent (92.0% or 93.0%) of the maximum density based on AASHTO Designation: T 209 for the day's production. For all leveling lifts, when full lane width and with a thickness as specified in the table in Subsection 401.02.4, the required lot density shall be 92.0 percent of maximum density.

907-401.03.9--Material Transfer Equipment. Delete the paragraph in Subsection 401.03.9 on page 264 and substitute the following:

Excluding the areas mentioned below, the material transferred from the hauling unit when placing the top lift, or the top two (2) lifts of a multi-lift HMA pavement with density requirements, shall be remixed prior to being placed in the paver hopper or insert by using an approved Materials Transfer Device. Information on approved devices can be obtained from the State Construction Engineer. Areas excluded from this requirement include: leveling courses, temporary work of short duration, detours, bridge replacement projects having less than 1,000 feet of pavement on each side of the structure, acceleration and deceleration lanes less than 1,000 feet in length, tapered sections, transition sections for width, shoulders less than 10 feet in width, crossovers, ramps, side street returns and other areas designated by the Engineer.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-403-4

DATE: 03/30/2007

SUBJECT: Hot Mix Asphalt (HMA)

Before Subsection 907-403-05.2 on page 1, add the following:

Delete Subsection 403.03.5.5 on page 273 and substitute the following:

907-403.03.5--Preliminary Leveling. All irregularities of the existing pavement, such as ruts, cross-slope deficiencies, etc., shall be corrected by spot leveling, skin patching, feather edging or a wedge lift in advance of placing the first overall lift.

Mill and overlay I-20 from SR 468 to Greenfield Road, known as Federal Aid Project No. IM-0020-01(187) / 105053301, in the County of Rankin, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-B001		8	Acre	Clearing and Grubbing				
0020	202-B005		11,800	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B013		11,600	Square Yard	Removal of Cement Treated Base, All Depths				
0040	202-B025		768	Square Yard	Removal of Concrete Paved Ditch				
0050	202-B033		200	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay				
0060	202-B039		112	Each	Removal of Delineator, All Types				
0070	202-B041		410	Linear Feet	Removal of Fence, All Types				
0080	202-B042		1	Each	Removal of Flared End Section, All Sizes				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	202-B061		5	Each	Removal of Low Mast Lighting Foundation				
0100	202-B076		10,500	Linear Feet	Removal of Traffic Stripe				
0110	202-B086		73	Each	Removal of Guard Post				
0120	202-B102		375	Linear Feet	Removal of Guard Rail				
0130	202-B133		32	Each	Removal of Sign Footing				
0140	202-B141		200	Linear Feet	Removal of Edge Drain				
0150	202-B188		343	Linear Feet	Removal of Concrete Curb				
0160	203-A003	(E)	2,090	Cubic Yard	Unclassified Excavation, FM, AH				
0170	203-EX030	(E)	2,150	Cubic Yard	Borrow Excavation, AH, LVM, Class B15				
0180	203-G004	(E)	8,000	Cubic Yard	Excess Excavation, LVM, AH				
0190	203-I001		9,000	Square Yard	Site Grading				
0200	206-A001	(S)	50	Cubic Yard	Structure Excavation				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	206-B001	(E)	20	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM				
0220	209-A001		29,200	Square Yard	Geotextile Stabilization, Type V				
0230	212-B001		70,422	Square Yard	Standard Ground Preparation				
0240	213-B001		8	Ton	Combination Fertilizer, 13-13-13				
0250	213-C001		8	Ton	Superphosphate				
0260	214-A002		291	Pounds	Seeding, Bermudagrass				
0270	215-A001		29	Ton	Vegetative Materials for Mulch				
0280	219-A001		1,410	Thousand Gallon	Watering	20.	00	28,200.	00
0290	221-A001	(S)	79	Cubic Yard	Portland Cement Concrete Paved Ditch				
0300	223-A001		1	Acre	Mowing	40.	00	40.	00
0310	234-A001		8,400	Linear Feet	Temporary Silt Fence				
0320	235-A001		400	Bale	Temporary Erosion Checks				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	406-A003		28,750	Ton	Cold Milling of Bituminous Pavement, All Depths				
0340	406-B001		4,100	Square Yard	Cold Milling of Concrete Pavement, All Depths				
0350	413-B001		1,504	Linear Feet	Cleaning and Sealing Joints				
0360	413-C001		893	Linear Feet	Cleaning and Sealing Cracks				
0370	413-D001		3,041	Linear Feet	Cleaning and Filling Joints				
0380	423-A001		23	Mile	Rumble Strips, Ground In				
0390	501-D001		60	Linear Feet	Expansion Joints, With Dowels				
0400	501-I001		60	Linear Feet	Joint Filler, Wooden Board				
0410	503-A004	(C)	178	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish				
0420	503-B001		133	Linear Feet	Saw Cut, Longitudinal Joints				
0430	503-C002		216	Linear Feet	Saw Cut, 3-inch				
0440	503-C007		264	Linear Feet	Saw Cut, Full Depth				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	503-D001		10	Cubic Yard	Concrete for Base Repair				
0460	503-E002		63	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted				
0470	503-F005		48	Each	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted				
0480	508-A001		400	Linear Feet	Silicone Sealed Joints				
0490	512-A001		395	Each	Holes				
0500	512-C002		50	Pounds	Calcium Chloride				
0510	603-CB003	(S)	1	Each	30" Reinforced Concrete End Section				
0520	605-J001	(S)	2,200	Linear Feet	Edge Drain & Edge Drain Outlet/Vent Inspection				
0530	606-A001		105	Each	Guard Posts				
0540	606-B007		1,013	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post				
0550	606-C002		2	Each	Guard Rail, Cable Anchor Type 1, Metal Post				
0560	606-D001		2	Each	Guard Rail, Bridge End Section, Type A				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0570	606-E002		2	Each	Guard Rail, Terminal End Section, Flared				
0580	606-E003		2	Each	Guard Rail, Terminal End Section, Non-Flared				
0590	607-B001		410	Linear Feet	60" Type I Chain Link Fence, Class I				
0600	607-D003		20	Linear Feet	Barbed Wire Fence, 4 Strands, Galvanized Steel				
0610	607-G107		1	Each	Gate, 12' x 5' Chain Link				
0620	607-P1012		2	Each	Line Post, 14' x 2" Galvanized Steel				
0630	607-P1022		22	Each	Line Post, 8' x 1 1/2" Galvanized Steel				
0640	607-P2008		23	Each	Brace Post, 7 1/2' x 2" Galvanized Steel				
0650	607-P3003		2	Each	Gate Post, 8' x 2 1/2" Galvanized Steel				
0660	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		
0670	619-A1002		24	Mile	Temporary Traffic Stripe, Continuous White				
0680	619-A2002		24	Mile	Temporary Traffic Stripe, Continuous Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0690	619-A3006		36	Mile	Temporary Traffic Stripe, Skip White				
0700	619-A5001		13,000	Linear Feet	Temporary Traffic Stripe, Detail				
0710	619-A6001		700	Linear Feet	Temporary Traffic Stripe, Legend				
0720	619-A6002		150	Square Feet	Temporary Traffic Stripe, Legend				
0730	619-C6001		1,650	Each	Red-Clear Reflective High Performance Raised Marker				
0740	619-D1001		32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0750	619-D2001		552	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0760	619-D3001		6	Each	Remove and Reset Signs, All Sizes				
0770	619-G4001		48	Linear Feet	Barricades, Type III, Single Faced				
0780	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0790	627-K001		2,300	Each	Red-Clear Reflective High Performance Raised Markers				
0800	627-L001		50	Each	Two-Way Yellow Reflective High Performance Raised Markers				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0810	628-I002		900	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White				
0820	628-J002		6,755	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0830	628-M002		6,500	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
0840	630-F001		14	Each	Delineators, Guard Rail, White				
0850	630-F002		16	Each	Delineators, Guard Rail, Yellow				
0860	630-F004		20	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow				
0870	630-F006		79	Each	Delineators, Post Mounted, Single White				
0880	630-F007		27	Each	Delineators, Post Mounted, Single Yellow				
0890	630-F008		118	Each	Delineators, Post Mounted, Double White				
0900	630-F009		20	Each	Delineators, Post Mounted, Double Yellow				
0910	630-G006		8	Each	Type 3 Object Markers, OM-3R or OM-3L				
0920	635-A001		858	Linear Feet	Vehicle Loop Assemblies				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0930	682-A031		1,520	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor				
0940	684-A003		7	Cubic Yard	Pole Foundation, 24" Diameter				
0950	684-B003		11	Linear Feet	Slip Casing, 24" Diameter				
0960	686-A001		5	Each	Relocation of Existing Lighting Assemblies				
0970	808-A001	(S)	384	Linear Feet	Joint Preparation				
0980	808-B002	(S)	140	Gallon	Epoxy Mortar Mix				
0990	815-A006	(S)	120	Ton	Loose Riprap, Size 100				
1000	907-213-A001		29	Ton	Agricultural Limestone				
1010	907-304-A001	(GY)	3,500	Cubic Yard	Granular Material, LVM, Class 5, Group C				
1020	907-304-F003	(GT)	6,900	Ton	3/4" and Down Crushed Stone Base				
1030	907-402-A002	(BA1)	14,900	Ton	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture				
1040	907-402-B001	(A3)	133,000	Gallon	Bituminous Tack Coat				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1050	907-403-A002	(BA1)	10,700	Ton	Hot Mix Asphalt, HT, 19-mm mixture				
1060	907-403-A001	(BA1)	8,250	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture Changed 05/19/2009				
1070	907-403-D001	(BA1)	27,750	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
1080	907-403-E001	(BA1)	275	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling				
1090	907-413-E001		3,041	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
1100	907-512-B001		4,860	Pounds	Portland Cement Pressure Grout Slurry, Type 1				
1110	907-601-B003	(S)	8	Cubic Yard	Class "B" Structural Concrete, Minor Structures				
1120	907-605-H001	(S)	4,400	Linear Feet	Edge Drain				
1130	907-605-I001	(S)	600	Linear Feet	Edge Drain Outlets/Vents				
1140	907-619-E3001		2	Each	Changeable Message Sign				
1150	907-626-A003		13	Mile	6" Thermoplastic Traffic Stripe, Skip White				
1160	907-626-C004		13	Mile	6" Thermoplastic Edge Stripe, Continuous White				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1170	907-626-E004		13	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow				
1180	907-626-G004		15,000	Linear Feet	Thermoplastic Detail Stripe, White				
1190	907-626-G005		2,250	Linear Feet	Thermoplastic Detail Stripe, Yellow				
1200	907-626-H004		750	Linear Feet	Thermoplastic Legend, White				
1210	907-626-H005		300	Square Feet	Thermoplastic Legend, White				
1220	907-630-O006		6	Each	Remove and Reset Signs, Post Mounted				
1230	907-630-O007		5	Each	Remove and Reset Signs, Ground Mounted				
1240	907-682-A001		2,495	Linear Feet	Underground Branch Circuit, AWG 6, 3 Conductor, Cable Only				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER