


Proposal & Plan Sales Will Begin on June 1, 2009



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for June – June 23, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JUNE - Tuesday, June 23, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 01, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	STP-0055-04(090) / 105433301	Panola
02	IM-0059-01(092) / 103397301	Pearl River
03	STP-0022-04(034) / 101630301	Union
04	NH-0080-01(017) / 105446301	Forrest
05	STP-8925-00(002) / 102435301	Attala
* 06	MP-2301-17(003) / 303667301	Desoto
07	MP-2330-07(001) / 303666301	Calhoun
* 08	MP-5080-62(017) / 303638301	Scott
* 09	NH-0008-02(094) / 105474301	Simpson
* 10	NH-0008-02(095) / 105476301	Simpson
11	STP-0008-05(028) / 105504301	Leflore
* 12	NH-0015-01(054) / 105473301	Adams
13	STP-0023-02(047) / 105503301	Attala
14	NH-0070-03(016) / 105502301	Panola
15	STP-0168-00(010) / 102384301, STP-0168-00(010) / 102384302, & STP-7570-00(004) / 102384303	Amite & Pike
16	BR-2791-00(008) / 102527301 & BR-2791-00(008) / 102527302	Calhoun & Yalobusha
17	STP-2920-00(001) / 100285301	Tate
18	STP-0003-01(086) / 103803301	Jackson

Installing lighting at the I-55/SR 35 interchange, known as Federal Aid Project No. STP-0055-04(090) / 105433301, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: March 25, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

30	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
1,550	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
3,130	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
300	Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
1,100	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
340	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
580	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
50	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
11	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
7	Each	683-A014	Lighting Assembly, High Mast, Type 100-6-A
2	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
6	Each	683-B147	Lighting Assembly, Low Mast, Type 40-2-0-400
1	Each	683-D001	Portable Electric Power Units
11	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
42	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
22	Linear Feet	684-B004	Slip Casing, 36" Diameter
8	Each	907-682-E001	Underground Junction Box With Concrete Pad

Overlay of I-59 from McNeil to Hillsdale, known as Federal Aid Project No. IM-0059-01(092) / 103397301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: 196 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

283	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
60	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
26,855	Linear Feet	202-B076	Removal of Traffic Stripe
283	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
22,846	Linear Feet	202-B102	Removal of Guard Rail
16	Square Yard	202-B262	Removal of Reinforced Concrete Pavement, 8" Depth
50	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
22,534	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,333	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
14,520	Linear Feet	413-B001	Cleaning and Sealing Joints
1,152	Linear Feet	413-D001	Cleaning and Filling Joints
78	Mile	423-A001	Rumble Strips, Ground In
24	Linear Feet	501-D001	Expansion Joints, With Dowels
24	Each	501-G001	Dowels, Drilled and Installed
283	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
16	Square Yard	503-A013	8" and Variable Reinforced Concrete Pavement, Broom Finish
224	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
744	Linear Feet	503-C002	Saw Cut, 3-inch
768	Linear Feet	503-C005	Saw Cut, 8-inch
25	Cubic Yard	503-D001	Concrete for Base Repair
112	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
20,475	Linear Feet	606-B001	Guard Rail, Class A, Type 1
30	Each	606-C003	Guard Rail, Cable Anchor, Type 1
16	Each	606-D001	Guard Rail, Bridge End Section, Type A
6	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
40	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
269	Linear Feet	615-A014	Concrete Type IV Cast-in-Place Median Barrier, 42" High
	Lump Sum	618-A001	Maintenance of Traffic
78	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
78	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
78	Mile	619-A3006	Temporary Traffic Stripe, Skip White
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
516	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
112	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
3,940	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
58	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,290	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
13,019	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
13,014	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Call No. 02 for the June 23, 2009 Letting

837	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
475	Each	630-F001	Delineators, Guard Rail, White
92	Each	630-F002	Delineators, Guard Rail, Yellow
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
13,557	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
18,381	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
66,928	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
59,085	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
81	Mile	907-403-S002	Joint Sealant for HMA
1,352	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
40,600	Linear Feet	907-605-H001	Edge Drain
5,760	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
40	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
40	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,938	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,100	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
40	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16,497	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
573	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
450	Linear Feet	907-626-H004	Thermoplastic Legend, White

Construction necessary for grade, drain, bridge and paving work on SR 15 from King's Creek south of New Albany to 6.4 miles south of the Tippah County Line, known as Federal Aid Project No. STP-0022-04(034) / 101630301, in the County of Union, State of Mississippi

PROJECT COMPLETION: 316 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
21,945 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
9,543 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
21 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
500 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
6,710 Linear Feet	202-B038	Removal of Curb, All Types
2 Each	202-B042	Removal of Flared End Section, All Sizes
22 Each	202-B057	Removal of Inlets, All Sizes
6,370 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11 Each	202-B079	Removal of Headwall
1,500 Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
418 Linear Feet	202-B102	Removal of Guard Rail
10 Each	202-B130	Removal of Piling
1 Each	202-B142	Removal of Junction Box
22 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
242,157 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
71,119 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
27,105 Cubic Yard	203-G003	Excess Excavation, FM, AH
13,735 Cubic Yard	206-A001	Structure Excavation
380 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
95,450 Square Yard	209-A001	Geotextile Stabilization, Type V
588,100 Square Yard	212-A001	Light Ground Preparation
1,116,200 Square Yard	212-B001	Standard Ground Preparation
145 Ton	213-B001	Combination Fertilizer, 13-13-13
115 Ton	213-C001	Superphosphate
5,800 Pounds	214-A001	Seeding, Bahiagrass
4,600 Pounds	214-A002	Seeding, Bermudagrass
5,800 Pounds	214-A003	Seeding, Tall Fescue
2,300 Pounds	214-A004	Seeding, Crimson Clover
2,300 Pounds	214-A014	Seeding, Browntop Millet
10,400 Pounds	214-A015	Seeding, Oats
2,900 Pounds	214-A017	Seeding, Rye Grass
580 Ton	215-A001	Vegetative Materials for Mulch
1,411 Square Yard	216-A001	Solid Sodding
681 Square Yard	217-A001	Ditch Liner
29 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control

Call No. 03 for the June 23, 2009 Letting

40	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
419	Square Yard	224-A001	Soil Reinforcing Mat
29,300	Linear Feet	234-A001	Temporary Silt Fence
2,912	Bale	235-A001	Temporary Erosion Checks
13	Each	236-A004	Silt Basin, Type D
60,237	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
160	Linear Feet	501-E001	Expansion Joints, Without Dowels
389	Square Yard	501-K001	Transverse Grooving
389	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
170	Linear Feet	503-C007	Saw Cut, Full Depth
127,639	Pounds	602-A001	Reinforcing Steel
13,036	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,994	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
508	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
480	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
128	Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
70	Each	603-CB001	18" Reinforced Concrete End Section
11	Each	603-CB002	24" Reinforced Concrete End Section
3	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
29,636	Pounds	604-A001	Castings
11,850	Pounds	604-B001	Gratings
19,034	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
1,556	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,943	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
100	Linear Feet	609-B002	Concrete Curb, Doweled
426	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
215	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
26,714	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
6,039	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
669	Square Yard	614-B001	Concrete Driveway, With Reinforcement
5	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
59,977	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,139	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
80,528	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,029	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape

Call No. 03 for the June 23, 2009 Letting

9 Mile	619-A3006 Temporary Traffic Stripe, Skip White
8 Mile	619-A4006 Temporary Traffic Stripe, Skip Yellow
41,882 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
8,206 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
6,270 Square Feet	619-A6002 Temporary Traffic Stripe, Legend
224 Linear Feet	619-A6007 Temporary Traffic Stripe, Legend, Type 1 Tape
16 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
2,084 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
756 Linear Feet	619-F1002 Portable Median Barrier
433 Linear Feet	619-F2002 Remove and Reset Portable Median Barrier
21 Each	619-F3004 Delineators, Guard Rail, White
1,308 Linear Feet	619-G4001 Barricades, Type III, Single Faced
2,271 Each	619-G5001 Free Standing Plastic Drums
Lump Sum	620-A001 Mobilization
662 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
2,052 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
55 Each	627-N001 One-Way Yellow Reflective High Performance Raised Markers
474 Linear Feet	628-A001 6" Cold Plastic Traffic Stripe, Skip White
474 Linear Feet	628-B001 6" Cold Plastic Traffic Stripe, Continuous White
356 Linear Feet	628-D001 6" Cold Plastic Traffic Stripe, Skip Yellow
474 Linear Feet	628-E002 6" Cold Plastic Traffic Stripe, Continuous Yellow
807 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
251 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
455 Square Feet	630-B001 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
189 Linear Feet	630-C002 Steel U-Section Posts, 2.0 to 2.5 lb/ft
1,242 Linear Feet	630-C004 Steel U-Section Posts, 3.0 to 3.5 lb/ft
422 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
307 Linear Feet	630-K001 Welded & Seamless Steel Pipe Posts, 3"
480 Linear Feet	630-K004 Welded & Seamless Steel Pipe Posts, 5"
3,504 Linear Feet	635-A001 Vehicle Loop Assemblies
1 Each	635-B001 Probe Point Detection Units, Paired
8,465 Linear Feet	636-A003 Shielded Cable, 4 Conductor
1 Each	637-A001 Equipment Cabinet
12 Each	638-A005 Loop Detector Amplifier, Card Rack Mounted, 4 Channel
3 Each	639-A014 Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2 Each	639-A015 Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2 Each	639-A096 Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1 Each	639-A098 Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1 Each	639-A118 Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2 Each	639-A123 Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1 Each	639-A138 Traffic Signal Equipment Pole, Type 1, 30' Shaft
1 Each	639-A144 Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
1 Each	639-A182 Traffic Signal Equipment Pole, Type III, 30' Shaft, 30' & 35' Arm
1 Each	639-A183 Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
32 Each	640-A016 Traffic Signal Heads, Type 1 LED

Call No. 03 for the June 23, 2009 Letting

2	Each	640-A018	Traffic Signal Heads, Type 3 LED
12	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
11	Each	647-A001	Pullbox, Type 1
29	Each	647-A005	Pullbox, Type 2
4	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
4,720	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
250	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
525	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
390	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,400	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
815	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,125	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
255	Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
2,172	Linear Feet	682-A014	Underground Branch Circuit, AWG 2, 2 Conductor
4,182	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 6 Conductor
771	Linear Feet	682-B015	Underground Branch Circuit, Jacked or Bored, AWG 2, 2 Conductor
260	Linear Feet	682-B020	Underground Branch Circuit, Jacked or Bored, AWG 2, 6 Conductor
13	Each	682-D001	Underground Pull Box
18	Each	682-F001	Secondary Power Controllers
2	Each	683-A044	Lighting Assembly, High Mast, Type 120-4-A
4	Each	683-A050	Lighting Assembly, High Mast, Type 120-6-A
12	Each	683-B162	Lighting Assembly, Low Mast, Type 30-1-0-400
2	Each	683-D001	Portable Electric Power Units
14	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
34	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
	Lump Sum	699-B001	Bridge Construction Stakes
217	Ton	815-A009	Loose Riprap, Size 300
225	Square Yard	815-E001	Geotextile under Riprap
23	Ton	815-F002	Sediment Control Stone
690	Ton	907-213-A001	Agricultural Limestone
10,664	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
34,998	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
16,987	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
30,629	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
10,683	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
254	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
399	Cubic Yard	907-601-A001	Class "B" Structural Concrete
760	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,036	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,224	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24,066	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
31,915	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
21,514	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
42,643	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow

Call No. 03 for the June 23, 2009 Letting

18,393	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,350	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,383	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,090	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)

Bridge Items

6,933	Square Yard	501-K001	Transverse Grooving
10	Each	803-B001	Conventional Static Loading Test
4,890	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,060	Linear Feet	803-D003	HP 14 x 73 Steel Piling
9,320	Linear Feet	803-F009	20" Pre-Formed Pile Hole
10	Each	803-I001	PDA Test Pile
10	Each	803-J001	Pile Restrike
30	Linear Feet	803-N001	Exploration
770	Linear Feet	803-O009	Temporary Casing, 54" Diameter
680,056	Pounds	805-A001	Reinforcement
5,008	Square Feet	809-A003	Retaining Wall System
3,095	Linear Feet	813-A002	Concrete Railing, 32"
238	Linear Feet	813-A003	Concrete Railing, 42"
4,190	Ton	815-A009	Loose Riprap, Size 300
113	Cubic Yard	815-D001	Concrete Slope Paving
5,616	Square Yard	815-E001	Geotextile under Riprap
1,465	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
131	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
3,359	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,088	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
5,191	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,914	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,537	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
959	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III

Installation of Intelligent Transportation System (ITS) improvements on US 49 South from Elks Lake Road to Hardy Street, known as Federal Aid Project No. NH-0080-01(017) / 105446301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: July 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
2 Each	619-E1001	Flashing Arrow Panel, Type C
Lump Sum	620-A001	Mobilization
3 Each	639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
25 Each	647-A003	Pullbox, Type 4
19 Each	647-A004	Pullbox, Type 5
9 Each	647-A005	Pullbox, Type 2
8 Each	650-A002	On Street Video Equipment, Fixed Type
4 Each	650-A003	On Street Video Equipment, PTZ Type
120 Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
640 Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
350 Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
1,830 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
580 Linear Feet	668-B026	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4"
2 Each	907-619-E3001	Changeable Message Sign
1 Each	907-637-A001	Equipment Cabinet, Type B
1 Each	907-637-A002	Equipment Cabinet, Type C
1 Each	907-639-E001	Camera Pole with Foundation, 50' Pole
6 Each	907-642-B001	Solid State Traffic Actuated Controller Modification
22,540 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
50 Linear Feet	907-657-A003	Fiber Optic Cable, 48 SM
1,850 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
7 Each	907-658-A001	Hardened Network Switch, Type A
Lump Sum	907-659-A001	Traffic Management Center Modifications
1 Each	907-660-A001	OTN Node
4 Each	907-662-A001	Video Encoder, Type A
7,970 Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
50 Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
14,080 Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
180 Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
50 Linear Feet	907-668-F004	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 5 @ 2"

Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: 252 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
16,461 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,571 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,000 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
557 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
3,245 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
14,362 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
11,358 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,020 Cubic Yard	203-G003	Excess Excavation, FM, AH
5,421 Cubic Yard	206-A001	Structure Excavation
58 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
16,557 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
59 Ton	213-C001	Superphosphate
23 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
59 Acre	220-A001	Insect Pest Control
4 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
5,309 Linear Feet	234-A001	Temporary Silt Fence
12 Each	236-A004	Silt Basin, Type D
125 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
60,366 Pounds	602-A001	Reinforcing Steel
4,388 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,716 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
352 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
796 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
288 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
256 Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
14 Each	603-CB001	18" Reinforced Concrete End Section
5 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
3 Each	603-CB007	54" Reinforced Concrete End Section
16 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
20 Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
1 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
1 Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
1 Each	603-SB004	24" Branch Connections, Stub into Box Culvert

Call No. 05 for the June 23, 2009 Letting

1 Each	603-SB005	36" Branch Connections, Stub into Box Culvert
1 Each	603-SB006	42" Branch Connections, Stub into Box Culvert
1 Each	603-SB040	18" Branch Connections, Stub into Box Culvert
5,860 Pounds	604-A001	Castings
1,088 Pounds	604-B001	Gratings
10,075 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
840 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,355 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
210 Linear Feet	607-B014	72" Type II Chain Link Fence, Class II
10 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
16 Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
4,807 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
297 Linear Feet	609-B001	Concrete Curb, Header
897 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
8,987 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
7 Each	613-D005	Adjustment of Manhole
2,301 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
153 Square Yard	614-B001	Concrete Driveway, With Reinforcement
3,923 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
71 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
11,569 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
15,320 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7,120 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
10,628 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,786 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,090 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
75 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
416 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
13 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,110 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
640 Linear Feet	619-G4001	Barricades, Type III, Single Faced
12 Linear Feet	619-G4005	Barricades, Type III, Double Faced
349 Each	619-G5001	Free Standing Plastic Drums
2 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
99 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
404 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
530 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
240 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
78 Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
819 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
28 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
282 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

Call No. 05 for the June 23, 2009 Letting

29	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
18	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
128	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
43	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
40	Cubic Yard	631-A001	Flowable Fill
1,298	Linear Feet	635-A001	Vehicle Loop Assemblies
1,877	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
1	Each	639-A015	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	639-A096	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	639-A098	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
2	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
3	Each	647-A001	Pullbox, Type 1
5	Each	647-A005	Pullbox, Type 2
288	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
1,084	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
81	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
538	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
134	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
220	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
163	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
406	Ton	815-A009	Loose Riprap, Size 300
275	Square Yard	815-E001	Geotextile under Riprap
20	Ton	815-F002	Sediment Control Stone
118	Acre	907-225-A001	Grassing
295	Ton	907-225-B001	Agricultural Limestone
59	Acre	907-226-A001	Temporary Grassing
3,540	Linear Feet	907-237-A001	Wattles
3,100	Ton	907-304-B009	Granular Material, Class 3, Group D
19,843	Ton	907-304-F003	3/4" and Down Crushed Stone Base
23,770	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
321	Ton	907-307-D001	Lime
3,704	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,494	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
3,036	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
173	Cubic Yard	907-601-A001	Class "B" Structural Concrete
297	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,864	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
36	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
108	Each	907-617-A001	Right-of-Way Marker
500	Linear Feet	907-619-L001	Construction Safety Fence

Call No. 05 for the June 23, 2009 Letting

2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,946	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
593	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
9,150	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,309	Square Feet	907-626-H005	Thermoplastic Legend, White

Milling and overlaying approximately 6 miles of SR 301 at Horn Lake, known as State Project No. MP-2301-17(003) / 303667301, in the County of Desoto, State of Mississippi.

PROJECT COMPLETION: 91 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,600	Linear Feet	202-B076	Removal of Traffic Stripe
100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	203-G004	Excess Excavation, LVM, AH
215,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
100,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
100,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,800	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
750	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
640	Linear Feet	635-A001	Vehicle Loop Assemblies
1,000	Ton	907-304-B009	Granular Material, Class 3, Group D
20,500	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
52,623	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
29,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,400	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying SR 330 from Yalobusha County to SR 32, known as State Project No. MP-2330-07(001) / 303666301, in the County of Calhoun, State of Mississippi.

PROJECT COMPLETION: 79 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
600	Linear Feet	202-B102	Removal of Guard Rail
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
100	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
500	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
15,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
720	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
100	Each	630-F001	Delineators, Guard Rail, White
20	Each	630-F002	Delineators, Guard Rail, Yellow
5,000	Ton	907-304-B009	Granular Material, Class 3, Group D
15,000	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
4,750	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
2,800	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
500	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
16	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6,400	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying approximately 4 miles of US Highway 80 near Morton, known as State Project No. MP-5080-62(017) / 303638301, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: 49 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

208	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
446	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
4,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
340	Linear Feet	501-D001	Expansion Joints, With Dowels
340	Linear Feet	501-I001	Joint Filler, Wooden Board
344	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
630	Linear Feet	503-C007	Saw Cut, Full Depth
6	Cubic Yard	503-D001	Concrete for Base Repair
711	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
590	Linear Feet	609-E001	Bituminous Curb
38	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,010	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
468	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
120	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
116	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
221	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
380	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,350	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
6,600	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
500	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
4,350	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
13,730	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
14,784	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
446	Square Yard	907-501-B002	8" Plain Cement Concrete Pavement, Broom Finish
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,628	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
382	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
468	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlaying approximately 6 miles of US Highway 49 near Mendenhall, known as Federal Aid Project No. NH-0008-02(094) / 105474301, in the County of Simpson, State of Mississippi.

PROJECT COMPLETION: November 25, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4,988	Linear Feet	202-B076	Removal of Traffic Stripe
17,237	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3006	Temporary Traffic Stripe, Skip White
51,252	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,299	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
115	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,330	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
91	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,219	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,219	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,219	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
4,923	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,302	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
5,398	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,210	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
16,785	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
152	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
8	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
31,412	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,840	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,299	Linear Feet	907-626-H004	Thermoplastic Legend, White
115	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 16 miles of US Highway 49 beginning at the Covington County Line, known as Federal Aid Project No. NH-0008-02(095) / 105476301, in the County of Simpson, State of Mississippi.

PROJECT COMPLETION: March 25, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,802	Linear Feet	202-B076	Removal of Traffic Stripe
50	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
25	Cubic Yard	203-G004	Excess Excavation, LVM, AH
16,559	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3006	Temporary Traffic Stripe, Skip White
87,060	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,756	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
206	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,880	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,540	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
593	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
801	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
801	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
801	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
890	Linear Feet	635-A001	Vehicle Loop Assemblies
3,667	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
50	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
5,222	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
7,711	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,579	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
21,544	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
18	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
48,548	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
38,512	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
7,756	Linear Feet	907-626-H004	Thermoplastic Legend, White
206	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 16 miles of US 49E north of Greenwood, known as Federal Aid Project No. STP-0008-05(028) / 105504301, in the County of Leflore, State of Mississippi.

PROJECT COMPLETION: December 07, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,600	Linear Feet	202-B076	Removal of Traffic Stripe
1,200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
16	Each	202-B136	Removal of Guard Rail Terminal End Section
2,000	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
32	Mile	423-A001	Rumble Strips, Ground In
600	Linear Feet	503-C007	Saw Cut, Full Depth
1,000	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-E001	Guard Rail, Terminal End Section
2,000	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
200	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
200	Square Yard	614-B005	Concrete Driveway, With Reinforcement, 10-inch Thickness
500	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
200	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
66	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
48	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
50,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
17,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Each	619-D3001	Remove and Reset Signs, All Sizes
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
1	Mile	625-C002	Traffic Stripe, Continuous White
1	Mile	625-D002	Traffic Stripe, Continuous Yellow
150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,000	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
100	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
7,500	Ton	907-304-B009	Granular Material, Class 3, Group D
1,600	Ton	907-403-A009	Hot Mix Asphalt, MT, 4.75-mm mixture
15,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,500	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
6,000	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
3,200	Ton	907-403-D003	Hot Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified

Call No. 11 for the June 23, 2009 Letting

14,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
400	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
33	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,600	Linear Feet	907-626-H004	Thermoplastic Legend, White

Overlay of US 84 from US 61 to the Franklin County Line, known as Federal Aid Project No. NH-0015-01(054) / 105473301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: November 30, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

23,504	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
40	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,968	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
520	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,240	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
213	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
12	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
42	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
24	Linear Feet	635-A001	Vehicle Loop Assemblies
17,461	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
2,540	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
31,856	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
20	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
20	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
34,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
35,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,624	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying approximately 3 miles of SR 35 in Kosciusko, known as Federal Aid Project No. STP-0023-02(047) / 105503301, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: January 21, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,500	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
20	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
300	Linear Feet	234-A001	Temporary Silt Fence
9,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,520	Linear Feet	503-C007	Saw Cut, Full Depth
150	Pounds	602-A001	Reinforcing Steel
260	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
400	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
60	Square Yard	614-B005	Concrete Driveway, With Reinforcement, 10-inch Thickness
60	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
10	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,400	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Linear Feet	907-237-A001	Wattles
600	Ton	907-304-B009	Granular Material, Class 3, Group D
9,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,100	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,000	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-687-A016	Sensor, Loop, Sensor Automatic Traffic Recorder Station

Overlaying approximately 11 miles of SR 6 east of Batesville, known as Federal Aid Project No. NH-0070-03(016) / 105502301, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: December 14, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,100	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
200,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
35	Mile	619-A3006	Temporary Traffic Stripe, Skip White
71,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
1,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
450	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
450	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
450	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
16,000	Ton	907-304-B009	Granular Material, Class 3, Group D
1,500	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
5,000	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
17,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5,200	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
18,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,200	Linear Feet	907-626-H004	Thermoplastic Legend, White

Reconstructing SR 570 West of I-55 near McComb, known as Federal Aid Project Nos. STP-0168-00(010) / 102384301, STP-0168-00(010) / 102384302, & STP-7570-00(004) / 102384303, in the Counties of Amite & Pike, State of Mississippi.

PROJECT COMPLETION: April 26, 2011

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
13,977	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,899	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2	Each	202-B042	Removal of Flared End Section, All Sizes
600	Linear Feet	202-B076	Removal of Traffic Stripe
700	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
2,784	Linear Feet	202-B106	Removal of Pipe, All Sizes
10	Linear Feet	202-B108	Removal of Curb Inlets
7	Each	202-B231	Removal of Fire Hydrant
8	Each	202-B259	Removal of Water Meters, All Sizes
42,871	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
28,661	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,559	Cubic Yard	206-A001	Structure Excavation
30,667	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
134,106	Square Yard	212-A001	Light Ground Preparation
268,210	Square Yard	212-B001	Standard Ground Preparation
35	Ton	213-B001	Combination Fertilizer, 13-13-13
29	Ton	213-C001	Superphosphate
1,387	Pounds	214-A001	Seeding, Bahiagrass
416	Pounds	214-A003	Seeding, Tall Fescue
555	Pounds	214-A004	Seeding, Crimson Clover
555	Pounds	214-A014	Seeding, Browntop Millet
2,495	Pounds	214-A015	Seeding, Oats
694	Pounds	214-A017	Seeding, Rye Grass
140	Ton	215-A001	Vegetative Materials for Mulch
11,374	Square Yard	216-A001	Solid Sodding
22,615	Square Yard	217-A001	Ditch Liner
228	Thousand Gallon	219-A001	Watering
29	Acre	220-A001	Insect Pest Control
1,730	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
49	Acre	223-A001	Mowing
10,022	Linear Feet	234-A001	Temporary Silt Fence
2,300	Bale	235-A001	Temporary Erosion Checks
93	Each	236-A001	Silt Basin, Type A
360	Linear Feet	239-A001	Temporary Slope Drains
2,729	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
10	Mile	423-A001	Rumble Strips, Ground In
173	Linear Feet	503-C005	Saw Cut, 8-inch
442	Pounds	602-A001	Reinforcing Steel

Call No. 15 for the June 23, 2009 Letting

480	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
392	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
124	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
20	Each	603-CB002	24" Reinforced Concrete End Section
12	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
56	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
56	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
72	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
160	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
79	Pounds	604-A001	Castings
762	Pounds	604-B001	Gratings
5,091	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
559	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1,174	Square Yard	614-B001	Concrete Driveway, With Reinforcement
1,346	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
216	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
44,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,697	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,504	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
428	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,176	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
744	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
242	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
127	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,799	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	699-A001	Roadway Construction Stakes
221	Ton	815-A006	Loose Riprap, Size 100

Call No. 15 for the June 23, 2009 Letting

310	Square Yard	815-E001	Geotextile under Riprap
168	Ton	907-213-A001	Agricultural Limestone
1	Acre	907-225-A001	Grassing
3	Each	907-260-A003	Package Simplex Grinder Pump Station, Electrical and Installation
143	Linear Feet	907-261-A001	2" Diameter PVC Force Main Pipe, SDR 26, in 6" HDPE Casing
30	Linear Feet	907-261-A002	Bored Crossing, Without Casing
545	Linear Feet	907-261-A003	8" Diameter PVC in 16" Steel Casing
55	Linear Feet	907-261-A004	8" Diameter PVC in Steel Casing
475	Linear Feet	907-262-A002	1 1/4" Pressure Service Line
2	Each	907-262-H001	Connection to Existing Manhole
750	Linear Feet	907-263-A002	2" Diameter PVC Force Main Pipe, SDR 26
450	Linear Feet	907-263-A004	8" Diameter PVC SS
6,800	Linear Feet	907-265-A002	8" PVC Pipe, C-900
4,300	Pounds	907-265-C002	Ductile Iron Fittings
29	Each	907-265-D002	8" Gate Valve and Value Box
2	Each	907-265-D003	6" Gate Valve and Value Box
10	Each	907-265-D004	8" Plug Valve and Value Box
1	Each	907-265-D005	6" Plug Valve and Value Box
1	Each	907-265-D006	2" Plug Valve and Value Box
11	Each	907-265-F002	Fire Hydrant Assembly, 3-Way, With Box and Cover
1	Each	907-265-H002	Connection to Existing Cleanout
4	Each	907-265-I002	Service Line Shutoff Box
700	Linear Feet	907-265-J001	Solid Location Wire, #12
3	Each	907-265-J002	Connection to Existing 6" Water Main
2	Each	907-265-J003	Connection to Existing 8" Water Main
1	Each	907-265-K001	Cap Existing 1" Water Main
1	Each	907-265-K002	Cap Existing 2" Water Main
1	Each	907-265-K003	Cap Existing 6" Water Main
1	Each	907-265-K004	Cap Existing 8" Water Main
21,197	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
9,548	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
13,250	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,834	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
10,026	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
8,777	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
1,827	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
15	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5,508	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
248	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
2	Each	907-604-C001	Precast Manhole, 48-inch Diameter
99	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

Call No. 15 for the June 23, 2009 Letting

16,920	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,706	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
870	Linear Feet	907-626-H004	Thermoplastic Legend, White
752	Square Feet	907-626-H005	Thermoplastic Legend, White

Replacement of 9 bridges on SR 32 from Water Valley to SR 330, known as Federal Aid Project Nos. BR-2791-00(008) / 102527301 & 302, in the Counties of Yalobusha and Calhoun, State of Mississippi.

PROJECT COMPLETION: September 26, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
24,747 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
860 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
302 Linear Feet	202-B064	Removal of Pipe, 8" And Above
6,000 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
25,721 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
70,104 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
8,527 Cubic Yard	203-G003	Excess Excavation, FM, AH
7,020 Cubic Yard	206-A001	Structure Excavation
417 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
28,515 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
19 Ton	213-C001	Superphosphate
508 Square Yard	216-A001	Solid Sodding
1,926 Square Yard	217-A001	Ditch Liner
10 Thousand Gallon	219-A001	Watering
19 Acre	220-A001	Insect Pest Control
72 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
637 Square Yard	224-A001	Soil Reinforcing Mat
12,170 Linear Feet	234-A001	Temporary Silt Fence
1,000 Bale	235-A001	Temporary Erosion Checks
12 Each	236-A004	Silt Basin, Type D
2,133 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,725 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
304 Linear Feet	501-E001	Expansion Joints, Without Dowels
681 Square Yard	501-K001	Transverse Grooving
701 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
262,368 Pounds	602-A001	Reinforcing Steel
84 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
68 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
2 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB006	48" Reinforced Concrete End Section
1,275 Linear Feet	606-B001	Guard Rail, Class A, Type 1
12 Each	606-D012	Guard Rail, Bridge End Section, Type I
12 Each	606-E001	Guard Rail, Terminal End Section
997 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
60 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"

Call No. 16 for the June 23, 2009 Letting

98	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
18,111	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
18,008	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
800	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
1,466	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
52	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
188	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
601	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116	Square Feet	619-D4001	Directional Signs
8	Each	619-F3004	Delineators, Guard Rail, White
582	Linear Feet	619-G4001	Barricades, Type III, Single Faced
108	Linear Feet	619-G4005	Barricades, Type III, Double Faced
319	Each	619-G5001	Free Standing Plastic Drums
41	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
224	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,212	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
210	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
792	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
53	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,274	Ton	815-A009	Loose Riprap, Size 300
1,116	Square Yard	815-E001	Geotextile under Riprap
36	Ton	815-F002	Sediment Control Stone
43	Acre	907-225-A001	Grassing
107	Ton	907-225-B001	Agricultural Limestone
21	Acre	907-226-A001	Temporary Grassing
21,098	Ton	907-304-B009	Granular Material, Class 3, Group D
13,748	Ton	907-304-F003	3/4" and Down Crushed Stone Base
4,522	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,599	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
3,195	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
401	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,272	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
113	Each	907-617-A001	Right-of-Way Marker
22,275	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,140	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow

Call No. 16 for the June 23, 2009 Letting

20,058	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,929	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
362	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,383	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Bridge Items

1,822	Square Yard	501-K001	Transverse Grooving
6	Each	803-B001	Conventional Static Loading Test
4,955	Linear Feet	803-D002	HP 12 x 53 Steel Piling
495	Linear Feet	803-D003	HP 14 x 73 Steel Piling
7	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
168,491	Pounds	805-A001	Reinforcement
1,033	Linear Feet	813-A001	Concrete Railing
1,491	Ton	815-A009	Loose Riprap, Size 300
1,203	Square Yard	815-E001	Geotextile under Riprap
449	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
497	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
296	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
1,385	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
399	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
448	Linear Feet	907-804-C177	45' Prestressed Concrete Beam, Type I+2

Grade, drain and bridge work necessary to add 2 additional lanes on US 51 between Senatobia and Coldwater, known as Federal Aid Project No. STP-2920-00(001) / 100285301, in the County of Tate, State of Mississippi.

PROJECT COMPLETION: February 01, 2012

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
2	Each	202-B008	Removal of Box Culvert
21	Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
150	Square Meter	202-B035	Removal of Concrete Sidewalk
798	Meter	202-B039	Removal of Curb (All Types)
4	Each	202-B043	Removal of Flared End Section (All Sizes)
15	Each	202-B059	Removal of Inlets (All Sizes)
4,352	Meter	202-B076	Removal of Traffic Stripe
22,798	Square Meter	202-B079	Removal of Pavement (All Types and Depths)
995	Meter	202-B107	Removal of Pipe (All Sizes)
5,000	Cubic Meter	203-G003	Excess Excavation (FM) (AH)
10,131	Cubic Meter	206-A001	Structure Excavation
160	Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
186,079	Square Meter	212-A001	Light Ground Preparation
372,157	Square Meter	212-B001	Standard Ground Preparation
46	Metric Ton	213-B001	Combination Fertilizer (13-13-13)
37	Metric Ton	213-C001	Superphosphate
1,042	Kilogram	214-A001	Seeding (Bahia grass)
856	Kilogram	214-A002	Seeding (Bermudagrass)
1,042	Kilogram	214-A003	Seeding (Tall Fescue)
428	Kilogram	214-A004	Seeding (Crimson Clover)
428	Kilogram	214-A015	Seeding, Browntop Millet
1,861	Kilogram	214-A016	Seeding, Oats
521	Kilogram	214-A018	Seeding, Rye Grass
209	Metric Ton	215-A001	Vegetative Materials for Mulch
5,753	Square Meter	216-A001	Solid Sodding
524	thousand liter	219-A001	Watering
19	Hectare	220-A001	Insect Pest Control
88	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
1,424	Bale	235-A001	Temporary Erosion Checks
177	Meter	239-A001	Temporary Slope Drains
43	Metric Ton	305-B003	Size I Stabilizer Aggregate, Coarse
3,138	Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
1,915	Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
75,873	Kilogram	602-A001	Reinforcing Steel
2,876	Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
1,399	Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
266	Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
155	Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
34	Meter	603-C-A008	1350-mm Reinforced Concrete Pipe, Class III
5	Each	603-C-B001	450-mm Reinforced Concrete End Section

Call No. 17 for the June 23, 2009 Letting

2	Each	603-C-B002	600-mm Reinforced Concrete End Section
1	Each	603-C-B003	750-mm Reinforced Concrete End Section
1	Each	603-C-B004	900-mm Reinforced Concrete End Section
2	Each	603-C-B007	1350-mm Reinforced Concrete End Section
113	Meter	603-C-E007	1650-mm x 1015-mm Concrete Arch Pipe, Class A III
203	Meter	603-C-E009	2235-mm x 1370-mm Concrete Arch Pipe, Class A III
1	Each	603-C-F007	1650-mm x 1015-mm Concrete Arch Pipe End Section
6	Each	603-S-B004	600-mm Branch Connections (Stub into Box Culvert)
3,906	Kilogram	604-A001	Castings
3,185	Kilogram	604-B001	Gratings
110	Meter	605-O001	100-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
300	Meter	605-O003	150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
60	Meter	605-P003	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5)
47	Cubic Meter	605-W001	Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)
234	Cubic Meter	605-W002	Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)
7,121	Square Meter	608-A001	Concrete Sidewalk (Without Reinforcement)
903	Meter	609-B001	Concrete Curb, Type Header
5,407	Meter	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
76	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,756	Square Meter	614-B001	Concrete Driveway (With Reinforcement)
88	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
39	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
6	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
164	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
64	Each	619-D3001	Remove and Reset Signs (All Sizes)
10	Square Meter	619-D4001	Directional Signs
1,116	Meter	619-F1001	Concrete Median Barrier (Precast)
51	Meter	619-G4001	Barricades (Type III) (Single Faced)
15	Meter	619-G4005	Barricades (Type III) (Double Faced)
742	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights (Type "B")
	Lump Sum	620-A001	Mobilization
26	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
18	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
10	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
20	Meter	630-C002	Steel U-Section Posts (2.97 to 3.72 kg/m)
139	Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
31	Meter	630-D003	Structural Steel Beams (W150 x 18)
60	Kilogram	630-E001	Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
96	Kilogram	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)
27	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
10	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
14	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
	Lump Sum	814-A001	Painting of Metal Structures

Call No. 17 for the June 23, 2009 Letting

100	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
24,975	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
444,940	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
42,729	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
249	Metric Ton	907-213-A001	Agricultural Limestone
3,668	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-223-A001	Mowing
3,029	Meter	907-234-A002	Temporary Silt Fence
2,784	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)
22,748	Metric Ton	907-304-D001	20-mm and Down Crushed Stone
7,723	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
24,121	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
730	Cubic Meter	907-601-A001	Class "B" Structural Concrete
279	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
249	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
650	Square Meter	907-605-AA002	Geotextile Fabric for Subsurface Drainage (Type III)
110	Meter	907-607-B005	1100-mm Type IV Chain Link Fence, Class II, Black
35	Each	907-607-P1002	Line Posts 1500-mm x DN 40 Galvanized Steel, Black
4	Each	907-607-P1003	Line Posts 1500-mm x DN 50 Galvanized Steel, Black
4	Each	907-607-P2002	Brace Posts 3000-mm x DN 50 Galvanized Steel, Black
88	Each	907-617-A001	Right-of-Way Markers (Type I)
23	Kilometer	907-619-A1005	Temporary Traffic Stripe (Continuous White) (Paint)
26	Kilometer	907-619-A2005	Temporary Traffic Stripe (Continuous Yellow) (Paint)
5	Kilometer	907-619-A3001	Temporary Traffic Stripe (Skip White) (Paint)
4	Kilometer	907-619-A4001	Temporary Traffic Stripe (Skip Yellow) (Paint)
5,885	Meter	907-619-A5001	Temporary Traffic Stripe (Detail) (Paint)
503	Meter	907-619-A6001	Temporary Traffic Stripe (Legend) (Paint)
83	Square Meter	907-619-A6005	Temporary Traffic Stripe (Legend) (Paint)
388	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
1,042	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
4	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
1	Kilometer	907-626-BB003	150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
16	Kilometer	907-626-CC003	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mm min)
4	Kilometer	907-626-DD001	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
15	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
1,863	Meter	907-626-GG005	150-mm Thermoplastic Detail Stripe (White) (3.00-mm min)
2,947	Meter	907-626-GG006	150-mm Thermoplastic Detail Stripe (Yellow) (3.00-mm min)
450	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
112	Square Meter	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)
388	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,042	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
4	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
16	Each	907-640-B008	Traffic Signal Heads (Type 6) LED (Countdown)
1	Each	907-643-A001	Closed Loop On-Street Master System
2	Each	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)

Call No. 17 for the June 23, 2009 Letting

156	Meter	907-668-E001	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (25 mm)
174	Meter	907-668-E003	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (75 mm)
	Lump Sum	907-699-A001	Roadway Construction Stakes
430	Meter	907-803-D001	HP 310 x 79 Steel Piling
300	Meter	907-803-F001	610-mm Pre-formed Pile Hole
60	Square Meter	907-829-PP001	Precast Concrete Wall Panels
391	Meter	908-635-A001	Vehicle Loop Assemblies
655	Meter	908-636-A003	Shielded Cable (18 AWG) (4 Conductor)
5	Each	908-638-A006	Loop Detector Amplifier, Card Rack Mounted (4 Channel)
1	Each	908-639-A172	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (10.7-m Arm)
1	Each	908-639-A173	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (12.2-m Arm)
2	Each	908-639-A174	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (13.7-m Arm)
2	Each	908-639-A175	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (15.2-m Arm)
2	Each	908-639-A176	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (16.8-m Arm)
2	Each	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)
8	Each	908-647-A001	Pullbox (Type 1)
8	Each	908-647-A002	Pullboxes (Type 2)
520	Meter	908-666-B017	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),5 Conductor
346	Meter	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),7 Conductor
18	Meter	908-666-B034	Electric Cable (Underground in Conduit) (THHN) (AWG #6) (2 Conductor)
114	Meter	908-666-D012	Electric Cable (Aerial Supported in Conduit)(IMSA 20-1)(AWG14), 7 Conductor
190	Meter	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
64	Meter	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)
27	Meter	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)
Bridge Items			
169,015	Kilogram	805-A001	Reinforcement
876	Meter	813-A001	Concrete Railing
5,685	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
5,062	Square Meter	907-501-K001	Transverse Grooving
18	Each	907-803-B002	Conventional Static Pile Load Test
2,448	Meter	907-803-C001	350-mm x 350-mm Prestressed Concrete Piling
2,037	Meter	907-803-C002	400-mm x 400-mm Prestressed Concrete Piling
304	Meter	907-803-C003	450-mm x 450-mm Prestressed Concrete Piling
18	Each	907-803-I001	PDA Test Pile
1,754	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
447	Meter	907-804-C001	30-m Prestressed Concrete Beams, Type IV
2,051	Meter	907-804-C113	12-m Prestressed Concrete Beam (Type I + 50)
2,709	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Construction necessary to widen, add turn lanes and overlay US 90 from SR 57 to West Pascagoula River Bridge, known as Federal Aid Project No. STP-0003-01(086) / 103803301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: August 31, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
5,718 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
1,115 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4 Each	202-B057	Removal of Inlets, All Sizes
1 Each	202-B070	Removal of Sign Including Post & Footing
15,131 Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,204 Linear Feet	202-B106	Removal of Pipe, All Sizes
6 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
280 Linear Feet	202-B174	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
330 Linear Feet	202-B176	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
25,648 Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
3,990 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
3,990 Cubic Yard	203-G004	Excess Excavation, LVM, AH
507 Cubic Yard	206-A001	Structure Excavation
34 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
35,115 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
9 Acre	220-A001	Insect Pest Control
2,763 Linear Feet	234-A001	Temporary Silt Fence
593 Bale	235-A001	Temporary Erosion Checks
171,736 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15 Mile	423-A001	Rumble Strips, Ground In
19,120 Pounds	602-A001	Reinforcing Steel
2,072 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,828 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
92 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
392 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
49 Each	603-CB001	18" Reinforced Concrete End Section
17 Each	603-CB002	24" Reinforced Concrete End Section
6 Each	603-CB003	30" Reinforced Concrete End Section
248 Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
184 Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
3 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1 Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
3,239 Pounds	604-A001	Castings
889 Pounds	604-B001	Gratings
215 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,404 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
7,722 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
8,683 Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3B
4,093 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
50 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch

Call No. 18 for the June 23, 2009 Letting

12	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
45,680	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,728	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,776	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,374	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
5	Each	619-D3001	Remove and Reset Signs, All Sizes
116	Square Feet	619-D4001	Directional Signs
6,336	Linear Feet	619-F1005	Portable Median Barrier, Less Than or Equal to 45 MPH
13,200	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
	Lump Sum	620-A001	Mobilization
1,765	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
239	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
143	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
597	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
137	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
85	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
30	Cubic Yard	631-A001	Flowable Fill
57	Each	640-A016	Traffic Signal Heads, Type 1 LED
6	Each	640-A018	Traffic Signal Heads, Type 3 LED
21	Each	640-A019	Traffic Signal Heads, Type 5 LED
20	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
7	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
28	Each	644-A001	Optical Detector
6,660	Linear Feet	644-B001	Optical Detector Cable
7	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
7	Each	647-A003	Pullbox, Type 4
22	Each	647-A005	Pullbox, Type 2
5	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
3,700	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
16,995	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
355	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
555	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
170	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
2,670	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
478	Ton	815-A009	Loose Riprap, Size 300
472	Square Yard	815-E001	Geotextile under Riprap
18	Acre	907-225-A001	Grassing
36	Ton	907-225-B001	Agricultural Limestone

Call No. 18 for the June 23, 2009 Letting

778	Linear Feet	907-237-A001	Wattles
12,115	Ton	907-304-F001	Size 825 Crushed Stone Base
2,370	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,962	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
861	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
7,360	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
4,675	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
5,660	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
3,011	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
1,384	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
30,106	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
24,063	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
32	Cubic Yard	907-601-A001	Class "B" Structural Concrete
157	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,284	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
344	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
68	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
20	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,494	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
31,680	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
21,120	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,864	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,776	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
4	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
2	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
3	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
2	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
3	Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
2	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
4	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
14	Each	907-639-A049	Traffic Signal Equipment Pole, Type VI, 18' Shaft
1	Each	907-639-A050	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' & 55' Arms
104	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
13	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
380	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
95	Linear Feet	907-639-D003	Slip Casing, 24" Diameter
28	Each	907-649-A001	Video Detection System, 1 Sensor

Call No. 18 for the June 23, 2009 Letting

7	Each	907-651-A002	Magnetometer Detection System
21	Each	907-651-B008	Magnetometer Detection System Component, 18-foot Pole
21	Each	907-651-B009	Magnetometer Detection System Component, Repeater
7	Each	907-651-B010	Magnetometer Detection System Component, Access Point
7	Each	907-651-B011	Magnetometer Detection System Component, Closure Card
39	Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR