

| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
|---|-----------|---|------------|-------|--|-----------------------------|-------------------------------------|--------------------|
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | | 124,000.00 | 172,000.00 | 365,000.00 |
| 0020 | 201-B001 | Clearing and Grubbing | 1.000 | ACRE | | 4,000.00 | 3,250.00 | 5,000.00 |
| 0030 | 202-A001 | Removal of Obstructions | 1.000 | LS | | 10,000.00 | 170,000.00 | 100,000.00 |
| 0040 | 202-B005 | Removal of Asphalt Pavement, All Depths | 16,461.000 | SY | | 1.70 | 4.00 | 1.50 |
| 0050 | 202-B064 | Removal of Pipe, 8" And Above | 2,571.000 | LF | | 9.30 | 6.75 | 7.50 |
| 0060 | 202-B076 | Removal of Traffic Stripe | 2,000.000 | LF | | 1.60 | 1.50 | 1.50 |
| 0070 | 202-B088 | Removal of Box Culvert Headwall, All Sizes | 2.000 | EA | | 1,600.00 | 950.00 | 4,500.00 |
| 0080 | 202-B094 | Removal of Curb &/or Curb and Gutter, All Types | 557.000 | LF | | 9.50 | 8.00 | 8.50 |
| 0090 | 202-B095 | Removal of Concrete Sidewalks & Driveways, All Depths | 3,245.000 | SY | | 6.30 | 6.75 | 7.50 |
| 0100 | 203-A003 | Unclassified Excavation, FM, AH | 14,362.000 | CY | | 8.40 | 6.00 | 4.00 |
| 0110 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 11,358.000 | CY | | 13.00 | 10.00 | 12.50 |
| 0120 | 203-G003 | Excess Excavation, FM, AH | 9,020.000 | CY | | 6.00 | 4.00 | 6.50 |
| 0130 | 206-A001 | Structure Excavation | 5,421.000 | CY | | 6.60 | 5.50 | 5.00 |
| 0140 | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM | 58.000 | CY | | 44.00 | 40.00 | 55.00 |
| 0150 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 16,557.000 | SY | | 1.00 | 2.50 | 1.75 |
| 0160 | 213-C001 | Superphosphate | 6.000 | TON | | 600.00 | 510.00 | 5.10 |
| 0170 | 216-A001 | Solid Sodding | 23.000 | SY | | 12.00 | 10.00 | 10.00 |
| 0180 | 219-A001 | Watering | 1.000 | KGAL | | 20.00 | 20.00 | 20.00 |
| 0190 | 220-A001 | Insect Pest Control | 6.000 | ACRE | | 30.00 | 30.00 | 30.00 |
| 0200 | 221-A001 | Portland Cement Concrete Paved Ditch | 4.000 | CY | | 625.00 | 300.00 | 425.00 |
| 0210 | 223-A001 | Mowing | 1.000 | ACRE | | 40.00 | 40.00 | 40.00 |
| 0220 | 234-A001 | Temporary Silt Fence | 5,309.000 | LF | | 4.50 | 2.70 | 2.50 |
| 0225 | 235-A001 | Temporary Erosion Checks | 360.000 | BALE | | 9.40 | 8.00 | 8.50 |
| 0230 | 236-A004 | Silt Basin, Type D | 12.000 | EA | | 920.00 | 960.00 | 1,000.00 |
| 0240 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 125.000 | SY | | 23.00 | 40.00 | 20.00 |
| 0250 | 602-A001 | Reinforcing Steel | 60,366.000 | LBS | | 0.90 | 0.75 | 0.50 |

| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
|---|-----------|--|------------|-------|--|-----------------------------|-------------------------------------|--------------------|
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0260 | 603-CA002 | 18" Reinforced Concrete Pipe, Class III | 4,388.000 | LF | | 38.00 | 40.00 | 40.00 |
| 0270 | 603-CA003 | 24" Reinforced Concrete Pipe, Class III | 1,716.000 | LF | | 53.00 | 56.00 | 50.00 |
| 0280 | 603-CA004 | 30" Reinforced Concrete Pipe, Class III | 352.000 | LF | | 62.60 | 73.00 | 70.00 |
| 0290 | 603-CA005 | 36" Reinforced Concrete Pipe, Class III | 796.000 | LF | | 76.90 | 97.00 | 95.00 |
| 0300 | 603-CA006 | 42" Reinforced Concrete Pipe, Class III | 288.000 | LF | | 96.30 | 116.00 | 115.00 |
| 0310 | 603-CA008 | 54" Reinforced Concrete Pipe, Class III | 256.000 | LF | | 141.75 | 177.00 | 175.00 |
| 0320 | 603-CB001 | 18" Reinforced Concrete End Section | 14.000 | EA | | 798.00 | 842.00 | 800.00 |
| 0330 | 603-CB002 | 24" Reinforced Concrete End Section | 5.000 | EA | | 988.00 | 940.00 | 900.00 |
| 0340 | 603-CB003 | 30" Reinforced Concrete End Section | 2.000 | EA | | 1,200.00 | 1,063.00 | 1,000.00 |
| 0350 | 603-CB007 | 54" Reinforced Concrete End Section | 3.000 | EA | | 2,400.00 | 2,730.00 | 2,500.00 |
| 0360 | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III | 16.000 | LF | | 160.00 | 147.00 | 125.00 |
| 0370 | 603-CE008 | 73" x 45" Concrete Arch Pipe, Class A III | 20.000 | LF | | 255.00 | 255.00 | 250.00 |
| 0380 | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section | 1.000 | EA | | 1,800.00 | 2,165.00 | 2,000.00 |
| 0390 | 603-CF008 | 73" x 45" Concrete Arch Pipe End Section | 1.000 | EA | | 2,700.00 | 3,520.00 | 3,000.00 |
| 0400 | 603-SB004 | 24" Branch Connections, Stub into Box Culvert | 1.000 | EA | | 680.00 | 409.00 | 450.00 |
| 0410 | 603-SB005 | 36" Branch Connections, Stub into Box Culvert | 1.000 | EA | | 700.00 | 409.00 | 500.00 |
| 0420 | 603-SB006 | 42" Branch Connections, Stub into Box Culvert | 1.000 | EA | | 800.00 | 820.00 | 550.00 |
| 0430 | 603-SB040 | 18" Branch Connections, Stub into Box Culvert | 1.000 | EA | | 650.00 | 410.00 | 450.00 |
| 0440 | 604-A001 | Castings | 5,860.000 | LBS | | 1.92 | 4.25 | 2.00 |
| 0450 | 604-B001 | Gratings | 1,088.000 | LBS | | 2.91 | 4.65 | 2.50 |
| 0460 | 605-AA003 | Geotextile for Subsurface Drainage, Type III | 10,075.000 | SY | | 0.76 | 2.25 | 1.75 |
| 0470 | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrai | 840.000 | CY | | 28.90 | 61.00 | 48.00 |
| 0480 | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrai | 1,355.000 | CY | | 17.00 | 35.00 | 30.00 |
| 0490 | 607-B014 | 72" Type II Chain Link Fence, Class II | 210.000 | LF | | 15.00 | 20.00 | 20.00 |
| 0500 | 607-P1009 | Line Post, 9' x 2" Galvanized Steel | 10.000 | EA | | 58.00 | 150.00 | 150.00 |
| 0510 | 607-P2011 | Brace Post, 10' x 2 1/2" Galvanized Steel | 16.000 | EA | | 96.00 | 200.00 | 200.00 |

| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
|---|-----------|--|------------|-------|--|-----------------------------|-------------------------------------|--------------------|
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0520 | 608-A001 | Concrete Sidewalk, Without Reinforcement | 4,807.000 | SY | | 35.00 | 30.60 | 22.45 |
| 0530 | 609-B001 | Concrete Curb, Header | 297.000 | LF | | 48.00 | 18.00 | 17.35 |
| 0540 | 609-D002 | Combination Concrete Curb and Gutter Type 2 | 897.000 | LF | | 18.50 | 14.25 | 17.35 |
| 0550 | 609-D008 | Combination Concrete Curb and Gutter Type 3A | 8,987.000 | LF | | 17.80 | 12.40 | 13.35 |
| 0560 | 613-D005 | Adjustment of Manhole | 3.000 | EA | | 340.00 | 400.00 | 1,000.00 |
| 0570 | 614-A001 | Concrete Driveway, Without Reinforcement | 2,301.000 | SY | | 63.50 | 50.00 | 36.55 |
| 0580 | 614-B001 | Concrete Driveway, With Reinforcement | 170.000 | SY | | 68.30 | 50.00 | 38.90 |
| 0590 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3,923.000 | SY | | 30.70 | 24.65 | 27.85 |
| 0600 | 616-A003 | Concrete Median and/or Island Pavement, 10-inch | 71.000 | SY | | 120.00 | 88.00 | 53.95 |
| 0610 | 618-A001 | Maintenance of Traffic | 1.000 | LS | | 30,000.00 | 75,000.00 | 150,000.00 |
| 0620 | 619-A1001 | Temporary Traffic Stripe, Continuous White | 11,569.000 | LF | | 0.22 | 0.20 | 0.20 |
| 0630 | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow | 15,320.000 | LF | | 0.22 | 0.20 | 0.20 |
| 0640 | 619-A4001 | Temporary Traffic Stripe, Skip Yellow | 7,120.000 | LF | | 0.22 | 0.20 | 0.20 |
| 0650 | 619-A5001 | Temporary Traffic Stripe, Detail | 10,628.000 | LF | | 0.22 | 0.20 | 0.20 |
| 0660 | 619-A6001 | Temporary Traffic Stripe, Legend | 8,786.000 | LF | | 0.33 | 0.30 | 0.30 |
| 0670 | 619-A6002 | Temporary Traffic Stripe, Legend | 1,090.000 | SF | | 1.09 | 1.00 | 1.00 |
| 0680 | 619-C6001 | Red-Clear Reflective High Performance Raised Marker | 75.000 | EA | | 8.70 | 8.00 | 8.00 |
| 0690 | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker | 416.000 | EA | | 8.70 | 8.00 | 8.00 |
| 0700 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 13.000 | SF | | 9.20 | 8.50 | 16.50 |
| 0710 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 1,110.000 | SF | | 9.20 | 8.50 | 13.75 |
| 0720 | 619-G4001 | Barricades, Type III, Single Faced | 640.000 | LF | | 17.30 | 16.00 | 9.00 |
| 0730 | 619-G4005 | Barricades, Type III, Double Faced | 12.000 | LF | | 19.50 | 18.00 | 12.00 |
| 0740 | 619-G5001 | Free Standing Plastic Drums | 349.000 | EA | | 46.00 | 42.50 | 70.00 |
| 0750 | 619-G7001 | Warning Lights, Type "B" | 2.000 | EA | | 81.00 | 75.00 | 100.00 |
| 0760 | 620-A001 | Mobilization | 1.000 | LS | | 163,000.00 | 500,000.00 | 550,000.00 |
| 0770 | 621-A001 | Field Laboratory | 1.000 | EA | | 16,000.00 | 15,000.00 | 15,000.00 |

| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
|---|----------|--|-----------|-------|--|-----------------------------|-------------------------------------|--------------------|
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0780 | 627-K001 | Red-Clear Reflective High Performance Raised Markers | 99.000 | EA | | 8.70 | 8.00 | 8.00 |
| 0790 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 404.000 | EA | | 8.70 | 8.00 | 8.00 |
| 0800 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 530.000 | SF | | 23.00 | 21.00 | 21.00 |
| 0810 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 240.000 | SF | | 26.00 | 24.00 | 24.00 |
| 0820 | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft | 78.000 | LF | | 8.00 | 7.50 | 7.50 |
| 0830 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 819.000 | LF | | 9.00 | 8.50 | 8.50 |
| 0840 | 630-D003 | Structural Steel Beams, W6 x 9 | 28.000 | LF | | 43.00 | 40.00 | 40.00 |
| 0850 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 38.000 | LBS | | 4.00 | 3.50 | 3.50 |
| 0860 | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | 282.000 | LBS | | 4.00 | 3.50 | 3.50 |
| 0870 | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" | 29.000 | LF | | 43.00 | 40.00 | 40.00 |
| 0880 | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" | 18.000 | LF | | 49.00 | 45.00 | 45.00 |
| 0890 | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" | 128.000 | LF | | 54.00 | 50.00 | 50.00 |
| 0900 | 630-K004 | Welded & Seamless Steel Pipe Posts, 5" | 43.000 | LF | | 60.00 | 55.00 | 55.00 |
| 0910 | 631-A001 | Flowable Fill | 40.000 | CY | | 94.00 | 175.00 | 200.00 |
| 0920 | 635-A001 | Vehicle Loop Assemblies | 1,298.000 | LF | | 9.75 | 9.00 | 9.00 |
| 0930 | 636-A001 | Shielded Cable, AWG #18, 4 Conductor | 1,877.000 | LF | | 1.10 | 1.00 | 1.00 |
| 0940 | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel | 2.000 | EA | | 440.00 | 405.00 | 405.00 |
| 0950 | 639-A015 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm | 1.000 | EA | | 10,400.00 | 9,565.00 | 9,565.00 |
| 0960 | 639-A096 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | 1.000 | EA | | 5,800.00 | 5,395.00 | 5,395.00 |
| 0970 | 639-A098 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm | 2.000 | EA | | 8,300.00 | 7,630.00 | 7,630.00 |
| 0980 | 640-A016 | Traffic Signal Heads, Type 1 LED | 6.000 | EA | | 830.00 | 765.00 | 765.00 |
| 0990 | 640-A022 | Traffic Signal Heads, Type 7 LED | 2.000 | EA | | 785.00 | 725.00 | 725.00 |
| 1000 | 640-A034 | Traffic Signal Heads, Type 6 LED Countdown | 2.000 | EA | | 1,500.00 | 1,365.00 | 1,365.00 |
| 1010 | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A | 1.000 | EA | | 12,000.00 | 10,984.00 | 10,984.00 |
| 1020 | 647-A001 | Pullbox, Type 1 | 3.000 | EA | | 200.00 | 200.00 | 200.00 |
| 1030 | 647-A005 | Pullbox, Type 2 | 5.000 | EA | | 325.00 | 300.00 | 300.00 |

| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
|---|---------------|--|------------|-------|--|-----------------------------|-------------------------------------|--------------------|
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 1040 | 666-B015 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 | 288.000 | LF | | 1.60 | 1.50 | 1.50 |
| 1050 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 1,084.000 | LF | | 1.90 | 1.75 | 1.75 |
| 1060 | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 | 81.000 | LF | | 11.00 | 10.00 | 10.00 |
| 1070 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 538.000 | LF | | 4.40 | 4.00 | 4.00 |
| 1080 | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" | 134.000 | LF | | 5.40 | 5.00 | 5.00 |
| 1090 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 220.000 | LF | | 9.75 | 9.00 | 9.00 |
| 1100 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 163.000 | LF | | 9.75 | 9.00 | 9.00 |
| 1110 | 699-A001 | Roadway Construction Stakes | 1.000 | LS | | 50,000.00 | 100,000.00 | 45,000.00 |
| 1120 | 815-A009 | Loose Riprap, Size 300 | 406.000 | TON | | 40.00 | 55.00 | 52.00 |
| 1130 | 815-E001 | Geotextile under Riprap | 275.000 | SY | | 2.00 | 2.30 | 2.00 |
| 1140 | 815-F002 | Sediment Control Stone | 20.000 | TON | | 62.00 | 52.00 | 70.00 |
| 1150 | 907-225-A001 | Grassing | 12.000 | ACRE | | 940.00 | 830.00 | 830.00 |
| 1160 | 907-225-B001 | Agricultural Limestone | 29.000 | TON | | 45.00 | 40.00 | 40.00 |
| 1170 | 907-226-A001 | Temporary Grassing | 6.000 | ACRE | | 450.00 | 400.00 | 400.00 |
| 1190 | 907-304-B009 | Granular Material, Class 3, Group D | 3,100.000 | TON | | 16.80 | 20.50 | 25.00 |
| 1200 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 19,843.000 | TON | | 38.80 | 47.00 | 50.00 |
| 1210 | 907-307-A002 | 6" Soil-Lime-Water Mixing, Class A | 23,770.000 | SY | | 2.90 | 2.50 | 2.50 |
| 1220 | 907-307-D001 | Lime | 321.000 | TON | | 170.00 | 170.00 | 170.00 |
| 1230 | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture | 3,704.000 | TON | | 80.00 | 90.00 | 88.31 |
| 1240 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 5,494.000 | TON | | 84.00 | 83.00 | 81.96 |
| 1250 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 3,036.000 | TON | | 83.00 | 85.00 | 83.46 |
| 1260 | 907-601-A001 | Class "B" Structural Concrete | 173.000 | CY | | 539.00 | 425.00 | 500.00 |
| 1270 | 907-601-B003 | Class "B" Structural Concrete, Minor Structures | 297.000 | CY | | 1,000.00 | 900.00 | 1,000.00 |
| 1280 | 907-603-ALT01 | 18" Type A Alternate Pipe | 1,864.000 | LF | | 40.00 | 22.00 | 30.00 |
| 1290 | 907-603-ALT02 | 24" Type A Alternate Pipe | 36.000 | LF | | 61.00 | 33.00 | 45.00 |
| 1300 | 907-603-ALT03 | 30" Type A Alternate Pipe | 24.000 | LF | | 88.00 | 42.00 | 65.00 |

| | | | | | | | | |
|---|--------------|--|-----------|-------|--|-----------------------------|-------------------------------------|--------------------|
| ATTALA (4) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Malouf Construction, LLC | Eutaw Construction Company, Inc. | Southern Rock, LLC |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$5,531,346.01 | \$4,868,058.89 | \$5,540,968.90 | \$5,721,297.64 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 1310 | 907-617-A001 | Right-of-Way Marker | 108.000 | EA | | 180.00 | 122.00 | 160.00 |
| 1320 | 907-619-L001 | Construction Safety Fence | 500.000 | LF | | 4.25 | 3.50 | 5.00 |
| 1330 | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White | 2.000 | MI | | 3,000.00 | 2,800.00 | 2,800.00 |
| 1340 | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 1.000 | MI | | 1,500.00 | 1,400.00 | 1,400.00 |
| 1350 | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 3.000 | MI | | 3,000.00 | 2,800.00 | 2,800.00 |
| 1360 | 907-626-G004 | Thermoplastic Detail Stripe, White | 9,946.000 | LF | | 1.36 | 1.25 | 1.25 |
| 1370 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow | 593.000 | LF | | 1.36 | 1.25 | 1.25 |
| 1380 | 907-626-H004 | Thermoplastic Legend, White | 9,150.000 | LF | | 3.80 | 3.50 | 3.50 |
| 1390 | 907-626-H005 | Thermoplastic Legend, White | 1,309.000 | SF | | 6.50 | 6.00 | 6.00 |

| | | | | | | | | |
|---|-----------|---|------------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | 225,000.00 | | | |
| 0020 | 201-B001 | Clearing and Grubbing | 1.000 | ACRE | 3,500.00 | | | |
| 0030 | 202-A001 | Removal of Obstructions | 1.000 | LS | 25,000.00 | | | |
| 0040 | 202-B005 | Removal of Asphalt Pavement, All Depths | 16,461.000 | SY | 1.50 | | | |
| 0050 | 202-B064 | Removal of Pipe, 8" And Above | 2,571.000 | LF | 9.60 | | | |
| 0060 | 202-B076 | Removal of Traffic Stripe | 2,000.000 | LF | 1.50 | | | |
| 0070 | 202-B088 | Removal of Box Culvert Headwall, All Sizes | 2.000 | EA | 1,000.00 | | | |
| 0080 | 202-B094 | Removal of Curb &/or Curb and Gutter, All Types | 557.000 | LF | 9.00 | | | |
| 0090 | 202-B095 | Removal of Concrete Sidewalks & Driveways, All Depths | 3,245.000 | SY | 7.20 | | | |
| 0100 | 203-A003 | Unclassified Excavation, FM, AH | 14,362.000 | CY | 11.50 | | | |
| 0110 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 11,358.000 | CY | 23.00 | | | |
| 0120 | 203-G003 | Excess Excavation, FM, AH | 9,020.000 | CY | 13.50 | | | |
| 0130 | 206-A001 | Structure Excavation | 5,421.000 | CY | 13.00 | | | |
| 0140 | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM | 58.000 | CY | 35.00 | | | |
| 0150 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 16,557.000 | SY | 1.20 | | | |
| 0160 | 213-C001 | Superphosphate | 6.000 | TON | 800.00 | | | |
| 0170 | 216-A001 | Solid Sodding | 23.000 | SY | 7.00 | | | |
| 0180 | 219-A001 | Watering | 1.000 | KGAL | 20.00 | | | |
| 0190 | 220-A001 | Insect Pest Control | 6.000 | ACRE | 30.00 | | | |
| 0200 | 221-A001 | Portland Cement Concrete Paved Ditch | 4.000 | CY | 400.00 | | | |
| 0210 | 223-A001 | Mowing | 1.000 | ACRE | 40.00 | | | |
| 0220 | 234-A001 | Temporary Silt Fence | 5,309.000 | LF | 4.50 | | | |
| 0225 | 235-A001 | Temporary Erosion Checks | 360.000 | BALE | 12.00 | | | |
| 0230 | 236-A004 | Silt Basin, Type D | 12.000 | EA | 1,650.00 | | | |
| 0240 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 125.000 | SY | 20.00 | | | |
| 0250 | 602-A001 | Reinforcing Steel | 60,366.000 | LBS | 1.50 | | | |

| | | | | | | | | |
|---|-----------|--|------------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0260 | 603-CA002 | 18" Reinforced Concrete Pipe, Class III | 4,388.000 | LF | 49.00 | | | |
| 0270 | 603-CA003 | 24" Reinforced Concrete Pipe, Class III | 1,716.000 | LF | 81.00 | | | |
| 0280 | 603-CA004 | 30" Reinforced Concrete Pipe, Class III | 352.000 | LF | 120.00 | | | |
| 0290 | 603-CA005 | 36" Reinforced Concrete Pipe, Class III | 796.000 | LF | 150.00 | | | |
| 0300 | 603-CA006 | 42" Reinforced Concrete Pipe, Class III | 288.000 | LF | 190.00 | | | |
| 0310 | 603-CA008 | 54" Reinforced Concrete Pipe, Class III | 256.000 | LF | 225.00 | | | |
| 0320 | 603-CB001 | 18" Reinforced Concrete End Section | 14.000 | EA | 800.00 | | | |
| 0330 | 603-CB002 | 24" Reinforced Concrete End Section | 5.000 | EA | 950.00 | | | |
| 0340 | 603-CB003 | 30" Reinforced Concrete End Section | 2.000 | EA | 1,000.00 | | | |
| 0350 | 603-CB007 | 54" Reinforced Concrete End Section | 3.000 | EA | 2,100.00 | | | |
| 0360 | 603-CE005 | 51" x 31" Concrete Arch Pipe, Class A III | 16.000 | LF | 220.00 | | | |
| 0370 | 603-CE008 | 73" x 45" Concrete Arch Pipe, Class A III | 20.000 | LF | 410.00 | | | |
| 0380 | 603-CF005 | 51" x 31" Concrete Arch Pipe End Section | 1.000 | EA | 2,300.00 | | | |
| 0390 | 603-CF008 | 73" x 45" Concrete Arch Pipe End Section | 1.000 | EA | 3,500.00 | | | |
| 0400 | 603-SB004 | 24" Branch Connections, Stub into Box Culvert | 1.000 | EA | 300.00 | | | |
| 0410 | 603-SB005 | 36" Branch Connections, Stub into Box Culvert | 1.000 | EA | 300.00 | | | |
| 0420 | 603-SB006 | 42" Branch Connections, Stub into Box Culvert | 1.000 | EA | 400.00 | | | |
| 0430 | 603-SB040 | 18" Branch Connections, Stub into Box Culvert | 1.000 | EA | 300.00 | | | |
| 0440 | 604-A001 | Castings | 5,860.000 | LBS | 2.00 | | | |
| 0450 | 604-B001 | Gratings | 1,088.000 | LBS | 2.00 | | | |
| 0460 | 605-AA003 | Geotextile for Subsurface Drainage, Type III | 10,075.000 | SY | 2.00 | | | |
| 0470 | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrai | 840.000 | CY | 90.00 | | | |
| 0480 | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrai | 1,355.000 | CY | 48.00 | | | |
| 0490 | 607-B014 | 72" Type II Chain Link Fence, Class II | 210.000 | LF | 5.10 | | | |
| 0500 | 607-P1009 | Line Post, 9' x 2" Galvanized Steel | 10.000 | EA | 40.70 | | | |
| 0510 | 607-P2011 | Brace Post, 10' x 2 1/2" Galvanized Steel | 16.000 | EA | 155.00 | | | |

| | | | | | | | | |
|---|-----------|--|------------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0520 | 608-A001 | Concrete Sidewalk, Without Reinforcement | 4,807.000 | SY | 29.20 | | | |
| 0530 | 609-B001 | Concrete Curb, Header | 297.000 | LF | 17.35 | | | |
| 0540 | 609-D002 | Combination Concrete Curb and Gutter Type 2 | 897.000 | LF | 17.35 | | | |
| 0550 | 609-D008 | Combination Concrete Curb and Gutter Type 3A | 8,987.000 | LF | 13.35 | | | |
| 0560 | 613-D005 | Adjustment of Manhole | 3.000 | EA | 1,000.00 | | | |
| 0570 | 614-A001 | Concrete Driveway, Without Reinforcement | 2,301.000 | SY | 42.20 | | | |
| 0580 | 614-B001 | Concrete Driveway, With Reinforcement | 170.000 | SY | 39.00 | | | |
| 0590 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3,923.000 | SY | 27.90 | | | |
| 0600 | 616-A003 | Concrete Median and/or Island Pavement, 10-inch | 71.000 | SY | 54.00 | | | |
| 0610 | 618-A001 | Maintenance of Traffic | 1.000 | LS | 200,000.00 | | | |
| 0620 | 619-A1001 | Temporary Traffic Stripe, Continuous White | 11,569.000 | LF | 0.20 | | | |
| 0630 | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow | 15,320.000 | LF | 0.20 | | | |
| 0640 | 619-A4001 | Temporary Traffic Stripe, Skip Yellow | 7,120.000 | LF | 0.20 | | | |
| 0650 | 619-A5001 | Temporary Traffic Stripe, Detail | 10,628.000 | LF | 0.20 | | | |
| 0660 | 619-A6001 | Temporary Traffic Stripe, Legend | 8,786.000 | LF | 0.30 | | | |
| 0670 | 619-A6002 | Temporary Traffic Stripe, Legend | 1,090.000 | SF | 1.00 | | | |
| 0680 | 619-C6001 | Red-Clear Reflective High Performance Raised Marker | 75.000 | EA | 8.00 | | | |
| 0690 | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker | 416.000 | EA | 8.00 | | | |
| 0700 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 13.000 | SF | 8.50 | | | |
| 0710 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 1,110.000 | SF | 8.50 | | | |
| 0720 | 619-G4001 | Barricades, Type III, Single Faced | 640.000 | LF | 16.00 | | | |
| 0730 | 619-G4005 | Barricades, Type III, Double Faced | 12.000 | LF | 18.00 | | | |
| 0740 | 619-G5001 | Free Standing Plastic Drums | 349.000 | EA | 42.50 | | | |
| 0750 | 619-G7001 | Warning Lights, Type "B" | 2.000 | EA | 75.00 | | | |
| 0760 | 620-A001 | Mobilization | 1.000 | LS | 500,000.00 | | | |
| 0770 | 621-A001 | Field Laboratory | 1.000 | EA | 35,000.00 | | | |

| | | | | | | | | |
|---|----------|--|-----------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 0780 | 627-K001 | Red-Clear Reflective High Performance Raised Markers | 99.000 | EA | 8.00 | | | |
| 0790 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 404.000 | EA | 8.00 | | | |
| 0800 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 530.000 | SF | 21.00 | | | |
| 0810 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | 240.000 | SF | 24.00 | | | |
| 0820 | 630-C002 | Steel U-Section Posts, 2.0 to 2.5 lb/ft | 78.000 | LF | 7.50 | | | |
| 0830 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 819.000 | LF | 8.50 | | | |
| 0840 | 630-D003 | Structural Steel Beams, W6 x 9 | 28.000 | LF | 40.00 | | | |
| 0850 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 38.000 | LBS | 3.50 | | | |
| 0860 | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | 282.000 | LBS | 3.50 | | | |
| 0870 | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" | 29.000 | LF | 40.00 | | | |
| 0880 | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" | 18.000 | LF | 45.00 | | | |
| 0890 | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" | 128.000 | LF | 50.00 | | | |
| 0900 | 630-K004 | Welded & Seamless Steel Pipe Posts, 5" | 43.000 | LF | 55.00 | | | |
| 0910 | 631-A001 | Flowable Fill | 40.000 | CY | 225.00 | | | |
| 0920 | 635-A001 | Vehicle Loop Assemblies | 1,298.000 | LF | 9.00 | | | |
| 0930 | 636-A001 | Shielded Cable, AWG #18, 4 Conductor | 1,877.000 | LF | 1.00 | | | |
| 0940 | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel | 2.000 | EA | 405.00 | | | |
| 0950 | 639-A015 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm | 1.000 | EA | 9,565.00 | | | |
| 0960 | 639-A096 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | 1.000 | EA | 5,395.00 | | | |
| 0970 | 639-A098 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm | 2.000 | EA | 7,630.00 | | | |
| 0980 | 640-A016 | Traffic Signal Heads, Type 1 LED | 6.000 | EA | 765.00 | | | |
| 0990 | 640-A022 | Traffic Signal Heads, Type 7 LED | 2.000 | EA | 725.00 | | | |
| 1000 | 640-A034 | Traffic Signal Heads, Type 6 LED Countdown | 2.000 | EA | 1,365.00 | | | |
| 1010 | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A | 1.000 | EA | 10,984.00 | | | |
| 1020 | 647-A001 | Pullbox, Type 1 | 3.000 | EA | 200.00 | | | |
| 1030 | 647-A005 | Pullbox, Type 2 | 5.000 | EA | 300.00 | | | |

| | | | | | | | | |
|---|---------------|--|------------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 1040 | 666-B015 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 | 288.000 | LF | 1.50 | | | |
| 1050 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 1,084.000 | LF | 1.75 | | | |
| 1060 | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 | 81.000 | LF | 10.00 | | | |
| 1070 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 538.000 | LF | 4.00 | | | |
| 1080 | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" | 134.000 | LF | 5.00 | | | |
| 1090 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 220.000 | LF | 9.00 | | | |
| 1100 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 163.000 | LF | 9.00 | | | |
| 1110 | 699-A001 | Roadway Construction Stakes | 1.000 | LS | 236,031.00 | | | |
| 1120 | 815-A009 | Loose Riprap, Size 300 | 406.000 | TON | 75.00 | | | |
| 1130 | 815-E001 | Geotextile under Riprap | 275.000 | SY | 6.00 | | | |
| 1140 | 815-F002 | Sediment Control Stone | 20.000 | TON | 100.00 | | | |
| 1150 | 907-225-A001 | Grassing | 12.000 | ACRE | 900.00 | | | |
| 1160 | 907-225-B001 | Agricultural Limestone | 29.000 | TON | 70.00 | | | |
| 1170 | 907-226-A001 | Temporary Grassing | 6.000 | ACRE | 600.00 | | | |
| 1190 | 907-304-B009 | Granular Material, Class 3, Group D | 3,100.000 | TON | 26.00 | | | |
| 1200 | 907-304-F003 | 3/4" and Down Crushed Stone Base | 19,843.000 | TON | 40.00 | | | |
| 1210 | 907-307-A002 | 6" Soil-Lime-Water Mixing, Class A | 23,770.000 | SY | 2.75 | | | |
| 1220 | 907-307-D001 | Lime | 321.000 | TON | 160.00 | | | |
| 1230 | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture | 3,704.000 | TON | 90.00 | | | |
| 1240 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 5,494.000 | TON | 85.00 | | | |
| 1250 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 3,036.000 | TON | 95.00 | | | |
| 1260 | 907-601-A001 | Class "B" Structural Concrete | 173.000 | CY | 485.00 | | | |
| 1270 | 907-601-B003 | Class "B" Structural Concrete, Minor Structures | 297.000 | CY | 1,400.00 | | | |
| 1280 | 907-603-ALT01 | 18" Type A Alternate Pipe | 1,864.000 | LF | 48.00 | | | |
| 1290 | 907-603-ALT02 | 24" Type A Alternate Pipe | 36.000 | LF | 55.00 | | | |
| 1300 | 907-603-ALT03 | 30" Type A Alternate Pipe | 24.000 | LF | 110.00 | | | |

| | | | | | | | | |
|---|--------------|--|-----------|-------|--------------------------|--|--|--|
| ATTALA (4) | | | | | APAC - Mississippi, Inc. | | | |
| Widening Ms. Hwy. 43, from Ms. Hwy. 12 North approximately 1.2 miles, known as Federal Aid Project No. STP-8925-00(002) / 102435301, in the County of Attala, State of Mississippi. | | | | | \$6,428,605.60 | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | | | |
| 1310 | 907-617-A001 | Right-of-Way Marker | 108.000 | EA | 90.00 | | | |
| 1320 | 907-619-L001 | Construction Safety Fence | 500.000 | LF | 4.00 | | | |
| 1330 | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White | 2.000 | MI | 2,800.00 | | | |
| 1340 | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow | 1.000 | MI | 1,400.00 | | | |
| 1350 | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 3.000 | MI | 2,800.00 | | | |
| 1360 | 907-626-G004 | Thermoplastic Detail Stripe, White | 9,946.000 | LF | 1.25 | | | |
| 1370 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow | 593.000 | LF | 1.25 | | | |
| 1380 | 907-626-H004 | Thermoplastic Legend, White | 9,150.000 | LF | 3.50 | | | |
| 1390 | 907-626-H005 | Thermoplastic Legend, White | 1,309.000 | SF | 6.00 | | | |