

[Proposal & Plan Sales Will Begin on July 6, 2009](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for July – July 28, 2009

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JULY - Tuesday, July 28, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 06, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	HSIP-0002-06(114) / 102083301	Lee
02	ER-NH-0008-01(115) / 105408301 & ER-NH-0008-01(115) / 105408302	Harrison
03	ER-0023-00(035) / 105664301 & ER-0024-00(024) / 105664302	Hancock & Harrison
* 04	IM-0220-03(032) / 105248301	Hinds
* 05	STP-0000-01(005) / 104753303	District 1
* 06	STP-0000-03(003) / 104755303	District 3
07	NH-0002-03(072) / 105246302	Noxubee
* 08	MP-3049-82(016) / 303724301	Yazoo
* 09	MP-3061-11(007) / 303722301	Claiborne
* 10	MP-7028-64(018) / 303690301	Simpson
* 11	MP-7198-74(002) / 303691301	Walthall
12	BWO-5186-52(001) / 501980301 & BWO-5187-52(001) / 501980302	Noxubee
13	BWO-7116-57(002) / 502087301	Pike
14	STP-0023-02(047) / 105503301	Attala

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, August 25, 2009; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, August 25, 2009. and shortly thereafter publicly opened for:

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	ITS-0210-00(017)/105469901	Forrest & Lamar

Construction necessary to build an interchange at the intersection of US 45 and Euclautubba Road, known as Federal Aid Project No. HSIP-0002-06(114) / 102083301, in the County of Lee, State of Mississippi.

PROJECT COMPLETION: 254 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8,782 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,900 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
136 Linear Feet	202-B064	Removal of Pipe, 8" And Above
68 Linear Feet	202-B080	Removal of Box Culvert
50,053 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
197,469 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,909 Cubic Yard	206-A001	Structure Excavation
14,478 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
100,759 Square Yard	212-A001	Light Ground Preparation
211,517 Square Yard	212-B001	Standard Ground Preparation
27 Ton	213-B001	Combination Fertilizer, 13-13-13
21 Ton	213-C001	Superphosphate
1,041 Pounds	214-A001	Seeding, Bahiagrass
854 Pounds	214-A002	Seeding, Bermudagrass
1,082 Pounds	214-A003	Seeding, Tall Fescue
416 Pounds	214-A004	Seeding, Crimson Clover
520 Pounds	214-A005	Seeding, Sericea Lespedeza
416 Pounds	214-A014	Seeding, Browntop Millet
1,874 Pounds	214-A015	Seeding, Oats
520 Pounds	214-A017	Seeding, Rye Grass
108 Ton	215-A001	Vegetative Materials for Mulch
296 Square Yard	216-A001	Solid Sodding
1,600 Square Yard	217-A001	Ditch Liner
7 Thousand Gallon	219-A001	Watering
21 Acre	220-A001	Insect Pest Control
663 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,750 Square Yard	224-A001	Soil Reinforcing Mat
12,500 Linear Feet	234-A001	Temporary Silt Fence
852 Bale	235-A001	Temporary Erosion Checks
199 Linear Feet	239-A001	Temporary Slope Drains
4 Mile	423-A001	Rumble Strips, Ground In
113 Linear Feet	501-E001	Expansion Joints, Without Dowels
236 Square Yard	501-K001	Transverse Grooving
236 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
633,220 Pounds	602-A001	Reinforcing Steel
24 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
36 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
32 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III

Call No. 01 for the July 28, 2009 Letting

344	Linear Feet	603-CA011	72" Reinforced Concrete Pipe, Class III
432	Linear Feet	603-CA123	54" Reinforced Concrete Pipe, Class V, Jacked or Bored
1	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
4	Each	603-CB007	54" Reinforced Concrete End Section
4	Each	603-CB010	72" Reinforced Concrete End Section
68	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
3	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
250	Pounds	604-B001	Gratings
1,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
4,509	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
174	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
61	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,158	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,158	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,950	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,319	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
48	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
60	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
533	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
20	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
263	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
251	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
489	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
720	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
805	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
85	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
280	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
307	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
332	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
973	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
65	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
176	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
103	Linear Feet	630-D008	Structural Steel Beams, W10 x 22

Call No. 01 for the July 28, 2009 Letting

216 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
165 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
361 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22 Each	630-F001	Delineators, Guard Rail, White
4 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
64 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
216 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
Lump Sum	699-A001	Roadway Construction Stakes
8 Ton	815-A006	Loose Riprap, Size 100
1,778 Square Yard	815-E001	Geotextile under Riprap
125 Ton	907-213-A001	Agricultural Limestone
5,561 Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
5,880 Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
5,392 Ton	907-304-F003	3/4" and Down Crushed Stone Base
9,561 Square Yard	907-307-B004	8" Soil-Lime-Water Mixing, Class B
173 Ton	907-307-D001	Lime
9,561 Square Yard	907-311-A005	Processing Lime and Fly Ash Treated Course, 8" Thick
87 Ton	907-311-B001	Lime
845 Ton	907-311-C002	Fly Ash, Class C or F
1,740 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
3,930 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,220 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
27 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
192 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
31 Each	907-617-A001	Right-of-Way Marker
2 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
844 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,294 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,191 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
412 Linear Feet	907-626-H004	Thermoplastic Legend, White
425 Square Feet	907-626-H005	Thermoplastic Legend, White
3,755 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP AA NO. 1		
297 Ton	907-308-A001	Portland Cement
19,122 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
19,122 Square Yard	907-311-A005	Processing Lime and Fly Ash Treated Course, 8" Thick
197 Ton	907-311-B001	Lime
785 Ton	907-311-C002	Fly Ash, Class C or F
Bridge Items		
1,933 Square Yard	501-K001	Transverse Grooving
640 Cubic Yard	801-A001	Foundation Excavation for Bridges
2 Each	803-B001	Conventional Static Loading Test
7,407 Linear Feet	803-D002	HP 12 x 53 Steel Piling

Call No. 01 for the July 28, 2009 Letting

2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
216,029	Pounds	805-A001	Reinforcement
725	Linear Feet	813-A001	Concrete Railing
113	Cubic Yard	815-D001	Concrete Slope Paving
1,129	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
521	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
1,388	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
591	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV

Repairing traffic signals on US 49, from US 90 to O'Neal Rd., known as Federal Aid Project No. ER-NH-0008-01(115) / 105408301 & 302, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: April 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
	720 Linear Feet	635-A001	Vehicle Loop Assemblies
	29,556 Linear Feet	636-A002	Shielded Cable
	2 Each	637-A001	Equipment Cabinet
	3 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
	74 Each	640-A016	Traffic Signal Heads, Type 1 LED
	10 Each	640-A017	Traffic Signal Heads, Type 2 LED
	12 Each	640-A018	Traffic Signal Heads, Type 3 LED
	2 Each	640-A019	Traffic Signal Heads, Type 5 LED
	2 Each	640-A021	Traffic Signal Heads, Type 6 LED
	24 Each	640-A022	Traffic Signal Heads, Type 7 LED
	2 Each	640-A036	Traffic Signal Heads, Type 5L, LED
	22 Each	644-A001	Optical Detector
	3,287 Linear Feet	644-B001	Optical Detector Cable
	3 Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
	6 Each	647-A005	Pullbox, Type 2
	172 Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
	488 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
	134 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor(POW)
	1,344 Linear Feet	666-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
	7,029 Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
	367 Linear Feet	666-C011	Electric Cable, Aerial Supported, IMSA 20-1, AWG 6, 2 Conductor(LUM)
	35 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
	107 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	1 Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
	4 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
	5,718 Linear Feet	907-640-A1001	Repair of Traffic Signal Cable, Tether Cable
	5,342 Linear Feet	907-640-A1002	Repair of Traffic Signal Cable, Messenger Cable
	1 Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
	3 Each	907-648-A1001	Repair of Radio Interconnect Component, Antenna
	156 Linear Feet	907-648-A1002	Repair of Radio Interconnect Component, Coaxial Cable
	1 Each	907-654-A001	Battery Back-up System

Overlaying various streets in Hancock and Harrison County, known as Federal Aid Project Nos. ER-0023-00(035) & ER-0024-00(024) / 105664301 & 302, in the Counties of Hancock and Harrison, State of Mississippi.

PROJECT COMPLETION: March 31, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

12,878	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
524	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,181	Square Yard	202-B035	Removal of Concrete Sidewalk
234	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,421	Linear Feet	202-B188	Removal of Concrete Curb
1,164	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
4,280	Linear Feet	234-A001	Temporary Silt Fence
171,015	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
609	Linear Feet	503-C007	Saw Cut, Full Depth
1,695	Linear Feet	606-B006	Guard Rail, Class A, Type 1, 'W' Beam, Wood Post
2	Each	606-D006	Guard Rail, Bridge End Section, Type G
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
14	Each	606-E001	Guard Rail, Terminal End Section
10	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,976	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
1,200	Linear Feet	609-B001	Concrete Curb, Header
406	Each	613-B001	Adjustment of Casting
72	Each	613-D005	Adjustment of Manhole
24	Each	613-D007	Adjustment of Utility Appurtenance
1,667	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
	Lump Sum	618-A001	Maintenance of Traffic
72	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3006	Temporary Traffic Stripe, Skip White
37	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
70,441	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
24,221	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,644	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
368	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
7,244	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
552	Linear Feet	619-G4005	Barricades, Type III, Double Faced
125	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
762	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,205	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
7,022	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,000	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,000	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
120	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft

Call No. 03 for the July 28, 2009 Letting

98	Each	630-F001	Delineators, Guard Rail, White
12,099	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
5	Acre	907-225-A001	Grassing
13	Ton	907-225-B001	Agricultural Limestone
2,128	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
31,313	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,644	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
39,344	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
31,262	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
2,170	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C002	4" Thermoplastic Edge Stripe, Continuous White
72	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D002	4" Thermoplastic Traffic Stripe, Skip Yellow
30	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E002	4" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
1,442	Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
45,649	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,208	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
927	Linear Feet	907-626-H003	Thermoplastic Legend, White, 4" Equivalent Length
22,527	Linear Feet	907-626-H004	Thermoplastic Legend, White
6,814	Square Feet	907-626-H005	Thermoplastic Legend, White
558	Square Feet	907-626-H006	Thermoplastic Legend, White, 4" Equivalent Length
50	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
500	Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, Continuous White
250	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
250	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Call No. 04 for the July 28, 2009 Letting

Painting bridges on I-220 between I-20 and I-55, known as Federal Aid Project No. IM-0220-03(032) / 105248301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 24, 2009

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 0.5A
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 0.5B
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 4.8A
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 4.8B
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 5.1A
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 5.1B
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 8.3A
1 Each	816-B001	Maintenance Painting of Metal StructuresBridge No. 8.3B

Call No. 05 for the July 28, 2009 Letting

Installing raised pavement markers throughout the District, known as Federal Aid Project No. STP-0000-01(005) / 104753303, in District 1, State of Mississippi.

PROJECT COMPLETION: 79 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
22,926 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
33,151 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 06 for the July 28, 2009 Letting

Installing raised pavement markers at various locations throughout the District, known as Federal Aid Project No. STP-0000-03(003) / 104755303, in District 3, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
8,750 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
9,760 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Deck Repair on US Highway 45 from Kemper County Line to Brooksville, known as Federal Aid Project No. NH-0002-03(072) / 105246302, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: 63 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,178	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5,889	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
336	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
164	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
710	Linear Feet	619-F1001	Concrete Median Barrier, Precast
710	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
18	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
252	Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White
252	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
252	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,170	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,170	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,170	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow

Bridge Items

	Lump Sum	907-824-PP093	Bridge Repair, Remove and Replace Concrete Bridge Deck Span 1 PP
81	Linear Feet	907-824-PP097	Bridge Repair, Silicone Sealed Joints PP

Widening and Overlaying US 49 from the concrete section to Yazoo City, known as State Project No. MP-3049-82(016) / 303724301, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: 26 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

650 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
5 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
5 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
5 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
7 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
5,700 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,000 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
500 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
25 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,000 Ton	907-304-B002	Granular Material, Class 5, Group D
5,100 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
4,000 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
3 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,550 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
675 Linear Feet	907-626-H004	Thermoplastic Legend, White
33 Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 2 miles of US 61 north of Port Gibson, known as State Project No. MP-3061-11(007) / 303722301, in the County of Claiborne, State of Mississippi.

PROJECT COMPLETION: 21 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
3,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
800	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,000	Ton	907-304-B002	Granular Material, Class 5, Group D
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
2,400	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying approximately 11 miles of SR 28 between Georgetown and Pinola, known as State Project No. MP-7028-64(018) / 303690301, in the County of Simpson, State of Mississippi.

PROJECT COMPLETION: 79 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

13	Each	202-B043	Removal of Guard Rail Bridge End Section
1,367	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
5,080	Linear Feet	202-B076	Removal of Traffic Stripe
3	Each	202-B136	Removal of Guard Rail Terminal End Section
16	Each	202-B137	Removal of Guard Rail Cable Anchor
10,400	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
21	Mile	423-A001	Rumble Strips, Ground In
1,606	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-D001	Guard Rail, Bridge End Section, Type A
8	Each	606-D020	Guard Rail, Bridge End Section, Type C Modified
22	Each	606-E001	Guard Rail, Terminal End Section
6	Each	606-F001	Special Sections, Bridge Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,280	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,104	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
280	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,102	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,540	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,540	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
231	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
7	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
5,206	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
20,519	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,076	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
23	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,480	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,104	Linear Feet	907-626-H004	Thermoplastic Legend, White

Widening and overlaying approximately 5 miles of SR 198 at Tylertown, known as State Project No. MP-7198-74(002) / 303691301, in the County of Walthall, State of Mississippi.

PROJECT COMPLETION: 36 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,464	Linear Feet	202-B076	Removal of Traffic Stripe
18,306	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,886	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,872	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
148	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
640	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
45	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
721	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
732	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
732	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2,434	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
11,592	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
510	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
464	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
288	Square Feet	907-619-A6001	Temporary Traffic Stripe, Legend Blue ADA
10	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
232	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
7,237	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,475	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1,872	Linear Feet	907-626-H004	Thermoplastic Legend, White
148	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 12 for the July 28, 2009 Letting

Construction of a Maintenance Headquarters Building and Equipment Shed at Macon, known as State Project Nos. BWO-5186-52(001) & BWO-5187-52(001) / 501980301 & 302, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	1500-A001	Construction of Equipment Shed
	Lump Sum	1500-A001	Construction of Maintenance Area Headquarters Building
35	Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
2	Each	607-G118	Gate, 13' x 6' Double Chain Link with Top Guard
2	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
5	Each	607-P2011	Brace Post, 10' x 2 1/2" Galvanized Steel
4	Each	607-P3009	Gate Post, 10' x 3 1/2" Galvanized Steel

Call No. 13 for the July 28, 2009 Letting

Installation of an additional generator at the District Office at McComb, known as State Project No. BWO-7116-57(002) / 502087301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: January 29, 2010

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1520-A001	Installation of an Additional Generator at McComb
----------	-----------	---

Milling and overlaying approximately 3 miles of SR 35 in Kosciusko, known as Federal Aid Project No. STP-0023-02(047) / 105503301, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: February 26, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2,500	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,200	Cubic Yard	203-G004	Excess Excavation, LVM, AH
20	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
300	Linear Feet	234-A001	Temporary Silt Fence
93,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,520	Linear Feet	503-C007	Saw Cut, Full Depth
150	Pounds	602-A001	Reinforcing Steel
260	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
400	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
60	Square Yard	614-B005	Concrete Driveway, With Reinforcement, 10-inch Thickness
60	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
10	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
42,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,400	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Linear Feet	907-237-A001	Wattles
600	Ton	907-304-B009	Granular Material, Class 3, Group D
9,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,100	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,000	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-687-A016	Sensor, Loop, Sensor Automatic Traffic Recorder Station

Installation of Intelligent Transportation System (ITS) improvements on US 49, US 98 & I-59 in Hattiesburg, known as Federal Aid Project No. ITS-0210-00(017) / 105469301 & 302, in the Counties of Forrest and Lamar, State of Mississippi.

PROJECT COMPLETION: May 31, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

5	Acre	201-B001	Clearing and Grubbing
1,400	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
24	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2,025	Linear Feet	606-B001	Guard Rail, Class A, Type 1
9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
9	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
116	Square Feet	619-D4001	Directional Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
75	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
57	Each	647-A003	Pullbox, Type 4
52	Each	647-A004	Pullbox, Type 5
62	Each	647-A005	Pullbox, Type 2
16	Each	650-A002	On Street Video Equipment, Fixed Type
8	Each	650-A003	On Street Video Equipment, PTZ Type
4,000	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
3,590	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
8,260	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
460	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
10	Acre	907-225-A001	Grassing
30	Ton	907-225-B001	Agricultural Limestone
150	Ton	907-304-F001	Size 825 Crushed Stone Base
492	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
1	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
8	Each	907-641-A001	Radar Detection System

Call No. 01 for the August 25, 2009 Letting

2	Each	907-655-A001	Highway Advisory Radio System
5	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
1	Each	907-656-A001	Dynamic Message Sign, Type 1
6	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
91,195	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,460	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
10	Each	907-658-A001	Hardened Network Switch, Type A
3	Each	907-658-A003	Hardened Network Switch, Type C
8	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
3	Each	907-660-A001	OTN Node
3	Each	907-660-B001	OTN Node Communications Hut
	Lump Sum	907-660-C001	OTN Node Training
8	Each	907-662-A001	Video Encoder, Type A
56,880	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
500	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
3,400	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
28,025	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
650	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
180	Linear Feet	907-668-F005	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 4 @ 2"

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR