

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 8/17/2009 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

| Number | Description |
|--------|---|
| 1 | Revised Notice to Bidders No. 2700; Revised Bidsheets; Revise Progress Schedule with same; Revise Plan Sheets No. 2, 7, 8; EBS Download Required. |

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | |
|--------------------|------------------|
| _____ President | _____ Address |
| _____ Secretary | _____ Address |
| _____ Treasurer | _____ Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0059-02(098) / 102340302

Jones County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2700

DATE: AUGUST 17, 2009

SUBJECT: Specialty Items

PROJECT: IM-0059-02(098) / 102340302 - Jones County

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CURBING, SIDEWALKS, GUTTERS

| Line No | Pay Item | Description |
|---------|----------|---|
| 0540 | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| 0550 | 609-D002 | Combination Concrete Curb and Gutter Type 2 |

CATEGORY: EROSION CONTROL

| Line No | Pay Item | Description |
|---------|--------------|----------------------------------|
| 0170 | 212-A001 | Light Ground Preparation |
| 0180 | 212-B001 | Standard Ground Preparation |
| 0190 | 213-B001 | Combination Fertilizer, 13-13-13 |
| 0200 | 213-C001 | Superphosphate |
| 0210 | 214-A001 | Seeding, Bahiagrass |
| 0220 | 214-A002 | Seeding, Bermudagrass |
| 0230 | 214-A003 | Seeding, Tall Fescue |
| 0240 | 214-A004 | Seeding, Crimson Clover |
| 0250 | 214-A014 | Seeding, Browntop Millet |
| 0260 | 214-A015 | Seeding, Oats |
| 0270 | 214-A017 | Seeding, Rye Grass |
| 0280 | 215-A001 | Vegetative Materials for Mulch |
| 0290 | 216-A001 | Solid Sodding |
| 0300 | 217-A001 | Ditch Liner |
| 0310 | 219-A001 | Watering |
| 0320 | 220-A001 | Insect Pest Control |
| 0340 | 224-A001 | Soil Reinforcing Mat |
| 0350 | 234-A001 | Temporary Silt Fence |
| 0360 | 235-A001 | Temporary Erosion Checks |
| 1270 | 907-213-A001 | Agricultural Limestone |
| 1280 | 907-237-A001 | Wattles |

CATEGORY: GUARDRAIL, GUIDERAIL

| Line No | Pay Item | Description |
|---------|----------|--|
| 0490 | 606-B001 | Guard Rail, Class A, Type 1 |
| 0500 | 606-C003 | Guard Rail, Cable Anchor, Type 1 |
| 0510 | 606-D012 | Guard Rail, Bridge End Section, Type I |

CATEGORY: GUARDRAIL, GUIDERAIL

| Line No | Pay Item | Description |
|---------|----------|--|
| 0520 | 606-E002 | Guard Rail, Terminal End Section, Flared |
| 0530 | 606-E003 | Guard Rail, Terminal End Section, Non-Flared |

CATEGORY: LIGHTING, ALUMINUM TRUSSED ARM

| Line No | Pay Item | Description |
|---------|----------|--|
| 0940 | 682-A009 | Underground Branch Circuit, AWG 10, 3 Conductor |
| 0950 | 682-A015 | Underground Branch Circuit, AWG 2, 3 Conductor |
| 0960 | 682-A025 | Underground Branch Circuit, AWG 4, 3 Conductor |
| 0970 | 682-A036 | Underground Branch Circuit, AWG 8, 3 Conductor |
| 0980 | 682-B010 | Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor |
| 0990 | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor |
| 1000 | 682-B025 | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor |
| 1010 | 682-B036 | Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor |
| 1020 | 682-C016 | Structure Mounted Branch Circuit, AWG 2, 3 Conductor |
| 1030 | 682-D001 | Underground Pull Box |
| 1040 | 682-D003 | Structure Mounted Pull Box |
| 1050 | 682-E002 | Structure Mounted Junction Box |
| 1060 | 682-F001 | Secondary Power Controllers |
| 1070 | 683-B065 | Lighting Assembly, Low Mast, Type 40-1-6-400 |
| 1080 | 684-A003 | Pole Foundation, 24" Diameter |
| 1090 | 684-A004 | Pole Foundation, 36" Diameter |
| 1100 | 684-A006 | Pole Foundation, 48" Diameter |
| 1110 | 684-B003 | Slip Casing, 24" Diameter |
| 1120 | 684-B004 | Slip Casing, 36" Diameter |
| 1130 | 684-B006 | Slip Casing, 48" Diameter |
| 1150 | 685-A004 | Underground Electric Cable, UF, AWG 4, 3 Conductor |
| 1160 | 685-A005 | Underground Electric Cable, UF, AWG 2, 3 Conductor |
| 1170 | 685-B005 | Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor |
| 1180 | 685-B006 | Aerially Supported Electrical Cable, XLP, AWG 2, 3 Conductor |
| 1210 | 686-A001 | Relocation of Existing Lighting Assemblies , High Mast |
| 1220 | 686-A001 | Relocation of Existing Lighting Assemblies , Low Mast |

CATEGORY: MISCELANEOUS/ SPECIALTY WORK ITEMS

| Line No | Pay Item | Description |
|---------|----------|--------------------------|
| 0380 | 423-A001 | Rumble Strips, Ground In |

CATEGORY: PAVEMENT STRIPING AND MARKING

| Line No | Pay Item | Description |
|---------|----------|---|
| 0740 | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 0750 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 0760 | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 0770 | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |

CATEGORY: PAVEMENT STRIPING AND MARKING

| Line No | Pay Item | Description |
|---------|--------------|--|
| 0780 | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 1450 | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 1460 | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1470 | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1480 | 907-626-F005 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 1490 | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 1500 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 1510 | 907-626-H004 | Thermoplastic Legend, White |
| 1520 | 907-626-H005 | Thermoplastic Legend, White |

CATEGORY: REMOVAL OF BRIDGE MATERIALS AND STRUCTUR

| Line No | Pay Item | Description |
|---------|----------|--------------------------------------|
| 0120 | 202-B263 | Removal of Underground Electric Wire |

CATEGORY: DISPOSAL OF BUILDINGS, RIGHT OF WAY CLEA

| Line No | Pay Item | Description |
|---------|----------|---|
| 0030 | 202-B017 | Removal of Concrete Combination Curb & Gutter |
| 0040 | 202-B042 | Removal of Flared End Section, All Sizes |
| 0050 | 202-B056 | Removal of High Mast Lighting Foundation |
| 0060 | 202-B060 | Removal of Low Mast Lighting Assembly |
| 0070 | 202-B061 | Removal of Low Mast Lighting Foundation |
| 0080 | 202-B102 | Removal of Guard Rail |
| 0110 | 202-B247 | Removal of Pull Box |

CATEGORY: SURVEY AND STAKING

| Line No | Pay Item | Description |
|---------|----------|-----------------------------|
| 1230 | 699-A001 | Roadway Construction Stakes |

CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item | Description |
|---------|----------|---|
| 0790 | 629-A001 | Vehicular Impact Attenuator, 50 MPH |
| 0800 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 0810 | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0820 | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 0830 | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 0840 | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 0850 | 630-D003 | Structural Steel Beams, W6 x 9 |
| 0860 | 630-D008 | Structural Steel Beams, W10 x 22 |
| 0870 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 0880 | 630-E003 | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |

CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item | Description |
|---------|--------------|---|
| 0890 | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 0900 | 630-F001 | Delineators, Guard Rail, White |
| 0910 | 630-K002 | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| 0920 | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 1530 | 907-630-I001 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| 1540 | 907-630-I002 | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed |
| 1550 | 907-630-I003 | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed |

CATEGORY: TRAFFIC CONTROL - TEMPORARY

| Line No | Pay Item | Description |
|---------|-----------|--|
| 0600 | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 0610 | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 0620 | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 0630 | 619-A2007 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 0640 | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 0650 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0660 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0670 | 619-E1001 | Flashing Arrow Panel, Type C |
| 0680 | 619-G4001 | Barricades, Type III, Single Faced |
| 0690 | 619-G4005 | Barricades, Type III, Double Faced |
| 0700 | 619-G5001 | Free Standing Plastic Drums |
| 0710 | 619-G7001 | Warning Lights, Type "B" |
| 0720 | 619-J1001 | Impact Attenuator, 40 MPH |
| 0730 | 619-J2005 | Impact Attenuator, 40 MPH, Replacement Package |

Reconstruction of I-59 between 4th Ave and Chantilly Street in Laurel, known as Federal Aid Project No. IM-0059-02(098) / 102340302, in the County of Jones, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Item Amount | |
|----------------------|-----------|----------|----------|-------------|---|------------|-----|-------------|----|
| | | | | | | Dollar | Ct | Dollar | Ct |
| Roadway Items | | | | | | | | | |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing | XXXXXXXX | XXX | | |
| 0020 | 202-B010 | | 377 | Square Yard | Removal of Bridge End Pavement | | | | |
| 0030 | 202-B017 | | 625 | Linear Feet | Removal of Concrete Combination Curb & Gutter | | | | |
| 0040 | 202-B042 | | 12 | Each | Removal of Flared End Section, All Sizes | | | | |
| 0050 | 202-B056 | | 6 | Each | Removal of High Mast Lighting Foundation | | | | |
| 0060 | 202-B060 | | 1 | Each | Removal of Low Mast Lighting Assembly | | | | |
| 0070 | 202-B061 | | 26 | Each | Removal of Low Mast Lighting Foundation | | | | |
| 0080 | 202-B102 | | 6,224 | Linear Feet | Removal of Guard Rail | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0090 | 202-B106 | | 35 | Linear Feet | Removal of Pipe, All Sizes | | | | |
| 0100 | 202-B155 | | 5 | Each | Removal of Box Culvert Wings and Headwall, All Sizes | | | | |
| 0110 | 202-B247 | | 16 | Each | Removal of Pull Box | | | | |
| 0120 | 202-B263 | | 12,300 | Linear Feet | Removal of Underground Electric Wire | | | | |
| 0130 | 203-EX013 | (E) | 93,200 | Cubic Yard | Borrow Excavation, AH, FME, Class B7 | | | | |
| 0140 | 206-A001 | (S) | 239 | Cubic Yard | Structure Excavation | | | | |
| 0150 | 206-B001 | (E) | 61 | Cubic Yard | Select Material for Undercuts, Contractor Furnished, FM | | | | |
| 0160 | 209-A004 | | 15,292 | Square Yard | Geotextile Stabilization, Type V, Non-Woven | | | | |
| 0170 | 212-A001 | | 35,642 | Square Yard | Light Ground Preparation | | | | |
| 0180 | 212-B001 | | 71,285 | Square Yard | Standard Ground Preparation | | | | |
| 0190 | 213-B001 | | 11 | Ton | Combination Fertilizer, 13-13-13 | | | | |
| 0200 | 213-C001 | | 7 | Ton | Superphosphate | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-----------------|--------------------------------|------------|----|------------|----|
| 0210 | 214-A001 | | 368 | Pounds | Seeding, Bahiagrass | | | | |
| 0220 | 214-A002 | | 295 | Pounds | Seeding, Bermudagrass | | | | |
| 0230 | 214-A003 | | 110 | Pounds | Seeding, Tall Fescue | | | | |
| 0240 | 214-A004 | | 147 | Pounds | Seeding, Crimson Clover | | | | |
| 0250 | 214-A014 | | 295 | Pounds | Seeding, Browntop Millet | | | | |
| 0260 | 214-A015 | | 1,326 | Pounds | Seeding, Oats | | | | |
| 0270 | 214-A017 | | 368 | Pounds | Seeding, Rye Grass | | | | |
| 0280 | 215-A001 | | 44 | Ton | Vegetative Materials for Mulch | | | | |
| 0290 | 216-A001 | | 50 | Square Yard | Solid Sodding | | | | |
| 0300 | 217-A001 | | 255 | Square Yard | Ditch Liner | | | | |
| 0310 | 219-A001 | | 2 | Thousand Gallon | Watering | 20. | 00 | 40. | 00 |
| 0320 | 220-A001 | | 8 | Acre | Insect Pest Control | 30. | 00 | 240. | 00 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0330 | 221-A001 | (S) | 268 | Cubic Yard | Portland Cement Concrete Paved Ditch | | | | |
| 0340 | 224-A001 | | 267 | Square Yard | Soil Reinforcing Mat | | | | |
| 0350 | 234-A001 | | 20,750 | Linear Feet | Temporary Silt Fence | | | | |
| 0360 | 235-A001 | | 92 | Bale | Temporary Erosion Checks | | | | |
| 0370 | 406-A001 | | 25,389 | Square Yard | Cold Milling of Bituminous Pavement, All Depths | | | | |
| 0380 | 423-A001 | | 4 | Mile | Rumble Strips, Ground In | | | | |
| 0390 | 501-E001 | | 564 | Linear Feet | Expansion Joints, Without Dowels | | | | |
| 0400 | 502-A001 | (C) | 1,294 | Square Yard | Reinforced Cement Concrete Bridge End Pavement | | | | |
| 0410 | 503-C007 | | 395 | Linear Feet | Saw Cut, Full Depth | | | | |
| 0420 | 602-A001 | (S) | 22,075 | Pounds | Reinforcing Steel | | | | |
| 0430 | 603-CA002 | (S) | 168 | Linear Feet | 18" Reinforced Concrete Pipe, Class III | | | | |
| 0440 | 603-CA006 | (S) | 32 | Linear Feet | 42" Reinforced Concrete Pipe, Class III | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 0450 | 603-CA007 | (S) | 72 | Linear Feet | 48" Reinforced Concrete Pipe, Class III | | | | |
| 0460 | 603-CB001 | (S) | 6 | Each | 18" Reinforced Concrete End Section | | | | |
| 0470 | 603-CB005 | (S) | 2 | Each | 42" Reinforced Concrete End Section | | | | |
| 0480 | 603-CB006 | (S) | 1 | Each | 48" Reinforced Concrete End Section | | | | |
| 0490 | 606-B001 | | 5,750 | Linear Feet | Guard Rail, Class A, Type 1 | | | | |
| 0500 | 606-C003 | | 6 | Each | Guard Rail, Cable Anchor, Type 1 | | | | |
| 0510 | 606-D012 | | 20 | Each | Guard Rail, Bridge End Section, Type I | | | | |
| 0520 | 606-E002 | | 3 | Each | Guard Rail, Terminal End Section, Flared | | | | |
| 0530 | 606-E003 | | 9 | Each | Guard Rail, Terminal End Section, Non-Flared | | | | |
| 0540 | 609-D001 | (S) | 120 | Linear Feet | Combination Concrete Curb and Gutter Type 1 | | | | |
| 0550 | 609-D002 | (S) | 209 | Linear Feet | Combination Concrete Curb and Gutter Type 2 | | | | |
| 0560 | 615-A010 | (S) | 128 | Linear Feet | Concrete Type II Modified Cast-in-Place Median Barrier | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|-----|------------|--|
| 0570 | 615-A015 | (S) | 234 | Linear Feet | Concrete Bridge End Barrier, 32" | | | | |
| 0580 | 615-B001 | (S) | 21,889 | Linear Feet | Precast Concrete Median Barrier | | | | |
| 0590 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | XXXXXXXX | XXX | | |
| 0600 | 619-A1001 | | 20,785 | Linear Feet | Temporary Traffic Stripe, Continuous White | | | | |
| 0610 | 619-A1007 | | 3,583 | Linear Feet | Temporary Traffic Stripe, Continuous White, Type 1 Tape | | | | |
| 0620 | 619-A2001 | | 1,745 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow | | | | |
| 0630 | 619-A2007 | | 165 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape | | | | |
| 0640 | 619-A3001 | | 946 | Linear Feet | Temporary Traffic Stripe, Skip White | | | | |
| 0650 | 619-D1001 | | 118 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet | | | | |
| 0660 | 619-D2001 | | 1,475 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More | | | | |
| 0670 | 619-E1001 | | 5 | Each | Flashing Arrow Panel, Type C | | | | |
| 0680 | 619-G4001 | | 96 | Linear Feet | Barricades, Type III, Single Faced | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|------------------------------|----------|----------|-------------|--|------------|-----|------------|--|
| 0690 | 619-G4005 | | 30 | Linear Feet | Barricades, Type III, Double Faced | | | | |
| 0700 | 619-G5001 | | 152 | Each | Free Standing Plastic Drums | | | | |
| 0710 | 619-G7001 | | 24 | Each | Warning Lights, Type "B" | | | | |
| 0720 | 619-J1001 | | 14 | Unit | Impact Attenuator, 40 MPH | | | | |
| 0730 | 619-J2005 | | 5 | Unit | Impact Attenuator, 40 MPH, Replacement Package | | | | |
| 0735 | 620-A001 Added 08/17/2009 | | 1 | Lump Sum | Mobilization | XXXXXXXX | XXX | | |
| 0740 | 627-K001 | | 974 | Each | Red-Clear Reflective High Performance Raised Markers | | | | |
| 0750 | 627-L001 | | 43 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | | | |
| 0760 | 628-I002 | | 3,105 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Skip White | | | | |
| 0770 | 628-J002 | | 1,971 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White | | | | |
| 0780 | 628-M002 | | 1,939 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow | | | | |
| 0790 | 629-A001 | | 1 | Each | Vehicular Impact Attenuator, 50 MPH | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|---|------------|--|------------|--|
| 0800 | 630-A001 | | 153 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | | | | |
| 0810 | 630-A002 | | 545 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | | | | |
| 0820 | 630-B001 | | 835 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted | | | | |
| 0830 | 630-B002 | | 1,550 | Square Feet | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted | | | | |
| 0840 | 630-C003 | | 341 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft | | | | |
| 0850 | 630-D003 | | 168 | Linear Feet | Structural Steel Beams, W6 x 9 | | | | |
| 0860 | 630-D008 | | 227 | Linear Feet | Structural Steel Beams, W10 x 22 | | | | |
| 0870 | 630-E001 | | 161 | Pounds | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | | | | |
| 0880 | 630-E003 | | 290 | Pounds | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles | | | | |
| 0890 | 630-E004 | | 464 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | | | | |
| 0900 | 630-F001 | | 196 | Each | Delineators, Guard Rail, White | | | | |
| 0910 | 630-K002 | | 18 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3 1/2" | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 0920 | 630-K003 | | 367 | Linear Feet | Welded & Seamless Steel Pipe Posts, 4" | | | | |
| 0930 | 631-A001 | | 50 | Cubic Yard | Flowable Fill | | | | |
| 0940 | 682-A009 | | 600 | Linear Feet | Underground Branch Circuit, AWG 10, 3 Conductor | | | | |
| 0950 | 682-A015 | | 1,340 | Linear Feet | Underground Branch Circuit, AWG 2, 3 Conductor | | | | |
| 0960 | 682-A025 | | 2,670 | Linear Feet | Underground Branch Circuit, AWG 4, 3 Conductor | | | | |
| 0970 | 682-A036 | | 7,635 | Linear Feet | Underground Branch Circuit, AWG 8, 3 Conductor | | | | |
| 0980 | 682-B010 | | 140 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor | | | | |
| 0990 | 682-B016 | | 310 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor | | | | |
| 1000 | 682-B025 | | 193 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor | | | | |
| 1010 | 682-B036 | | 513 | Linear Feet | Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor | | | | |
| 1020 | 682-C016 | | 270 | Linear Feet | Structure Mounted Branch Circuit, AWG 2, 3 Conductor | | | | |
| 1030 | 682-D001 | | 2 | Each | Underground Pull Box | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|-----------|----------|----------|-------------|--|------------|--|------------|--|
| 1040 | 682-D003 | | 10 | Each | Structure Mounted Pull Box | | | | |
| 1050 | 682-E002 | | 2 | Each | Structure Mounted Junction Box | | | | |
| 1060 | 682-F001 | | 2 | Each | Secondary Power Controllers | | | | |
| 1070 | 683-B065 | | 1 | Each | Lighting Assembly, Low Mast, Type 40-1-6-400 | | | | |
| 1080 | 684-A003 | | 25 | Cubic Yard | Pole Foundation, 24" Diameter | | | | |
| 1090 | 684-A004 | | 2 | Cubic Yard | Pole Foundation, 36" Diameter | | | | |
| 1100 | 684-A006 | | 3 | Cubic Yard | Pole Foundation, 48" Diameter | | | | |
| 1110 | 684-B003 | | 12 | Linear Feet | Slip Casing, 24" Diameter | | | | |
| 1120 | 684-B004 | | 20 | Linear Feet | Slip Casing, 36" Diameter | | | | |
| 1130 | 684-B006 | | 20 | Linear Feet | Slip Casing, 48" Diameter | | | | |
| 1140 | 684-C001 | | 710 | Linear Feet | Piling | | | | |
| 1150 | 685-A004 | | 26 | Linear Feet | Underground Electric Cable, UF, AWG 4, 3 Conductor | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------------|----------|----------|-------------|--|------------|-----|------------|--|
| 1160 | 685-A005 | | 26 | Linear Feet | Underground Electric Cable, UF, AWG 2, 3 Conductor | | | | |
| 1170 | 685-B005 | | 26 | Linear Feet | Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor | | | | |
| 1180 | 685-B006 | | 26 | Linear Feet | Aerially Supported Electrical Cable, XLP, AWG 2, 3 Conductor | | | | |
| 1190 | 685-C004 | | 25 | Each | Temporary Lighting Assembly, 40-1-6-250 | | | | |
| 1200 | 685-D001 | | 3 | Each | Service Pole | | | | |
| 1210 | 686-A001 | | 5 | Each | Relocation of Existing Lighting Assemblies , High Mast | | | | |
| 1220 | 686-A001 | | 25 | Each | Relocation of Existing Lighting Assemblies , Low Mast | | | | |
| 1230 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes | XXXXXXXX | XXX | | |
| 1240 | 809-A003 | (S) | 48,448 | Square Feet | Retaining Wall System | | | | |
| 1250 | 815-A006 | (S) | 172 | Ton | Loose Riprap, Size 100 | | | | |
| 1260 | 815-E001 | (S) | 232 | Square Yard | Geotextile under Riprap | | | | |
| 1270 | 907-213-A001 | | 29 | Ton | Agricultural Limestone | | | | |
| | Changed 08/17/2009 | | | | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|--------------|----------|----------|-------------|--|------------|--|------------|--|
| 1280 | 907-237-A001 | | 400 | Linear Feet | Wattles | | | | |
| 1290 | 907-304-A005 | (GY) | 3,643 | Cubic Yard | Granular Material, LVM, Class 9, Group C | | | | |
| 1300 | 907-304-F001 | (GT) | 4,030 | Ton | Size 825 Crushed Stone Base | | | | |
| 1310 | 907-403-A002 | (BA1) | 232 | Ton | Hot Mix Asphalt, HT, 19-mm mixture | | | | |
| 1320 | 907-403-A006 | (BA1) | 75 | Ton | Hot Mix Asphalt, MT, 12.5-mm mixture | | | | |
| 1330 | 907-403-A010 | (BA1) | 345 | Ton | Hot Mix Asphalt, MT, 9.5-mm mixture | | | | |
| 1340 | 907-403-A011 | (BA1) | 1,500 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture | | | | |
| 1350 | 907-403-A012 | (BA1) | 2,219 | Ton | Hot Mix Asphalt, ST, 19-mm mixture | | | | |
| 1360 | 907-403-A015 | (BA1) | 2,457 | Ton | Hot Mix Asphalt, ST, 9.5-mm mixture | | | | |
| 1370 | 907-403-B002 | (BA1) | 241 | Ton | Hot Mix Asphalt, HT, 19-mm mixture, Leveling | | | | |
| 1380 | 907-403-D001 | (BA1) | 2,145 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | | | | |
| 1390 | 907-403-D004 | (BA1) | 5,903 | Ton | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|---------------|----------|----------|-------------|---|------------|--|------------|--|
| 1400 | 907-403-S002 | | 2 | Mile | Joint Sealant for HMA | | | | |
| 1410 | 907-413-E001 | | 1,283 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement | | | | |
| 1420 | 907-601-A001 | (S) | 65 | Cubic Yard | Class "B" Structural Concrete | | | | |
| 1430 | 907-601-B003 | (S) | 29 | Cubic Yard | Class "B" Structural Concrete, Minor Structures | | | | |
| 1440 | 907-619-E3001 | | 4 | Each | Changeable Message Sign | | | | |
| 1450 | 907-626-A004 | | 22,453 | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip White | | | | |
| 1460 | 907-626-C007 | | 20,972 | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous White | | | | |
| 1470 | 907-626-E003 | | 3,177 | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow | | | | |
| 1480 | 907-626-F005 | | 19,295 | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow | | | | |
| 1490 | 907-626-G004 | | 8,165 | Linear Feet | Thermoplastic Detail Stripe, White | | | | |
| 1500 | 907-626-G005 | | 255 | Linear Feet | Thermoplastic Detail Stripe, Yellow | | | | |
| 1510 | 907-626-H004 | | 271 | Linear Feet | Thermoplastic Legend, White | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|---------------------|---------------|----------|----------|-------------|---|------------|-----|------------|--|
| 1520 | 907-626-H005 | | 179 | Square Feet | Thermoplastic Legend, White | | | | |
| 1530 | 907-630-I001 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed | XXXXXXXX | XXX | | |
| 1540 | 907-630-I002 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed | XXXXXXXX | XXX | | |
| 1550 | 907-630-I003 | | 1 | Lump Sum | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed | XXXXXXXX | XXX | | |
| 1560 | 907-804-B001 | (S) | 73 | Cubic Yard | Box Bridge Concrete, Class B | | | | |
| 1570 | 907-809-PP001 | (S) | 1 | Lump Sum | Support Wall System | XXXXXXXX | XXX | | |
| Bridge Items | | | | | | | | | |
| 1580 | 801-A001 | (S) | 1,104 | Cubic Yard | Foundation Excavation for Bridges | | | | |
| 1590 | 803-C002 | (S) | 12,115 | Linear Feet | 14" x 14" Prestressed Concrete Piling | | | | |
| 1600 | 803-I001 | (S) | 10 | Each | PDA Test Pile | | | | |
| 1610 | 805-A001 | (S) | 375,700 | Pounds | Reinforcement | | | | |
| 1620 | 810-A001 | (S) | 783,515 | Pounds | Structural Steel, A 572 | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | |
|----------|---------------|----------|----------|-------------|--|------------|-----|------------|--|
| 1630 | 813-A001 | (S) | 1,530 | Linear Feet | Concrete Railing | | | | |
| 1640 | 814-A001 | (S) | 1 | Lump Sum | Painting of Metal Structures | XXXXXXXXXX | XXX | | |
| 1650 | 815-D001 | (S) | 927 | Cubic Yard | Concrete Slope Paving | | | | |
| 1660 | 816-A001 | (S) | 1 | Lump Sum | Maintenance Painting of Metal Structures | XXXXXXXXXX | XXX | | |
| 1670 | 907-804-A001 | (S) | 1,811 | Cubic Yard | Bridge Concrete, Class AA | | | | |
| 1680 | 907-824-PP097 | | 14 | Linear Feet | Bridge Repair, (Deck Repair) Per Plans | | | | |

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER

PROGRESS SCHEDULE

PROJECT NUMBER IM-0059-02(098)/102340302
COUNTY Jones

| WORK PHASE | | REFERENCE NUMBERS | PHASE VALUE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | NO. | AVTU |
|------------|-------------------------------|---|-------------|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|--|-----|--|--|--|--|--|-----|--|--|--|-----|------|
| NO. | DESCRIPTION | | | 0 | 20 | 40 | 60 | 80 | 100 | 120 | 140 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 320 | | | | | | | | | | | | | | | | | |
| 1 | Miscellaneous | 10-120, 170-360, 380-410, 490-735, 930, 1230, 1270, 1280, 1410 & 1440 | 0 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 180 | | | | | |
| 2 | Excavation & Drainage | 130-150, 420-480, 1420 & 1430 | 5 | | | | | | | | | | | | | | | | | | | | | | | 117 | | | | | | | | | | | |
| 3 | Bridges | 1240-1260 & 1560-1680 | | 33 | | | | | | | | | | | | | | | 130 | | | | | | | | | | | | | | | | | | |
| 4 | Mill, Pave, Granular Material | 160, 370 & 1290-1400 | | | 66 | | | | | | | | | | | | | | | 140 | | | | | | | | | | | | | | | | | |
| 5 | Lighting | 940-1220 | | | | | | | | | 130 | | | | | 160 | | | | | | | | | | | | | | | | | | | | | |
| 6 | Permanent Stripe & Signing | 740-920 & 1450-1550 | | | | | | | | | | 160 | | | | | 180 | | | | | | | | | | | | | | | | | | | | |
| | LET: | August 25, 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | NOA: | September 8, 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | NTP/BCT: | October 8, 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | T.U.: | 180 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Column | C | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | GCG | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

This Progress Schedule does not indicate breaks in the contract time during December, January, and February.
Per Section 108 of the Specifications, during the months of December, January, and February, time will only be assessed in the Miscellaneous Phase.