


[Proposal & Plan Sales Will Begin on August 3, 2009](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for August – August 25, 2009**



**Two Month Projects  
Have An (\*)**

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR AUGUST - Tuesday, August 25, 2009**

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 03, 2009**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR AUGUST**

CALL	CONTRACT	COUNTY
01	WITHDRAWN	
02	NH-0010-01(132) / 101204301 & NH-0010-01(132) / 101204302	Harrison & Jackson
03	IM-0020-01(190) / 104875302	Hinds
* 04	HSIP-0055-02(207) / 105658301	Hinds
05	IM-0059-02(097) / 105075301	Clarke
06	IM-0059-02(098) / 102340302	Jones
07	ER-0494-00(007) / 105663301	Jackson
* 08	STP-0000-02(008) / 104754303	District 2
* 09	MP-2000-00(060) / 303714301	District 2
10	STP-0014-02(063) / 104891303	Lamar
11	STP-0055-02(210) / 105533301 & IM-0055-02(210) / 105533302	Holmes
12	STP-0055-03(083) / 105573301	Carroll
13	STP-0002-08(014) / 105572301	Alcorn
14	STP-0057-01(004) / 105574301	Coahoma
15	STP-2920-00(001) / 100285301	Tate

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, September 22, 2009; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, September 22, 2009, and shortly thereafter publicly opened for

**LIST OF CONTRACTS FOR SEPTEMBER**

CALL CONTRACT

COUNTY

01 ITS-0210-00(017) / 105469301

Forrest & Lamar

Construction necessary to add 2 lanes to I-10 from I-110 to SR 609, known as Federal Aid Project No. NH-0010-01(132) / 101204301 & 302, in the Counties of Harrison and Jackson, State of Mississippi.

PROJECT COMPLETION: November 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

29	Each	202-B042	Removal of Flared End Section, All Sizes
2,640	Linear Feet	202-B076	Removal of Traffic Stripe
762	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
200	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
4	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
2	Each	202-B247	Removal of Pull Box
2,250	Linear Feet	202-B263	Removal of Underground Electric Wire
22,941	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
65,755	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
119	Cubic Yard	206-A001	Structure Excavation
24	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
105,136	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
302,936	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
32	Ton	213-C001	Superphosphate
32	Acre	220-A001	Insect Pest Control
8	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
39,185	Linear Feet	234-A001	Temporary Silt Fence
33,329	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
80	Linear Feet	501-D001	Expansion Joints, With Dowels
77	Linear Feet	501-E001	Expansion Joints, Without Dowels
38	Each	501-G001	Dowels, Drilled and Installed
167	Square Yard	501-K001	Transverse Grooving
167	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
7,781	Pounds	602-A001	Reinforcing Steel
68	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
240	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
48	Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
64	Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
60	Linear Feet	603-CA094	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
48	Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
4	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
216	Linear Feet	603-CE037	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
44	Linear Feet	603-CE038	88" x 54" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
6	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
1	Each	603-SB020	18" Branch Connections, Stub into Concrete Pipe

Call No. 02 for the August 25, 2009 Letting

2	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
5	Each	603-SB058	24" Branch Connections, Stub into Concrete Pipe
4,000	Pounds	604-B001	Gratings
762	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
200	Linear Feet	609-B001	Concrete Curb, Header
	Lump Sum	618-A001	Maintenance of Traffic
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
54	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
5,820	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
185	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
76	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,245	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,300	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,356	Linear Feet	619-F1001	Concrete Median Barrier, Precast
35	Each	619-F3004	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
875	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1,532	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,372	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
686	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
686	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
76	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
456	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,002	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
262	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
548	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
267	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
138	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
565	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
1,355	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
60	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
180	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
3	Each	682-D001	Underground Pull Box

Call No. 02 for the August 25, 2009 Letting

63	Acre	907-225-A001	Grassing
189	Ton	907-225-B001	Agricultural Limestone
6,960	Linear Feet	907-237-A001	Wattles
37,905	Ton	907-304-F001	Size 825 Crushed Stone Base
29,140	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
15,167	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
10,208	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,721	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
30,943	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
23,207	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
44	Mile	907-403-S002	Joint Sealant for HMA
51	Cubic Yard	907-601-A001	Class "B" Structural Concrete
43	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Each	907-619-E3001	Changeable Message Sign
19	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,096	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,428	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
642	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
243	Linear Feet	907-626-H004	Thermoplastic Legend, White
230	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
	Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed

**Bridge Items**

2	Each	803-B001	Conventional Static Loading Test
1,650	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
20	Linear Feet	803-N001	Exploration
600	Linear Feet	803-O007	Temporary Casing, 42" Diameter
114,938	Pounds	805-A001	Reinforcement
600	Linear Feet	813-A001	Concrete Railing
155	Cubic Yard	815-D001	Concrete Slope Paving
1,032	Linear Feet	907-803-K007	Drilled Shaft, 42" Diameter
86	Linear Feet	907-803-M006	Trial Shaft, 42" Diameter
532	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
837	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
957	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III

Construction necessary to replace a bridge on I-20 Westbound over US Highway 51 in Jackson, known as Federal Aid Project No. IM-0020-01(190) / 104875302, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: Contractor Determined

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
8,009	Linear Feet	202-B023	Removal of Concrete Median Barrier, Precast
608	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
2,125	Square Yard	202-B025	Removal of Concrete Paved Ditch
1,381	Square Yard	202-B036	Removal of Concrete Slope Paving
639	Linear Feet	202-B038	Removal of Curb, All Types
10	Each	202-B042	Removal of Flared End Section, All Sizes
1	Each	202-B061	Removal of Low Mast Lighting Foundation
1,088	Linear Feet	202-B064	Removal of Pipe, 8" And Above
27,643	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B079	Removal of Headwall
6,045	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
11	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
2,278	Linear Feet	202-B102	Removal of Guard Rail
22,252	Square Yard	202-B104	Removal of Asphalt Pavement, All Depths, Including Soil Cement Base
1	Each	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each	202-B132	Removal of Traffic Signal
1	Each	202-B139	Removal of Footing
1,210	Linear Feet	202-B146	Removal of Existing Wiring
4	Each	202-B189	Removal of Impact Attenuator
2,283	Square Feet	202-B264	Removal of Retaining Wall
1	Each	202-B265	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
9,668	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
38,372	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
32,482	Cubic Yard	203-G003	Excess Excavation, FM, AH
345	Cubic Yard	206-A001	Structure Excavation
6,103	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
36,618	Square Yard	212-A001	Light Ground Preparation
73,235	Square Yard	212-B001	Standard Ground Preparation
10	Ton	213-B001	Combination Fertilizer, 13-13-13
8	Ton	213-C001	Superphosphate
303	Pounds	214-A002	Seeding, Bermudagrass
152	Pounds	214-A003	Seeding, Tall Fescue
152	Pounds	214-A004	Seeding, Crimson Clover
151	Pounds	214-A014	Seeding, Browntop Millet
681	Pounds	214-A015	Seeding, Oats
189	Pounds	214-A017	Seeding, Rye Grass
38	Ton	215-A001	Vegetative Materials for Mulch
955	Square Yard	216-A001	Solid Sodding
199	Square Yard	217-A001	Ditch Liner



Call No. 03 for the August 25, 2009 Letting

19 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
161 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
234 Square Yard	224-A001	Soil Reinforcing Mat
6,313 Linear Feet	234-A001	Temporary Silt Fence
602 Bale	235-A001	Temporary Erosion Checks
3,175 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
8 Ton	406-B003	Cold Milling of Concrete Pavement, All Depths
514 Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
18 Cubic Yard	410-C011	Seal Aggregate Cover Material, Size 7, Stone, Slag, Gravel or Expanded Clay
1 Mile	423-A001	Rumble Strips, Ground In
147 Linear Feet	501-E001	Expansion Joints, Without Dowels
301 Square Yard	501-K001	Transverse Grooving
246 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
759 Linear Feet	503-C007	Saw Cut, Full Depth
2,363 Pounds	602-A001	Reinforcing Steel
252 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
320 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
2 Each	603-CB001	18" Reinforced Concrete End Section
7 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-CB005	42" Reinforced Concrete End Section
1 Each	603-CB006	48" Reinforced Concrete End Section
79 Pounds	604-A001	Castings
1,000 Pounds	604-B001	Gratings
1,088 Linear Feet	606-B001	Guard Rail, Class A, Type 1
396 Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
6 Each	606-D012	Guard Rail, Bridge End Section, Type I
2 Each	606-E001	Guard Rail, Terminal End Section
1,100 Linear Feet	609-B001	Concrete Curb, Header
82 Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
1,397 Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
335 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
Lump Sum	618-A001	Maintenance of Traffic
6 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1 Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
8 Mile	619-A3006	Temporary Traffic Stripe, Skip White
1 Mile	619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,462 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
84 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend

Call No. 03 for the August 25, 2009 Letting

419	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
535	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
49	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
708	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,740	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
80	Each	619-G5001	Free Standing Plastic Drums
2	Unit	619-J1002	Impact Attenuator, 50 MPH
2	Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1,029	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,801	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
3	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
109	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
504	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
799	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
14	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
51	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
55	Linear Feet	630-D008	Structural Steel Beams, W10 x 22
192	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
125	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
23	Each	630-F002	Delineators, Guard Rail, Yellow
12	Each	630-F015	Delineators, Guard Rail, Double Yellow
1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
106	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
820	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
1	Each	682-D001	Underground Pull Box
1	Each	682-E001	Underground Junction Box
8	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
20	Linear Feet	684-B005	Slip Casing, 42" Diameter
1	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
45	Ton	907-213-A001	Agricultural Limestone
7,153	Ton	907-304-B001	Granular Material, Class 5, Group C
7,238	Ton	907-304-B005	Granular Material, Class 9, Group C
19,305	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
261	Ton	907-307-D001	Lime

Call No. 03 for the August 25, 2009 Letting

374 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,722 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,126 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,164 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
296 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
581 Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
5,529 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
1,762 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
1,888 Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
680 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
60 Each	907-501-J001	Anchor Pile
27 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
4 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,020 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,628 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
84 Linear Feet	907-626-H004	Thermoplastic Legend, White
352 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
1,210 Linear Feet	907-682-A1002	Branch Circuit Wire, AWG #1/0, 3 Conductor
ALTERNATE GROUP AA NO. 1		
274 Ton	907-308-A001	Portland Cement
23,514 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
23,514 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
181 Ton	907-311-B001	Lime
724 Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP AB NO. 1		
41 Ton	907-308-A001	Portland Cement
4,826 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AB NO. 2		
4,826 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
33 Ton	907-311-B001	Lime
130 Ton	907-311-C002	Fly Ash, Class C or F
<b>Bridge Items</b>		
1 Each	202-B009	Removal of Bridge
4,995 Square Yard	501-K001	Transverse Grooving
85,909 Pounds	602-A001	Reinforcing Steel
2,999 Cubic Yard	801-A001	Foundation Excavation for Bridges
2 Each	803-B001	Conventional Static Loading Test
6,515 Linear Feet	803-D002	HP 12 x 53 Steel Piling
6,990 Linear Feet	803-D003	HP 14 x 73 Steel Piling
6 Each	803-I001	PDA Test Pile

Call No. 03 for the August 25, 2009 Letting

493,578	Pounds	805-A001	Reinforcement
2,118,212	Pounds	810-A002	Structural Steel, A 709
1,749	Linear Feet	813-A002	Concrete Railing, 32"
158	Cubic Yard	815-D001	Concrete Slope Paving
577	Cubic Yard	907-601-A002	Class "AA" Structural Concrete
2,438	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
389	Cubic Yard	907-804-A013	Bridge Concrete, Class FX
	Lump Sum	907-804-PP001	Post Tensioning System
40	Each	907-811-D001	Disc Bearing Device

Construction necessary to install median barrier on I-55 at Lakeland Drive in Jackson, known as Federal Aid Project No. HSIP-0055-02(207) / 105658301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 24, 2009

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

20	Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
50	Linear Feet	202-B022	Removal of Concrete Median Barrier
20	Square Yard	202-B025	Removal of Concrete Paved Ditch
2,700	Linear Feet	202-B076	Removal of Traffic Stripe
232	Linear Feet	202-B254	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
50	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,333	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Pounds	214-A002	Seeding, Bermudagrass
1	Pounds	214-A003	Seeding, Tall Fescue
1	Pounds	214-A004	Seeding, Crimson Clover
1	Ton	215-A001	Vegetative Materials for Mulch
100	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
20	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
100	Linear Feet	234-A001	Temporary Silt Fence
20	Bale	235-A001	Temporary Erosion Checks
220	Linear Feet	503-C007	Saw Cut, Full Depth
2,055	Linear Feet	615-A017	Concrete Type I Modified Cast-in-Place Median Barrier, 32" High
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2,300	Linear Feet	619-F1009	Portable Median Barrier, 60 MPH
4,400	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
35	Each	619-G5001	Free Standing Plastic Drums
25	Each	630-F011	Delineators, Median Barrier Mounted, Type I, Yellow
1	Ton	907-213-A001	Agricultural Limestone
250	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
3	Each	907-619-E3001	Changeable Message Sign
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
1,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Overlaying approximately 7 miles of Interstate 59 near Enterprise, known as Federal Aid Project No. IM-0059-02(097) / 105075301, in the County of Clarke, State of Mississippi.

PROJECT COMPLETION: 117 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

3	Acre	201-B001	Clearing and Grubbing
1,056	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,202	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
1	Each	202-B042	Removal of Flared End Section, All Sizes
4	Each	202-B048	Removal of Guard Rail Cable Anchor, Texas Twist Including Post & Rail
7,122	Linear Feet	202-B076	Removal of Traffic Stripe
1,056	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
5,569	Linear Feet	202-B102	Removal of Guard Rail
114	Linear Feet	202-B106	Removal of Pipe, All Sizes
4	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
183	Square Yard	202-B262	Removal of Reinforced Concrete Pavement, 8" Depth
181	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
5,537	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
221	Cubic Yard	206-A001	Structure Excavation
42	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,444	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
112	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,500	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
5,269	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
133	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
26	Mile	423-A001	Rumble Strips, Ground In
108	Linear Feet	501-D001	Expansion Joints, With Dowels
108	Each	501-G001	Dowels, Drilled and Installed
1,056	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
183	Square Yard	503-A013	8" and Variable Reinforced Concrete Pavement, Broom Finish
893	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,888	Linear Feet	503-C002	Saw Cut, 3-inch
1,996	Linear Feet	503-C005	Saw Cut, 8-inch
103	Cubic Yard	503-D001	Concrete for Base Repair
447	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
18,042	Pounds	602-A001	Reinforcing Steel
24	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
20	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
114	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
250	Pounds	604-B001	Gratings
33,850	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
4,393	Linear Feet	606-B001	Guard Rail, Class A, Type 1

Call No. 05 for the August 25, 2009 Letting

10	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
16	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
101	Linear Feet	615-A014	Concrete Type IV Cast-in-Place Median Barrier, 42" High
	Lump Sum	618-A001	Maintenance of Traffic
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
26	Mile	619-A3006	Temporary Traffic Stripe, Skip White
10,560	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
376	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
112	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,170	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
20	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,424	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,849	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,849	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
131	Each	630-F001	Delineators, Guard Rail, White
45	Each	630-F002	Delineators, Guard Rail, Yellow
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3	Acre	907-225-A001	Grassing
9	Ton	907-225-B001	Agricultural Limestone
5,300	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
2,016	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,001	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
22,977	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
19,980	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
28	Mile	907-403-S002	Joint Sealant for HMA
1,152	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
864	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
77	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
61,600	Linear Feet	907-605-H001	Edge Drain
6,100	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
14	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,600	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,300	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
14	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
735	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
803	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,580	Linear Feet	907-626-H004	Thermoplastic Legend, White
336	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans

Reconstruction of I-59 between 4th Ave and Chantilly Street in Laurel, known as Federal Aid Project No. IM-0059-02(098) / 102340302, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: 180 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
377 Square Yard	202-B010	Removal of Bridge End Pavement
625 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
12 Each	202-B042	Removal of Flared End Section, All Sizes
6 Each	202-B056	Removal of High Mast Lighting Foundation
1 Each	202-B060	Removal of Low Mast Lighting Assembly
26 Each	202-B061	Removal of Low Mast Lighting Foundation
6,224 Linear Feet	202-B102	Removal of Guard Rail
35 Linear Feet	202-B106	Removal of Pipe, All Sizes
5 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
16 Each	202-B247	Removal of Pull Box
12,300 Linear Feet	202-B263	Removal of Underground Electric Wire
93,200 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
239 Cubic Yard	206-A001	Structure Excavation
61 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,292 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
35,642 Square Yard	212-A001	Light Ground Preparation
71,285 Square Yard	212-B001	Standard Ground Preparation
11 Ton	213-B001	Combination Fertilizer, 13-13-13
7 Ton	213-C001	Superphosphate
368 Pounds	214-A001	Seeding, Bahiagrass
295 Pounds	214-A002	Seeding, Bermudagrass
110 Pounds	214-A003	Seeding, Tall Fescue
147 Pounds	214-A004	Seeding, Crimson Clover
295 Pounds	214-A014	Seeding, Browntop Millet
1,326 Pounds	214-A015	Seeding, Oats
368 Pounds	214-A017	Seeding, Rye Grass
44 Ton	215-A001	Vegetative Materials for Mulch
50 Square Yard	216-A001	Solid Sodding
255 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
268 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
267 Square Yard	224-A001	Soil Reinforcing Mat
20,750 Linear Feet	234-A001	Temporary Silt Fence
92 Bale	235-A001	Temporary Erosion Checks
25,389 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4 Mile	423-A001	Rumble Strips, Ground In
564 Linear Feet	501-E001	Expansion Joints, Without Dowels
1,294 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement



Call No. 06 for the August 25, 2009 Letting

395	Linear Feet	503-C007	Saw Cut, Full Depth
22,075	Pounds	602-A001	Reinforcing Steel
168	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
6	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
5,750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-C003	Guard Rail, Cable Anchor, Type 1
20	Each	606-D012	Guard Rail, Bridge End Section, Type I
3	Each	606-E002	Guard Rail, Terminal End Section, Flared
9	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
120	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
209	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
128	Linear Feet	615-A010	Concrete Type II Modified Cast-in-Place Median Barrier
234	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
21,889	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
20,785	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,583	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,745	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
165	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
946	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
118	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,475	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5	Each	619-E1001	Flashing Arrow Panel, Type C
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
152	Each	619-G5001	Free Standing Plastic Drums
24	Each	619-G7001	Warning Lights, Type "B"
14	Unit	619-J1001	Impact Attenuator, 40 MPH
5	Unit	619-J2005	Impact Attenuator, 40 MPH, Replacement Package
974	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
43	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,105	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,971	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,939	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
153	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
545	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
835	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,550	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
341	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
168	Linear Feet	630-D003	Structural Steel Beams, W6 x 9

Call No. 06 for the August 25, 2009 Letting

227	Linear Feet	630-D008	Structural Steel Beams, W10 x 22
161	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
290	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
464	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
196	Each	630-F001	Delineators, Guard Rail, White
18	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
367	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
50	Cubic Yard	631-A001	Flowable Fill
600	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
1,340	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
2,670	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
7,635	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
140	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
310	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
193	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
513	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
270	Linear Feet	682-C016	Structure Mounted Branch Circuit, AWG 2, 3 Conductor
2	Each	682-D001	Underground Pull Box
10	Each	682-D003	Structure Mounted Pull Box
2	Each	682-E002	Structure Mounted Junction Box
2	Each	682-F001	Secondary Power Controllers
1	Each	683-B065	Lighting Assembly, Low Mast, Type 40-1-6-400
25	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
2	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
3	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
12	Linear Feet	684-B003	Slip Casing, 24" Diameter
20	Linear Feet	684-B004	Slip Casing, 36" Diameter
20	Linear Feet	684-B006	Slip Casing, 48" Diameter
710	Linear Feet	684-C001	Piling
26	Linear Feet	685-A004	Underground Electric Cable, UF, AWG 4, 3 Conductor
26	Linear Feet	685-A005	Underground Electric Cable, UF, AWG 2, 3 Conductor
26	Linear Feet	685-B005	Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor
26	Linear Feet	685-B006	Aerially Supported Electrical Cable, XLP, AWG 2, 3 Conductor
25	Each	685-C004	Temporary Lighting Assembly, 40-1-6-250
3	Each	685-D001	Service Pole
5	Each	686-A001	Relocation of Existing Lighting Assemblies, High Mast
25	Each	686-A001	Relocation of Existing Lighting Assemblies, Low Mast
	Lump Sum	699-A001	Roadway Construction Stakes
48,448	Square Feet	809-A003	Retaining Wall System
172	Ton	815-A006	Loose Riprap, Size 100
232	Square Yard	815-E001	Geotextile under Riprap
29	Ton	907-225-B001	Agricultural Limestone
400	Linear Feet	907-237-A001	Wattles
3,643	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
4,030	Ton	907-304-F001	Size 825 Crushed Stone Base
232	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture

Call No. 06 for the August 25, 2009 Letting

75 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
345 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,500 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,219 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,457 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
241 Ton	907-403-B002	Hot Mix Asphalt, HT, 19-mm mixture, Leveling
2,145 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5,903 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2 Mile	907-403-S002	Joint Sealant for HMA
1,283 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
65 Cubic Yard	907-601-A001	Class "B" Structural Concrete
29 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4 Each	907-619-E3001	Changeable Message Sign
22,453 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
20,972 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,177 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
19,295 Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,165 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
255 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
271 Linear Feet	907-626-H004	Thermoplastic Legend, White
179 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
73 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Lump Sum	907-809-PP001	Support Wall System
<b>Bridge Items</b>		
1,104 Cubic Yard	801-A001	Foundation Excavation for Bridges
12,115 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
10 Each	803-I001	PDA Test Pile
375,700 Pounds	805-A001	Reinforcement
783,515 Pounds	810-A001	Structural Steel, A 572
1,530 Linear Feet	813-A001	Concrete Railing
Lump Sum	814-A001	Painting of Metal Structures
927 Cubic Yard	815-D001	Concrete Slope Paving
Lump Sum	816-A001	Maintenance Painting of Metal Structures
1,811 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
14 Linear Feet	907-824-PP097	Bridge Repair, (Deck Repair) Per Plans

Overlaying various streets in Gautier, known as Federal Aid Project No. ER-0494-00(007) / 105663301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	202-A001	Removal of Obstructions, Existing Timber Bulkhead
275	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
800	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
149,980	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
160	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam, Concrete Posts
885	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D015	Guard Rail, Bridge End Section, W-Beam, Steel Post, Special Design
20	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
490	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
160	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3006	Temporary Traffic Stripe, Skip White
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,430	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
18,730	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
8,661	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,893	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
264	Linear Feet	619-G4005	Barricades, Type III, Double Faced
75	Each	619-G5001	Free Standing Plastic Drums
30	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
791	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,307	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,230	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
12	Each	647-A005	Pullbox, Type 2
12	Square Feet	653-A001	Traffic Sign, Encapsulated Lens
180	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
	Lump Sum	699-A001	Roadway Construction Stakes
5	Acre	907-225-A001	Grassing
8	Ton	907-225-B001	Agricultural Limestone
2,890	Cubic Yard	907-304-H003	Size 610 Crushed Stone Base, LVM
20,345	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
11,584	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture

Call No. 07 for the August 25, 2009 Letting

1,000	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
5,804	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
30	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
22	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
4,430	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,090	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
13,370	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,051	Square Feet	907-626-H005	Thermoplastic Legend, White
30	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
22	Each	907-640-A1003	Repair of Traffic Signal Head Component,Back Plate, Traff Signal Head, Black
1	Each	907-640-A1003	Repair of Traffic Signal Head Component,Lens Cover
2	Each	907-640-A1003	Repair of Traffic Signal Head Component,Re-align Signal Head
3	Each	907-640-A1003	Repair of Traffic Signal Head Component,Visor, Traf Signal Head, Yellow
700	Linear Feet	907-640-A1004	Repair of Traffic Signal Head Component,Tether Cable
1	Each	907-648-A1001	Repair of Radio Interconnect Component, Antenna
			ALTERNATE GROUP AA NO. 1
	Lump Sum	907-802-D001	Sheet Piling Wall System
			ALTERNATE GROUP AA NO. 2
	Lump Sum	907-820-T001	Timber Bulkhead

Installation of Raised Pavement Markers throughout District 2, known as Federal Aid Project No. STP-0000-02(008) / 104754303, in District 2, State of Mississippi.

PROJECT COMPLETION: 89 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
27,950 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
28,181 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 09 for the August 25, 2009 Letting

Replacement of High Performance Raised Pavement Markers throughout District 2, known as State Project No. MP-2000-00(060) / 303714301, in District 2, State of Mississippi.

PROJECT COMPLETION: 38 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
8,942 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Overlaying US 98 from SR 589 to Weathersby Road, known as Federal Aid Project No. STP-0014-02(063) / 104891303, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
628 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,206 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,811 Linear Feet	202-B038	Removal of Curb, All Types
16 Square Feet	202-B059	Removal of Legend, All Types
2,000 Linear Feet	202-B076	Removal of Traffic Stripe
216 Linear Feet	202-B106	Removal of Pipe, All Sizes
263 Square Yard	202-B216	Removal of Island Pavement, All Types
925 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,300 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
263 Cubic Yard	206-A001	Structure Excavation
2 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1 Ton	213-C001	Superphosphate
98 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
15 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,000 Linear Feet	234-A001	Temporary Silt Fence
500 Bale	235-A001	Temporary Erosion Checks
16,820 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,175 Linear Feet	503-C007	Saw Cut, Full Depth
2,169 Pounds	602-A001	Reinforcing Steel
856 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2 Each	603-CB001	18" Reinforced Concrete End Section
1 Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
950 Pounds	604-B001	Gratings
227 Linear Feet	609-B001	Concrete Curb, Header
3,175 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
6,605 Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
417 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
239 Square Yard	614-B001	Concrete Driveway, With Reinforcement
3,242 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
436 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
29 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
31 Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,257 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow



Call No. 10 for the August 25, 2009 Letting

61,440	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,934	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
10,766	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
112	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
70	Each	619-D3001	Remove and Reset Signs, All Sizes
116	Square Feet	619-D4001	Directional Signs
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
3,130	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
960	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
38	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
25	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
2,550	Linear Feet	635-A001	Vehicle Loop Assemblies
100	Linear Feet	636-A002	Shielded Cable
27	Each	640-A016	Traffic Signal Heads, Type 1 LED
5	Each	640-A018	Traffic Signal Heads, Type 3 LED
5	Each	640-A019	Traffic Signal Heads, Type 5 LED
4	Each	640-A022	Traffic Signal Heads, Type 7 LED
8	Each	644-A001	Optical Detector
2,500	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
7	Each	647-A005	Pullbox, Type 2
2	Each	649-A004	Video Vehicle Detection, New Installation, 4 Cameras
675	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
3,175	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
150	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
110	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
220	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
65	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
545	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
20	Ton	815-A008	Loose Riprap, Size 200
22	Square Yard	815-E001	Geotextile under Riprap
2	Acre	907-225-A001	Grassing
5	Ton	907-225-B001	Agricultural Limestone
2,000	Linear Feet	907-237-A001	Wattles
10,578	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
600	Ton	907-304-F003	3/4" and Down Crushed Stone Base
5,239	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
375	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
3,930	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
37,311	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
27,983	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Call No. 10 for the August 25, 2009 Letting

236,530	Square Yard	907-405-D001	Scrub Seal
23	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
248	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,219	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
65,353	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
27,304	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
8,016	Linear Feet	907-626-H004	Thermoplastic Legend, White
5,750	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A051	Traffic Signal Equipment Pole, Type II, 14' Shaft, 14' Arm
1	Each	907-639-A052	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' & 75' ArmsW/Luminaire
1	Each	907-639-A053	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' & 80' ArmsW/Luminaire
1	Each	907-639-A055	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 6', 45' & 65' ArmsW/Luminaire
1	Each	907-639-A058	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 12', 55', & 80' ArmsW/Luminaire
24	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-639-G002	Traffic Signal Equipment Pole Mast Arm Extension, 6-foot
2	Each	907-642-A004	Solid State Traffic Actuated Controller Modification, Type 8A
5	Each	907-651-A002	Magnetometer Detection System
2	Each	907-651-B010	Magnetometer Detection System Component, Access Point
14	Each	907-651-B013	Magnetometer Detection System Component, Wireless Detection Sensor
70	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

Site Improvements to the Rest Area on I-55 Northbound north of Durant, known as Federal Aid Project No. STP/IM-0055-02(210) / 105533301 & 302, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

707	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,624	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
2	Each	202-B019	Removal of Concrete Headwall
4	Square Yard	202-B025	Removal of Concrete Paved Ditch
2,034	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
470	Square Yard	202-B035	Removal of Concrete Sidewalk
260	Linear Feet	202-B064	Removal of Pipe, 8" And Above
5	Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
28	Each	202-B099	Removal of Existing Light and Foundation
2	Each	202-B256	Removal of Monument
31	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
4,000	Square Yard	216-B004	Solid Sodding, Bermuda
100	Thousand Gallon	219-A001	Watering
6	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
200	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
4,520	Linear Feet	501-D001	Expansion Joints, With Dowels
138	Pounds	602-A001	Reinforcing Steel
88	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
79	Pounds	604-A001	Castings
234	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
2	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,197	Linear Feet	609-C002	Concrete Curb, Integral, Type 2
462	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
58	Square Feet	619-D4001	Directional Signs
43	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
70	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
3,380	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
1	Each	682-D001	Underground Pull Box
1	Cubic Yard	684-A001	Pole Foundation, 12" Diameter
120	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
18	Linear Feet	813-E010	Pedestrian Railing
4	Acre	907-225-A001	Grassing
100	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
4	Each	907-230-A087	Shrub Planting, Magnolia X Soulangeriana
6	Each	907-230-A088	Shrub Planting, Lagerstroemia X
4	Each	907-230-A089	Shrub Planting, Prunus X Yedoensis
4	Each	907-230-A090	Shrub Planting, Cornus Kousa
35	Each	907-230-A091	Shrub Planting, Ilex Crenata

Call No. 11 for the August 25, 2009 Letting

10	Each	907-230-A092	Shrub Planting, Nandina Domestica
93	Each	907-230-A093	Shrub Planting, Hemerocallis
100	Linear Feet	907-230-C001	Bed Edging
2,471	Square Feet	907-230-D001	Bed Preparation
1,140	Each	907-230-F004	Shrub and Groundcover Planting,Liriope Spicata
31	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
	Lump Sum	907-242-A011	Installation of Sewage Treatment Plant
8	Each	907-258-E001	Trash Receptacle , Standard
6	Each	907-258-E001	Trash Receptacle , Washed Rock
4	Each	907-258-J001	Metal Bench
3	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
8	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
1	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
20	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
17	Each	907-282-A045	Sprinkler Head, 1812-PRS-12Q
2	Each	907-282-A058	Sprinkler Head, 1804-PRS-15CST
334	Linear Feet	907-282-B002	Piping, 3/4" Diameter
682	Linear Feet	907-282-B003	Piping, 1" Diameter
78	Linear Feet	907-282-B006	Piping, 2" Diameter
100	Linear Feet	907-282-D001	Valve Control Wire
1	Each	907-282-G003	Electric Controller, 6 Station
3	Each	907-282-H001	Electric Control Valve, 1"
1	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-290-A001	Flagpole
1,700	Ton	907-403-A003	Hot Mix Asphalt, HT, 25-mm mixture
80	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,520	Square Yard	907-501-B002	8" Plain Cement Concrete Pavement, Broom Finish
53	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
357	Square Yard	907-608-D002	Stamped and Colored Concrete Sidewalk, Per Plans
145	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
3	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
10,931	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
300	Linear Feet	907-628-G002	Cold Plastic Detail Stripe, White, 4" Equivalent Length
4	Square Feet	907-628-H001	Cold Plastic Legend, Blue-ADA
2	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol
3	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
9	Each	907-630-O003	Remove and Reset Sign, All Sizes
13	Each	907-683-B008	Lighting Assembly, Low Mast,250 W, Type III, Traditionaire Post Top
9	Each	907-683-B008	Lighting Assembly, Low Mast,250 W, Type V, Traditionaire Post Top
8	Each	907-683-B008	Lighting Assembly, Low Mast,400 W, Type V

Construction necessary to make site improvements to the I-55 Rest Area near Vaiden, known as Federal Aid Project No. STP-0055-03(083) / 105573301, in the County of Carroll, State of Mississippi.

PROJECT COMPLETION: July 12, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	202-A001	Removal of Obstructions
275	Square Yard	202-B035	Removal of Concrete Sidewalk
50	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
3	Each	202-B114	Removal of Tree Less Than 10"
1	Each	202-B115	Removal of Trees 10" to 20"
50	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
375	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-B002	Combination Fertilizer, 8-8-8
375	Square Yard	216-B005	Solid Sodding, 419 Hybrid Bermuda
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
200	Linear Feet	234-A001	Temporary Silt Fence
5	Bale	235-A001	Temporary Erosion Checks
200	Linear Feet	503-C010	Saw Cut, 4-inch
48	Pounds	602-A001	Reinforcing Steel
82	Pounds	604-A001	Castings
42	Pounds	604-B001	Gratings
350	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
100	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
1,475	Square Yard	907-203-I001	Site Grading
260	Each	907-230-A025	Shrub Planting, Big Blue Liriope
36	Each	907-230-A033	Shrub Planting, Japanese Cleystera
28	Each	907-230-A053	Shrub Planting, Anthony Waterer Spiraea
27	Each	907-230-A057	Shrub Planting, Shi-Shi Gashira Camellia
61	Each	907-230-A094	Shrub Planting, Rose Creek Abelia
36	Each	907-230-A095	Shrub Planting, Radtko Knockout Rose
19	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
2	Each	907-230-B010	Tree Planting, Shumard Oak
7	Each	907-230-B013	Tree Planting, Willow Oak
8	Each	907-230-B022	Tree Planting, Drake Elm
100	Linear Feet	907-230-C001	Bed Edging
2,000	Square Feet	907-230-D001	Bed Preparation
10	Linear Feet	907-230-PP001	Temporary Tree Protection Fencing, Per Plans
26	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
20	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
2	Each	907-258-D001	Wooden Picnic Table and Benches

Call No. 12 for the August 25, 2009 Letting

10	Each	907-258-E001	Trash Receptacle
8	Each	907-258-J001	Metal Bench
4	Each	907-259-A001	Lighting Assembly, Nonlighted Bollard
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
2	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
1	Each	907-282-PP001	Water Meter Box, Per Plans
2	Each	907-290-A001	Flagpole
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1	Each	907-603-PE201	12" Corrugated Polyethylene End Section
150	Linear Feet	907-603-PE202	6" Corrugated Polyethylene Pipe
50	Linear Feet	907-603-PE211	12" Corrugated Polyethylene Pipe
300	Square Yard	907-608-C001	Colored Concrete Sidewalk
475	Square Feet	907-611-B001	Brick Pavers
4	Each	907-630-PP001	Handicap Parking Sign with Post

Construction necessary for site improvements at the Alcorn County Welcome Center, known as Federal Aid Project No. STP-0002-08(014) / 105572301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: July 16, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
388	Square Yard	202-B035	Removal of Concrete Sidewalk
330	Linear Feet	202-B038	Removal of Curb, All Types
2	Each	202-B266	Removal of Drinking Fountain
2	Each	202-B267	Removal of Jug Fillers
2	Each	202-B268	Removal of Uplighting
16	Square Yard	202-B269	Removal of Brick Edging
10	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
10	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
12	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
490	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-B002	Combination Fertilizer, 8-8-8
490	Square Yard	216-B005	Solid Sodding, 419 Hybrid Bermuda
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
628	Linear Feet	234-A001	Temporary Silt Fence
44	Square Yard	503-A001	10" and Variable Plain Concrete Pavement, Broom Finish
648	Linear Feet	503-C007	Saw Cut, Full Depth
121	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
	Lump Sum	618-A001	Maintenance of Traffic
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
382	Square Yard	907-203-I001	Site Grading
26	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
6	Each	907-230-A014	Shrub Planting, Homestead Purple Verbena
20	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
18	Each	907-230-A053	Shrub Planting, Anthony Waterer Spiraea
30	Each	907-230-A097	Shrub Planting, Radtko Double Knockout Rose
16	Each	907-230-A098	Shrub Planting, Purple Pixie Loropetalum
2	Each	907-230-A099	Shrub Planting, Miss Huff Hardy Lantana
6	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
6	Each	907-230-B049	Tree Planting, Australis Sweetbay Magnolia
6	Each	907-230-B080	Tree Planting, Tree Form Foster Holly
142	Linear Feet	907-230-C001	Bed Edging
890	Square Feet	907-230-D001	Bed Preparation
11	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
9	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
	Lump Sum	907-242-A012	Convert Picnic Shelter to Guard Station
1	Each	907-258-D001	Wooden Picnic Table and Benches

Call No. 13 for the August 25, 2009 Letting

4	Each	907-258-E001	Trash Receptacle
8	Each	907-258-J001	Metal Bench
19	Each	907-258-K001	Bollard
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
5	Each	907-282-A059	Sprinkler Head, 5004-PL-PC-SAM-2.0-Q
5	Each	907-282-A061	Sprinkler Head, 5004-PL-PC-SAM-4.0-H
5	Each	907-282-A062	Sprinkler Head, 5004-PL-PC-SAM-5.0-TQ
5	Each	907-282-A063	Sprinkler Head, 5004-PL-PC-SAM-6.0-F
100	Linear Feet	907-282-B001	Piping, 1/2" Diameter
100	Linear Feet	907-282-B002	Piping, 3/4" Diameter
100	Linear Feet	907-282-B003	Piping, 1" Diameter
100	Linear Feet	907-282-B004	Piping, 1 1/4" Diameter
100	Linear Feet	907-282-B005	Piping, 1 1/2" Diameter
100	Linear Feet	907-282-B006	Piping, 2" Diameter
100	Linear Feet	907-282-B007	Piping, 2 1/2" Diameter
100	Linear Feet	907-282-B008	Piping, 3" Diameter
120	Linear Feet	907-282-C002	Sleeves, 4"
500	Linear Feet	907-282-D001	Valve Control Wire
1,000	Linear Feet	907-282-E001	Trench Excavation and Backfill
1	Each	907-282-H002	Electric Control Valve, 1 1/2"
1	Each	907-282-H003	Electric Control Valve, 2"
1	Each	907-282-J002	Isolation Valve, 3"
2	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
13	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
183	Linear Feet	907-603-PE210	4" Corrugated Polyethylene Pipe
339	Linear Feet	907-603-PE211	12" Corrugated Polyethylene Pipe
99	Linear Feet	907-603-PE212	15" Corrugated Polyethylene Pipe
401	Square Yard	907-608-C001	Colored Concrete Sidewalk
212	Square Yard	907-608-E001	Exposed Aggregate Concrete Sidewalk
528	Square Feet	907-611-B001	Brick Pavers
30	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
19	Square Feet	907-626-H001	Thermoplastic Legend, Blue-ADA
2	Each	907-630-PP001	Handicap Parking Sign with Post



Construction necessary for site improvements to the Delma Furniss Hospitality Station, known as Federal Aid Project No. STP-0057-01(004) / 105574301, in the County of Coahoma, State of Mississippi.

PROJECT COMPLETION: September 14, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
50	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
70	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,724	Square Yard	203-I001	Site Grading
6	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
1,004	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-B002	Combination Fertilizer, 8-8-8
1,004	Square Yard	216-B004	Solid Sodding, Bermuda
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
1,049	Linear Feet	234-A001	Temporary Silt Fence
156	Pounds	604-A001	Castings
276	Pounds	604-B001	Gratings
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
14	Each	907-230-A009	Shrub Planting, Carissa Holly
144	Each	907-230-A036	Shrub Planting, Lilac Beauty Liriope
12	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
9	Each	907-230-A096	Shrub Planting, Reeves Spiriea
6	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
11	Each	907-230-B013	Tree Planting, Willow Oak
119	Linear Feet	907-230-C001	Bed Edging
610	Linear Feet	907-230-PP001	Temporary Tree Protection Fencing, Per Plans
4	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
3	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
4	Each	907-258-A001	Charcoal Grill
4	Each	907-258-D001	Wooden Picnic Table and Benches
6	Each	907-258-E001	Trash Receptacle
4	Each	907-258-J001	Metal Bench
4	Each	907-258-P008	Picnic Shelter
883	Square Yard	907-608-C001	Colored Concrete Sidewalk
1	Each	907-821-A001	Prefabricated Pedestrian Bridge

Grade, drain and bridge work necessary to add 2 additional lanes on US 51 between Senatobia and Coldwater, known as Federal Aid Project No. STP-2920-00(001) / 100285301, in the County of Tate, State of Mississippi.

PROJECT COMPLETION: February 01, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
2 Each	202-B008	Removal of Box Culvert
21 Square Meter	202-B024	Removal of Concrete Median & Island Pavement (All Depths)
150 Square Meter	202-B035	Removal of Concrete Sidewalk
798 Meter	202-B039	Removal of Curb (All Types)
4 Each	202-B043	Removal of Flared End Section (All Sizes)
15 Each	202-B059	Removal of Inlets (All Sizes)
4,352 Meter	202-B076	Removal of Traffic Stripe
22,798 Square Meter	202-B079	Removal of Pavement (All Types and Depths)
995 Meter	202-B107	Removal of Pipe (All Sizes)
5,000 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
10,131 Cubic Meter	206-A001	Structure Excavation
160 Cubic Meter	206-B001	Select Material for Undercuts (Contractor Furnished) (FM)
186,079 Square Meter	212-A001	Light Ground Preparation
372,157 Square Meter	212-B001	Standard Ground Preparation
46 Metric Ton	213-B001	Combination Fertilizer (13-13-13)
37 Metric Ton	213-C001	Superphosphate
1,042 Kilogram	214-A001	Seeding (Bahagrass)
856 Kilogram	214-A002	Seeding (Bermudagrass)
1,042 Kilogram	214-A003	Seeding (Tall Fescue)
428 Kilogram	214-A004	Seeding (Crimson Clover)
428 Kilogram	214-A015	Seeding, Browntop Millet
1,861 Kilogram	214-A016	Seeding, Oats
521 Kilogram	214-A018	Seeding, Rye Grass
209 Metric Ton	215-A001	Vegetative Materials for Mulch
5,753 Square Meter	216-A001	Solid Sodding
524 thousand liter	219-A001	Watering
19 Hectare	220-A001	Insect Pest Control
88 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
1,424 Bale	235-A001	Temporary Erosion Checks
177 Meter	239-A001	Temporary Slope Drains
43 Metric Ton	305-B003	Size I Stabilizer Aggregate, Coarse
3,138 Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
1,915 Liter	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
75,873 Kilogram	602-A001	Reinforcing Steel
2,876 Meter	603-C-A002	450-mm Reinforced Concrete Pipe, Class III
1,399 Meter	603-C-A003	600-mm Reinforced Concrete Pipe, Class III
266 Meter	603-C-A004	750-mm Reinforced Concrete Pipe, Class III
155 Meter	603-C-A005	900-mm Reinforced Concrete Pipe, Class III
34 Meter	603-C-A008	1350-mm Reinforced Concrete Pipe, Class III
5 Each	603-C-B001	450-mm Reinforced Concrete End Section

Call No. 15 for the August 25, 2009 Letting

2	Each	603-C-B002	600-mm Reinforced Concrete End Section
1	Each	603-C-B003	750-mm Reinforced Concrete End Section
1	Each	603-C-B004	900-mm Reinforced Concrete End Section
2	Each	603-C-B007	1350-mm Reinforced Concrete End Section
113	Meter	603-C-E007	1650-mm x 1015-mm Concrete Arch Pipe, Class A III
203	Meter	603-C-E009	2235-mm x 1370-mm Concrete Arch Pipe, Class A III
1	Each	603-C-F007	1650-mm x 1015-mm Concrete Arch Pipe End Section
6	Each	603-S-B004	600-mm Branch Connections (Stub into Box Culvert)
3,906	Kilogram	604-A001	Castings
3,185	Kilogram	604-B001	Gratings
110	Meter	605-O001	100-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
300	Meter	605-O003	150-mm Perforated Sewer Pipe for Underdrains (SDR 23.5)
60	Meter	605-P003	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 23.5)
47	Cubic Meter	605-W001	Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)
234	Cubic Meter	605-W002	Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)
7,121	Square Meter	608-A001	Concrete Sidewalk (Without Reinforcement)
903	Meter	609-B001	Concrete Curb, Type Header
5,407	Meter	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
76	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,756	Square Meter	614-B001	Concrete Driveway (With Reinforcement)
88	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
39	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
6	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
164	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
64	Each	619-D3001	Remove and Reset Signs (All Sizes)
10	Square Meter	619-D4001	Directional Signs
1,116	Meter	619-F1001	Concrete Median Barrier (Precast)
51	Meter	619-G4001	Barricades (Type III) (Single Faced)
15	Meter	619-G4005	Barricades (Type III) (Double Faced)
742	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights (Type "B")
	Lump Sum	620-A001	Mobilization
26	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
18	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
10	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
20	Meter	630-C002	Steel U-Section Posts (2.97 to 3.72 kg/m)
139	Meter	630-C004	Steel U-Section Posts (4.46 to 5.20 kg/m)
31	Meter	630-D003	Structural Steel Beams (W150 x 18)
60	Kilogram	630-E001	Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
96	Kilogram	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)
27	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
10	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
14	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
	Lump Sum	814-A001	Painting of Metal Structures

Call No. 15 for the August 25, 2009 Letting

100	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
24,975	Cubic Meter	907-203-A002	Unclassified Excavation (FM) (AH)
444,940	Cubic Meter	907-203-EX004	Borrow Excavation (AH)(FME) (Class B9)
42,729	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
249	Metric Ton	907-213-A001	Agricultural Limestone
3,668	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-223-A001	Mowing
3,029	Meter	907-234-A002	Temporary Silt Fence
2,784	Metric Ton	907-304-B001	Granular Material (Class 3, Group D)
22,748	Metric Ton	907-304-D001	20-mm and Down Crushed Stone
7,723	Metric Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
24,121	Metric Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
730	Cubic Meter	907-601-A001	Class "B" Structural Concrete
279	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
249	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
650	Square Meter	907-605-AA002	Geotextile Fabric for Subsurface Drainage (Type III)
110	Meter	907-607-B005	1100-mm Type IV Chain Link Fence, Class II, Black
35	Each	907-607-P1002	Line Posts 1500-mm x DN 40 Galvanized Steel, Black
4	Each	907-607-P1003	Line Posts 1500-mm x DN 50 Galvanized Steel, Black
4	Each	907-607-P2002	Brace Posts 3000-mm x DN 50 Galvanized Steel, Black
88	Each	907-617-A001	Right-of-Way Markers (Type I)
23	Kilometer	907-619-A1005	Temporary Traffic Stripe (Continuous White) (Paint)
26	Kilometer	907-619-A2005	Temporary Traffic Stripe (Continuous Yellow) (Paint)
5	Kilometer	907-619-A3001	Temporary Traffic Stripe (Skip White) (Paint)
4	Kilometer	907-619-A4001	Temporary Traffic Stripe (Skip Yellow) (Paint)
5,885	Meter	907-619-A5001	Temporary Traffic Stripe (Detail) (Paint)
503	Meter	907-619-A6001	Temporary Traffic Stripe (Legend) (Paint)
83	Square Meter	907-619-A6005	Temporary Traffic Stripe (Legend) (Paint)
388	Each	907-619-C6001	Red-Clear Reflective High Performance Raised Marker
1,042	Each	907-619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
4	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
1	Kilometer	907-626-BB003	150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
16	Kilometer	907-626-CC003	150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mmmin)
4	Kilometer	907-626-DD001	150-mm Thermoplastic Traffic Stripe (Skip Yellow)(2.25-mm min.)
15	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
1,863	Meter	907-626-GG005	150-mm Thermoplastic Detail Stripe (White) (3.00-mm min)
2,947	Meter	907-626-GG006	150-mm Thermoplastic Detail Stripe (Yellow) (3.00-mm min)
450	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
112	Square Meter	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)
388	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,042	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
4	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
16	Each	907-640-B008	Traffic Signal Heads (Type 6) LED (Countdown)
1	Each	907-643-A001	Closed Loop On-Street Master System
2	Each	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)

Call No. 15 for the August 25, 2009 Letting

156	Meter	907-668-E001	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (25 mm)
174	Meter	907-668-E003	Traffic Signal Conduit (Underground Drilled or Jacked), Rolled Pipe, (75 mm)
	Lump Sum	907-699-A001	Roadway Construction Stakes
430	Meter	907-803-D001	HP 310 x 79 Steel Piling
300	Meter	907-803-F001	610-mm Pre-formed Pile Hole
60	Square Meter	907-829-PP001	Precast Concrete Wall Panels
391	Meter	908-635-A001	Vehicle Loop Assemblies
655	Meter	908-636-A003	Shielded Cable (18 AWG) (4 Conductor)
5	Each	908-638-A006	Loop Detector Amplifier, Card Rack Mounted (4 Channel)
1	Each	908-639-A172	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (10.7-m Arm)
1	Each	908-639-A173	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (12.2-m Arm)
2	Each	908-639-A174	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (13.7-m Arm)
2	Each	908-639-A175	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (15.2-m Arm)
2	Each	908-639-A176	Traffic Signal Equipment Pole (Type II) (5.8-m Shaft) (16.8-m Arm)
2	Each	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)
8	Each	908-647-A001	Pullbox (Type 1)
8	Each	908-647-A002	Pullboxes (Type 2)
520	Meter	908-666-B017	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),5 Conductor
346	Meter	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),7 Conductor
18	Meter	908-666-B034	Electric Cable (Underground in Conduit) (THHN) (AWG #6) (2 Conductor)
114	Meter	908-666-D012	Electric Cable (Aerial Supported in Conduit)(IMSA 20-1)(AWG14), 7 Conductor
190	Meter	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
64	Meter	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)
27	Meter	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)
<b>Bridge Items</b>			
169,015	Kilogram	805-A001	Reinforcement
876	Meter	813-A001	Concrete Railing
5,685	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
5,062	Square Meter	907-501-K001	Transverse Grooving
18	Each	907-803-B002	Conventional Static Pile Load Test
2,448	Meter	907-803-C001	350-mm x 350-mm Prestressed Concrete Piling
2,037	Meter	907-803-C002	400-mm x 400-mm Prestressed Concrete Piling
304	Meter	907-803-C003	450-mm x 450-mm Prestressed Concrete Piling
18	Each	907-803-I001	PDA Test Pile
1,754	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
447	Meter	907-804-C001	30-m Prestressed Concrete Beams, Type IV
2,051	Meter	907-804-C113	12-m Prestressed Concrete Beam (Type I + 50)
2,709	Square Meter	907-815-E001	Geotextile Fabric under Riprap

Installation of Intelligent Transportation System (ITS) improvements on US 49, US 98 & I-59 in Hattiesburg, known as Federal Aid Project No. ITS-0210-00(017) / 105469301 & 302, in the Counties of Forrest and Lamar, State of Mississippi.

PROJECT COMPLETION: June 30, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

5	Acre	201-B001	Clearing and Grubbing
1,400	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
24	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2,025	Linear Feet	606-B001	Guard Rail, Class A, Type 1
9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
9	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
116	Square Feet	619-D4001	Directional Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
75	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
57	Each	647-A003	Pullbox, Type 4
52	Each	647-A004	Pullbox, Type 5
62	Each	647-A005	Pullbox, Type 2
16	Each	650-A002	On Street Video Equipment, Fixed Type
8	Each	650-A003	On Street Video Equipment, PTZ Type
4,000	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
3,590	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
8,260	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
460	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
10	Acre	907-225-A001	Grassing
30	Ton	907-225-B001	Agricultural Limestone
150	Ton	907-304-F001	Size 825 Crushed Stone Base
492	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
1	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
8	Each	907-641-A001	Radar Detection System

Call No. 01 for the September22, 2009 Letting

2	Each	907-655-A001	Highway Advisory Radio System
5	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
1	Each	907-656-A001	Dynamic Message Sign, Type 1
6	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
91,195	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,460	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
10	Each	907-658-A001	Hardened Network Switch, Type A
3	Each	907-658-A003	Hardened Network Switch, Type C
8	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
3	Each	907-660-A001	OTN Node
3	Each	907-660-B001	OTN Node Communications Hut
	Lump Sum	907-660-C001	OTN Node Training
8	Each	907-662-A001	Video Encoder, Type A
56,880	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
500	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
3,400	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
28,025	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
650	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
180	Linear Feet	907-668-F005	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 4 @ 2"

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR