SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): ADDENDUM NO. ADDENDUM NO. _____ 9/11/2009 DATED DATED ADDENDUM NO ADDENDUM NO. DATED DATED TOTAL ADDENDA: Number Description 1 (Must agree with total addenda issued prior to opening of bids) 1 Replace Notice To Bidders No. 2348 with same; Replace bidsheets with same; Amendment EBS Download Required. Respectfully Submitted, DATE Contractor BY _____ Signature TITLE ADDRESS _____ CITY, STATE, ZIP E-MAIL _____ (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows: President Address Address Secretary Treasurer Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

CODE: (SP)

SECTION 904 - NOTICE TO BIDDERS NO. 2348

DATE: 09/09/2009

SUBJECT: Storm Water Discharge Associated with Construction Activity

(> 5 Acres)

PROJECT: STP-0044-02(018) / 101800302 -- Prentiss County

A Construction Storm Water General NPDES Permit to discharge storm water associated with construction activity is required.

The Department has acquired Certificate of Permit Coverage <u>MSR-105545</u> under the Mississippi Department of Environmental Quality's (MDEQ) Storm Water Construction General Permit. Projects issued a certificate of permit coverage are granted permission to discharge treated storm water associated with construction activity into State waters. Copies of said permit, completed Large Construction Notice of Intent (LNOI), and Storm Water Pollution Prevention Plan (SWPPP) are on file with the Department.

Prior to the execution of the contract, the successful bidder shall execute and deliver to the Executive Director an original signed copy of the completed Prime Contractor Certification (Form No. 1).

Failure of the bidder to execute and file the completed Prime Contractor Certification (Form No. 1) shall be just cause for the cancellation of the award.

The executed Prime Contractor Certification (Form No. 1) shall be prima facie evidence that the bidder has examined the permit, is satisfied as to the terms and conditions contained therein, and that the bidder assumes the responsibility for meeting all permit terms and conditions and for performing permit requirements including, but not limited to, the inspection and reporting requirements. For this project, the Contractor shall furnish, set up and read, as needed, an on-site rain gauge.

The Contractor shall make inspections in accordance with condition No. S-4, page 14, and shall furnish the Project Engineer with the results of each weekly inspection as soon as possible following the date of inspection. A copy of the inspection form provided with the packet completed shall be sufficient. The weekly inspections must be documented monthly on the Inspection and Certification Form. The Contractor's representative and the Project Engineer shall jointly review and discuss the results of the inspections so that corrective action can be taken. The Project Engineer shall retain copies of the inspection reports.

An amount equal to 25 percent (25%) of the total estimated value of the work performed during each period in which the Contractor fails to submit monthly the completed Inspection and Certification Form to the Project Engineer will be withheld from the Contractor's earned work.

- 2 -

Thereafter, on subsequent successive estimate periods, the percentage withheld will be increased at the rate of 25 percent per estimate period in which the non-conformance with this specification continues. Monies withheld for this non-conformance will be released for payment on the next monthly estimate for partial payment following the date the monthly submittal of the completed Inspection and Certification Form is brought back into compliance with this specification.

Upon successful completion of all permanent erosion and sediment controls, accepted and documented by the full maintenance release, the Project Engineer shall submit a completed Notice of Termination (NOT) of Coverage to the Office of Pollution Control. If no sediment and/or erosion control problems are identified by MDEQ's inspection of the site, the Construction Storm Water Permit Coverage is terminated.

In summary, prior to the execution of the contract, the successful bidder shall execute and deliver to the Executive Director an original signed copy of the completed Prime Contractor Certification (Form No. 1). Also, prior to the commencement of construction on the project, the Contractor shall transmit by letter an original signed copy of the completed Prime Contractor Certification (Form No. 2) to the Office of Pollution Control, P.O. Box 10385, Jackson, Mississippi 39289-0385. Copies of the completed Prime Contractor Certification (Form No. 2) and letter of transmittal shall be furnished the Project Engineer as proof of the required filing with the Office of Pollution Control. At project completion, when accepted and documented by the Engineer, a Notice of Termination of Coverage will be submitted to the Office of Pollution Control.

Securing a permit (s) for storm water discharge associated with the Contractor's activity on any other regulated area the Contractor occupies, shall be the responsibility of the Contractor.

Grading, drainage, bridge, and paving necessary to construct new SR 30 from U.S. Highway 45 to Existing SR 30, known as Federal Aid Project No. STP-0044-02(018) / 101800302, in the County of Prentiss, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED ***BID SCHEDULE***

Line	Item Code	Adj	Quantity	Units	Description	Unit Price	:	Item Amou	ınt
No.		Code				Dollar	Ct	Dollar	Ct
					Roadway Items	•			
0010	201-A001		1	Lump Sur	n Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-B005		7,300	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B042		6	Each	Removal of Flared End Section, All Sizes				
0040	202-B064		178	Linear Feet	Removal of Pipe, 8" And Above				
0050	202-B076		4,810	Linear Feet	Removal of Traffic Stripe				
0060 Chang	203-A003 ged 09/09/2009	(E)	147,256	Cubic Yard	Unclassified Excavation, FM, AH				
0070 Chang	203-EX017 ged 09/09/2009	(E)	369,096	Cubic Yard	Borrow Excavation, AH, FME, Class B9				
0080	206-A001	(S)	5,145	Cubic Yard	Structure Excavation				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	206-B001	(E)	263	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM		
0100	209-A004		24,476	Square Yard	Geotextile Stabilization, Type V, Non-Woven		
0110	211-B001	(E)	6,852	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished		
0120	212-A001		211,838	Square Yard	Light Ground Preparation		
0130	212-B001		423,676	Square Yard	Standard Ground Preparation		
0140	213-B001		55	Ton	Combination Fertilizer, 13-13-13		
0150	213-C001		44	Ton	Superphosphate		
0160	214-A002		1,751	Pounds	Seeding, Bermudagrass		
0170	214-A003		2,189	Pounds	Seeding, Tall Fescue		
0180	214-A004		876	Pounds	Seeding, Crimson Clover		
0190	214-A014		876	Pounds	Seeding, Browntop Millet		
0200	214-A015		3,940	Pounds	Seeding, Oats		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	:	Bid Amoun	nt
0210	214-A017		1,095	Pounds	Seeding, Rye Grass				
0220	215-A001		219	Ton	Vegetative Materials for Mulch				
0230	216-A001		891	Square Yard	Solid Sodding				
0240	217-A001		10,950	Square Yard	Ditch Liner				
0250	219-A001		18	Thousand Gallon	Watering	20.	00	360.	00
0260	220-A001		44	Acre	Insect Pest Control	30.	00	1,320.	00
0270	221-A001	(S)	332	Cubic Yard	Portland Cement Concrete Paved Ditch				
0280	223-A001		1	Acre	Mowing	40.	00	40.	00
0290	224-A001		6,942	Square Yard	Soil Reinforcing Mat				
0300	234-A001		5,316	Linear Feet	Temporary Silt Fence				
0310	235-A001		622	Bale	Temporary Erosion Checks				
0320	236-A004		12	Each	Silt Basin, Type D				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0330	406-A002		50	Cubic Yard	Cold Milling of Bituminous Pavement (LVM) (All Depths)		
0340	423-A001		3	Mile	Rumble Strips, Ground In		
0350	501-E001		172	Linear Feet	Expansion Joints, Without Dowels		
0360	501-K001		365	Square Yard	Transverse Grooving		
0370	502-A001	(C)	373	Square Yard	Reinforced Cement Concrete Bridge End Pavement		
0380 Chang	602-A001 ged 09/09/2009	(S)	179,024	Pounds	Reinforcing Steel		
0390	603-A036	(S)	312	Linear Feet	60" Steel Pipe, Jacked or Bored, Wall Thickness 0.625"		
0400	603-CA002	(S)	964	Linear Feet	18" Reinforced Concrete Pipe, Class III		
0410	603-CA004	(S)	176	Linear Feet	30" Reinforced Concrete Pipe, Class III		
0420 Chang	603-CA006 ged 09/09/2009	(S)	208	Linear Feet	42" Reinforced Concrete Pipe, Class III		
0430	603-CA015	(S)	284	Linear Feet	24" Reinforced Concrete Pipe, Class IV		
0440	603-CA021	(S)	400	Linear Feet	60" Reinforced Concrete Pipe, Class IV		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0450	603-CA029	(S)	428	Linear Feet	36" Reinforced Concrete Pipe, Class V		
0460	603-CA043	(S)	32	Linear Feet	48" Reinforced Concrete Pipe, Class IV, Class B Bedding		
0470	603-CB001	(S)	18	Each	18" Reinforced Concrete End Section		
0480 Chang	603-CB002 ged 09/09/2009	(S)	3	Each	24" Reinforced Concrete End Section		
0490 Chang	603-CB003 ged 09/09/2009	(S)	3	Each	30" Reinforced Concrete End Section		
0500	603-CB004	(S)	2	Each	36" Reinforced Concrete End Section		
0510	603-CB005	(S)	2	Each	42" Reinforced Concrete End Section		
0520	603-CB006	(S)	1	Each	48" Reinforced Concrete End Section		
0530	603-CB008	(S)	4	Each	60" Reinforced Concrete End Section		
0540	603-CE002	(S)	212	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III		
0550	603-CE004	(S)	116	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III		
0560	603-CE005	(S)	104	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0570	603-CE006	(S)	112	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III		
0580	603-CF002	(S)	2	Each	29" x 18" Concrete Arch Pipe End Section		
0590 Chang	603-CF004 ged 09/09/2009	(S)	3	Each	44" x 27" Concrete Arch Pipe End Section		
0600	603-CF005	(S)	2	Each	51" x 31" Concrete Arch Pipe End Section		
0610	603-CF006	(S)	3	Each	58" x 36" Concrete Arch Pipe End Section		
0620	604-A001		1,185	Pounds	Castings		
0630	604-B001		750	Pounds	Gratings		
0640	606-B001		1,150	Linear Feet	Guard Rail, Class A, Type 1		
0650	606-D012		8	Each	Guard Rail, Bridge End Section, Type I		
0660	606-E002		8	Each	Guard Rail, Terminal End Section, Flared		
0670	609-D004	(S)	7,484	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified		
0680	609-D007	(S)	13,642	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	-
0690	615-A015	(S)	80	Linear Feet	Concrete Bridge End Barrier, 32"				
0700	616-A001	(S)	10,050	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0710	616-A003	(S)	612	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0720	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		
0730	619-A1002		9	Mile	Temporary Traffic Stripe, Continuous White				
0740	619-A2002		8	Mile	Temporary Traffic Stripe, Continuous Yellow				
0750	619-A4006		1	Mile	Temporary Traffic Stripe, Skip Yellow				
0760	619-A5001		22,212	Linear Feet	Temporary Traffic Stripe, Detail				
0770	619-A5003		9,671	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape				
0780	619-A6001		700	Linear Feet	Temporary Traffic Stripe, Legend				
0790	619-D1001		226	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0800	619-D2001		1,040	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0810	619-G4001		1,248	Linear Feet	Barricades, Type III, Single Faced				
0820	619-G4005		12	Linear Feet	Barricades, Type III, Double Faced				
0830	619-G5001		258	Each	Free Standing Plastic Drums				
0840	620-A001		1	Lump Sum	n Mobilization	XXXXXXXX	XXX		
0850	627-K001		736	Each	Red-Clear Reflective High Performance Raised Markers				
0860	627-L001		2,170	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0870	628-I002		366	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White				
0880	628-O001		4,538	Linear Feet	High Performance Cold Plastic Detail Stripe, White				
0890	628-O002		7,745	Linear Feet	High Performance Cold Plastic Detail Stripe, Yellow				
0900	630-F001		36	Each	Delineators, Guard Rail, White				
0910	630-F002		14	Each	Delineators, Guard Rail, Yellow				
0920	630-G002		8	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
0930	699-A001		1	Lump Sum	Roadway Construction Stakes	xxxxxxxx	XXX	
0940	815-A009	(S)	865	Ton	Loose Riprap, Size 300			
0950	815-E001	(S)	50	Square Yard	Geotextile under Riprap			
0960	815-F002	(S)	160	Ton	Sediment Control Stone			
0970	907-213-A001		263	Ton	Agricultural Limestone			
0980	907-304-A008	(GY)	74,081	Cubic Yard	Granular Material, LVM, Class 3, Group C			
0990	907-304-H002	(GY)	79,656	Cubic Yard	3/4" and Down Crushed Stone Base, LVM			
1000	907-307-A002	(M)	105,113	Square Yard	6" Soil-Lime-Water Mixing, Class A			
1010	907-307-D001		1,420	Ton	Lime			
1020	907-403-A006	(BA1)	20,279	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture			
1030	907-403-A007	(BA1)	22,492	Ton	Hot Mix Asphalt, MT, 19-mm mixture			
1040	907-403-A010	(BA1)	17,348	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1050	907-403-A011	(BA1)	3,084	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture		
1060	907-403-A012	(BA1)	27,901	Ton	Hot Mix Asphalt, ST, 19-mm mixture		
1070	907-403-A015	(BA1)	4,197	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture		
1080 Chang	907-601-A001 ged 09/09/2009	(S)	880	Cubic Yard	Class "B" Structural Concrete		
1090 Chang	907-601-B003 ged 09/09/2009	(S)	48	Cubic Yard	Class "B" Structural Concrete, Minor Structures		
1100	907-603-ALT0	1 (S)	88	Linear Feet	18" Type A Alternate Pipe		
1110	907-617-A001		49	Each	Right-of-Way Marker		
1120	907-626-A003		2	Mile	6" Thermoplastic Traffic Stripe, Skip White		
1130	907-626-C004		26	Mile	6" Thermoplastic Edge Stripe, Continuous White		
1140	907-626-D003		9	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow		
1150	907-626-E004		7	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow		
1160	907-626-F004		4	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1170	907-626-G004		56,333	Linear Feet	Thermoplastic Detail Stripe, White		
1180	907-626-G005		23,945	Linear Feet	Thermoplastic Detail Stripe, Yellow		
1190	907-626-H004		2,406	Linear Feet	Thermoplastic Legend, White		
1200	907-626-H005		33	Square Feet	Thermoplastic Legend, White		
					ALTERNATE GROUP AA NUMBER 1		•
1210	907-308-A001		890	Ton	Portland Cement		
1220	907-308-B002	(M)	105,113	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil		
					ALTERNATE GROUP AA NUMBER 2	I I	I I
1230	907-311-A003	(M)	105,113	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick		
1240	907-311-B001		710	Ton	Lime		
1250	907-311-C001		2,839	Ton	Fly Ash, Class C		
					Bridge Items	l l	1
1260	501-K001		2,899	Square Yard	Transverse Grooving		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amoun	ıt
1270	801-A001	(S)	440	Cubic Yard	Foundation Excavation for Bridges				
1280	803-B001	(S)	4	Each	Conventional Static Loading Test	5,000.	00	20,000.	00
1290	803-D002	(S)	6,960	Linear Feet	HP 12 x 53 Steel Piling				
1300	803-I001	(S)	4	Each	PDA Test Pile				
1310	803-J001	(S)	4	Each	Pile Restrike				
1320	805-A001	(S)	320,023	Pounds	Reinforcement				
1330	813-A001	(S)	1,449	Linear Feet	Concrete Railing				
1340	815-D001	(S)	265	Cubic Yard	Concrete Slope Paving				
1350	907-804-A001	(S)	1,555	Cubic Yard	Bridge Concrete, Class AA				
1360	907-804-C026	(S)	3,573	Linear Feet	90' Prestressed Concrete Beam, Type IV				

*** BID CERTIFICATION ***

TOTAL DID	\$
	*** DBE/WBE SECTION ***
Complete item nos. 1, 2, and/or 3 as appr	ropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.
I/We agree that no less than economically disadvantaged individ	percent shall be expended with small business concerns owned and controlled by socially and uals (DBE and WBE).
2. Classification of Bidder: Small Busi	iness (DBE) Small Business (WBE)
3. A joint venture with a Small Busines	ss (DBE/WBE):
R ACKNOWLEDGES THAT HE/SHE HAS O	*** SIGNATURE STATEMENT ***
IN CONSTITUTE THEIR OFFICIAL BID.	CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES
	BIDDER'S SIGNATURE