


Proposal & Plan Sales Will Begin on August 31, 2009



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 22, 2009



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 22, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 31, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	ITS-0210-00(017) / 105469301	Forrest & Lamar
02	STP-0044-02(018) / 101800302	Prentiss
03	WITHDRAWN	
04	HSIP-0008-01(116) / 105495301	Harrison
05	BR-0018-02(038) / 103320301	Holmes
06	BR-0022-02(042) / 104129301	Newton
07	MRP-6110-24(024) / 303726301 & MP-6110-24(006) / 303726302	Harrison
08	STP-0020-02(079) / 105567301, IM-0020-02(079) / 105567302, STP-0020-02(079) / 105567303, & IM-0020-02(079) / 105567304	Scott
09	STP-0055-04(091) / 105575301 & IM-0055-04(091) / 105575302	Desoto
10	STP/IM-0055-01(095)/105571301, STP/IM-0055-01(095)/105571302, STP/IM-0055-01(095)/105571303, & STP/IM-0055-01(095)/105571304	Copiah

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday, October 27, 2009; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, October 27, 2009, and shortly thereafter publicly opened for

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	BRDP-9205-00(007) / 100332306, & BRDP-9205-00(007) / 100332307 / 100332306, & 307	Washington

Installation of Intelligent Transportation System (ITS) improvements on US 49, US 98 & I-59 in Hattiesburg, known as Federal Aid Project No. ITS-0210-00(017) / 105469301 & 302, in the Counties of Forrest and Lamar, State of Mississippi.

PROJECT COMPLETION: June 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

5	Acre	201-B001	Clearing and Grubbing
1,400	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
24	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2,025	Linear Feet	606-B001	Guard Rail, Class A, Type 1
9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
9	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
116	Square Feet	619-D4001	Directional Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
	Lump Sum	620-A001	Mobilization
75	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
57	Each	647-A003	Pullbox, Type 4
52	Each	647-A004	Pullbox, Type 5
62	Each	647-A005	Pullbox, Type 2
16	Each	650-A002	On Street Video Equipment, Fixed Type
8	Each	650-A003	On Street Video Equipment, PTZ Type
4,000	Linear Feet	666-B037	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 4 Conductor
3,590	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
8,260	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
460	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
10	Acre	907-225-A001	Grassing
30	Ton	907-225-B001	Agricultural Limestone
150	Ton	907-304-F001	Size 825 Crushed Stone Base
492	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
	Lump Sum	907-630-M006	Pedestal Sign Support, Assembly No 3, Contractor Designed
	Lump Sum	907-630-M007	Pedestal Sign Support, Assembly No 4, Contractor Designed
	Lump Sum	907-630-M008	Pedestal Sign Support, Assembly No 6, Contractor Designed
	Lump Sum	907-630-M009	Pedestal Sign Support, Assembly No 7, Contractor Designed
1	Each	907-637-A001	Equipment Cabinet, Type B
3	Each	907-637-A002	Equipment Cabinet, Type C
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
8	Each	907-641-A001	Radar Detection System

Call No. 01 for the September 22, 2009 Letting

2	Each	907-655-A001	Highway Advisory Radio System
5	Each	907-655-B001	Highway Advisory Radio Flashing Beacon
	Lump Sum	907-655-C001	Highway Advisory Radio System Software and Server
1	Each	907-656-A001	Dynamic Message Sign, Type 1
6	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
91,195	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,460	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
10	Each	907-658-A001	Hardened Network Switch, Type A
3	Each	907-658-A003	Hardened Network Switch, Type C
8	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
3	Each	907-660-A001	OTN Node
3	Each	907-660-B001	OTN Node Communications Hut
	Lump Sum	907-660-C001	OTN Node Training
8	Each	907-662-A001	Video Encoder, Type A
56,880	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
500	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
3,400	Linear Feet	907-668-E004	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 4 @ 2"
28,025	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
650	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
180	Linear Feet	907-668-F005	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 4 @ 2"

Grading, drainage, bridge, and paving necessary to construct new SR 30 from U.S. Highway 45 to Existing SR 30, known as Federal Aid Project No. STP-0044-02(018) / 101800302, in the County of Prentiss, State of Mississippi.

PROJECT COMPLETION: 254 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
7,300 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6 Each	202-B042	Removal of Flared End Section, All Sizes
178 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,810 Linear Feet	202-B076	Removal of Traffic Stripe
154,973 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
345,556 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,145 Cubic Yard	206-A001	Structure Excavation
263 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
24,476 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
6,852 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
211,838 Square Yard	212-A001	Light Ground Preparation
423,676 Square Yard	212-B001	Standard Ground Preparation
55 Ton	213-B001	Combination Fertilizer, 13-13-13
44 Ton	213-C001	Superphosphate
1,751 Pounds	214-A002	Seeding, Bermudagrass
2,189 Pounds	214-A003	Seeding, Tall Fescue
876 Pounds	214-A004	Seeding, Crimson Clover
876 Pounds	214-A014	Seeding, Browntop Millet
3,940 Pounds	214-A015	Seeding, Oats
1,095 Pounds	214-A017	Seeding, Rye Grass
219 Ton	215-A001	Vegetative Materials for Mulch
891 Square Yard	216-A001	Solid Sodding
10,950 Square Yard	217-A001	Ditch Liner
18 Thousand Gallon	219-A001	Watering
44 Acre	220-A001	Insect Pest Control
332 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,942 Square Yard	224-A001	Soil Reinforcing Mat
5,316 Linear Feet	234-A001	Temporary Silt Fence
622 Bale	235-A001	Temporary Erosion Checks
12 Each	236-A004	Silt Basin, Type D
50 Cubic Yard	406-A002	Cold Milling of Bituminous Pavement (LVM) (All Depths)
3 Mile	423-A001	Rumble Strips, Ground In
172 Linear Feet	501-E001	Expansion Joints, Without Dowels
365 Square Yard	501-K001	Transverse Grooving
373 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
241,580 Pounds	602-A001	Reinforcing Steel
312 Linear Feet	603-A036	60" Steel Pipe, Jacked or Bored, Wall Thickness 0.625"
964 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III

Call No. 02 for the September 22, 2009 Letting

176	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
160	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
284	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
400	Linear Feet	603-CA021	60" Reinforced Concrete Pipe, Class IV
428	Linear Feet	603-CA029	36" Reinforced Concrete Pipe, Class V
32	Linear Feet	603-CA043	48" Reinforced Concrete Pipe, Class IV, Class B Bedding
18	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
4	Each	603-CB008	60" Reinforced Concrete End Section
212	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
116	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
104	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
112	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
3	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
1,185	Pounds	604-A001	Castings
750	Pounds	604-B001	Gratings
1,150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
7,484	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
13,642	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
80	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
10,050	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
612	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
22,212	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,671	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
700	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
226	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,040	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,248	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
258	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
736	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,170	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 02 for the September 22, 2009 Letting

366	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,538	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
7,745	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
36	Each	630-F001	Delineators, Guard Rail, White
14	Each	630-F002	Delineators, Guard Rail, Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
865	Ton	815-A009	Loose Riprap, Size 300
50	Square Yard	815-E001	Geotextile under Riprap
160	Ton	815-F002	Sediment Control Stone
263	Ton	907-213-A001	Agricultural Limestone
74,081	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
79,656	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
105,113	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
1,420	Ton	907-307-D001	Lime
20,279	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
22,492	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
17,348	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
3,084	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
27,901	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,197	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,247	Cubic Yard	907-601-A001	Class "B" Structural Concrete
47	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
88	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
49	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
26	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
56,333	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
23,945	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,406	Linear Feet	907-626-H004	Thermoplastic Legend, White
33	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
890	Ton	907-308-A001	Portland Cement
105,113	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
105,113	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
710	Ton	907-311-B001	Lime
2,839	Ton	907-311-C001	Fly Ash, Class C
Bridge Items			
2,899	Square Yard	501-K001	Transverse Grooving
440	Cubic Yard	801-A001	Foundation Excavation for Bridges
4	Each	803-B001	Conventional Static Loading Test
6,960	Linear Feet	803-D002	HP 12 x 53 Steel Piling

Call No. 02 for the September 22, 2009 Letting

4	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
320,023	Pounds	805-A001	Reinforcement
1,449	Linear Feet	813-A001	Concrete Railing
265	Cubic Yard	815-D001	Concrete Slope Paving
1,555	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,573	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV

Construction necessary to install median barriers on U.S. Highway 49 near I-10, known as Federal Aid Project No. HSIP-0008-01(116) / 105495301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: June 18, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

922	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
182	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
308	Square Feet	202-B059	Removal of Legend, All Types
26,627	Linear Feet	202-B076	Removal of Traffic Stripe
2,608	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,020	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
2,610	Square Yard	216-B004	Solid Sodding, Bermuda
20,588	Linear Feet	503-C007	Saw Cut, Full Depth
458	Pounds	602-A001	Reinforcing Steel
3,554	Linear Feet	609-B003	Concrete Curb, Special Design
503	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
7,257	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
976	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
149	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
37	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,000	Linear Feet	619-F1002	Portable Median Barrier
27	Unit	619-F4001	Snap-Back Delineator
	Lump Sum	620-A001	Mobilization
125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
33	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
146	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
2	Each	686-A001	Relocation of Existing Lighting Assemblies
886	Ton	907-304-D001	Granular Material, Crushed Stone
16	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
62	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
16	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
7	Cubic Yard	907-601-A001	Class "B" Structural Concrete
9,117	Square Feet	907-616-C001	Stamped & Colored Concrete Median and/or Island Pavement, Per Plans
13,538	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,651	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,121	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
154	Linear Feet	907-626-H004	Thermoplastic Legend, White
308	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-O007	Remove and Reset Signs, Ground Mounted

Replacing a bridge on SR 12 at Tchula Lake, known as Federal Aid Project No. BR-0018-02(038) / 103320301, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: 278 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
4,893 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
120 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
500 Linear Feet	202-B102	Removal of Guard Rail
33,575 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
12,285 Cubic Yard	203-G004	Excess Excavation, LVM, AH
126 Cubic Yard	206-A001	Structure Excavation
16 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
15,454 Square Yard	212-A001	Light Ground Preparation
30,908 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
128 Pounds	214-A002	Seeding, Bermudagrass
80 Pounds	214-A003	Seeding, Tall Fescue
64 Pounds	214-A014	Seeding, Browntop Millet
287 Pounds	214-A015	Seeding, Oats
80 Pounds	214-A017	Seeding, Rye Grass
16 Ton	215-A001	Vegetative Materials for Mulch
65 Square Yard	216-A001	Solid Sodding
2 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
10 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
4,600 Linear Feet	234-A001	Temporary Silt Fence
259 Bale	235-A001	Temporary Erosion Checks
4 Each	236-A001	Silt Basin, Type A
800 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
94 Linear Feet	501-E001	Expansion Joints, Without Dowels
198 Square Yard	501-K001	Transverse Grooving
204 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
6,570 Pounds	602-A001	Reinforcing Steel
1,912 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
800 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
425 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E002	Guard Rail, Terminal End Section, Flared
186 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
4,625 Linear Feet	610-A001	Drainage Wicks

Call No. 05 for the September 22, 2009 Letting

40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
400	Linear Feet	619-F1005	Portable Median Barrier, Less Than or Equal to 45 MPH
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
37	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
87	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
580	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
290	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
9	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1	Each	907-207-A001	Settlement Plate
19	Ton	907-213-A001	Agricultural Limestone
5,631	Ton	907-304-B002	Granular Material, Class 5, Group D
2,134	Ton	907-304-F003	3/4" and Down Crushed Stone Base
63	Ton	907-308-A001	Portland Cement
7,433	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
2,389	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
785	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
76	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
39	Cubic Yard	907-601-A001	Class "B" Structural Concrete
264	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
17	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
317	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
687	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
145	Linear Feet	907-626-H004	Thermoplastic Legend, White

Bridge Items

1,111	Square Yard	501-K001	Transverse Grooving
2	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test
1,550	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,435	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-J001	Pile Restrike
75,051	Pounds	805-A001	Reinforcement
505	Linear Feet	813-A001	Concrete Railing
451	Ton	815-A009	Loose Riprap, Size 300

Call No. 05 for the September22, 2009 Letting

293	Square Yard	815-E001	Geotextile under Riprap
453	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
897	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
598	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Bridge replacement, on MS. Hwy. 15 between Decatur and Union, known as Federal Aid Project No. BR-0022-02(042) / 104129301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: 157 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
73 Square Yard	202-B025	Removal of Concrete Paved Ditch
2,900 Linear Feet	202-B076	Removal of Traffic Stripe
7,699 Square Yard	202-B078	Removal of Pavement, All Types and Depths
149 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
1,120 Linear Feet	202-B102	Removal of Guard Rail
120 Linear Feet	202-B106	Removal of Pipe, All Sizes
2 Each	202-B140	Removal of Box Bridge Headwall
1 Each	202-B161	Removal of Existing Sign
34,049 Cubic Yard	203-EX033	Borrow Excavation, AH, FME, Class B17
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
416 Cubic Yard	206-A001	Structure Excavation
114 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
48,412 Square Yard	212-A001	Light Ground Preparation
96,824 Square Yard	212-B001	Standard Ground Preparation
13 Ton	213-B001	Combination Fertilizer, 13-13-13
10 Ton	213-C001	Superphosphate
400 Pounds	214-A002	Seeding, Bermudagrass
200 Pounds	214-A003	Seeding, Tall Fescue
200 Pounds	214-A004	Seeding, Crimson Clover
200 Pounds	214-A014	Seeding, Browntop Millet
900 Pounds	214-A015	Seeding, Oats
250 Pounds	214-A017	Seeding, Rye Grass
50 Ton	215-A001	Vegetative Materials for Mulch
948 Square Yard	216-A001	Solid Sodding
253 Square Yard	217-A001	Ditch Liner
19 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
24 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,851 Square Yard	224-A001	Soil Reinforcing Mat
5,253 Linear Feet	234-A001	Temporary Silt Fence
1,015 Bale	235-A001	Temporary Erosion Checks
235 Linear Feet	239-A001	Temporary Slope Drains
1,867 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
992 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
180 Linear Feet	501-E001	Expansion Joints, Without Dowels
400 Square Yard	501-K001	Transverse Grooving

Call No. 06 for the September 22, 2009 Letting

400 Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
73,548 Pounds	602-A001 Reinforcing Steel
850 Linear Feet	606-B001 Guard Rail, Class A, Type 1
8 Each	606-D015 Guard Rail, Bridge End Section
8 Each	606-E002 Guard Rail, Terminal End Section, Flared
52 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
Lump Sum	618-A001 Maintenance of Traffic
Lump Sum	618-C001 Construction & Removal of Detour Bridge
4 Mile	619-A1002 Temporary Traffic Stripe, Continuous White
1 Mile	619-A2002 Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A2006 Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
1 Mile	619-A4006 Temporary Traffic Stripe, Skip Yellow
204 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
156 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
245 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
632 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
336 Linear Feet	619-G4001 Barricades, Type III, Single Faced
102 Linear Feet	619-G4005 Barricades, Type III, Double Faced
119 Each	619-G5001 Free Standing Plastic Drums
5 Each	619-G7001 Warning Lights, Type "B"
Lump Sum	620-A001 Mobilization
1 Each	621-A001 Field Laboratory
82 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
640 Linear Feet	628-J002 6" High Performance Cold Plastic Traffic Stripe, Continuous White
320 Linear Feet	628-L002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
94 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
115 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44 Each	630-F001 Delineators, Guard Rail, White
93 Linear Feet	630-K003 Welded & Seamless Steel Pipe Posts, 4"
Lump Sum	699-A001 Roadway Construction Stakes
60 Ton	907-213-A001 Agricultural Limestone
1,957 Cubic Yard	907-304-C001 Granular Material, AEA, Class 5, Group C
3,837 Cubic Yard	907-304-C005 Granular Material, AEA, Class 9, Group C
1,187 Square Yard	907-307-C003 6" Soil-Lime-Water Mixing, Class C
16 Ton	907-307-D001 Lime
2,105 Ton	907-403-A006 Hot Mix Asphalt, MT, 12.5-mm mixture
4,733 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture
1 Cubic Yard	907-601-B003 Class "B" Structural Concrete, Minor Structures
168 Linear Feet	907-603-ALT01 18" Type A Alternate Pipe
32 Each	907-617-A001 Right-of-Way Marker
Lump Sum	907-618-D001 Construction and Removal of Detour Road
2 Mile	907-626-C004 6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-D003 6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E004 6" Thermoplastic Traffic Stripe, Continuous Yellow
504 Linear Feet	907-626-G004 Thermoplastic Detail Stripe, White
102 Linear Feet	907-626-H004 Thermoplastic Legend, White

Call No. 06 for the September 22, 2009 Letting

452	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
			ALTERNATE GROUP AA NO. 1
138	Ton	907-308-A001	Portland Cement
11,873	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
			ALTERNATE GROUP AA NO. 2
11,873	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
91	Ton	907-311-B001	Lime
366	Ton	907-311-C001	Fly Ash, Class C
			ALTERNATE GROUP BB NO. 1
90	Ton	907-308-A001	Portland Cement
10,686	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
			ALTERNATE GROUP BB NO. 2
10,686	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
72	Ton	907-311-B001	Lime
289	Ton	907-311-C001	Fly Ash, Class C
			Bridge Items
1,067	Square Yard	501-K001	Transverse Grooving
4	Each	803-B001	Conventional Static Loading Test
1,615	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,155	Linear Feet	803-D003	HP 14 x 73 Steel Piling
784	Linear Feet	803-F009	20" Pre-Formed Pile Hole
4	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
78,528	Pounds	805-A001	Reinforcement
486	Linear Feet	813-A001	Concrete Railing
797	Ton	815-A009	Loose Riprap, Size 300
572	Square Yard	815-E001	Geotextile under Riprap
482	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,424	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Call No. 07 for the September 22, 2009 Letting

Construction necessary to repair the timber fender system on the I-110 bridge at Biloxi Bay, known as State Project Nos. MRP-6110-24(024) & MP-6110-24(006) / 303726301 & 302, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: December 18, 2009

Advance Information Only - Items and Quantities Subject to Change

Bridge Items

34	Each	202-B130	Removal of Piling
3	Thousand Board Feet	820-B001	Treated Timber
2,040	Linear Feet	820-D001	Treated Timber Piling

Construction necessary for site improvements on the East and West Bound Rest Areas, known as Federal Aid Project No. STP/IM-0020-02(079) / 105567301, 302, 303, & 304, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: July 31, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
	Lump Sum	202-A001	Removal of Obstructions/Signs
2,924	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
14,465	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
1,005	Square Yard	202-B035	Removal of Concrete Sidewalk
4,563	Linear Feet	202-B038	Removal of Curb, All Types
80	Linear Feet	202-B041	Removal of Fence, All Types
2	Each	202-B042	Removal of Flared End Section, All Sizes
69	Each	202-B060	Removal of Low Mast Lighting Assembly
69	Each	202-B061	Removal of Low Mast Lighting Foundation
1	Each	202-B069	Removal of Sign
257	Linear Feet	202-B106	Removal of Pipe, All Sizes
18	Each	202-B116	Removal of Trees Greater Than 20"
15,102	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
328	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
15,420	Cubic Yard	203-G003	Excess Excavation, FM, AH
566	Cubic Yard	203-G004	Excess Excavation, LVM, AH
113	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,400	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B002	Combination Fertilizer, 8-8-8
1,733	Square Yard	216-B004	Solid Sodding, Bermuda
2	Thousand Gallon	219-A001	Watering
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
572	Square Yard	224-A001	Soil Reinforcing Mat
79	Cubic Yard	233-A001	Tree Bark Mulch, Type I
12,774	Linear Feet	234-A001	Temporary Silt Fence
93	Bale	235-A001	Temporary Erosion Checks
987	Linear Feet	413-B001	Cleaning and Sealing Joints
348	Linear Feet	413-C001	Cleaning and Sealing Cracks
52	Linear Feet	501-D001	Expansion Joints, With Dowels
207	Linear Feet	503-C007	Saw Cut, Full Depth
714	Pounds	602-A001	Reinforcing Steel
340	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
4	Each	603-CB014	15" Reinforced Concrete End Section
79	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
4	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
500	Pounds	604-B001	Gratings
2,090	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement

Call No. 08 for the September 22, 2009 Letting

4,622	Linear Feet	609-C002	Concrete Curb, Integral, Type 2
2,195	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
	Lump Sum	618-A001	Maintenance of Traffic
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
224	Linear Feet	628-G001	6" Cold Plastic Detail Stripe, White
81	Square Feet	628-H002	Cold Plastic Legend, White
6,214	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,965	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
105	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
383	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
64	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,233	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
52	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
64	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
3,925	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
920	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
9,165	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
486	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
60	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
388	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
15	Each	682-D001	Underground Pull Box
12	Each	682-E001	Underground Junction Box
131	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
86	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
9	Ton	907-213-A001	Agricultural Limestone
3	Acre	907-227-A001	Hydroseeding
170	Each	907-230-A010	Shrub Planting, Dwarf Stella De Oro Daylily
193	Each	907-230-A025	Shrub Planting, Big Blue Liriope
62	Each	907-230-A026	Shrub Planting, Blue Rug Juniper
99	Each	907-230-A037	Shrub Planting, Louisiana Iris
99	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
43	Each	907-230-A074	Shrub Planting, Abelia Grandiflora
74	Each	907-230-A113	Shrub Planting, Loropetalum 'Dwarf'
8	Each	907-230-B022	Tree Planting, Drake Elm
840	Linear Feet	907-230-C001	Bed Edging
6,550	Square Feet	907-230-D001	Bed Preparation
2,557	Linear Feet	907-230-PP001	Temporary Tree Protection Fencing, Per Plans
2	Each	907-242-PP005	Removal And Relocation of Security Building
1	Each	907-258-C001	Concrete Picnic Table and Benches
8	Each	907-258-D001	Wooden Picnic Table and Benches
41	Each	907-258-E001	Trash Receptacle
8	Each	907-258-N001	Car Stop
8	Each	907-258-P008	Picnic Shelter

Call No. 08 for the September22, 2009 Letting

8	Each	907-259-PP001	Lighting Assembly, Building UplightingType F
4	Each	907-259-PP002	Unlighted Bollard
4	Each	907-259-PP003	Lighting Assembly, Flag Pole Lighting, Type D
18	Each	907-259-PP003	Lighting Assembly, Lighted Bollard, Type C
	Lump Sum	907-282-N001	Drip Irrigation System
4	Each	907-290-A001	Flagpole
3,000	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
16,930	Square Yard	907-307-B002	6" Soil-Lime-Water Mixing, Class B
218	Ton	907-307-D001	Lime
131	Ton	907-308-A001	Portland Cement
15,586	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
720	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
1,300	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,905	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
811	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
525	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
13,261	Square Yard	907-501-B005	10" Plain Cement Concrete Pavement, Broom Finish
15	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
20	Linear Feet	907-603-PE002	8" Corrugated Polyethylene Pipe
160	Linear Feet	907-603-PE202	6" Corrugated Polyethylene Pipe
40	Linear Feet	907-603-PE211	12" Corrugated Polyethylene Pipe
22	Linear Feet	907-604-A001	8" Trench Drain
4	Each	907-607-PP008	Gate, 20' Swing, Per Plans
530	Square Yard	907-608-C001	Colored Concrete Sidewalk
919	Square Feet	907-611-B001	Brick Pavers
2,425	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
687	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
486	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
224	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
81	Square Feet	907-626-H005	Thermoplastic Legend, White
643	Linear Feet	907-628-G001	6" Cold Plastic Detail Stripe, Blue-ADA
4	Each	907-628-H002	Cold Plastic Legend, Blue-ADA Handicap Symbol
42	Each	907-682-E001	Underground Junction Box With Concrete Pad
57	Each	907-683-PP001	Lighting Assembly, Low Mast, Type A
42	Each	907-683-PP001	Lighting Assembly, Low Mast, Type B

Construction necessary for site improvements to the Desoto County Rest Area on I-55, known as Federal Aid Project No. STP/IM-0055-04(091) / 105575301 & 302, in the County of Desoto, State of Mississippi.

PROJECT COMPLETION: September 10, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

5 Acre	201-C001	Random Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
3 Each	202-B039	Removal of Delineator, All Types
35 Each	202-B099	Removal of Existing Light and Foundation
8 Each	202-B115	Removal of Trees 10" to 20"
17 Each	202-B116	Removal of Trees Greater Than 20"
6 Each	202-B248	Removal of Manhole Sewer
1 Each	202-B256	Removal of Monument
1 Each	202-B271	Removal of Treatment Plant Structures and Appurtenances
1 Each	202-B272	Removal of Pump Structures and Appurtenances
750 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
50 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,270 Square Yard	216-B004	Solid Sodding, Bermuda
28,254 Linear Feet	234-A001	Temporary Silt Fence With Woven Wire Backing
250 Bale	235-A001	Temporary Erosion Checks
119 Linear Feet	603-A037	18" Steel Pipe, Jacked or Bored, Wall Thickness 0.375"
84 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2 Each	603-CB001	18" Reinforced Concrete End Section
130 Linear Feet	607-B022	96" Type II Chain Link Fence, Class II
13 Each	607-P1030	Line Post, 11' x 2 1/2" Galvanized Steel
8 Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
4 Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
64 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement 4" Thick, Rock Finish
23 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement 6" Thick, Rock Finish
253 Linear Feet	609-C002	Concrete Curb, Integral, Type 2
64 Square Yard	614-A004	Concrete Driveway, Without Reinforcement, 8-inch Thickness 8" Thickness
116 Square Feet	619-D4001	Directional Signs
Lump Sum	620-A001	Mobilization
3 Each	630-F007	Delineators, Post Mounted, Single Yellow
6,118 Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
12 Each	682-D001	Underground Pull Box
2 Cubic Yard	684-A001	Pole Foundation, 12" Diameter
40 Cubic Yard	684-A003	Pole Foundation, 24" Diameter
Lump Sum	699-A001	Roadway Construction Stakes
132 Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
200 Ton	815-A009	Loose Riprap, Size 300
4 Acre	907-225-A001	Grassing
10 Ton	907-225-B001	Agricultural Limestone
4 Each	907-230-A106	Shrub Planting, Yoshino Cherry
4 Each	907-230-A107	Shrub Planting, Helier Holly
6 Each	907-230-A108	Shrub Planting, Heavenly Bamboo

Call No. 09 for the September 22, 2009 Letting

4	Each	907-230-A109	Shrub Planting, Daylily
4	Each	907-230-A110	Shrub Planting, Creeping Lily Turf
35	Each	907-230-A111	Shrub Planting, Japanese Spirea
10	Each	907-230-A112	Shrub Planting, Blue Wave Hydrangea
4	Each	907-230-B087	Tree Planting, Crape Myrtle
4	Each	907-230-B088	Tree Planting, Chinese Dogwood
2,925	Square Feet	907-230-D001	Bed Preparation
10	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
	Lump Sum	907-242-A011	Installation of Sewer Lift Station
11	Each	907-242-A013	Installation of Combination Air Vacuum/Release Valve and Vault
1	Each	907-258-D001	Wooden Picnic Table and Benches
1	Each	907-258-E001	Trash Receptacle Decorative Washed Rock
3	Each	907-258-F001	Water Hydrant
4	Each	907-258-J001	Metal Bench
3	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
14,127	Linear Feet	907-262-A003	6" PVC Pipe, C-900, Class 100
440	Linear Feet	907-262-A004	8" PVC Pipe, SDR 35
420	Linear Feet	907-265-A003	3/4" PVC Pipe, Schedule 40
9	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
5	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
1	Each	907-282-A064	Sprinkler Head, 1804-PRS-15EST
105	Linear Feet	907-282-B002	Piping, 3/4" Diameter
155	Linear Feet	907-282-B003	Piping, 1" Diameter
7	Linear Feet	907-282-B006	Piping, 2" Diameter
100	Linear Feet	907-282-D001	Valve Control Wire
1	Each	907-282-G003	Electric Controller, 6 Station
3	Each	907-282-H001	Electric Control Valve, 1"
1	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-290-A001	Flagpole
20	Each	907-604-C001	Precast Manhole, 48-inch Diameter
202	Square Yard	907-608-C001	Colored Concrete Sidewalk Red
7	Each	907-683-B008	Lighting Assembly, Low Mast, 150 W Type II
17	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W Type III Traditionalized Post Top
16	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W Type V Traditionalized Post Top

Construction necessary for Site Improvements on the Copiah County Rest Areas on I-55 northbound & southbound, known as Federal Aid Project Nos. STP/IM-0055-01(095) / 105571301, 302, 303 & 304, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: July 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
731	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
16	Square Yard	202-B025	Removal of Concrete Paved Ditch
861	Square Yard	202-B035	Removal of Concrete Sidewalk
43	Each	202-B070	Removal of Sign Including Post & Footing
4,580	Linear Feet	202-B076	Removal of Traffic Stripe
131	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inch Depth
1,199	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
12	Linear Feet	202-B106	Removal of Pipe, All Sizes
79	Each	202-B186	Removal of Low Mast Lighting Assembly and Foundation
12	Each	202-B247	Removal of Pull Box
450	Linear Feet	202-B270	Removal of Flower Planter
1,014	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
10	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
35	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
1,121	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-B002	Combination Fertilizer, 8-8-8
2,776	Square Yard	216-B005	Solid Sodding, 419 Hybrid Bermuda
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
2	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
1,770	Linear Feet	234-A001	Temporary Silt Fence
10	Bale	235-A001	Temporary Erosion Checks
481	Linear Feet	501-D001	Expansion Joints, With Dowels
1,141	Linear Feet	503-C005	Saw Cut, 8-inch
235	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
477	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement 8" Thickness
1,160	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
2,498	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,268	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
122	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
234	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
576	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
262	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2,600	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
6,600	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
415	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor

Call No. 10 for the September 22, 2009 Letting

475	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
58	Each	682-D001	Underground Pull Box
44	Each	683-B004	Lighting Assembly, Low Mast, Type 30-1-12-400
32	Each	683-B163	Lighting Assembly, Low Mast, Type 16-1-0-150
75	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
648	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
200	Square Yard	907-203-I001	Site Grading
2,000	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
88	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
28	Each	907-230-A014	Shrub Planting, Homestead Purple Verbena
260	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
18	Each	907-230-A053	Shrub Planting, Anthony Waterer Spiraea
20	Each	907-230-A097	Shrub Planting, Radtko Double Knockout Rose
103	Each	907-230-A098	Shrub Planting, Purple Pixie Loropetalum
4	Each	907-230-A099	Shrub Planting, Miss Huff Hardy Lantana
8	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
8	Each	907-230-B025	Tree Planting, Foster's Holly
4	Each	907-230-B049	Tree Planting, Australis Sweetbay Magnolia
340	Linear Feet	907-230-C001	Bed Edging
3,625	Square Feet	907-230-D001	Bed Preparation
35	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
2,555	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
2	Each	907-258-A001	Charcoal Grill
5	Each	907-258-D001	Wooden Picnic Table and Benches
20	Each	907-258-E001	Trash Receptacle
2	Each	907-258-F001	Water Hydrant
14	Each	907-258-J001	Metal Bench
6	Each	907-258-N001	Car Stop
6	Each	907-258-PP016	Bollard
2	Each	907-258-PP021	Travel Trailer Sewage Dump Station
2	Each	907-258-PP022	Vending Building Thru Wall Unit
4	Each	907-259-A001	Lighting Assembly, Nonlighted Bollard
14	Each	907-259-B001	Lighting Assembly, Bollards
4	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
1	Each	907-262-PP001	Waste Water Treatment Plant Maintenance/Rehabilitation
8	Each	907-282-A001	Sprinkler Head, 1812-PRS-15Q
13	Each	907-282-A002	Sprinkler Head, 1812-PRS-15H
38	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
17	Each	907-282-A006	Sprinkler Head, 1812-PRS-15CST
23	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
34	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
3	Each	907-282-A014	Sprinkler Head, 1804-PRS-15TQ
15	Each	907-282-A015	Sprinkler Head, 1804-PRS-15F
2	Each	907-282-A053	Sprinkler Head, 1804-PRS-15T
2	Each	907-282-A064	Sprinkler Head, 1804-PRS-15EST

Call No. 10 for the September 22, 2009 Letting

845	Linear Feet	907-282-B001	Piping, 1/2" Diameter
646	Linear Feet	907-282-B002	Piping, 3/4" Diameter
252	Linear Feet	907-282-B003	Piping, 1" Diameter
269	Linear Feet	907-282-B004	Piping, 1 1/4" Diameter
21	Linear Feet	907-282-B005	Piping, 1 1/2" Diameter
153	Linear Feet	907-282-B006	Piping, 2" Diameter
1,024	Linear Feet	907-282-D001	Valve Control Wire
2,446	Linear Feet	907-282-E001	Trench Excavation and Backfill
4	Each	907-282-H002	Electric Control Valve, 1 1/2"
4	Each	907-282-H003	Electric Control Valve, 2"
2	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-282-J004	Isolation Valve, 2"
2	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
4	Each	907-290-A001	Flagpole
1,200	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
2,557	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
35	Ton	907-307-D001	Lime
7	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
3,320	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
48	Linear Feet	907-605-P005	8" Non-Perforated Sewer Pipe for Underdrains, SDR 26
271	Linear Feet	907-605-U003	8" Non-perforated Pipe for Underdrains, PVC
	Lump Sum	907-607-PP007	Fence Slats, Vinyl
667	Square Yard	907-608-C001	Colored Concrete Sidewalk
10	Square Yard	907-608-E001	Exposed Aggregate Concrete Sidewalk
1,008	Square Feet	907-611-B001	Brick Pavers
509	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
459	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
193	Linear Feet	907-626-H004	Thermoplastic Legend, White
6	Each	907-630-PP001	Handicap Parking Sign with Post
	Lump Sum	907-809-PP003	Modular Block Retaining Wall

Construction necessary to open the New U.S. Highway 82 River Bridge and demolish the Old River Bridge, known as Federal Aid Project No. BRDP-9205-00(007) / 100332306 & 307, in the County of Washington, State of Mississippi and County of Chicot, State of Arkansas. A MANDATORY PREBID MEETING WILL BE HELD IN THE MDOT ADMINISTRATION BUILDING AUDITORIUM AT 1:30 PM ON OCTOBER 6, 2009. SEE NOTICE TO BIDDERS NO. 1197M FOR COMPLETE DETAILS.

PROJECT COMPLETION: September 21, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

9,883	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
859	Square Meter	202-B030	Removal of Concrete Pavement (All Depths)
3,235	Square Meter	202-B033	Removal of Concrete Pavement With Variable Depth Overlay
1,290	Meter	202-B055	Removal of Guard Rail Including Post, Blockouts & Hardware
26	Meter	202-B066	Removal of Pipe (200-mm and above)
1,200	Meter	202-B076	Removal of Traffic Stripe
50	Meter	202-B221	Removal of Box Culvert (Including Headwalls)
100	Cubic Meter	203-G004	Excess Excavation (LVM) (AH)
29,011	Square Meter	212-B001	Standard Ground Preparation
3	Metric Ton	213-B001	Combination Fertilizer (13-13-13)
3	Metric Ton	213-C001	Superphosphate
67	Kilogram	214-A002	Seeding (Bermudagrass)
82	Kilogram	214-A003	Seeding (Tall Fescue)
13	Metric Ton	215-A001	Vegetative Materials for Mulch
200	Square Meter	216-A001	Solid Sodding
2	Hectare	220-A001	Insect Pest Control
20	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
100	Bale	235-A001	Temporary Erosion Checks
17,810	Metric Ton	406-A003	Cold Milling of Bituminous Pavement (All Depths)
182	Kilogram	602-A001	Reinforcing Steel
186	Meter	609-D002	Combination Concrete Curb and Gutter Type 2
3	Each	613-D004	Adjustment of Inlets , Special Design
12	Meter	615-B001	Precast Concrete Median Barrier
70	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
25	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic, Marine and Vehicular
11	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
84	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
1	Each	619-E1001	Flashing Arrow Panel (Type C)
6	Meter	619-G4001	Barricades (Type III) (Single Faced)
8	Meter	619-G4004	Barricades (Type III) (Single Faced) (Permanent)(Red/White)
86	Meter	619-G4005	Barricades (Type III) (Double Faced)
22	Meter	619-G4008	Barricades (Type III) (Double Faced) (Permanent)(Red/White)
140	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights (Type "B")
1	Each	629-A004	Vehicular Impact Attenuator (112 kph)
15	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
41	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
25	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground

Call No. 01 for the October 27, 2009 Letting

Mounted)		
199	Meter	630-C003 Steel U-Section Posts (4.46 kg/m)
54	Meter	630-D004 Structural Steel Beams (W150 x 14)
12	Meter	630-D005 Structural Steel Beams (W150 x 22)
84	Kilogram	630-E001 Structural Steel Angles & Bars (75 mm x 75 mm x 6 mm Angles)
23	Kilogram	630-E002 Structural Steel Angles & Bars (90 mm x 90 mm x 6 mm Angles)
36	Kilogram	630-E004 Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
50	Each	630-F011 Delineators (Median Barrier Mounted)(Type I)(Yellow)
28	Meter	630-K001 Welded & Seamless Steel Pipe Posts (DN 75)
20	Meter	630-K003 Welded & Seamless Steel Pipe Posts (DN 100)
	Lump Sum	907-202-A001 Removal of Obstructions
3,811	Cubic Meter	907-203-EX004 Borrow Excavation (AH)(FME) (Class B9)
20	Metric Ton	907-213-A001 Agricultural Limestone
4	Hectare	907-223-A001 Mowing
400	Meter	907-234-A002 Temporary Silt Fence
4,062	Metric Ton	907-304-B002 Granular Material (Class 5, Group E)
3,973	Metric Ton	907-304-D001 20-mm and Down Crushed Stone
28	Metric Ton	907-308-A001 Portland Cement
2,182	Square Meter	907-308-B002 Soil-Cement-Water Mixing, (Optional Mixers) (Base)
3,195	Metric Ton	907-403-A010 Hot Mix Asphalt, HT, 12.5-mm mixture
876	Metric Ton	907-403-A011 Hot Mix Asphalt, HT, 19-mm mixture
2,548	Metric Ton	907-403-D002 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5	Kilometer	907-423-A003 400-mm Rumble Strips (Ground In)
18,744	Square Meter	907-501-K001 Transverse Grooving
1,030	Cubic Meter	907-506-A001 Latex Modified Concrete Wearing Surface
90	Square Meter	907-506-B001 Latex Modified Concrete Demonstration Section
6	Cubic Meter	907-601-B001 Class "B" Structural Concrete, Minor Structures
4	Each	907-617-A003 Right-of-Way Marker
6	Kilometer	907-619-A1005 Temporary Traffic Stripe (Continuous White) (Paint)
6	Kilometer	907-619-A2005 Temporary Traffic Stripe (Continuous Yellow) (Paint)
210	Meter	907-619-A3006 Temporary Traffic Stripe, Skip White
1,176	Meter	907-619-A5001 Temporary Traffic Stripe (Detail) (Paint)
141	Meter	907-619-A6001 Temporary Traffic Stripe (Legend) (Paint)
8	Square Meter	907-619-A6005 Temporary Traffic Stripe (Legend) (Paint)
130	Each	907-619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
	Lump Sum	907-620-A001 Mobilization
4	Kilometer	907-626-AA003 150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
1	Kilometer	907-626-BB003 150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
7	Kilometer	907-626-CC003 150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mmmin)
4	Kilometer	907-626-EE004 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
3	Kilometer	907-626-FF001 150-mm Thermoplastic Edge Stripe (Continuous Yellow)(1.50-mmmin.)
1,390	Meter	907-626-GG001 Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
4,340	Meter	907-626-GG002 Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
126	Meter	907-626-HH004 Thermoplastic Legend (White) (3.00-mm min)
47	Square Meter	907-626-HH005 Thermoplastic Legend (White) (3.00-mm min)

Call No. 01 for the October 27, 2009 Letting

639	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
294	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
740	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers
9	Kilometer	907-628-II002	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
9	Kilometer	907-628-KK002	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
9	Kilometer	907-628-NN002	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
3,808	Meter	907-628-OO001	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((White)
2,538	Meter	907-628-OO002	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((Yellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
	Lump Sum	907-804-PP002	Ice Retainer Pins, Per Plans
	Lump Sum	907-813-PP001	Spray Finish For Cable Stay Bridge Railing, Per Plans

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR